

# Index

## A

AAP's Committee on Psychosocial Aspects of Child and Family Health, 80

Abusive head trauma (AHT), 27

Adverse childhood experiences (ACEs) study, 120, 121

child maltreatment categories, 18

dysfunction categories, 18

epigenetics, 18

infographics, 20, 21

medical evaluation, 18

prevalence, 19

score, 19, 20

social and environmental exposures, 18

standardized medical examination, 19

Ameliorative interventions, 123

American Academy of Pediatrics (AAP), 78, 94, 96

American Professional Society on the Abuse of Children (APSAC), 77–79, 86

## C

Canadian Academy of Child and Adolescent Psychiatry (CACAP) Advocacy Committee, 79

CDC's National Center for Injury Prevention and Control (NCIPC), 84, 85, 87

Centers for Disease Control and Prevention (CDC), 87, 114, 119, 120, 123–134

Call To Action speakers, 135

complementary dynamic prevention (*see* Complementary dynamic prevention approach)

economic analysis, 135

*Essentials for Childhood: Steps to Create Safe, Stable, Nurturing Relationships and Environments*, 134

framework, 134

media, 135

outcome studies, 135

people recognize/acknowledge, 135

polycymaking, 135

preventive practice, 135

private and public partnerships development, 135

public health prevention model (*see* Public health prevention model)

risk factors, 134

strategies to prevent child abuse and neglect, 132, 136–144

technical package, 134

universal promotion, 134

Child health practitioners, 113

Child maltreatment

corporal punishment to, 78–80

ecological model, 113

IPV, 90–101

Child maltreatment prevention, 120

calls, 114–118

and CDC approach to child well-being, 119

child health practitioners, 113

community/societal dysfunction, 114

*Essentials for Childhood: Steps to Create Safe, Stable, Nurturing Relationships and Environments*, 119

income and parental education, 114

outcomes, 119

policies, 114

- Child maltreatment prevention (*continued*)  
 policy directions, 120  
 public health (*see* Public health prevention model)  
 socio-demographic characteristics, 114  
 substance abuse, 114  
 symptom of larger family, 114  
 Technical Package, 119  
 types, 114
- Child physical abuse, 3, 77–86  
 acute, 27  
 child fatalities, 9–13  
 child maltreatment categories, 2, 3  
 child or adolescent's caregiver, 1  
 clinical and developmental perspectives, 16  
 cost of, 32, 33  
 defined, 1  
 etiological models, 14–18  
 Glance statistics, 4  
 Helfer's ecological model, 16  
 incidence of, 2  
 long-term, 27–31  
 mandated reporting, 23–26  
 NCANDS, 2  
 NIS definition, 3  
 NIS-3, 5, 7, 8  
 NIS-4, 5, 6  
 risk factors, 17, 18, (*see* Risk factors)  
 signs and symptoms, 1  
 social-ecological model, 14–18  
 U.S. Maltreatment Trends, 9
- Child protective services (CPS), 102, 103, 116, 134, 136, 143
- Child Welfare Information Gateway, 106
- Children and youth with special health care needs (CYSHCN), 101
- Children Who See Too Much*, 91
- Classic metaphyseal fractures (CMLs), 59
- Complementary dynamic prevention approach  
 academic study and practice experience, 125  
 ameliorative interventions, 123  
 bi-directional manner, 125  
 community intervention, 123  
 cost-effectiveness, interventions, 126  
 crisis management quadrant, 124  
 DRAIN, 123  
 framing continua, child wellbeing activities, 124  
 human ecological model, 125  
 individual/group, 123  
 individuals, families and communities, 124  
 Mountain of Risk *vs.* Cake of Wellbeing, 124, 125  
 positive markers, 124  
 primary, secondary and tertiary model, 123  
 proactive/reactive, 123  
 public health model (*see* Public health prevention model)  
 SPEC, 123  
 transformative interventions, 123  
 unintentional injuries, 125, 126
- Contextually Moderated Effects of Parental Corporal Punishment on Children, 82
- Corporal punishment  
 American Academy of Pediatrics (AAP), 78  
 APSAC, 77  
 definition, 77–78  
 to child maltreatment, 78–80  
*vs.* discipline  
 AAP, 80  
 AAP's Committee on Psychosocial Aspects of Child and Family Health, 80  
 American Academy of Pediatrics recommends, 80  
 antisocial behavior, 84  
 comprehensive approach, 80  
 controversial nature, 80  
 evidence *vs.* use of spanking, 86  
 human rights and elimination of violence, 86  
 limited effectiveness, 80  
 meta-analyses, 82–84  
 negative outcomes, 86  
 non-physical disciplinary tactics, 85  
 professional and human rights opinions, 86  
 professional and human rights organizations, 86
- Crisis management quadrant, 124
- Cutaneous injuries, 47  
 bites, 52, 54  
 bruising, 52, 53  
 burns, 54–58  
 skin (*see* Skin injuries)
- D**
- Denver replication project, 132
- Disability/special health care  
 Child Abuse and Prevention, Adoption, and Family Services Act of 1988, 102  
 Child Welfare Information Gateway, 106  
 CPS, 102, 103  
 definition, 101–102

- ecological approach, 107–109
- epidemiologic design, 103
- and maltreatment, 102
- NCCAN study, 102, 103
- Nebraska Studies Data, 104
- physical abuse, 104
- population-based epidemiologic studies, 105, 106
- research and policy making perspective, 105
- school-based population, 103
- statistical analysis, 105
- type of victimization, 105
- types, 104, 105
- violence/victimization, 104, 105
- Domestic violence (DV), 91, 96
- Down syndrome, 105
- DRAIN, 123
  
- E**
- Economic Toll of Child Maltreatment, 33
- Enhanced Triple P, 126
- Essentials for Childhood: Steps to Create Safe, Stable, Nurturing Relationships and Environments*, 119, 134
- Evidence based screening tools, 97
  
- F**
- Family connections (FC), 133
- Family Violence Prevention Fund's, 97
- The Fourth National Incidence Study of Child Abuse and Neglect (NIS-4), 5, 6
- Fractures. *See* Musculoskeletal injury
  
- H**
- Health Care Providers, 26
- Health care system, 91
- Healthy Families America (HFA), 128, 133
- Helfer's ecological model, 16
- History of present illness (HPIs), 39–41, 43–47, 57, 59
  - general practitioner, 70
  - medical evaluation, 37–41
  - mimic trauma, 68, 69
  - non-verbal child, caregivers, 37–39
  - physical examination, 42, 43, 47–52
    - cutaneous injuries (*see* Cutaneous injuries)
    - ocular injuries (*see* Ocular injuries)
    - oronasal, pharyngeal and neck injuries, 43–47
      - photodocumentation of examination finding(s), 57, 59
      - scheduled medical evaluation, 70
      - urgent medical evaluation, 70
    - verbal child
      - caregivers and child, 39
      - from child, 39–41
- Home Visiting Evidence of Effectiveness (HomVEE) project*, 128–131
- Home-based family intervention, 133
- Human ecological etiology, 121
- Human ecological model, 125
  
- I**
- In Harm's Way: Domestic Violence and Child Maltreatment*, 90
- In-home visitation programs, 128
- Intimate partner violence (IPV)
  - adult setting
    - health care provider, 91
    - health care system, 91
    - USPSTF recommendation, 91–93
  - CDC fact sheet, 87
  - CDC's NCIPC, 84–85
  - connection to child maltreatment, 90–91
  - definition, 84, 85, 87
  - NISVS, 87–89
  - pediatric setting
    - AAP, 94
    - adult victim and child victim, 94
    - attitudes, 95
    - child abuse vs. training provided, 95
    - child maltreatment and DV, 94, 95
    - clinic experience and reported, 97
    - clinician skills, 101
    - and community practice, 95
    - current evidence, clinical practice and policy directions, 98
    - domestic violence, 94
    - evidence based screening tools, 97
    - Family Violence Prevention Fund's, 97
    - general pediatricians approaches, 95–97
    - guidance to clinicians, 94
    - multiple barriers, 95
    - national survey, 95
    - Pediatric Residents' Continuity Clinic Experience, 99–199
    - practical reality of implementing, 99–199
    - social environment component, 101
    - statewide survey, 95
    - universal screening programs, 95

- Intimate partner violence (IPV) (*continued*)  
 USPSF systematic review and  
 screening recommendation, 94  
 physical injuries, 90  
 public health priority, 87  
 public health problem, 87, 90
- M**
- Maternal and Child Health Bureau (MCHB), 101  
 Memphis replication, 132  
 Multidisciplinary/interdisciplinary team  
 approach  
 agencies and providers, 22  
 description, 22  
 health problems, 21  
 professional collaboration, 22  
 professional experiences, 22
- Musculoskeletal injury  
 accidental fractures, 59  
 buckle/impaction fracture, 60  
 classic metaphyseal lesion, 60  
 follow-up survey, 61, 62  
 inflicted trauma, accidental or physical  
 abuse, 59  
 rate of fractures, 62  
 rib fractures, 59, 60  
 skeletal survey, 61  
 skull fracture, 60  
 spiral/long oblique fracture, 60  
 supracondylar fractures, femur and toddler  
 fractures, 59  
 transverse fractures, 60
- N**
- National Center on Child Abuse and Neglect  
 (NCCAN) study, 102, 103  
 The National Child Abuse and Neglect Data  
 System (NCANDS), 2  
 National Crime Victimization Surveys, 90  
 National Intimate Partner and Sexual Violence  
 Survey (NISVS), 87–89  
 National Survey of Children with Special Health  
 Care Needs (NS-CHSCN), 101  
 Nebraska Studies Data, 104  
 Neurological injuries, 64–69  
 Nurse-Family Partnership (NFP), 128, 132, 133
- O**
- Occult head injuries, 66–68  
 Ocular injuries, 43  
 direct and indirect ophthalmoscopy, 42  
 direct blunt trauma, 42  
 intraretinal hemorrhages, 42, 44  
 retinal hemorrhages, 42, 44, 45  
 SCH, 42  
 unilateral pathology, 42
- Oronasal, pharyngeal and neck injuries  
 frank oronasal bleeding, 45  
 history of, 43  
 non-mobile infants, 45, 46  
 oral/oronasal bleeding, 43  
 suffocation/strangulation, 46, 47
- P**
- Pediatric Residents' Continuity Clinic  
 Experience, 99–199  
 Photodocumentation, examination findings,  
 57, 59  
 Policy direction  
 child maltreatment, 113–114  
 future prevention, 120  
 Post-traumatic stress disorder (PTSD), 91  
 Prevention, 120  
 child maltreatment, 113–114  
 protective and risk factor categories, 113  
 public health (*see* Public health prevention  
 model)  
 Primary Care Triple P, 126  
 Process–Context Model of Direct, Mediated, 82  
 Public health prevention model  
 ACE study, 120, 121  
 categories, 121  
 DHHS, 128  
 domains of interest, 128–131  
 Enhanced Triple P, 126  
 FC, 133  
 HFA, 128, 133  
 home visitation, 120  
*HomVEE project*, 128–131  
 human ecological etiology, 121  
 in-home visitation programs, 128  
 in-hospital education and community-  
 based family centers, 120  
 IPV, 133  
 NFP, 128, 132, 133  
 Primary Care Triple P, 126  
 primary, secondary and tertiary prevention,  
 121, 122  
 primary, secondary and tertiary programs, 120  
 program centered prevention efforts, 122  
 RCT, 128, 134  
 SEEK model, 133  
 Selected Triple P, 126  
 Standard and Group Triple P, 126

Triple P program, 126, 127  
 Universal Triple P, 126  
 Public health priority, 87

**R**

Risk factor, 87, 101, 102  
 and corporal punishment, 77–86  
 current evidence, clinical practice and  
 policy directions, 95, 97, 98  
 disability/special health care (*see*  
 Disability/special health care)  
 IPV (*see* Intimate partner violence (IPV))

**S**

Safe Environment for Every Kid (SEEK)  
 model, 133, 134  
 Scheduled medical evaluation, 70  
 Selected Triple P, 126  
 Skin injuries  
 characteristic locations/patterns, 47  
 clinicians, 50, 51  
 clustered bruises, 48, 49  
 description, 47  
 mobile individuals, 48  
 occult intracranial injuries, 50  
 SPEC, 123  
 Spousal abuse (SA), 96  
 Standard and Group Triple P, 126  
 Suffocation, 126

**T**

Technical Package, 119  
 Transformative interventions, 123  
 Triple P program, 126, 127  
 Triple P System vs. Control Conditions, 126,  
 127

**U**

U.S. Department of Health and Human  
 Services (DHHS), 101, 128  
 U.S. Preventive Services Task Force  
 (USPSTF) recommendation, 91–93  
 Unintentional injuries, 125, 126  
 Universal Triple P, 126  
 Urgent medical evaluation, 70  
 US Department of Health and Human  
 Services, 90  
 USPSF systematic review and screening  
 recommendation, 94  
 USPSTF systematic review, 97

**V**

Violent behavior, 79  
 Visceral injuries, 62, 64 Angelo P. Giardino  
 Baylor College of Medicine  
 Texas Children's Hospital  
 HoustonTexasUSA