

# Bibliography

- Abdi, H., Williams, L.J., Valentin, D.: Multiple factor analysis: principal component analysis for multitable and multiblock data sets. *WIREs Comput Stat.* **5**, 149–179 (2013)
- Anderson, M.J.: Distinguishing direct from indirect effects of grazers in intertidal estuarine assemblages. *J. Exp. Mar. Biol. Ecol.* **234**, 199–218 (1999)
- Anderson, M.J.: Distance-based tests for homogeneity of multivariate dispersions. *Biometrics.* **62**, 245–253 (2006)
- Anderson, M.J., Ellingsen, K.E., McArdle, B.H.: Multivariate dispersion as a measure of beta diversity. *Ecol. Lett.* **9**, 683–693 (2006)
- Anderson, M.J., Crist, T.O., Chase, J.M., Vellend, M., Inouye, B.D., Freestone, A.L., Sanders, N.J., Cornell, H.V., Comita, L.S., Davies, K.F., Harrison, S.P., Kraft, N.J.B., Stegen, J.C., Swenson, N.G.: Navigating the multiple meanings of  $\beta$  diversity: a roadmap for the practicing ecologist. *Ecol. Lett.* **14**, 19–28 (2011)
- Baselga, A.: Partitioning the turnover and nestedness components of beta diversity. *Glob. Ecol. Biogeogr.* **19**, 134–143 (2010)
- Baselga, A.: The relationship between species replacement, dissimilarity derived from nestedness, and nestedness. *Glob. Ecol. Biogeogr.* **21**, 1223–1232 (2012)
- Beamud, S.G., Diaz, M.M., Baccala, N.B., Pedrozo, F.L.: Analysis of patterns of vertical and temporal distribution of phytoplankton using multifactorial analysis: acidic Lake Caviahue, Patagonia, Argentina. *Limnologica.* **40**, 140–147 (2010)
- Benjamini, Y., Hochberg, Y.: Controlling the false discovery rate: a practical and powerful approach to multiple testing. *J R Stat Soc B.* **57**, 289–300 (1995)
- Bernier, N., Gillet, F.: Structural relationships among vegetation, soil fauna and humus form in a subalpine forest ecosystem: a Hierarchical Multiple Factor Analysis (HMFA). *Pedobiologia.* **55**, 321–334 (2012)
- Bivand, R.S., Pebesma, E.J., Gomez-Rubio, V.: Applied spatial data analysis with R. In: Use R Series, 2nd edn. Springer, New York (2013)
- Blanchet, F.G., Legendre, P., Borcard, D.: Forward selection of explanatory variables. *Ecology.* **89**, 2623–2632 (2008a)
- Blanchet, F.G., Legendre, P., Borcard, D.: Modelling directional spatial processes in ecological data. *Ecol. Model.* **215**, 325–336 (2008b)
- Borcard, D., Legendre, P.: Environmental control and spatial structure in ecological communities: an example using Oribatid mites (Acari, Oribatei). *Environ. Ecol. Stat.* **1**, 37–61 (1994)
- Blanchet, F. G., Legendre, P., Maranger, R., Monti, D., Pepin, P.: Modelling the effect of directional spatial ecological processes at different scales. *Oecologia.* **166**, 357–368 (2011)

- Borcard, D., Legendre, P.: All-scale spatial analysis of ecological data by means of principal coordinates of neighbour matrices. *Ecol. Model.* **153**, 51–68 (2002)
- Borcard, D., Legendre, P.: Is the Mantel correlogram powerful enough to be useful in ecological analysis? A simulation study. *Ecology*. **93**, 1473–1481 (2012)
- Borcard, D., Legendre, P., Drapeau, P.: Partialling out the spatial component of ecological variation. *Ecology*. **73**, 1045–1055 (1992)
- Borcard, D., Legendre, P., Avois-Jacquet, C., Tuomisto, H.: Dissecting the spatial structure of ecological data at multiple scales. *Ecology*. **85**, 1826–1832 (2004)
- Borcard, D., Gillet, F., Legendre, P.: *Numerical Ecology with R*. User! Series. Springer, New York (2011)
- Borthagaray, A.I., Arim, M., Marquet, P.A.: Inferring species roles in metacommunity structure from species co-occurrence networks. *Proc. R. Soc. B.* **281**, 20141425 (2014)
- Botta-Dukát, Z.: Rao's quadratic entropy as a measure of functional diversity based on multiple traits. *J. Veg. Sci.* **16**, 533–540 (2005)
- Breiman, L., Friedman, J.H., Olshen, R.A., Stone, C.G.: *Classification and Regression Trees*. Wadsworth International Group, Belmont (1984)
- Cadotte, M.W., Davies, T.J.: *Phylogenies in Ecology: A Guide to Concepts and Methods*. Princeton University Press, Princeton (2016)
- Carlson, M.L., Flagstad, L.A., Gillet, F., Mitchell, E.A.D.: Community development along a proglacial chronosequence: are above-ground and below-ground community structure controlled more by biotic than abiotic factors? *J. Ecol.* **98**, 1084–1095 (2010)
- Carvalho, J.C., Cardoso, P., Gomes, P.: Determining the relative roles of species replacement and species richness differences in generating beta-diversity patterns. *Glob. Ecol. Biogeogr.* **21**, 760–771 (2012)
- Chessel, D., Lebreton, J.D., Yoccoz, N.: Propriétés de l'analyse canonique des correspondances; une illustration en hydrobiologie. *Revue de Statistique Appliquée*. **35**, 55–72 (1987)
- Choler, P.: Consistent shifts in Alpine plant traits along a mesotopographical gradient. *Arct. Antarct. Alp. Res.* **37**, 444–453 (2005)
- Chytrý, M., Tichý, L., Holt, J., Botta-Duka, Z.: Determination of diagnostic species with statistical fidelity measures. *J. Veg. Sci.* **13**, 79–90 (2002)
- Clua, E., Buray, N., Legendre, P., Mourier, J., Planes, S.: Behavioural response of sicklefin lemon sharks *Negaprion acuidens* to underwater feeding for ecotourism purposes. *Mar. Ecol. Prog. Ser.* **414**, 257–266 (2010)
- Davé, R.N., Krishnapuram, R.: Robust clustering methods: a unified view. *IEEE Trans. Fuzzy Syst.* **5**, 270–293 (1997)
- de Bello, F., Lavergne, S., Meynard, C., Lepš, J., Thuiller, W.: The partitioning of diversity: showing Theseus a way out of the labyrinth. *J. Veg. Sci.* **21**, 992–1000 (2010)
- De Cáceres, M., Legendre, P.: Associations between species and groups of sites: indices and statistical inference. *Ecology*. **90**, 3566–3574 (2009)
- De Cáceres, M., Font, X., Oliva, F.: The management of numerical vegetation classifications with fuzzy clustering methods. *J. Veg. Sci.* **21**, 1138–1151 (2010)
- De'ath, G.: Multivariate regression trees: a new technique for modeling species-environment relationships. *Ecology*. **83**, 1105–1117 (2002)
- Declerck, S.A.J., Coronel, J.S., Legendre, P., Brendonck, L.: Scale dependency of processes structuring metacommunities of cladocerans in temporary pools of High-Andes wetlands. *Ecography*. **34**, 296–305 (2011)
- Dolédec, S., Chessel, D.: Co-inertia analysis: an alternative method to study species-environment relationships. *Freshw. Biol.* **31**, 277–294 (1994)
- Dolédec, S., Chessel, D., ter Braak, C.J.F., Champely, S.: Matching species traits to environmental variables: a new three-table ordination method. *Environ. Ecol. Stat.* **3**, 143–166 (1996)
- Dray, S., Legendre, P.: Testing the species traits-environment relationships: the fourth-corner problem revisited. *Ecology*. **89**, 3400–3412 (2008)
- Dray, S., Pettorelli, N., Chessel, D.: Matching data sets from two different spatial samplings. *J. Veg. Sci.* **13**, 867–874 (2002)

- Dray, S., Chessel, D., Thioulouse, J.: Co-inertia analysis and the linking of ecological data tables. *Ecology*. **84**, 3078–3089 (2003)
- Dray, S., Legendre, P., Peres-Neto, P.R.: Spatial modelling: a comprehensive framework for principal coordinate analysis of neighbour matrices (PCNM). *Ecol. Model.* **196**, 483–493 (2006)
- Dray, S., Choler, P., Doledec, S., Peres-Neto, P.R., Thuiller, W., Pavoine, S., ter Braak, C.J.F.: Combining the fourth-corner and the RLQ methods for assessing trait responses to environmental variation. *Ecology*. **95**, 14–21 (2014)
- Dufrêne, M., Legendre, P.: Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecol. Monogr.* **67**, 345–366 (1997)
- Dungan, J.L., Perry, J.N., Dale, M.R.T., Legendre, P., Citron-Pousty, S., Fortin, M.-J., Jakomulka, A., Miriti, M., Rosenberg, M.S.: A balanced view of scaling in spatial statistical analysis. *Ecography*. **25**, 626–640 (2002)
- Efron, B.: Bootstrap methods: another look at the jackknife. *Ann. Stat.* **7**, 1–26 (1979)
- Efron, B., Halloran, E., Holmes, S.: Bootstrap confidence levels for phylogenetic trees. *Proc Nat Acad Sci USA*. **93**, 13429–13434 (1996)
- Ellison, A.M.: Partitioning diversity. *Ecology*. **91**, 1962–1963 (2010)
- Escofier, B., Pagès, J.: Multiple factor analysis (AFMULT package). *Comput Stat Data Anal.* **18**, 121–140 (1994)
- Escoufier, Y.: The duality diagram: a means of better practical applications. In: Legendre, P., Legendre, L. (eds.) *Developments in Numerical Ecology*, NATO ASI Series Series G: Ecological Sciences, vol. 14, pp. 139–156. Springer, Berlin (1987)
- Ezekiel, M.: *Methods of Correlational Analysis*. Wiley, New York (1930)
- Faith, D.P., Minchin, P.R., Belbin, L.: Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio*. **69**, 57–68 (1987)
- Felsenstein, J.: Confidence limits on phylogenies: an approach using the bootstrap. *Evolution*. **39**, 783–791 (1985)
- Froese, R., Pauly, D. (Eds): *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org) (2017)
- Geary, R.C.: The contiguity ratio and statistical mapping. *Inc Stat.* **5**, 115–145 (1954)
- Geffen, E., Anderson, M.J., Wayne, R.K.: Climate and habitat barriers to dispersal in the highly mobile gray wolf. *Mol. Ecol.* **13**, 2481–2490 (2004)
- Gordon, A.D.: Classification in the presence of constraints. *Biometrics*. **29**, 821–827 (1973)
- Gordon, A.D., Birks, H.J.B.: Numerical methods in quaternary palaeoecology. I. Zonation of pollen diagrams. *New Phytol.* **71**, 961–979 (1972)
- Gordon, A.D., Birks, H.J.B.: Numerical methods in quaternary palaeoecology. II. Comparison of pollen diagrams. *New Phytol.* **73**, 221–249 (1974)
- Gower, J.C.: Some distance properties of latent root and vector methods used in multivariate analysis. *Biometrika*. **53**, 325–338 (1966)
- Gower, J.C.: Comparing classifications. In: Felsenstein, J. (ed.) *Numerical Taxonomy*. NATO ASI Series, vol. G-1, pp. 137–155. Springer, Berlin (1983)
- Gower, J.C., Legendre, P.: Metric and Euclidean properties of dissimilarity coefficients. *J. Classif.* **3**, 5–48 (1986)
- Gray, D.K., Arnott, S.E.: Does dispersal limitation impact the recovery of zooplankton communities damaged by a regional stressor? *Ecol. Appl.* **21**, 1241–1256 (2011)
- Greenacre, M., Primicerio, R.: *Multivariate Analysis of Ecological Data*. Fundación BBVA, Bilbao (2013)
- Greenberg, J.H.: The measurement of linguistic diversity. *Language*. **32**, 109–115 (1956)
- Griffith, D.A., Peres-Neto, P.R.: Spatial modeling in ecology: the flexibility of eigenfunction spatial analyses. *Ecology*. **87**, 2603–2613 (2006)
- Grimm, E.C.: CONISS: A FORTRAN 77 program for stratigraphically constrained cluster analysis by the method of incremental sum of squares. *Comput. Geosci.* **13**, 13–35 (1987)
- Guénard, G., Legendre, P., Boisclair, D., Bilodeau, M.: Assessment of scale-dependent correlations between variables. *Ecology*. **91**, 2952–2964 (2010)

- Hardy, O.J.: Testing the spatial phylogenetic structure of local communities: statistical performances of different null models and test statistics on a locally neutral community. *J. Ecol.* **96**, 914–926 (2008)
- Harrison, S., Ross, S.J., Lawton, J.H.: Beta-diversity on geographic gradients in Britain. *J. Anim. Ecol.* **61**, 151–158 (1992)
- Hill, M.O.: Diversity and evenness: a unifying notation and its consequences. *Ecology*. **54**, 427–432 (1973)
- Hill, M.O., Smith, A.J.E.: Principal component analysis of taxonomic data with multi-state discrete characters. *Taxon*. **25**, 249–255 (1976)
- Holm, S.: A simple sequentially rejective multiple test procedure. *Scand. J. Stat.* **6**, 65–70 (1979)
- Hurlbert, S.H.: The non-concept of species diversity: a critique and alternative parameters. *Ecology*. **52**, 577–586 (1971)
- Isaaks, E.H., Srivastava, R.M.: *An Introduction to Applied Geostatistics*. Oxford University Press, New York (1989)
- Jaccard, P.: Étude comparative de la distribution florale dans une portion des Alpes et du Jura. *Bulletin de la Société Vaudoise des Sciences Naturelles*. **37**, 547–579 (1901)
- Jongman, R.H.G., ter Braak, C.J.F., van Tongeren, O.F.R.: *Data Analysis in Community and Landscape Ecology*. Cambridge University Press, Cambridge (1995)
- Josse, J., Husson, F.: Handling missing values in exploratory multivariate data analysis methods. *Journal de la Société Française de Statistique*. **153**, 79–99 (2012)
- Josse, J., Pagès, J., Husson, F.: Testing the significance of the RV coefficient. *Comput Stat Data Anal.* **53**, 82–91 (2008)
- Jost, L.: Entropy and diversity. *Oikos*. **113**, 363–375 (2006)
- Jost, L.: Partitioning diversity into independent alpha and beta components. *Ecology*. **88**, 2427–2439 (2007)
- Kaufman, L., Rousseeuw, P.J.: *Finding Groups in Data: An Introduction to Cluster Analysis*. Wiley, New York (2005)
- Kempthorne, R.A.: Structure of species abundance and measurement of diversity. *Biometrics*. **35**, 307–322 (1979)
- Laliberté, E., Legendre, P.: A distance-based framework for measuring functional diversity from multiple traits. *Ecology*. **91**, 299–305 (2010)
- Laliberté, E., Paquette, A., Legendre, P., Bouchard, A.: Assessing the scale-specific importance of niches and other spatial processes on beta diversity: a case study from a temperate forest. *Oecologia*. **159**, 377–388 (2009)
- Lamentowicz, M., Lamentowicz, L., van der Knaap, W.O., Gabka, M., Mitchell, E.A.D.: Contrasting species-environment relationships in communities of testate amoebae, bryophytes and vascular plants along the fen-bog gradient. *Microb. Ecol.* **59**, 499–510 (2010)
- Lance, G.N., Williams, W.T.: A generalized sorting strategy for computer classifications. *Nature*. **212**, 218 (1966)
- Lance, G.N., Williams, W.T.: A general theory of classificatory sorting strategies. I. Hierarchical systems. *Comput. J.* **9**, 373–380 (1967)
- Lande, R.: Statistics and partitioning of species diversity, and similarity among multiple communities. *Oikos*. **76**, 5–13 (1996)
- Le Dien, S., Pagès, J.: Analyse factorielle multiple hiérarchique. *Revue de statistique appliquée*. **51**, 47–73 (2003)
- Lear, G., Anderson, M.J., Smith, J.P., Boxen, K., Lewis, G.D.: Spatial and temporal heterogeneity of the bacterial communities in stream epilithic biofilms. *FEMS Microbiol. Ecol.* **65**, 463–473 (2008)
- Legendre, P.: Quantitative methods and biogeographic analysis. In: Garbary, D.J., South, R.R. (eds.) *Evolutionary Biology of the Marine Algae of the North Atlantic*. NATO ASI Series, vol. G22, pp. 9–34. Springer, Berlin (1990)
- Legendre, P.: Spatial autocorrelation: trouble or new paradigm? *Ecology*. **74**, 1659–1673 (1993)
- Legendre, P.: Species associations: the Kendall coefficient of concordance revisited. *J. Agric. Biol. Environ. Stat.* **10**, 226–245 (2005)

- Legendre, P.: Coefficient of concordance. In: Salking, N.J. (ed.) *Encyclopedia of Research Design*, vol. 1, pp. 164–169. SAGE Publications, Los Angeles (2010)
- Legendre, P.: Interpreting the replacement and richness difference components of beta diversity. *Glob. Ecol. Biogeogr.* **23**, 1324–1334 (2014)
- Legendre, P., Anderson, M.J.: Distance-based redundancy analysis: testing multi-species responses in multi-factorial ecological experiments. *Ecol. Monogr.* **69**, 1–24 (1999)
- Legendre, P., Borcard, D.: Box-Cox-chord transformations for community composition data prior to beta diversity analysis. *Ecography.* **41**, 1–5 (2018)
- Legendre, P., De Cáceres, M.: Beta diversity as the variance of community data: dissimilarity coefficients and partitioning. *Ecol. Lett.* **16**, 951–963 (2013)
- Legendre, P., Fortin, M.J.: Comparison of the Mantel test and alternative approaches for detecting complex multivariate relationships in the spatial analysis of genetic data. *Mol. Ecol. Resour.* **10**, 831–844 (2010)
- Legendre, P., Gallagher, E.D.: Ecologically meaningful transformations for ordination of species data. *Oecologia.* **129**, 271–280 (2001)
- Legendre, L., Legendre, P.: *Écologie Numérique*. Masson, Paris and Les Presses de l'Université du Québec, Québec (1979)
- Legendre, L., Legendre, P.: *Numerical Ecology*. Elsevier, Amsterdam (1983)
- Legendre, P., Legendre, L.: *Numerical Ecology*, 3rd English edn. Elsevier, Amsterdam (2012)
- Legendre, P., Rogers, D.J.: Characters and clustering in taxonomy: a synthesis of two taximetric procedures. *Taxon.* **21**, 567–606 (1972)
- Legendre, P., Dallot, S., Legendre, L.: Succession of species within a community: chronological clustering with applications to marine and freshwater zooplankton. *Am. Nat.* **125**, 257–288 (1985)
- Legendre, P., Oden, N.L., Sokal, R.R., Vaudor, A., Kim, J.: Approximate analysis of variance of spatially autocorrelated regional data. *J. Classif.* **7**, 53–75 (1990)
- Legendre, P., Galzin, R., Harmelin-Vivien, M.L.: Relating behavior to habitat: solutions to the fourth-corner problem. *Ecology.* **78**, 547–562 (1997)
- Legendre, P., Dale, M.R.T., Fortin, M.-J., Gurevitch, J., Hohn, M., Myers, D.: The consequences of spatial structure for the design and analysis of ecological field surveys. *Ecography.* **25**, 601–615 (2002)
- Legendre, P., Borcard, D., Peres-Neto, P.R.: Analyzing beta diversity: partitioning the spatial variation of community composition data. *Ecol. Monogr.* **75**, 435–450 (2005)
- Legendre, P., De Cáceres, M., Borcard, D.: Community surveys through space and time: testing the space-time interaction in the absence of replication. *Ecology.* **91**, 262–272 (2010)
- Legendre, P., Oksanen, J., ter Braak, C.J.F.: Testing the significance of canonical axes in redundancy analysis. *Methods Ecol. Evol.* **2**, 269–277 (2011)
- Lennon, J.J., Koleff, P., Greenwood, J.J.D., Gaston, K.J.: The geographical structure of British bird distributions: diversity, spatial turnover and scale. *J. Anim. Ecol.* **70**, 966–979 (2001)
- Loreau, M.: The challenges of biodiversity science. In: Kinne, O. (ed.) *Excellence in Ecology*, 17. International Ecology Institute, Oldendorf/Luhe (2010)
- Margalef, R. and Gutiérrez, E.: How to introduce connectance in the frame of an expression for diversity. *American Naturalist.* **121**, 601–607 (1983)
- Magurran, A.E.: *Measuring Biological Diversity*. Wiley-Blackwell, London (2004)
- McArdle, B.H., Anderson, M.J.: Fitting multivariate models to community data: a comment on distance-based redundancy analysis. *Ecology.* **82**, 290–297 (2001)
- McCune, B.: Influence of noisy environmental data on canonical correspondence analysis. *Ecology.* **78**, 2617–2623 (1997)
- McCune, B., Grace, J.B.: *Analysis of Ecological Communities*. MjM Software Design, Glenden Beach (2002)
- McGarigal, K., Cushman, S., Stafford, S.: *Multivariate Statistics for Wildlife and Ecology Research*. Springer, New York (2000)
- Méot, A., Legendre, P., Borcard, D.: Partialling out the spatial component of ecological variation: questions and propositions in the linear modelling framework. *Environ. Ecol. Stat.* **5**, 1–27 (1998)

- Miller, J.K.: The sampling distribution and a test for the significance of the bivariate redundancy statistic: a Monte Carlo study. *Multivar. Behav. Res.* **10**, 233–244 (1975)
- Milligan, G.W., Cooper, M.C.: An examination of procedures for determining the number of clusters in a data set. *Psychometrika*. **50**, 159–179 (1985)
- Moran, P.A.P.: Notes on continuous stochastic phenomena. *Biometrika*. **37**, 17–23 (1950)
- Murtagh, F., Legendre, P.: Ward's hierarchical agglomerative clustering method: which algorithms implement Ward's criterion? *J. Classif.* **31**, 274–295 (2014)
- Oden, N.L., Sokal, R.R.: Directional autocorrelation: an extension of spatial correlograms to two dimensions. *Syst. Zool.* **35**, 608–617 (1986)
- Oksanen, J., Blanchet, F. G., Friendly, M., Kindt, R., Legendre, P., McGlinn, D., Minchin, P. R., O'Hara, R. B., Simpson, G. L., Solymos, P., Stevens, M. H. H., Szoecs, E., Wagner, H. *vegan*: Community Ecology Package. R package version 2.5-0. (2017)
- Olesen, J.M., Bascompte, J., Dupont, Y.L., Jordano, P.: The modularity of pollination networks. *Proc. Natl. Acad. Sci.* **104**, 19891–19896 (2007)
- Orlóci, L., Kenkel, N.C.: Introduction to Data Analysis. International Co-operative Publishing House, Burtonsville (1985)
- Paradis, E.: Analysis of Phylogenetics and Evolution with R Use R! Series, 2nd edn. Springer, New York (2012)
- Pélissier, R., Couteron, P., Dray, S., Sabatier, D.: Consistency between ordination techniques and diversity measurements: two strategies for species occurrence data. *Ecology*. **84**, 242–251 (2003)
- Peres-Neto, P.R., Legendre, P.: Estimating and controlling for spatial structure in the study of ecological communities. *Glob. Ecol. Biogeogr.* **19**, 174–184 (2010)
- Peres-Neto, P.R., Legendre, P., Dray, S., Borcard, D.: Variation partitioning of species data matrices: estimation and comparison of fractions. *Ecology*. **87**, 2614–2625 (2006)
- Peres-Neto, P.R., Dray, S., ter Braak, C.J.F.: Linking trait variation to the environment: critical issues with community-weighted mean correlation resolved by the fourth-corner approach. *Ecography*. **40**, 806–816 (2017)
- Pielou, E.C.: The measurement of diversity in different types of biological collections. *Theor. Biol.* **13**, 131–144 (1966)
- Pielou, E.C.: *Ecological Diversity*. Wiley, New York (1975)
- Pillai, K.C.S., Hsu, Y.S.: Exact robustness studies of the test of independence based on four multivariate criteria and their distribution problems under violations. *Ann. Inst. Stat. Math.* **31**, 85–101 (1979)
- Podani, J.: Extending Gower's general coefficient of similarity to ordinal characters. *Taxon*. **48**, 331–340 (1999)
- Podani, J., Schmera, D.: A new conceptual and methodological framework for exploring and explaining pattern in presence-absence data. *Oikos*. **120**, 1625–1638 (2011)
- Rao, C.R.: Diversity and dissimilarity coefficients: a unified approach. *Theor. Popul. Biol.* **21**, 24–43 (1982)
- Raup, D.M., Crick, R.E.: Measurement of faunal similarity in paleontology. *J. Paleontol.* **53**, 1213–1227 (1979)
- Rényi, A.: On measures of entropy and information. In J. Neyman (ed) *Proceedings of the fourth Berkeley Symposium on mathematical statistics and probability*. University of California Press, Berkeley (1961)
- Robert, P., Escoufier, Y.: A unifying tool for linear multivariate statistical methods: the RV-coefficient. *Appl. Stat.* **25**, 257–265 (1976)
- Sanders, H.L.: Marine benthic diversity: a comparative study. *American Naturalist*. **102**, 243–282 (1968)
- Shannon, C.E.: A mathematical theory of communications. *Bell Syst. Tech. J.* **27**, 379–423 (1948)
- Sharma, S., Legendre, P., De Cáceres, M., Boisclair, D.: The role of environmental and spatial processes in structuring native and non-native fish communities across thousands of lakes. *Ecography*. **34**, 762–771 (2011)
- Sheldon, A. L.: Equitability indices: dependence on the species count. *Ecology*. **50**, 466–467 (1969)

- Shimodaira, H.: An approximately unbiased test of phylogenetic tree selection. *Syst. Biol.* **51**, 492–508 (2002)
- Shimodaira, H.: Approximately unbiased tests of regions using multistep- multiscale bootstrap resampling. *Ann. Stat.* **32**, 2616–2641 (2004)
- Sidák, Z.: Rectangular confidence regions for the means of multivariate normal distributions. *J. Am. Stat. Assoc.* **62**, 626–633 (1967)
- Simpson, E.H.: Measurement of diversity. *Nature (Lond.)* **163**, 688 (1949)
- Sokal, R.R.: Spatial data analysis and historical processes. In: Diday, E., et al. (eds.) *Data Analysis and Informatics IV*, pp. 29–43. North-Holland, Amsterdam (1986)
- Southwood, T.R.E.: Habitat, the templet for ecological strategies? *J. Anim. Ecol.* **46**, 337–365 (1977)
- Suzuki, R., Shimodaira, H.: Pvcust: an R package for assessing the uncertainty in hierarchical clustering. *Bioinformatics.* **22**, 1540–1542 (2006)
- ter Braak, C.J.F.: Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology.* **67**, 1167–1179 (1986)
- ter Braak, C.J.F.: The analysis of vegetation-environment relationships by canonical correspondence analysis. *Vegetatio.* **69**, 69–77 (1987)
- ter Braak, C.J.F.: Partial canonical correspondence analysis. In: Bock, H.H. (ed.) *Classification and Related Methods of Data Analysis*, pp. 551–558. North-Holland, Amsterdam (1988)
- ter Braak, C.J.F.: Fourth-corner correlation is a score test statistic in a log-linear trait–environment model that is useful in permutation testing. *Environ. Ecol. Stat.* **24**, 219–242 (2017)
- ter Braak, C.J.F., Schaffers, A.P.: Co-correspondence analysis: a new ordination method to relate two community compositions. *Ecology.* **85**, 834–846 (2004)
- ter Braak, C.J.F., Šmilauer, P.: *CANOCO Reference Manual and CanoDraw for Windows user's Guide: Software for Canonical Community Ordination (ver. 4.5)*. Microcomputer Power, New York (2002)
- ter Braak, C., Cormont, A., Dray, S.: Improved testing of species traits–environment relationships in the fourth corner problem. *Ecology.* **93**, 1525–1526 (2012)
- van den Brink, P.J., ter Braak, C.J.F.: Multivariate analysis of stress in experimental ecosystems by Principal Response Curves and similarity analysis. *Aquat. Ecol.* **32**, 163–178 (1998)
- van den Brink, P.J., ter Braak, C.J.F.: Principal response curves: analysis of time-dependent multivariate responses of biological community to stress. *Environ. Toxicol. Chem.* **18**, 138–148 (1999)
- Verneaux, J.: *Cours d'eau de Franche-Comté (Massif du Jura). Recherches écologiques sur le réseau hydrographique du Doubs. Essai de biotypologie. Thèse d'état, Besançon, France* (1973)
- Verneaux, J., Schmitt, A., Verneaux, V., Prouteau, C.: Benthic insects and fish of the Doubs River system: typological traits and the development of a species continuum in a theoretically extrapolated watercourse. *Hydrobiologia.* **490**, 63–74 (2003)
- Villéger, S., Mason, N.W.H., Mouillot, D.: New multidimensional functional diversity indices for a multifaceted framework in functional ecology. *Ecology.* **89**, 2290–2301 (2008)
- Wackernagel, H.: *Multivariate Geostatistics*, 3rd edn. Springer, Berlin (2003)
- Wagner, H.H.: Spatial covariance in plant communities: integrating ordination, variogram modeling, and variance testing. *Ecology.* **84**, 1045–1057 (2003)
- Wagner, H.H.: Direct multi-scale ordination with canonical correspondence analysis. *Ecology.* **85**, 342–351 (2004)
- Ward, J.H.: Hierarchical grouping to optimize an objective function. *J. Am. Stat. Assoc.* **58**, 236–244 (1963)
- Whittaker, R.H.: Vegetation of the Siskiyou mountains, Oregon and California. *Ecol. Monogr.* **30**, 279–338 (1960)
- Whittaker, R.H.: Evolution and measurement of species diversity. *Taxon.* **21**, 213–251 (1972)
- Wiens, J.A.: Spatial scaling in ecology. *Funct. Ecol.* **3**, 385–397 (1989)
- Wildi, O.: *Data Analysis in Vegetation Ecology*, 2nd edn. Wiley-Blackwell, Chichester (2013)
- Williams, P.H.: Mapping variations in the strength and breadth of biogeographic transition zones using species turnover. *Proc. R. Soc. B Biol. Sci.* **263**, 579–588 (1996)

- Williams, W.T., Lambert, J.M.: Multivariate methods in plant ecology. I. Association-analysis in plant communities. *J. Ecol.* **47**, 83–101 (1959)
- Wright, S.P.: Adjusted P-values for simultaneous inference. *Biometrics.* **48**, 1005–1013 (1992)
- Zuur, A.F., Ieno, E.N., Smith, G.M.: *Analysing Ecological Data*. Springer, New York (2007)

### ***References – R packages (in alphabetical order)***

The list below provides references pertaining to the packages used or cited in the book. The references are those provided by the CRAN web site or the author(s) of the packages in the documentation. Some refer directly to R, others are bibliographical references. For additional information, type <https://cran.r-project.org/web/packages/>

#### ***ade4 – Version used: 1.7–8***

- Chessel, D., Dufour, A.B., Thioulouse, J.: The ade4 package-I- one-table methods. *R News.* **4**, 5–10 (2004)
- Dray, S., Dufour, A.B.: The ade4 package: implementing the duality diagram for ecologists. *J. Stat. Softw.* **22**, 1–20 (2007)
- Dray, S., Dufour, A.B., Chessel, D.: The ade4 package-II: two-table and K-table methods. *R News.* **7**, 47–52 (2007). R package version 1.7-8 (2017)

#### ***adegraphics – Version used: 1.0-8***

- Dray, S., Siberchicot, A. and with contributions from Thioulouse, J. Based on earlier work by Julien-Laferrrière, A.: *adegraphics: An S4 Lattice-Based Package for the Representation of Multivariate Data*. R package version 1.0-8 (2017)

#### ***adespatial – Version used: 0.0-9***

- Dray, S., Blanchet, F. G., Borcard, D., Clappe, S., Guénard, G., Jombart, T., Larocque, G., Legendre, P., Madi, N., Wagner, H. *adespatial: Multivariate Multiscale Spatial Analysis*. R package version 0.0-9 (2017)

#### ***agricolae – Version used: 1.2-4***

- Felipe de Mendiburu: *agricolae: Statistical Procedures for Agricultural Research*. R package version 1.2-4 (2016)



***ape – Version used: 4.1***

Paradis, E., Claude, J., Strimmer, K.: APE: analyses of phylogenetics and evolution in R language. *Bioinformatics*. **20**, 289–290 (2004). R package version 4.1 (2017)

***base and stats – Version used: 3.4.1***

R Development Core Team: R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <http://www.R-project.org> (2017)

***cluster – Version used: 2.0.6***

Maechler, M., Rousseeuw, P., Struyf, A., Hubert, M., Hornik, K.: cluster: Cluster Analysis Basics and Extensions. R package version 2.0.6 (2017)

***cocorresp – Version used: 0.3-99***

Simpson, G.L.: cocorresp: Co-correspondence analysis ordination methods (2009). R package version 0.3-99 (2016)

***colorspace – Version used: 1.3-2***

Ihaka, R., Murrell, P., Hornik, K., Fisher, J.C., Zeileis, A.: colorspace: Color Space Manipulation. R package version 1.3-2 (2016)

***dendextend – Version used: 1.5.2***

Galili, T.: dendextend: an R package for visualizing, adjusting, and comparing trees of hierarchical clustering. *Bioinformatics*. <https://doi.org/10.1093/bioinformatics/btv428> (2015). R package version 1.5.2 (2017)

***Ellipse – Version used: 0.3-8***

Murdoch, D., Chow, E.D.: ellipse: Functions for drawing ellipses and ellipse-like confidence regions. R package version 0.3-8 (2013)

***FactoMineR – Version used: 1.36***

Le, S., Josse, J., Husson, F.: FactoMineR: an R package for multivariate Analysis. *J Stat Soft.* **25**, 1–18 (2008).

***FD – Version used: 1.0-12***

Laliberté, E., Legendre, P., Shipley, B.: FD: measuring functional diversity from multiple traits, and other tools for functional ecology. R package version 1.0-12 (2014)

***gclus – Version used: 1.3.1***

Hurley, C.: gclus: Clustering Graphics. R package version 1.3.1 (2012)

***ggplot2 – Version used: 2.2.1***

Wickham, H.: ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag New York (2009) R package version 2.2.1 (2016)

***googleVis – Version used: 0-6-2***

Gesmann, M., de Castillo, D.: Using the Google visualisation API with R. *R J.* **3**, 40–44 (2011). R package version 0-6-2 (2017)

***igraph – Version used: 1.1.2***

Csardi G., Nepusz T: The igraph software package for complex network research, *InterJournal, Complex Systems* 1695 (2006). R package version 1.1.2 (2017)

***indicspecies – Version used: 1.7.6***

De Cáceres, M., Legendre, P.: Associations between species and groups of sites: indices and statistical inference. *Ecology.* **90**, 3566–3574 (2009). R package version 1.7.6 (2016)

***labdsv – Version used: 1.8-0***

Roberts, D.W. : labdsv: Ordination and Multivariate Analysis for Ecology. R package version 1.8-0 (2016)

***MASS – Version used: 7.3-47***

Venables, W.N., Ripley, B.D.: Modern Applied Statistics with S, 4th edn. Springer, New York (2002). ISBN 0-387-95457-0. R package version 7.3-47 (2017)

***missMDA – Version used: 1.11***

Josse, J., Husson, F.: missMDA: A Package for Handling Missing Values in Multivariate Data Analysis. J. Stat. Softw. **70**, 1–31 (2016). R package version 1.11 (2017)

***mvpart – Version used: 1.6-2***

rpart by Therneau, T. M. and Atkinson, B. R port of rpart by Ripley, B. Some routines from vegan -- Oksanen, J. Extensions and adaptations of rpart to mvpart by De'ath, G.: mvpart: Multivariate partitioning. R package version 1.6-2 (2014)

***MVPARTwrap – Version used: 0.1-9.2***

Ouellette, M. H. and with contributions from Legendre, P.: MVPARTwrap: Additional features for package mvpart. R package version 0.1-9.2 (2013)

***picante – Version used: 1.6-2***

Kembel, S.W., Cowan, P.D., Helmus, M.R., Cornwell, W.K., Morlon, H., Ackerly, D.D., Blomberg, S.P., Webb, C.O.: Picante: R tools for integrating phylogenies and ecology. Bioinformatics. **26**, 1463–1464 (2010). R package version 1.6-2 (2014)

***pvclust – Version used: 2.0-0***

Suzuki, R., Shimodaira, H.: pvclust: Hierarchical Clustering with P-Values via Multiscale Bootstrap Resampling. R package version 2.0-0 (2015)

***RColorBrewer – Version used: 1.1-2***

Neuwirth, E.: RColorBrewer: ColorBrewer Palettes. R package version 1.1-2 (2014)

***rgexf – Version used: 0.15.3***

Vega Yon, G., Fábrega Lacoa, J., Kunst, J.B. : rgexf: Build, Import and Export GEXF Graph Files. R package version 0.15.3 (2015)

***RgoogleMaps – Version used: 1.4.1***

Loecher, M., Ropkins, K.: RgoogleMaps and loa: Unleashing R Graphics Power on Map Tiles. J. Stat. Softw. **63**, 1–18 (2015). R package version 1.4.1 (2016)

***rioja – Version used: 0.9-15***

Juggins, S.: rioja: Analysis of Quaternary Science Data. R package version 0.9-15 (2017)

***rrcov – Version used: 1.4-3***

Todorov, V., Filzmoser, P.: An object-oriented framework for robust multivariate analysis. J. Stat. Softw. **32**, 1–47 (2009). R package version 1.4-3 (2016)

***SoDA – Version installed: 1.0-6***

John M. Chambers: SoDA: Functions and Examples for “Software for Data Analysis”. R package version 1.0-6 (2013)

***spdep – Version used: 0.6-15***

Bivand, R., Piras, G.: Comparing implementations of estimation methods for spatial econometrics. *J. Stat. Softw.* **63**, 1–36 (2015)

Bivand, R. with many contributors: *spdep: Spatial dependence: weighting schemes, statistics and models*. R package version 0.6-15 (2017)

***taxize – Version used: 0.8.9***

Chamberlain, S., Szocs, E., Boettiger, C., Ram, K., Bartomeus, I., Baumgartner, J., Foster, Z., O'Donnell, J: *taxize: Taxonomic information from around the web*. R package version 0.8.9 (2017)

***vegan – Version used: 2.4-4***

Oksanen, J., Blanchet, F. G., Friendly, M., Kindt, R., Legendre, P., McGlenn, D., Minchin, P. R., O'Hara, R. B., Simpson, G. L., Solymos, P., Stevens, M. H. H., Szocs, E., Wagner, H.: *vegan: Community Ecology Package*. R package version 2.4-4 (2017)

***vegan3d – Version used: 1.1-0***

Oksanen, J., Kindt, R., Simpson, G. L.: *vegan3d: Static and Dynamic 3D Plots for the 'vegan' Package*. R package version 1.1-0 (2017)

***vegclust – Version used: 1.7.1***

De Cáceres, M., Font, X. and Oliva, F.: The management of vegetation classifications with fuzzy clustering. *J. Veg. Sci.* **21**, 1138–1151 (2010). R package version 1.7.1 (2017)

***vegetarian – Version used: 1.2***

Charney, N., Record, S.: *vegetarian: Jost Diversity Measures for Community Data*. R package version 1.2 (2012)

# Index

## A

Adjusted  $R^2$ , *see*  $R$ -square ( $R^2$ ), adjusted  
AEM, *see* Asymmetric eigenvector maps (AEM)  
Agglomerative, *see* Clustering, agglomerative  
Akaike information criterion (AIC), 228, 335, 339, 340  
Alpha diversity, *see* Diversity, alpha  
Analysis of variance (ANOVA), 68, 107–111, 216, 221, 237–244, 249–251, 256, 361–367  
Arch effect, 182, 183  
Association, 3, 35–57, 59, 60, 63, 70, 104, 107, 117, 123, 125, 126, 135, 152, 153, 187, 188, 193, 385  
Association matrix, *see* Matrix, association  
Asymmetrical, 36–40, 50, 55, 172, 175, 203, 204, 250, 268–275, 283, 297, 348–355  
Asymmetric eigenvector maps (AEM), 348–355  
Autocorrelation, 301, 303–307, 358, 360, 365

## B

Backward selection, *see* Selection, backward  
Baselga, 389, 392–395, 404  
Beta diversity, *see* Diversity, beta  
Binary matrix, *see* Matrix, binary  
Binary variable, *see* Variable, binary  
Biplot, 156, 157, 159–165, 167–170, 176–180, 187–191, 194, 210, 212, 217, 260, 274, 276, 277, 295, 296, 328, 403  
Bonferroni, *see* Correction, Bonferroni  
Bootstrap, 79, 80, 126, 256, 261, 382  
Box-Cox, *see* Transformation, Box-Cox  
Bray-Curtis, *see* Dissimilarity, Bray-Curtis  
Broad scale, *see* Scale, broad

## C

CA, *see* Correspondence analysis (CA)  
Cailliez, *see* Correction, Cailliez  
Calibration, 232, 271  
Calinski-Harabasz, 98, 113  
Canonical correlation analysis (CCorA), 203, 204, 274–277, 297  
Canonical correspondence analysis (CCA), 203, 204, 216, 226, 228, 256–263, 272, 275, 277, 283, 297, 310, 355, 356, 360  
Categorical variable, *see* Variable, categorical  
Centring, 21, 175  
Chain of primary connections, 62  
Chi-square distance, *see* Distance, chi-square  
Chi-square transformation, *see* Transformation, chi-square  
Chord distance, *see* Distance, chord  
Chord transformation, *see* Transformation, chord  
Clustering  
  agglomerative, 61–67, 97  
  *c*-means, 141–145  
  complete linkage, 64, 65, 75, 78  
  constrained, 59–61, 126–135  
  flexible, 69, 70  
  fuzzy, 61, 141–150  
  hierarchical, 61–65, 70–97, 100, 184, 410  
  minimum variance, 68, 69, 138  
  monothetic, 60, 135–138  
  noise, 146–150  
  non-hierarchical, 96–106  
  polythetic, 60  
  single linkage, 62–65  
  unconstrained, 60, 70  
  UPGMA, 65, 66  
  UPGMC, 66, 67

- Clustering (*cont.*)  
 Ward, 68, 87, 88, 100, 102, 109, 135, 196, 409  
 WPGMA, 66  
 WPGMC, 66, 67  
*c*-means, *see* Clustering, *c*-means  
 Co-correspondence analysis (CoCA), 203, 204,  
 268, 271–274, 297  
 Coefficient  
 RV, 281, 282, 286, 287  
 Co-inertia analysis (CoIA), 203, 204, 271, 274,  
 277–281, 290, 291, 297  
 Collinearity, 225, 231  
 Community table, *see* Table, community  
 Community-weighted means (CWM), 405, 406  
 Complete linkage, *see* Clustering, complete  
 linkage  
 Confidence interval, *see* Interval, confidence  
 CONISS, 138  
 Contingency table, *see* Table, contingency  
 Co-occurrence, 115, 117–119  
 Cophenetic correlation, *see* Correlation,  
 cophenetic  
 Cophenetic distance, *see* Distance, cophenetic  
 Correction  
 Bonferroni, 116, 308, 356  
 Cailliez, 188, 192, 251  
 Holm, 109, 134, 290, 306–308, 387, 388  
 Lingoës, 187, 188, 192, 250, 251  
 Correlation, 300–302, 304, 306, 307, 315, 316,  
 320, 323, 325, 327, 334, 335, 348,  
 350, 354, 355, 359, 360, 365  
 cophenetic, 71–74  
 Kendall, 51, 53, 54, 112–115  
 Pearson, 51, 53–55, 71, 120, 125, 168, 170,  
 175, 281, 289, 303, 306  
 spatial, 299, 301, 303–309, 320, 327, 333,  
 346, 347, 355, 356, 358, 359  
 autocorrelation, 300–302, 304, 355, 359,  
 360, 365  
 negative, 304, 306, 334, 348, 350  
 positive, 304, 306, 307, 315, 316, 320,  
 323, 325, 327, 335, 348, 354  
 Spearman, 51, 53, 115, 118, 170  
 temporal, 363  
 Correlogram, 299, 303–308, 314, 335  
 Correspondence analysis (CA), 35, 55, 151,  
 153–189, 194, 201, 203, 204, 216,  
 256–263, 271, 274, 278, 282, 291  
 detrended (DCA), 182, 183  
 multiple (MCA), 151, 153, 183–187, 282, 283  
 Covariance, 36, 52, 53, 55, 153, 154, 156, 159,  
 169, 170, 187, 206, 264, 275, 277,  
 281, 283, 308  
 Cross-validation, 127, 128, 130, 171, 267,  
 268, 272  
 Cross-validated relative error (CVRE), 128–130  
 Cutting level, *see* Level, cutting
- D**  
 Data matrix, *see* Matrix, data  
 dbMEM, *see* Distance-based Moran's  
 eigenvector maps (dbMEM)  
 db-RDA, *see* Redundancy analysis (RDA),  
 distance-based (db-RDA)  
 DCA, *see* Correspondence analysis (CA),  
 detrended (DCA)  
 Delaunay, 334, 335, 339, 342  
 Dendrogram, 61, 62, 65, 67, 68, 71, 74, 75,  
 77–80, 83, 85, 89–93, 95, 139, 140,  
 164, 405, 409  
 Dependence, 35, 36, 51–55, 332, 372  
 Descriptor, 21, 30, 35, 36, 46, 59, 60, 129, 142,  
 151, 156, 157, 170, 187, 256, 263,  
 282, 299, 316, 325  
 Detrending, 182, 183, 314, 328, 356, 359  
 Discriminant function, *see* Function,  
 discriminant  
 Dispersion matrix, *see* Matrix, dispersion  
 Dissimilarity  
 Bray-Curtis, 39, 42, 44, 97, 98, 139, 188,  
 250, 385, 390  
 Jaccard, 36, 38, 39, 42, 45, 46, 52, 56, 57,  
 103, 115, 118, 188, 192, 250, 384,  
 385, 389, 391–398  
 percentage difference, 39, 42, 44, 56, 97, 98,  
 139, 188, 189, 192–194, 196, 250,  
 251, 384, 385, 390, 391  
 Ružička, 56, 385, 389, 391, 392  
 Sørensen, 38, 42, 52, 56, 57, 103, 188, 192,  
 250, 384, 385, 389, 391–393  
 Steinhaus, 39  
 Dissimilarity matrix, *see* Matrix, dissimilarity  
 Distance  
 chi-square ( $\chi^2$ ), 35, 39, 42, 52, 168, 175,  
 182, 187, 385  
 chord, 39, 40, 63, 64, 66–68, 70, 72, 97,  
 130, 142–144, 385  
 class, 304, 306–308, 335, 337, 355, 356  
 cophenetic, 71, 72, 74, 408  
 Euclidean, 35, 36, 39, 40, 42, 46–48, 55–57,  
 97, 98, 103, 153, 156, 157, 166, 170,  
 175, 187, 190, 198, 216, 217, 250,  
 278, 333, 335, 345, 384  
 Hellinger, 39, 40, 56, 190  
 log-chord, 40, 42, 56, 170

Mahalanobis, 153, 160, 250  
 Ochiai, 42, 170, 250  
 Distance-based Moran's eigenvector maps (dbMEM), 315–335, 337, 340–342, 347–349, 356, 363–365  
 Distance class, *see* Distance, class  
 Distance matrix, *see* Matrix, distance  
 Distribution  
 multinormal, 153, 169  
 Diversity, 7, 9, 21, 300, 369–386, 396, 404–406, 408, 412  
 alpha, 379, 380, 386, 408, 411, 412  
 beta, 39, 55, 300, 369, 370, 379–404, 408, 412  
 multiplicative, 380–382  
 community, 369–412  
 functional, 369, 382, 404–411  
 gamma, 379, 380, 383, 408  
 genetic, 370  
 Hill ratio, 375  
 Hill's numbers, 375, 380  
 phylogenetic, 369, 404–411  
 species, 369–375, 379, 381  
 taxonomic, 369, 373–378  
 Double stopping criterion, 320, 324, 335, 348  
 Double-zero,  $v$ , 36, 37, 42, 46, 52, 55, 168, 175, 183, 384

**E**  
 Eigenfunction, 315–317, 320, 323, 324, 334, 347–350, 355, 365  
 spatial, 383  
 Eigenvalue, 156, 157, 168, 169, 171, 175, 176, 178, 187, 188, 192, 193, 198, 205, 209–211, 217, 220, 222, 277, 279, 281–283, 291, 315–318, 322, 323, 328, 333, 334, 346, 350, 355  
 negative, 57, 98, 187, 192, 250, 251, 334, 348, 350  
 Eigenvector, 57, 152, 156, 157, 164, 168, 175, 188, 190, 204–206, 278, 315, 316, 320, 333, 334, 348–355  
 Entropy, 372, 373, 375, 382, 404, 405, 407, 408  
 Equilibrium contribution, 160, 168  
 Euclidean, 35, 36, 38–40, 42, 46–48, 55–57, 68, 96–98, 103, 129, 153, 156, 157, 160, 166, 170, 175, 187, 188, 190, 192, 198, 216, 217, 250, 251, 278, 315, 333, 335, 345, 384, 385, 393, 396, 403  
 Euclidean distance, *see* Distance, Euclidean  
 Evenness, 371–375, 381, 404, 407  
 Pielou, 372, 375

Explanatory variable, *see* Variable, explanatory  
 Extent, 117, 225, 263, 302, 303, 387

**F**

Fine scale, *see* Scale, fine  
 Flexible clustering, *see* Clustering, flexible  
 Forward selection, *see* Selection, forward  
 Fourth-corner, 204, 281, 288–291, 294–297, 370, 405  
 Fraction, 127, 198, 211, 233–237, 243, 302, 309, 329, 330, 332, 333, 348, 360  
 [a], 234, 235, 332  
 [b], 234–236, 243  
 [c], 234, 235  
 common, 236, 237, 243, 332, 361  
*F*-test, *see* Test, *F*  
 Function  
 discriminant, 263  
 identification, 263, 265  
 structure, 303  
 Functional diversity, *see* Diversity, functional  
 Functional group richness (FGR), 405, 407  
 Furthest neighbour sorting, 64  
 Fusion level, 65, 74–77, 81, 139, 405  
*See also* Level, fusion  
 Fuzzy, 60, 61, 141–150  
 Fuzzy clustering, *see* Clustering, fuzzy

**G**

Gabriel, 334  
 Gamma, 374, 379, 380, 383, 404, 408, 409  
 Gamma diversity, *see* Diversity, gamma  
 Geographical  
 coordinates, 5, 48, 306, 308, 356  
 distances, 48, 304, 306, 315  
 Google Maps, 16  
 Grain, 302, 356

**H**

Heat map, 44, 47, 92–96, 181  
 Hellinger distance, *see* Distance, Hellinger  
 Hellinger transformation, *see* Transformation, Hellinger  
 Helmert, 21, 238, 239, 362, 363, 365, 366  
 Hierarchical clustering, *see* Clustering, hierarchical  
 Hill numbers, *see* Diversity, Hill's numbers  
 Hill ratio, *see* Diversity, Hill ratio  
 Holm, *see* Correction, Holm



Homogeneity, 107, 238, 239, 264  
Horseshoe effect, 183

**I**

Identification function, *see* Function, identification  
Imputation, 171–174  
Independent variable, *see* Variable, independent  
Indicator, 61, 84, 85, 98, 110, 120–126, 131, 134, 135, 362  
Indicator value, *see* Species, indicator value (IndVal)  
IndVal, *see* Species, indicator value (IndVal)  
Inertia, 156, 175, 183, 185, 209, 222, 256, 261, 280, 281, 360  
Interval  
  confidence, 123, 124, 126, 356, 358, 359  
  sampling, 302, 314, 317, 349  
Intrinsic assumption, 308

**J**

Jaccard, *see* Dissimilarity, Jaccard

**K**

Kaiser-Guttman, 221  
*k*-means, 35, 55, 60, 61, 96–104, 112, 113, 126, 141, 198, 256  
*k*-means partitioning, *see* Partitioning, *k*-means  
Kriging, 301  
Kruskal-Wallis, *see* Test, Kruskal-Wallis

**L**

Large scale, *see* Scale, large  
Level  
  cutting, 74, 75  
  fusion, 65, 74–77, 81, 139, 405  
Linear discriminant analysis (LDA), 107, 203, 204, 263–268, 297  
Lingoes, *see* Correction, Lingoes  
Local contribution to beta diversity (LCBD), 382–388, 396  
Log-chord distance, *see* Distance, log-chord  
Log-chord transformation, *see* Transformation, log-chord  
LOWESS, 31, 32, 72

**M**

Mahalanobis distance, *see* Distance, Mahalanobis

**Mantel**

  correlogram, 306, 308

**Matrix**

  association, 35, 43, 45, 57, 59, 60, 63, 152, 153, 187, 193  
  binary, 83, 84, 345  
  connectivity, 333–335, 337, 342–347, 349  
  cophenetic, 71  
  data, 131, 135, 160, 170, 171, 175, 184, 203, 204, 206, 220, 221, 227, 229, 277, 278, 281, 289, 290, 296, 297, 356, 382  
  dispersion, 153, 169, 264  
  dissimilarity, 35, 38–52, 71, 72, 74, 83, 84, 97, 98, 103, 136, 142, 153, 189, 192–195, 197, 198, 250, 251, 306, 384, 386, 389, 395, 396, 404, 408, 409  
  distance, 47, 48, 315, 316, 335, 346  
  weighting, 334

MCA, *see* Correspondence analysis (CA), multiple (MCA)

Medium scale, *see* Scale, medium

MEM, *see* Moran's eigenvector maps (MEM)

Metric, 38, 46, 142, 170, 197

MFA, *see* Multiple factor analysis (MFA)

Minimum spanning tree, 62, 316, 328, 342, 404

Minimum variance, *see* Clustering, minimum variance

**Model**

  broken stick, 139, 157, 158, 171, 176, 192, 283, 372

Monothetic, *see* Clustering, monothetic

Moran's eigenvector maps (MEM), 188, 314, 315, 333–350, 355, 357–361

MRT, *see* Regression tree, multivariate (MRT)

Multiclass, 37, 49–51

Multinormal, *see* Distribution, multinormal

Multiple factor analysis (MFA), 203, 204, 274, 282–287, 297

Multiple testing, *see* Test, multiple

Multiscale, 79, 80, 303, 314, 355–361, 367, 412  
Multiscale ordination (MSO), 355–361

Multivariate analysis of variance (MANOVA), 188, 203, 238, 239, 244, 250, 264

**N**

  Nearest neighbours, 62

  Neighbourhood  
    relative, 342

  Nested, 60, 67, 115, 117, 171, 316, 342, 347, 348, 384, 394

  Nestedness, 117, 369, 388–404

  Network, 117–119, 349–351

Noise clustering, *see* Clustering, noise  
 Nominal, 37, 49, 283, 308  
 Non-hierarchical, *see* Clustering,  
 non-hierarchical  
 Nonmetric multidimensional scaling (NMDS),  
 151–153, 168, 193–198  
 Numerical ecology, v, vi, 1, 2, 9

**O**

Ochiai distance, *see* Distance, Ochiai  
 Ordinal, 27, 37, 38, 50, 51, 53–55

**P**

Parametric test, *see* Test, parametric  
 Partial RDA, *see* Redundancy analysis (RDA),  
 partial  
 Partitioning, 59–62, 67, 77, 81, 83–85, 87–90,  
 96–100, 102–107, 113–115,  
 126–129, 132, 134, 147, 209, 211,  
 222, 233–235, 237, 275, 278, 329,  
 332, 333, 348, 355, 360, 363, 369,  
 374, 380, 381, 383, 388–404, 408  
 around medoids (PAM), 96, 103–106  
*k*-means, 35, 55, 60, 61, 96–104, 112, 113,  
 126, 141, 198, 256  
 variation, 203, 204, 222, 223, 233–238, 243,  
 262, 275, 297, 299, 309, 329–333  
 PCA, *see* Principal component analysis (PCA)  
 PCNM, *see* Principal coordinates of neighbour  
 matrices (PCNM)  
 PCoA, *see* Principal coordinate analysis  
 (PCoA)  
 Pearson, *see* Correlation, Pearson  
 Percentage difference, *see* Dissimilarity,  
 percentage difference  
 Periodogram, 303  
 Permutable units, *see* Permutation, permutable  
 units  
 Permutation, 112, 115, 121, 123, 168, 169,  
 219–221, 228, 238, 250, 260–262,  
 272, 279, 289, 324, 355, 364, 387  
 permutable units, 220  
 test, 112, 116, 121, 123, 168, 169, 219–221,  
 238, 250, 260–262, 272, 279, 324,  
 355, 364, 387  
 Permutation test, *see* Test, permutation  
 Phylogenetic diversity, *see* Diversity,  
 phylogenetic  
 Pie chart, 132, 133, 142  
 Pillai, 275, 276  
 Plot  
 interactive, 262, 263  
 Podani, 50, 389, 391–398, 400, 403, 404

Polynomial, 183, 244, 245, 248, 249, 309,  
 310, 347, 360  
 Polythetic, *see* Clustering, polythetic  
 Positive spatial correlation, *see* Correlation,  
 spatial, positive  
 Post-hoc, 60, 109  
 Presence-absence, 21, 36, 38, 42–46, 48, 49, 52,  
 53, 56, 57, 112, 115–118, 125,  
 135–137, 170, 175, 278, 288, 373,  
 379, 385, 389–391, 400  
 Pre-transformation, 39, 55, 56, 129, 153, 168,  
 175, 187, 256, 384  
 Principal component analysis (PCA), vi, 21, 35,  
 55, 151, 153–176, 178, 179, 181,  
 183, 187, 188, 190, 191, 193,  
 197–201, 204–206, 211, 212, 216,  
 244, 258, 278, 279, 281–283, 285,  
 286, 291, 350, 385  
 Principal coordinate analysis (PCoA), 38, 57,  
 97, 98, 142, 146, 151, 153, 168,  
 187–193, 195–198, 201, 250, 278,  
 315, 333, 386, 393, 403, 404  
 Principal coordinates of neighbour matrices  
 (PCNM), 314–333, 365  
 Principal response curves (PRC), 203, 204,  
 268–271, 297  
 Profile, 55, 185, 266, 355, 371, 377

**Q**

Q mode, 35–52, 56, 57, 153, 187, 250  
 Quadratic, 244, 245, 248, 382, 404, 405,  
 407, 408

**R**

Range, 3, 5, 81, 146, 256, 301, 302, 304, 316,  
 320, 334, 335, 337, 377, 380, 388,  
 393, 412  
 Ranging, 21, 27, 87, 314, 323, 337, 369,  
 370, 372  
 Rarefaction, 370, 371, 376–378  
 RDA, *see* Redundancy analysis (RDA)  
 Redundancy analysis (RDA), 55, 115, 134,  
 154, 203–258, 260, 261, 263,  
 269, 271, 272, 275, 276, 283,  
 297, 310, 313, 316, 320, 322,  
 323, 325, 327, 328, 332, 340,  
 347, 355–361, 402, 405  
 distance-based (db-RDA), 198, 203, 228,  
 229, 249–253, 402, 403  
 partial, 204, 208, 221–225, 230, 234,  
 332, 357  
 transformation-based (tb-RDA), 204  
 Regional scale, *see* Scale, regional

- Regression tree  
  multivariate (MRT), 61, 122, 126–138  
  univariate, 126, 129, 130
- Replacement, 36, 178, 369, 388–404
- Resampling, 79, 80
- Response variable, *see* Variable, response
- R functions
- adonis2 {vegan}, 239, 244
  - aem {adespatial}, 350, 351
  - agnes {cluster}, 69
  - anova.cca {vegan}, 221
  - bestnmds {labdsv}, 195
  - beta.div {adespatial}, 386, 387
  - beta.div.comp {adespatial}, 395–402
  - betadisper {vegan}, 239, 264
  - biplot.pcoa {ape}, 190, 191
  - biplot.rda {vegan}, 159
  - CA.newr, 181, 182, 201
  - calibrate {vegan}, 232
  - cancor {stats}, 277
  - capscale {vegan}, 250, 251
  - cascadeKM {vegan}, 98, 99
  - cc {CCA}, 277
  - cca {vegan}, 157, 158, 176–181, 226, 257, 283, 356
  - CCorA {vegan}, 275
  - cell2nb {spdep}, 352
  - chclust {rioja}, 138
  - classification {taxize}, 408
  - cleanplot.pca.R, 159, 160
  - clustIndex {cclust}, 98
  - cmdscale {stats}, 188–190, 195
  - cmeans {e1701}, 142
  - coca {cocorresp}, 274, 278
  - coef.cca {vegan}, 212
  - coinertia {ade4}, 278–281
  - coldiss.R, 43, 46
  - cophenetic {stats}, 71
  - coverscale {vegan}, 94
  - create.dbMEM.model {adespatial}, 348
  - cutree {stats}, 77
  - daisy {cluster}, 49, 50, 56, 57
  - dbFD {FD}, 405, 406
  - dbmem {adespatial}, 317, 320
  - dbrda {vegan}, 250, 251, 402
  - decorana {vegan}, 183
  - decostand {vegan}, 21, 22, 39, 55–57, 166
  - dist {stats}, 57
  - dist.binary {ade4}, 56, 57
  - dist.ldc {adespatial}, 38–40, 56, 57, 188
  - diversity {vegan}, 372, 375
  - dnearneigh {spdep}, 304
  - drawmap.R, 92
  - dudi.pca {ade4}, 154, 278
  - dudi.pco {ade4}, 278
  - envfit {vegan}, 168, 169, 179, 188, 189, 194
  - fanny {cluster}, 141–145
  - forward.sel {adespatial}, 227, 229, 261
  - fourthcorner {ade4}, 294
  - functcomp {FD}, 406
  - geoXY {SoDA}, 5, 48, 305
  - goodness {vegan}, 195, 217
  - gowdis {FD}, 50, 409
  - grpdist.R, 83
  - hclust {stats}, 63, 66, 68–70
  - hcoplot.R, 89
  - HMFA {FactoMineR}, 283
  - imputePCA {missMDA}, 172
  - indval {labdsv}, 121
  - isoMDS {MASS}, 195
  - kendall.global {vegan}, 112, 114
  - kendall.post {vegan}, 113
  - kmeans {stats}, 97, 98, 104
  - ktab.data.frame {ade4}, 282
  - LCBD.comp {adespatial}, 396
  - lda {MASS}, 264–268
  - listw2mat {spdep}, 345
  - mantel.correlog {vegan}, 306
  - MCA {FactoMineR}, 184
  - mca {MASS}, 184
  - metaMDS {vegan}, 193
  - mfa {ade4}, 282
  - MFA {FactoMineR}, 282, 283
  - MRT {MVPARTwrap}, 133
  - mso {vegan}, 356
  - multipatt {indicpecies}, 123
  - mvpart {mvpart}, 130, 132
  - nb2listw {spdep}, 345
  - nbdists {spdep}, 345
  - order.single {gclus}, 43
  - ordiR2step {vegan}, 227, 229, 230, 261, 329
  - ordistep {vegan}, 227–230, 261
  - ordisurf {vegan}, 179
  - p.adjust {stats}, 309
  - p.adjust.4thcorner {ade4}, 294
  - pairs {graphics}, 31
  - pam {cluster}, 103
  - PCA.newr, 154, 170, 171, 200
  - pcnm {vegan}, 320
  - pcoa {ape}, 190–192, 201
  - plot.links.R, 304
  - plt.cc {CCA}, 277
  - poly {stats}, 248, 310
  - polyvars.R, 248
  - prc {vegan}, 269
  - prcomp {stats}, 154, 163, 164

predict {vegan, stats}, 161–163, 178  
 procrustes {vegan}, 173  
 pvcust {pvcust}, 79  
 quickMEM.R, 327, 328  
 quicksti {adespatial}, 364–366  
 Rao.R, 381, 409  
 rarecurve {vegan}, 378  
 rarefy {vegan}, 376  
 rcc {CCA}, 277  
 rda {vegan}, 154–166, 178, 205, 206,  
 208, 209, 212, 217, 323, 356  
 rlg {ade4}, 291  
 rpart {rpart}, 129  
 RsquareAdj {vegan}, 213, 217  
 scores {vegan}, 164  
 scores.listw {adespatial}, 345, 346  
 screestick.R, 283  
 shapiro.test {stats}, 275, 322  
 silhouette {cluster}, 81  
 sp.correlogram {spdep}, 304  
 specpool {vegan}, 380  
 stimodels {adespatial}, 364–366  
 strassoc {indicspecies}, 123–126  
 stressplot {vegan}, 195  
 tabasco {vegan}, 181  
 test.a.R, 116  
 test.W {adespatial}, 335  
 triangle.plot {ade4}, 400  
 triplot.rda.R, 217, 218  
 varpart {vegan}, 235, 329  
 vegclust {vegclust}, 146–150  
 vegdist {vegan}, 49, 56, 57  
 vegemite {vegan}, 94, 181  
 vif.cca {vegan}, 226  
 wascores {vegan}, 188, 189, 194  
 wcmyscale {vegan}, 188  
 Richness difference, 369, 388–404  
 RLQ analysis, 204, 281, 288, 290, 291, 293,  
 295–297  
 R mode, 35, 36, 38, 51–55, 59, 113, 115, 187  
 R-square ( $R^2$ ), 128, 131, 134, 169, 182, 185,  
 186, 195, 211–213, 222, 227, 235,  
 256, 276, 310, 323, 324, 330, 332,  
 333, 349  
   adjusted, 213, 217, 222, 223, 227–230,  
 233–235, 237, 247, 248, 262,  
 276, 322, 324, 332, 335, 340,  
 341, 348, 403  
   negative, 235, 330, 332  
 Ružička, *see* Dissimilarity, Ružička  
 RV coefficient, *see* Coefficient, RV

## S

Sampling interval, *see* Interval, sampling  
 Scale  
   broad, 303, 325, 330, 332, 356, 359  
   dependence, 358  
   fine, 300, 302, 303, 323, 325, 327, 329, 330,  
 332, 333  
   large, 303  
   medium, 325, 332  
   regional, 300  
   small, 303  
   spatial, 299, 302–303, 316, 347–348, 370,  
 383, 412  
 Scale-dependence, *see* Scale, dependence  
 Scaling, 153, 155–157, 159–161, 165, 168,  
 170, 173, 175, 178, 180, 185–188,  
 190, 191, 210–212, 214, 216–218,  
 224, 225, 231, 242, 243, 245, 246,  
 249, 251, 258–260, 350, 403  
   type 1, 153, 156, 157, 159, 160, 165, 168,  
 173, 175, 178, 185, 187, 190, 191,  
 211, 212, 214, 216–218, 224, 225,  
 231, 242, 243, 251, 258–260, 403  
   type 2, 153, 155, 157, 159–161, 168, 175,  
 178, 180, 186, 188, 210–212, 214,  
 216–218, 224, 245, 246, 249,  
 258–260  
   type 3, 157  
 Scalogram, 323, 324  
 Scores  
   site, 94, 157, 163, 164, 205, 210–214,  
 216–218, 224, 231, 257, 260, 269,  
 272, 281, 285, 286, 322  
   species, 157, 210, 211, 216, 250, 251,  
 256, 257, 260, 272, 291  
 Scree plot, 158, 176, 283  
 Selection  
   backward, 228  
   forward, 226–230, 235–237, 244, 247,  
 249, 260–262, 310, 320, 322, 324,  
 327, 329, 335, 340, 348  
   stepwise, 226  
 Semi-quantitative, 12, 21, 37, 170  
 Semivariance, 335  
 Shannon, 371, 373, 375, 380  
 Shapiro-Wilk test, *see* Test, Shapiro-Wilk  
 Shepard, 195  
 Silhouette  
   plot, 87–89, 102, 104, 142–144  
   width, 80–82  
 Sill, 358

- Similarity, 36, 38, 39, 42, 46, 48, 49, 57, 62, 92, 118, 150, 170, 182, 188, 333, 393, 394, 400
- Simple matching coefficient, 45, 48, 49, 170, 188
- Simple structure index (SSI), 98, 99
- Simpson, 372, 373, 380, 382, 408
- Single linkage, *see* Clustering, single linkage
- Site scores, *see* Scores, site
- Small scale, *see* Scale, small
- Sørensen, *see* Dissimilarity, Sørensen
- Space-time interaction, 361–367
- Spatial, 301, 302, 304, 332, 355
  - dependence, 302, 332, 360
    - induced, 301, 302, 304, 332, 355
  - heterogeneity, 303
  - structure, 7, 299–309, 313, 316, 323, 332, 334, 347, 349, 355–363, 367
  - variable, 314–355, 363, 364
  - variation, 300, 308, 315, 329, 332, 370, 379, 383
- Spatial autocorrelation, *see* Correlation, spatial, autocorrelation
- Spatial correlation, *see* Correlation, spatial
- Spatial eigenfunction, *see* Eigenfunction, spatial
- Spatial scale, *see* Scale, spatial
- Spearman, *see* Correlation, Spearman
- Species
  - assemblage, 61, 111–119, 256, 289, 309
  - association, 52, 60, 61, 111, 112, 115
  - fidelity, 84–87
  - indicator value (IndVal), 84, 85, 120–126, 134, 135
  - richness, 19, 20, 369–373, 375, 377, 380, 397, 399
- Species contribution to beta diversity (SCBD), 382–387
- Species diversity, *see* Diversity, species
- Species scores, *see* Scores, species
- Specificity, 84, 120, 123, 124, 168
- SSE, 96, 97
- Standardization, 21, 22, 32, 46, 55, 113, 156, 162, 164, 206, 275, 278, 283, 333
- Stationarity, 308, 355
  - second-order, 308
- Steinhaus, *see* Dissimilarity, Steinhaus
- Stepwise selection, *see* Selection, stepwise
- Structure function, *see* Function, structure
- Subtree, 77–79
- Supplementary
  - objects, 163, 164, 178
  - sites, 178, 179
  - variables, 161–163, 178, 184–186
- Symmetrical, 32, 36–38, 45, 46, 48, 49, 172
- T**
- Table
  - community, 92–96
  - contingency, 77, 102, 111, 186
- Taxonomic diversity, *see* Diversity, taxonomic
- tb-RDA, *see* Redundancy analysis (RDA), transformation-based (tb-RDA)
- Temporal correlation, *see* Correlation, temporal
- Test
  - F*, 112, 220
  - Kruskal-Wallis, 107, 109
  - multiple, 110, 116, 122, 123, 134, 290, 294, 306–308, 364
  - parametric, 219, 302, 322
  - permutation, 112, 116, 121, 123, 168, 169, 219–221, 238, 250, 260–262, 272, 279, 324, 355, 364, 387
  - simultaneous, 308, 309, 356, 387
  - statistical, 70, 121, 125, 152, 157, 288, 302–304, 347, 355, 358
- Total error sum of squares (TESS), 96, 99
- Traits (species), 203, 204, 281, 287–297, 369, 370, 404, 405, 408–410
- Transformation, 21–27, 32, 40, 44, 48, 52, 55, 57, 98, 107, 136, 162, 164, 166, 169, 198, 204, 230, 250, 278, 297, 386
  - Box-Cox, 40
  - chi-square, 22, 42, 55, 168
  - chord, 39, 40, 55, 97, 130, 142, 170, 183, 257, 386
  - Hellinger, 40, 55, 113, 162, 166–168, 184, 190, 191, 200, 208, 214, 224, 231, 245, 283, 306, 313, 320, 324, 356–358, 360, 361, 387, 388
  - log-chord, 40, 42, 55, 170, 183
- Trend-surface analysis, 249, 309–314, 316
- Triplot, 211, 213, 214, 216–218, 223, 224, 231, 232, 238, 243, 245, 246, 248, 249, 251, 256–260
- Typology, 5, 59, 100, 107–112, 123, 135, 150, 185, 186, 256, 263, 266
- U**
- Unconstrained clustering, *see* Clustering, unconstrained
- Univariate regression tree, *see* Regression tree, univariate
- UPGMA, *see* Clustering, UPGMA
- UPGMC, *see* Clustering, UPGMC

**V**

## Variable

- binary, 5, 21, 37, 50, 55, 170, 184, 239, 329, 405, 409
- categorical, 21, 37, 49–52, 111, 126, 127, 153, 183, 291
- explanatory, 60, 107, 111, 121, 126, 127, 129, 131, 135, 156, 168, 169, 194, 204–206, 208, 211–214, 216, 217, 220, 222, 223, 225–230, 232–238, 244, 245, 248–250, 257, 258, 261, 263, 264, 268, 269, 272, 274, 275, 301, 302, 309, 310, 315, 316, 324, 329, 333, 347, 348, 350, 355, 362, 412
- independent, 232
- response, 21, 126, 135, 157, 169, 206, 211, 213, 214, 216, 219, 225,

- 238, 244, 250, 257, 263, 264, 274, 300, 301, 314, 329, 332

Variance inflation factor (VIF), 225, 226, 231, 237, 261

Variation partitioning, *see* Partitioning, variation

Variogram, 299, 303, 335, 337, 355, 356, 358, 359

VIF, *see* Variance inflation factor (VIF)

**W**

Ward clustering, *see* Clustering, Ward

Weighting matrix, *see* Matrix, weighting

WPGMA, *see* Clustering, WPGMA

WPGMC, *see* Clustering, WPGMC