

Index

A

Admittance

- factor/function, 94, 98–99
- variations, 99–101
- WLS, 92, 94–98

1964 Alaska tsunami, 10

Arrival time, 10, 118

B

Backwater

- accumulation distance, 52, 60, 62–63
- curve, 29–30, 61–62
- effect, 37
- height, 53, 63
- patterns, 58–61

Bed elevation, 26, 29, 30

- 1-D river model, 76
- SWE, 103

Yoshida River, 42

Bed roughness, 52, 58, 59, 100

Bed slope, 5, 27, 31, 42

Bore

- celerity, 115, 118
- and ordinary wave, 110–112
- propagation time, 118
- shock equations, 103–109
- shock reflection, 113–117
- tsunami waveform, 15–20
- turbulence/ripples, 113

Boundary conditions, 27, 54

C

Cascadia subduction zone, 2

Center for Operational Oceanographic

Products and Services (COOPS), 4

Channel convergence, 69, 76–78

2010 Chile tsunami

- modulation by tide, 12–14
- traces left by, 2–3

2015 Chile tsunami, 82, 86–88

Cliffs, 53

Columbia River, 4, 7–12, 45–48, 85

Continuity equation, 24, 31, 74

Cross-river integrated shallow-water equations,
23–28, 71, 103

D

Discharge rate, 29, 74, 76

Dissipation, 11, 33, 52, 64–69, 75–77, 81, 82,
89, 94, 113, 117

Drag, 24, 26, 32, 72, 79

E

Estuarine tides

- analytical treatment, 78–80
- SWE, 75
- tidal analysis, 48

F

Field survey/observations, 68, 69, 94, 99,
113

- post-tsunami, 53
- Tanaka's group, 4–5
- wave decay, 63

Flow area, 24, 104, 105, 107, 116, 117

Flow depth, 3, 5, 25, 27, 29, 31, 39, 67, 71,
78–82, 96, 104, 105, 109–113, 115

- Flow momentum, 113
 Flow velocity, 3, 5, 23, 24, 27, 29, 31, 54, 56, 58, 66, 76, 82, 100, 104, 109
 Frictional convergent channel, 37–39, 75
 Friction-convergence balance, 76–78
- G**
 Geometrical focusing, 12
- H**
 Harmonic constituent, 48, 49
 High Water path, 79
 High water marks, 53, 63, 67–69
 Hilbert transform, 89, 90
 Hydraulic gradient/slope, 29, 39, 75, 90, 100
- I**
 Ideal estuary
 channel convergence, 77
 1-D river model, 76
 Savenije's condition, 78
 tidal range, 79
 2004 Indian Ocean tsunami, 2, 4, 69
 Instant wave amplitude, 89, 92
- K**
 Kalu River, 5
 Kitakami River, 15, 17, 106, 113
- L**
 Long wave propagation, 23, 71
 Low water, 11, 25, 79, 87, 92
- M**
 Mabechi River, 86, 99
 Mad River, 15, 16
 Manning roughness coefficients, 24, 26, 53, 78
 Marigram, 4, 9, 10
 Maule River, 3, 12
 Method of characteristics, 72
 Ministry of Land, Infrastructure, Transportation, and Tourism (MLIT), 4, 12, 42, 86, 90
 Modulation by tide
 2010 Chile tsunami, 12–14
 Columbia River, 7–12
 tsunami propagation, 85
 Momentum correction coefficient, 25, 105–106
 Momentum equation, 24, 31, 76, 79, 81, 104
 MSf, 49
- N**
 Naka River, 86, 99
 Naruse River, 5, 13, 86, 91
 National Oceanic and Atmospheric Administration (NOAA), 4, 45
 Neap tides, 40
 Numerical experiment, 54–55
- O**
 Old Kitakami River, 12–13, 86, 99
- P**
 Phase lag, 27, 28, 78
 1964 Prince William's tsunami, 10, 85
- R**
 Riemann invariants, 72, 111
 "Ring of Fire," 1
 River model, 52
 numerical solutions, 54
 parameters, 54
 River stage, 4, 6, 24, 29, 31, 38, 41, 47, 55, 63, 70, 82
- S**
 Saint-Venant equations, 23
 Seiche, 87, 92, 99
 Self-registering tide gages, 3, 4
 Shallow-water theory, 23, 71
 Shock conditions, 103–105
 channel with sloping shores, 107–108
 channel with vertical banks, 106–107
 reflection, 113–117
 Spring tides, 40, 49
 Stokes flux, 31, 40
 Submarine earthquake, 1, 4
 Sub-tidal mean river stage (ST-MRS), 40–50
 SWE, *see* Shallow-water theory
 Synodic cycle, 40, 49

T

- Tidal phase, 7, 13, 79, 82, 89, 92, 100, 101
- Tidal range, 38, 40, 44, 45, 47, 54, 79, 80
- Tidal set-up, 40
 - Columbia River, 45–48
 - Yoshida River, 42–45
- Tide gages
 - Beaver and Vancouver records, 10
 - Neah Bay and Astoria, 9
 - self-registering, 3–4
- 2011 Tohoku tsunami, 1, 2, 4, 5
 - bores, 15–17
 - records, 11, 18–19, 80
 - time histories, 6
 - wave set-up, 44
- Tokyo Peil, 4
- Traces
 - ancient tsunamis, 2
 - 2010 Chile tsunami, 3
 - 2015 Chilean tsunami, 86, 88
 - 2004 Indian Ocean tsunami, 4
- Travel time, 9, 10, 92, 96, 118, 119
- Turbulence, 113
- Turbulent bore, 15

U

- Undular bore, 15, 113

W

- Water accumulation, 4–6
- Water level measurements, 4, 86–87
- Wave amplitude, 31, 33, 53
 - backwater, 58, 59, 63
 - high water marks, 67, 68
 - WLSs, 92, 96, 99
- Wave breaking, 111
- Wave dissipation, 33, 64, 67, 76, 82
- Wave-Locked Slope (WLS), 73, 89–90
 - admittance computations, 94–98
 - admittance variations, 99–101
 - instant Tsunami amplitude, 92–94
- Wave period, 27, 28, 31, 32, 40, 52, 59, 63, 67–69
- Wave set-up, 30, 34
 - tidal observations, 40–50
- WLS, *see* Wave-Locked Slope (WLS)

Y

- Yoshida River, 5, 12, 42–45, 86