

# Index

## A

Absorption, 1081, 1082, 1086  
Acoustic transmission, 106, 111  
Adaptive F-detector, 415, 443  
Airglow imager, 773  
Air traffic, 1080, 1081, 1089, 1093  
Aitik (quarry), 399  
Analyses, 487  
Anisotropic inhomogeneities, 560, 566, 570, 579  
ARISE project, 848, 876  
Array, 1145, 1147, 1148, 1151–1159  
Array geometry, 21, 27  
Array processing, 473, 612  
Ash, 1080–1085, 1090, 1095, 1096, 1098  
Ash plume, 1082, 1090  
Assimilation, 622–624  
Association, 210, 214, 217, 219, 222–225, 230, 231, 233–236, 242, 243  
Atmosphere, 805, 806, 808, 809, 815–818  
Atmospheric analysis systems, 492  
Atmospheric attenuation, 516  
Atmospheric conditions, 1080, 1085–1087, 1096, 1098  
Atmospheric dynamics, 475  
Atmospheric explosions, 451–453, 455, 459, 460, 462, 463, 468  
Atmospheric general circulation models, 827, 828  
Atmospheric measurement technique, 497  
Atmospheric pressure, 1080  
Atmospheric pressure disturbances, 1083  
Atmospheric specifications, 237, 239, 242–244, 486, 512, 1087, 1096  
Atmospheric state, 510

Atmospheric variability, 849, 853  
Atmospheric winds, 1097  
Attenuation, 541, 1086, 1087, 1089, 1098  
Attenuation relation, 595, 596  
Attenuation simulation, 1097  
Automated event location, 669, 670  
Automatic processing, 209, 221, 222, 233, 244  
Average molar mass, 501  
Aviation safety, 1085

## B

Back azimuth deviation, 744  
Balloon, 125–134, 137–146, 148, 150–153, 158–161, 163–166  
Bayesian inference, 222, 236  
Bidirectional, 735, 738, 739, 749  
Bolides (Sulawesi Bolide, North Pacific Bolide, Chelyabinsk Bolide), 451–453, 457, 459, 461  
Brunt–Vaisälä (BV) frequency, 711  
Bulletin, 209, 210, 212–214, 218, 219, 222–227, 230, 234, 235, 242, 243

## C

Calibration, 42–45, 594  
Civil and scientific applications, 221, 243  
Civil protection, 1107–1111, 1121, 1122, 1127, 1128, 1134  
Climate, 805–807, 810, 815–818, 1080, 1098  
Cloud cover, 1089, 1090, 1095  
Cloud coverage, 1080, 1095  
Coherent ambient (infrasonic) noise, 476, 478  
Comprehensive Nuclear-Test-Ban Treaty (CTBT), 3, 216, 468, 472, 480, 1084

Comprehensive Nuclear-Test-Ban Treaty  
Organization (CTBTO), 209

Continuous spectrum, 527

Convective gravity waves, 827, 834

Correlation detectors, 394

Cross-correlation, 625

## D

Data availability, 8–10, 16

Deflagration, 273, 275, 276, 278, 280, 301,  
304, 306, 308, 310, 319, 320, 325

Density, 710

Density of dry air, 709

Detection, 212–215, 217–224, 226–228, 230,  
231, 233, 236–239, 922–924

Detection capability, 12, 14, 15, 593, 595–601,  
1080, 1081, 1087, 1091, 1094, 1097

Detonation, 273–276, 278, 279, 282, 296–298,  
304, 306, 308, 310, 311, 319, 320, 325,  
327, 328, 331, 341

Direct search, 620, 621

Duct, 514, 524, 728, 729, 731, 735, 739, 743

## E

Early warning, 1081, 1093, 1097, 1107, 1121,  
1126, 1127, 1134

Effective sound speed approximation, 514,  
520, 525, 539, 837–839

Empirical matched field processing (EMFP),  
395

Empirical models, 498

Ensemble numerical weather forecasting, 487

Ensembles, 399

Eruption, 1080, 1081, 1083, 1084, 1086,  
1088–1090, 1093–1098, 1142–1144,  
1146–1150, 1152, 1153, 1155–1158

European Centre for Medium Range Weather  
Forecast (ECMWF), 237, 393, 399, 635,  
639, 642, 646

Event definition criteria, 209, 212, 213, 223

Explosion, 273, 274, 276, 277, 280, 282, 317,  
324, 330

Explosive volcanism, 1023, 1034, 1041, 1044,  
1063, 1066, 1067

## F

Fabric domes, 92, 102, 105, 108, 110, 111, 118

Finite-difference, 541

First-principles models, 496

Fisher analysis, 705

Forecast, 726, 727, 729, 743–747, 749, 750

Frequency range, 1083, 1086

Frontal gravity waves, 827, 831, 832, 834

Full wave models, 535

## G

Gas constant of dry air, 709

Geometric acoustic approximation, 521

Geometrical acoustics, 535

Global reference events, 467, 468

Gravity wave, 650–652, 655, 658, 662, 664,  
701, 759, 761, 762, 766, 850

Gravity wave momentum flux density, 715,  
717

parameterization, 827–829, 839, 843

Gravity wave perturbations, 551, 553, 559,  
563, 584, 585

Ground-coupled airwaves, 669, 671, 673

Ground-cover information, 494

Ground to space, 498

Ground truth, 388

## H

Horizontal velocity perturbation, 708

Horizontal wave number  $k_H$ , 708

Hukkakero, 400

Hydroacoustic, 209, 211, 222–225, 227, 233,  
237

Hydroxyl airglow, 659

## I

Impulse, 274, 276, 278–280, 282, 284,  
287–292, 294–297, 299, 301–303, 305,  
308, 309, 312, 314, 315, 318, 325–327,  
332, 334, 335, 337, 342

Impulsive signals, 533

Infrared (IR) wavelength, 1081–1083

Infrasonic array, 1117, 1133

Infrasonic location accuracy, 401

Infrasound, 209–225, 227, 228, 230, 233, 234,  
236–244, 451–457, 459, 461, 462, 467,  
468, 471–474, 476–479, 1023–1028,  
1031–1034, 1036–1039, 1041–1044,  
1046–1048, 1052, 1053, 1055,  
1059–1061, 1064–1067, 1079–1081,  
1083–1087, 1090, 1091, 1095–1098,  
1141, 1144–1159

Infrasound detection, 415

Infrasound monitoring, 593, 595, 601, 724, 728

Infrasound network, 6, 8, 10

Infrasound network size, 491

Infrasound propagation, 509, 727–729, 733,  
735, 738

Infrasound propagation modeling, 510, 517

Infrasound scattering, 551, 552, 585

Infrasound sensors, 38, 40

Infrasound signals, 209, 210, 212, 215, 227,  
238

Infrasound sources, 214, 215, 242, 1085

- Infrasound stations, 17–19, 1084, 1086, 1090, 1091, 1095, 1098
- Infrasound technology, 847, 851, 852, 869–871
- Infrasound waves, 852
- Interactive analysis, 209
- Interferometry, 624, 626, 627
- Internal atmospheric gravity waves, 488
- International Data Centre (IDC), 209, 217
- International Monitoring System (IMS) Network, 451–457, 461, 462, 467, 471–473, 475, 476, 478, 479, 594, 595, 597, 598, 600
- International Monitoring System (IMS), 3–5, 1023, 1026, 1084–1087, 1089, 1091, 1092, 1095, 1097
- Intrinsic speed, 707
- Intrinsic wave frequency, 707
- Inversions, 605, 622, 628
- IS17 Ivory Coast, 712
- L**
- Layered wind velocity structure, 572
- Lidar, 1083
- Lidar technology, 848, 855–857, 859, 863–869, 871, 873, 874
- Lightning flash, 914, 915
- Linearized inversion, 618, 619
- Local infrasound, 991
- Locally stratified approximation, 511, 519
- Location, 210, 215, 216, 223–225, 227, 237–239
- Lomb periodogram, 714
- Lower atmospheric specifications, 492
- M**
- Mass mixing ratio, 501
- Modern-Era Retrospective analysis for Research and Applications (MERRA) , 635, 642
- Mesosphere, 635, 646, 701
- Mesosphere and lower thermosphere, 650, 658
- Metal domes, 92, 111, 117
- Meteor, 210, 215, 216
- Meteoroid events, 452–455, 467, 468
- Meteorological gravity wave parameters, 706
- Meteor radar, 652, 653, 655, 656, 658, 856–861
- Microbarom, 426, 473, 475, 476, 478, 613, 730, 738–740, 1085, 1086, 1092–1094
- Microbarometers, 1083
- Microwave radiometry, 635, 636, 646
- Middle atmosphere, 757–760, 846
- Middle atmospheric dynamics, 593, 827–829, 831, 832, 839
- Middle atmospheric specifications, 495
- Modal expansion, 525
- Modes, 528
- Momentum flux, 650, 651, 653–658, 709
- Mountain associated waves (MAW), 471, 473, 474, 477, 479
- N**
- Network performance, 236–239, 593–596, 600, 601
- Network processing, 209, 212, 217–219, 221, 230, 242, 244
- Non-hydrostatic, 494
- Non-linear optimization, 618
- Nonlinear propagation, 542
- Normal mode approximation, 837, 841
- Nowcasts, 487
- Numerical data assimilation, 493
- Numerical weather prediction, 486, 724, 726, 728, 893
- Numerical weather prediction models, 853, 854
- O**
- Observations, 889–893, 895–899, 904
- Overpressure, 273, 274, 276, 281, 282, 284, 287, 296, 302, 308, 309, 312–314, 317, 318, 320, 323, 325, 327, 329–331, 336–339, 341–343
- P**
- Parameterization, 616, 617
- Parabolic Equation (PE) method, 530
- Phase velocity, 527
- Planar approximation, 520
- Planetary waves, 759, 769, 850
- Plume, 1080–1086, 1089–1091, 1094–1096
- Plume height, 1095, 1097
- Potential temperature, 711
- Pressure perturbation $P'$ , 707
- Progressive Multi-Channel Correlation (PMCC), 703, 704, 1084, 1092, 1093
- Propagation, 209, 215, 216, 222, 237, 238, 242, 609–611, 1023, 1026, 1028, 1031, 1037, 1044, 1048–1050, 1052, 1054, 1055, 1057–1061, 1063, 1065, 1067, 1080, 1085–1087, 1096–1098, 1148, 1149, 1151–1153, 1156–1159
- Propagation effects, 990
- Q**
- Quasi-biennial oscillation, 828, 834

**R**

Rayleigh lidars, 761, 762  
 Real-time monitoring, 1081  
 Reflection coefficient, 717  
 Regional/mesoscale specifications, 493  
 Remote detection, 1034, 1047, 1060, 1064, 1080  
 Remote infrasound, 1085  
 Remote monitoring, 1081, 1087, 1094, 1096, 1098  
 Remote monitoring techniques, 1080  
 Review, 1023, 1024, 1027, 1028

**S**

Sakurajima, 990  
 Satellite, 1079–1083, 1089, 1090, 1093–1096, 1098  
 Satellite imagery, 1079, 1080  
 Seasonal winds, 1081  
 Seismic network, 209  
 Seismo-acoustic analysis, 422  
 Seismo-acoustic network, 671  
 Shadow zone, 551, 552, 561, 567, 568, 571, 580, 581, 584, 585, 733, 735, 749  
 Simulation, 1087  
 Simulation tool, 1096, 1097  
 SO<sub>2</sub> emissions, 1081, 1082  
 Solar eclipse, 702  
 Solar tide, 740  
 Source physics, 1025, 1028, 1031, 1032, 1035, 1037, 1038, 1044, 1047, 1048, 1052, 1054–1056  
 Southeast Asia, 1079–1081, 1087–1091, 1093, 1095, 1097  
 Space observations, 1080  
 Spatiotemporal variability, 490  
 Specific heats, 501  
 Static sound speed, 501  
 Station processing, 209, 211, 212, 217–219, 221, 223, 230, 243, 244  
 Stochastic parameterization, 827, 843  
 Stratified approximation, 510  
 Stratosphere, 635, 646, 701, 724–728, 730, 731, 733, 743–745, 749, 750, 889, 890, 892–895, 897–905, 1086  
 Stratosphere–troposphere coupling, 890  
 Stratospheric, 513, 524, 530, 539  
 Stratospheric arrivals, 400  
 Stromboli, 990  
 Subgrid-scale phenomena, 488  
 Subspace detectors, 394

Sudden stratospheric warmings (SSWs), 420, 512, 656, 724–726, 728–730, 733, 735, 759, 767, 771, 828, 832, 834, 852  
 Surface explosions, 420  
 Suurikuusikko (quarry), 397, 398

**T**

Temperature, 805–819  
 Temporal resolution, 491  
 The meteorological gravity wave parameters, 713  
 Thermosphere, 541  
 Thermospheric arrivals, 400  
 Thermospheric duct, 524, 530  
 3D reconstruction, 936  
 Thunder, 918, 920, 921  
 Tidal harmonics, 498  
 Tides, 851  
 Topographical variations, 491  
 Transmission loss, 529, 540  
 Tropospheric duct, 515, 524, 530, 533, 540  
 Tropospheric arrivals, 397

**U**

Ultraviolet (UV) wavelength, 1081–1083  
 Uncertainties, 593, 595, 597, 598, 600, 601, 854, 869, 874, 1094, 1096  
 Underpressure, 273, 274, 279, 282, 283, 286, 287, 293–297, 302, 304, 306, 307, 309, 313, 317, 320, 323, 325, 336–339, 342, 343  
 Upper atmospheric climatologies, 498  
 Upper atmospheric composition, 499  
 Upper atmospheric specifications, 496  
 Upper mesosphere and lower thermosphere, 499  
 USArray Transportable Array, 669, 671, 674, 676

**V**

Volcanic Ash Advisory Centers (VAACs), 1080, 1081, 1089, 1096, 1098  
 Volcanic Explosivity Index (VEI), 1088, 1089  
 Venus, 158–166  
 Vertical momentum flux  $F$ , 717  
 Vertical resolution, 493  
 Vertical velocity perturbation, 709  
 Vertical wave number, 708  
 Villarrica, 990  
 Virtual temperature, 709  
 Volcanic ash, 1080, 1081, 1089, 1090

Volcanic cloud, 1081–1083  
Volcanic eruption, 1079–1081, 1085, 1091, 1108, 1112, 1130  
Volcanic infrasound, 1084, 1097  
Volcano acoustics, 1083  
Volcanoes, 729, 743, 744, 749, 1025, 1027, 1028, 1031–1034, 1036, 1038, 1039, 1043, 1045, 1047, 1051, 1057, 1060, 1061, 1063–1065, 1079–1082, 1084, 1086–1098, 1141–1147, 1149–1151, 1153–1159  
Volcano monitoring, 996, 1081, 1084  
Volcano signals, 599  
Volume mixing ratio, 500

**W**

Water vapour pressure, 709

Wave, 635, 639, 642  
Wind, 635–639, 642, 646  
Wind fence, 93, 98, 103–106, 111, 112, 118, 119, 121–123  
Wind noise generation, 92, 93, 122  
Wind noise reduction, 92, 93, 96, 100–104, 106, 108, 111, 113, 115–117, 123  
Wind-noise reduction systems, 28  
Wind noise spectrum, 104

**Y**

Yield, 274–276, 280–282, 284, 286, 289, 303, 308, 312–316, 320, 326–328, 330–332, 339–343  
Yield-scaling relation, 238, 414, 594, 1087