

Index

A

Abnormalities of iron metabolism, 130
Acoustic rhinometry, 158
Acquired immunity, 4, 41
Acute temporomandibular joint disorders pain, 126
ADAPT-LGR™, 185
A-delta fibers, 20
Adenotonsillar hypertrophy, 126
Adjunctive therapies, 162
Adult Class II nonsurgical correction, 190
Afferent nerve innervations, 9
Affordable Care Act, 247
Agency for Healthcare Research and Quality (AHRQ), 231, 235, 236
Agriculture and industrialization, 174
AHI, *see* Apnea-hypopnea index (AHI)
AHRQ, *see* Agency for Healthcare Research and Quality (AHRQ)
Airway Centric™, 175
Alzheimer's disease, 146
American Academy of Craniofacial Pain (AACP), 222
American Academy of Dental Sleep Medicine (AASM), 159, 160
American Academy of Orofacial Pain (AAOP), 222
AMG 785 (Amgen), 62, 241
Anabolism, 148
Ankyloglossia, 154
Annulus of Zinn, 81
Anteroposterior plane of space, 176–179
Antigen-presenting cells, 41
Anti-lubricin reactive domain, 64
Apnea, 126, 136
Apnea-hypopnea index (AHI), 126, 136, 143, 146, 159, 160, 162, 163, 196
Appraisal of Guidelines and Research and Evaluation, Europe (AGREE), 233
Arthrokinetic reflex, 224
Articular eminence, 203, 220
As low as reasonably achievable (ALARA) principle, 202
Asthma, 138, 139
Atomoxetine, 77
Attention deficit hyperactivity disorder (ADHD), 76
Auriculotemporal (AT) nerve, 4, 12, 22, 40

B

Baculovirus inhibitor of apoptosis repeat (BIR), 52
“Band-Aid” solution, 196
Bariatric surgery, 162
Bayesian inference model, 65, 244
Bernoulli principle, 173
Bibliome, 228, 234, 235
Bi-extractions, 155, 156
Bilaminar zone, 213
Blepharospasm
 auriculotemporal nerve, 106
 clinical presentation and treatment, 107–109
 clinical results, 109
 factors, 105
 medical treatments, 105
 Meige's syndrome, 105
 ophthalmic manifestation, 105
 palpebromandibular reflex, 106
 patient history, 107
 protractors of eyelids, 105
 signs, 105
 symptoms, 105–107
 voluntary retractors of eyelids, 105
Blood pressure, 141
Blood-brain barrier (BBB), 43, 44
Bloszumab, 241
Bolton norm, 175, 178, 188, 189
Bone metabolism, 40
Bone resorption, 40
Bony alterations, 201
BPS804 (Novartis), 63, 241
Breastfeeding, 154, 155
Bruxism, *see* Sleep-related bruxism (SB)
Buccal exostosis, 151, 209
Bupirone, 76

C

Calcitonin gene-related peptide (CGRP), 46–47, 147
Camouflage treatment of Class II, 193, 194
Canine substitution, 190
Capsulitis, 80
Cardiovascular system, 143
Carotid calcifications, 210

- Caspase recruitment domain (CARD), 51
 Catabolism, 148
 CBCT, *see* Cone beam computed tomography (CBCT)
 CD200R, 49
 CD4+ CD25+ regulatory T cells (Tregs), 52–53
 Cellular immune process, 43
 Cellular immunity, 41
 Cervical dystonia (CD)
 acquired, 99
 acrylic orthotic platforms, 104
 dental examination, 100
 diagnostic tests, 101
 etiology, 99
 intraoral examination, 101
 lateral articular disc internal derangement, 104
 oral orthotic, 103, 104
 pathophysiology, 99
 patient history, 100
 posterior photographs, 103
 reticular formation, 99
 sensory tricks, 99
 symptoms, 99
 thermographics, 103
 C fibers, 20, 21, 25, 44
 Chronic bronchitis, 117
 Chronic kidney disease (CKD), 143, 144
 Chronic nasal congestion, 137
 Chronic obstructive pulmonary disease (COPD)
 clinical results, 118
 due to airway inflammation, 117
 emphysema, 117
 excess mucus, 117
 inspiratory and expiratory phases, 117
 jaw realignment, 118
 lateral skull X-ray, 118
 MRI, 118, 119
 nasopulmonary and nasothoracic reflexes, 117
 patient history, 118
 pharyngeal airway, 118
 pontine respiratory group, 117
 pre-Botzinger complex, 117
 signs and symptoms, 117
 treatment, 118
 ventral respiratory group, 117
 Chronic pain, 129
 Chronic renal failure, 143, 144
 Chronic temporomandibular joint disorders pain, 127
 Class I occlusion, 176, 177, 182, 186
 Class II deep-bite malocclusion, 177
 Class II malocclusion, 176, 177, 180, 181, 186, 190
 Class III malocclusion, 178, 179
 Cluster headache (CH), 128, 146
 Cluster Randomized Stepped Wedge Blinded Controlled Trial (CRSWBCT), 65, 66
 Clustered regularly interspaced short palindromic repeat (CRISPR), 66, 68
 Clustered regularly interspaced short palindromic repeat (CRISPR)-associated protein 9 (Cas9), 67–69, 242
 Clusters of differentiation (CDs), 41
 Cochrane Central Register of Controlled Trials, 232
 Cochrane Group, 229
 Colony-stimulating factor receptor 1 (Csfr1), 49
 Comparative effectiveness research, 243
 Condylar beaking, 206, 215
 Condyle, 206
 Cone beam computed tomography (CBCT), 153
 anatomic structures, 203
 description and implications, 202
 local pathological temporomandibular joint conditions, 206
 sinus pathology, 212
 TMJ bony information, 203, 204, 206
 Consistency, 231
 Consolidated standards of reporting trials (CONSORT), 230, 235
 Continuous positive airway pressure (CPAP), 136, 139–146, 159, 161, 197
 Cranial nerve V, 221
 Craniofacial abnormalities, 138
Craniofacial Pain Handbook (CPH), 149
 Craniomandibular articulation, 73
 Crepitus, 79
 CX3CR1, 49
 Cytotoxic immune function, 41
- D**
- Damage-associated molecular patterns (DAMPs), 42
 Decreased libido, 140
 Deep bite malocclusion, 156
 Deep overbite, 159
 Degenerative arthritis, 79
 Degenerative joint disease (DJD), 75, 206, 213
 Dental orthopedic jaw position, 158, 159
 Dental sleep appliance therapy, 159, 160
 Dentistry, 197, 198
 Diabetes, 138, 140
 Directness, 231
 Disc injuries, 213
 Diurnal or nocturnal parafunctional activity, 149
 Dopaminergic dysfunction, 130
 Double-jaw advancement surgery, 194–196
 Double-jaw surgery, 195
- E**
- Eagle's syndrome, 206–207
 Early mixed dentition, treatment in, 185
 Electrodermal activity (EDA), 140
 Emphysema, 117
 Endogenous opioid system, 131
 Epworth Sleepiness Score (ESS), 139, 146, 163, 244
 Ernest syndrome, 78
 Evidence-based health care, 224, 225
 Excessive daytime sleepiness (EDS), 139, 161
 Extra bicuspid teeth, 190–192

F

- Face falling back with growth, 174, 175
- Facial contour angle, 180, 181
- Facial nerve, 28
- Facial pain, 85
- Fibromyalgia, 228
- Fibromyalgia syndrome (FMS)
 - ACR classification, 86
 - definition, 86
 - Helkimo anamnestic dysfunction index, 86
 - masticatory myofascial pain, 87
 - measurements, 88
 - occlusal splints, 88
 - stabilization splints, 88
 - stomatognathic system, 87
- Fibrous capsule, 74
- Forward head posture (FHP), 83, 85
- Fractalyse software, 64
- Free nerve endings, 25
- Frenotomy, 154
- Frontal headaches, 89
- Frontal nerve innervation, 21
- Functional appliances, 182, 183, 186

G

- Gait disorder
 - body posture, 111
 - brainstem and spinal cord motor muscles, 111
 - central nervous system, 111
 - clinical evaluation, 112
 - dental (stomatognathic) system, 111
 - diagnostic test, 112
 - equilibrium or equipoise, 111
 - maxillary-mandibular relationship, 112
 - neuronal pathways, 111
 - patient history, 112
 - reflex arcs, 111
 - temporary oral appliance, 112
- Gasserian ganglion (GG), 9, 21, 148
- Gastroesophageal reflux disorder (GERD), 141, 142
- Gateway theory, 43
- General somatic afferent (GSA), 19, 25
- General somatic efferent (GSE), 19
- General visceral afferent (GVA), 19
- General visceral efferent (GVE), 19
- Ghrelin, 146
- G₂ human synovial fibroblast, 63, 64
- Glenoid fossa, 203
- Glossary of Prosthodontic Terms Ninth Edition (GPT-9)*, 149
- Glossopharyngeal nerve, 29–32
- Grades of Recommendation, Assessment, Development, and Evaluation (GRADE), 232

H

- Hang Expander™, 183
- Head and neck manifestations
 - aberrant nerve signals, 83

- cervical spine and analysis, 85–86
- extension, 84
- fibromyalgia syndrome
 - ACR classification, 86
 - definition, 86
 - masticatory myofascial pain, 87
 - measurements, 88
 - occlusal splints, 88
 - stabilization splints, 88
 - stomatognathic system, 87
- flexion, 84
- frontal headaches, 89
- irreversible treatment, 89
- lateral flexion, 83
- lateral rotation, 83
- lower face symptomatology
 - clicking, 78
 - crepitus, 79
 - degenerative arthritis, 79
 - inflammation, 80
 - locking or disc dislocation, 78, 79
- microtrauma, 83
- neck muscles, 82
- neurological aspect, 84–85
- neurons, 82
- occipital and parietal headaches, 89
- orthopedic and neurological factors, 89
- reversible treatment, 89
- temple headaches, 88
- temporomandibular joint disorder
 - dental pain, 75–77
 - ligament/tendon, 78
 - mandibular motion, 75
 - muscle spasm, 77
 - myofascial trigger point, 77
 - neurologic pain, 77
 - pathophysiology, 74–75
- TMJ anatomy, 73–74
- upper face symptomatology
 - annulus of Zinn, 81
 - ear pain, 80
 - eye pain, 81
 - lateral pterygoid, 81
- VDO, 84
- Headache, 130, 146
- Helkimo anamnestic dysfunction index, 86
- Hemorrhagic strokes, 144
- Herbst appliance, 186
- Hormone replacement therapy (HRT), 138, 147
- Hormones, effects of, 147
- Human oral tissues
 - mechanoreceptors, 19, 20
 - nociceptors, 20
 - thermoreceptor, 21
- Humoral immunity, 41
- Hunger hormone, 146
- Hyoid bone, 158
- Hyperalgesia, 127, 132
- Hypertension, 137
- Hypnic headache (HH), 128, 146

Hypopnea, 126, 136
 Hypothalamus vasomotor system, 146
 Hypoxia, 143

I

Idiopathic insomnia, 128
 Immune cell populations, 41
 Immune signaling, 42
 Immune surveillance, 41
 Immune system functions, 41
 Inconsistency, 231
 Individual patient research and analysis (IPR&A), 65, 240, 243, 244, 246, 247
 Industrialization, lifestyle changes of, 174
 Inflammasome, 51, 52
 Inflammatory cytokines, 62, 240
 Inflammatory mediators, 12
 Inflammatory processes, 43
 Infraorbital nerve branches, 22
 Innate immune cells, 41
 Innate immunity, 41
 Insomnia, 132

- characterization, 128
- idiopathic, 128
- migraine, 129, 130
- TTH, 129

 Interactomics, 67, 228
 Interleukin-1 (IL-1), 52
 Interleukin-1 (IL-1) beta, 51, 52
 Intermittent hypoxia, 127
 Internal derangement (ID), 75, 95
 International Classification of Headache Disorders, 146
 International Classification of Sleep Disorders (ICSD), 125
International Classification of Sleep Disorders Third Edition, 150
 IPR&A, *see* Individual patient research and analysis (IPR&A)
 Iron deficiency, 130
 Irritable bowel syndrome (IBS), 142, 143
 Ischemic strokes, 144

K

Kidney failure, *see* Chronic renal failure
 Kinesthetic sensations, 18, 19
 Kupffer cells, 42

L

Lacrimal nerve innervation, 21
 Lateral pterygoid muscle, 74, 81
 Leptin, 145
 Leukocyte function-associated antigen-1 (LFA-1), 54
 Lifestyle changes, facial changes from, 174
 Locking/disc dislocation, 78, 79
 Loss of vertical dimension/bite collapse, 158, 159
 Loud snoring, 139
 Lower esophageal sphincter (LES), 141, 142

Lower face symptomatology

- clicking, 78
- crepitus, 79
- degenerative arthritis, 79
- inflammation, 80
- locking or disc dislocation, 78, 79

 Low-threshold mechanoreceptors, 20
 Lubricin, 241

- anti-inflammatory effect, 63
- data analysis, 65
- design and statistical analysis, 66
- experimental outcome, 64
- fibroblast-like synoviocytes, 63
- G₂ human synovial fibroblast, 63, 64
- horseradish peroxidase precipitable color development, 64
- in vitro modulation, 64
- IPR&A protocol, 65
- lubricin-stained dimension vs. total cell dimension, 65
- optimal clinical research design, 65
- proof of concept experiments, 66–67
- protein lubricin, 63
- proteoglycan, 63
- psychoneuroendocrine-osteimmune interactome, 63
- TH17 and TH9 profile, 66
- translational healthcare, 66–69

M

Macrophages, 42
 Magnetic resonance imaging (MRI)

- anatomy, 213
- pathology of TMJ
 - disc injuries, 213
 - TMJ dysfunction progression, 213
- retrodiscal soft tissue, 213
- supplemental MRIs, 214–218
- TMD, 229
- TTH, 129

 Main nucleus, 27
 Main sensory nucleus, 9
 Malocclusion, 150, 152, 180

- anterior open bite, 153
- anterior teeth, 153
- bi-extractions and narrow dental arches, 155, 156
- breastfeeding and non-nutritive sucking habits, 154, 155
- class II, 152, 153
- maxillary and mandibular relationship, 150, 151
- normal occlusion, 152
- oropharyngeal airway shapes, 154
- posterior crossbite, 153
- retrognathia of mandible, 152
- SNA angle, 152
- tori, 156, 157
- transverse interarch discrepancy, 153

 Mammalian target of rapamycin (mTOR), 52
 Mandibular advancement devices (MADs), 196
 Mandibular condyle, 203, 215

- Mandibular nerve, 4, 7
 - anterior branches, 22
 - anterior division, 22
 - auriculotemporal nerve, 22
 - buccal nerve, 22
 - meningeal branches, 22
 - mental nerve, 22
 - muscular branches, 22
 - posterior branches, 22
 - posterior division, 22
- Mandibular tori, 156, 209
- Marfan's syndrome, 158
- Masseteric nerve, 12
- Masticatory myofascial pain (MFP), 87
- Maxillary and mandibular relationship, 151
- Maxillary constriction, 157
- Maxillary expansion, 157, 158
- Maxillary nerve (V2), 4–6, 22
- Maxillary sagittal appliance, 194
- Maxillary tori, 157
- Maxillomandibular advancement surgery, 176, 197
- Mechanoreceptors, 19, 20
- Medial longitudinal fasciculus (MLF), 109
- Medical subject headings (MeSH), 227
- Meige's syndrome, 105
- Melatonin, 129
- Meniscus, 220
- Mesencephalic nucleus, 10, 27
- Mesencephalic trigeminal nucleus, 221
- Metabolic syndrome, 145, 146
- Mew Stage III Biobloc postural appliance, 184
- Microarousals (MA), 148
- Microglia, 47–49
- MicroRNAs (miRNAs), 67, 68, 242
- Microtrauma, 83
- Migraine, 127, 128, 191
 - insomnia, 129, 130
 - RLS, 130, 131
- Mini-implants (MI), 158
- Mini-strokes, 144
- Missing lateral incisor teeth in adolescents, 188–190
- Modafinil, 162
- Monoclonal humanized neutralizing antibodies, 62
- Monocytes, 42
- Motor nucleus, 26
- Muscle spasm, 77
- Myeloid derivatives, 42
- Myofascial pain, 132
- Myofascial pain-dysfunction (MPD) syndrome, 75, 228
- Myofascial trigger point, 77
- Myofunctional therapy, 162, 163, 175, 197

- N
- Narrow airways, 137
- Narrow dental arches, 155, 156
- Narrow maxillary arches, 155
- Nasal branches, 22
- Nasal congestion, 137
- Nasolabial angle, 180, 188

- Natural killer (NK) cells, 41
- Negative intrapharyngeal pressure, 147
- Negative intrathoracic pressure, 143
- Neurocranial vertical distractor (NVD), 107
- Neurogenic inflammation, 44
- Neuroinflammation, 43, 96
- Neurological disorders, 18
- Neuropeptides, 44, 45
- Neurophysiological pathway
 - trigemincervical reflexes, 34
 - trigemino-facial reflexes, 34
- Neurotransmitters, 44
- Nighttime sweating, 139, 140
- Nociceptive neurons, 34
- Nociceptive-specific (NS) neurons, 20, 34
- Nociceptors, 20
- Nocturnal bruxism, 76, 156
- Nocturnal sweating, 139, 140
- Non-nutritive sucking habits, 154, 155
- Non-rapid eye movement sleep, 140
- Normal occlusion, 152
- NREM sleep, 140
- Nuclear factor kappa B (NF- κ B), 43
- Nuclear factor kappa B-mediated gate theory, 44

- O**
- Obesity, 137, 173
- Observational study, 227
- Obsessive daytime sleepiness (ODS), 141
- Obstructive sleep apnea syndrome (OSAS)
 - active headache disorder, 127
 - alternatives to palliative treatment, 197
 - causes of, 136
 - characterization, 135, 136
 - classification, 136
 - cluster headache, 128
 - dental conditions, correlation to
 - malocclusion (*see* Malocclusion)
 - sleep bruxism, 149–151
 - dental orthopedic jaw position, 158, 159
 - dental sleep appliance therapy, 159, 160
 - dentofacial changes via orthodontic/orthopedic treatments
 - hyoid bone, 158
 - maxillary expansion, 157, 158
 - diagnosis and assessment, 126
 - with double-jaw advancement surgery, 194–196
 - epidemic of, 173
 - diagnosis and assessment, 126
 - headaches, 127
 - hypnic headaches (HH), 128
 - MAD, 196
 - medical conditions, correlation to
 - blood pressure, 141
 - cardiovascular system, 143
 - diabetes, 140
 - GERD, 141, 142
 - headaches, 146
 - hormones, effects of, 147

- Obstructive sleep apnea syndrome (OSAS) (*cont.*)
- IBS, 142, 143
 - metabolic syndrome, 145, 146
 - renal failure, 143, 144
 - sleep homeostasis, 147, 148
 - stroke, 144, 145
 - trigeminal cardiac reflex, 148, 149
 - medical intervention
 - adjunctive therapies, 162
 - bariatric surgery, 162
 - CPAP, 161
 - diagnosis, 160
 - myofunctional therapy, 162, 163
 - oral appliances, 161
 - pharmacological management, 162
 - positional therapy, 163
 - surgical treatment, 161
 - treatment options, 160, 161
 - migraine, 127, 128
 - moderate, 192
 - oral appliance therapy, 132
 - oropharyngeal collapse, 136
 - in orthodontic literature, 175, 176
 - Paleolithic norm, 173
 - palliative solutions, 196, 197
 - paroxysmal hemicrania (PH), 128
 - pathophysiology, 126
 - prevalence of, 136
 - REM sleep deprivation, 127
 - retraction reducing airway, 181, 182
 - risk factors, 136
 - asthma, 138, 139
 - chronic nasal congestion, 137
 - diabetes, 138
 - genetics, 138
 - hypertension, 137
 - narrow airways, 137
 - obesity, 137
 - smoking, 138
 - severe fatigue, 196
 - severity, 126
 - signs and symptoms of
 - decreased libido, 140
 - excessive daytime sleepiness, 139
 - nocturnal sweating, 139, 140
 - snoring, 139
 - sleep fragmentation, 127
 - Steiner norm, 173
 - TTH, 127
 - upper airway dilator muscles, 126
- Occipital headaches, 89
- Occipital protuberance, 210
- Ophthalmic nerve (V1), 4–5, 21
- Optimize facial balance and airway, 181
 - facial contour angle, 180
 - indicator line, 179, 180
 - nasolabial angle, 180
 - size in varying ages and situations, 182
- Oral appliance therapy (OAT), 159–161
- Oral cosmetology, 198
- Oral orthotics, 95, 104
- Orofacial morbidities, 18
- Orofacial pain, 40, 126
- Orofacial Pain Guidelines Fourth Edition (OFPG-4)*, 149
- Orofacial Pain: Prospective Evaluation and Risk Assessment (OPPERA) prospective cohort study, 74
- Oropharyngeal airway, 153, 155, 158, 163
- Oropharyngeal airway shapes, 154
- Oropharyngeal collapse, 136
- Oropharyngeal obstruction, 148
- Orthodontics, 175
 - anteroposterior plane of space, 176–179
 - in treating airway, 176
- Orthognathic surgery, 176
- Orthotic intervention, 226
- OSAS, *see* Obstructive sleep apnea syndrome (OSAS)
- Osteo-(neuroendocrine) immunology, 62
- Osteoarthritis, 213
- Osteoarthritis, 75, 228
- Osteocalcin, 62, 240, 241
- Osteoclast differentiation, 61–62
- Osteoimmunology, 61
- Osteokine, 240
- Otic ganglion (OG), 30, 31
 - anterior division, 7
 - posterior division, 7–9
- Oxygen desaturation index (ODI), 147
- P**
- Pain, 244
 - and sleep
 - acute TMD pain, 126
 - chronic TMD pain, 127
 - sleep breathing disorders (*see* Obstructive sleep apnea syndrome (OSAS))
 - sleep fragmentation, 127
 - and tenderness, 223
- Palatal torus, 208
- Paleolithic norm, 173
- Palpebral branches, 22
- Palpebromandibular reflex, 106
- Paramedian pontine reticular formation (PPRF), 109
- Parkinson's disease
 - aberrant afferent drive, 114
 - balance control, 112
 - basal ganglia, 114
 - brainstem, 113
 - cerebellum, 113
 - cerebral cortex, 113
 - clinical examination, 114, 115
 - clinical results, 114, 116
 - constant neuropathy or neuroinflammation, 113
 - CT scan, 114–116
 - efferent functions, 113
 - midline raphe nuclei, 113
 - patient history, 114, 115
 - postural reflexes, 113
 - trigeminal afferent neurons, 113
- Paroxysmal hemicrania (PH), 128

- Pathogen-associated molecular patterns (PAMPs), 42, 51, 52
- Patient, interventions under consideration, outcomes, timeline, clinical setting (PICOTS), 226, 227, 229, 231
- Patient's global impression of change (PGIC), 88
- Patient-centered outcomes evaluation (PCOE), 235, 236
- Patient-centered outcomes research (PCOR), 236
- Patient-centered paradigm, 225
- Pattern recognition receptors (PRRs), 42, 52
- Parietal headaches, 89
- Periodontal ligaments (PDL) receptors, 20
- Peripheral inflammation, 47, 48
- Peripheral neuropathy, 129
- Peripheral nociception terminals, 44
- Permanent dentition, treatment in, 185, 186
- Physiologic feedback loops, 63
- PICOTS, *see* Patient, interventions under consideration, outcomes, timeline, clinical setting (PICOTS)
- Pierre-Robin sequence, 183
- Pittsburgh Quality of Sleep Questionnaire Index (PSQI), 88
- Pittsburgh Sleep Quality Index, 129
- Polymodality, 20
- Polysomnography (PSG), 126, 127, 132, 139, 140, 142, 145, 160, 177, 194, 195, 224
- Pontine respiratory group (PRG), 117
- Poor sleep quality, 131
- Portable monitors (PM), 160
- Positive airway pressure (PAP), 139, 161
- Posterior deep temporal nerve, 12
- Precision, 231
- Preferred Reporting Items for Systematic Reviews and Meta-analyses (PRISMA), 233
- Primary dentition, treatment in, 183, 184
- Primary sensory neurons, 44
- Pro-inflammatory mediators, 47
- Proton-pump inhibitor (PPI) therapy, 142
- Pseudounipolar (first order) neurons, 25
- PSG, *see* Polysomnography (PSG)
- PubMed, 227, 229
- P2X ionotropic receptors, 50
- P2X3 receptors, 46
- P2X7 receptor, 50–52
- P2Y metalloprotein seven-transmembrane spanning heterodimeric G protein-coupled receptors, 50
- Pyrin domain (PYD), 51
- Q**
- Quality Assessment of Diagnostic Accuracy Studies (QUADAS) tool, 229
- Quality of Reporting of Meta-analyses (QUOROM) statement, 233
- QUORUM criteria, 235
- R**
- Rapid eye movement (REM) sleep, 127, 139, 140, 143, 193
- Rapid maxillary expansion (RME), 155
- Receptor activator of nuclear factor κ B ligand (RANKL), 240–242
- Reflex arcs, 111
- Renal failure, 143, 144
- Renin-angiotensin-aldosterone system (RAAS), 144
- Reopening extraction spaces, 192, 193
- Research Diagnostic Criteria (RDC), 132
- Respiratory distress index (RDI), 136
- Restless leg syndrome (RLS)
headache, 130
idiopathic form, 130
migraine, 130, 131
prevalence of, 130
symptomatic, 130
- Restricted mandibular movement, 223
- Reticular formation (RF), 11, 12
- Retinoic acid (RA)-related orphan receptor γ thymus (Ror γ t), 40
- Retrodiscal soft tissue, 213
- Retrognathia of mandible, 152
- Retropharyngeal space (RPS), 159
- Rhythmic masticatory muscle activity (RMMA), 148, 150
- Risk of bias, 231
- Romosozumab, 241, 242
- S**
- Salivary stone, 210
- Satiety hormone, 145
- Sclerostin, 62, 241
- Sclerostin deficiency, 241
- Selective serotonin reuptake inhibitors (SSRI), 76, 77
- Sella-Nasion to B point angle (SNB), 152
- Sensory nucleus, 27
- Serotonergic antidepressants, 76
- Serotonin, 129
- Severe headaches, 129
- signal transducer and activator of transcription 3 (STAT3), 241
- Sleep apnea, 136, 140, 146
- Sleep apnea headache, 146
- Sleep breathing disorders, *see* Obstructive sleep apnea syndrome (OSAS)
- Sleep bruxism (SB), 76
- Sleep disorders, diagnosis of, 125
- Sleep fragmentation, 127, 142, 146
- Sleep Heart Health Study, 141
- Sleep homeostasis, 147, 148
- Sleep loss, *see* Insomnia
- Sleep-disordered breathing, 132, 138, 162
- Sleep-related breathing disorders (SRBD), 125, 126
- Sleep-related bruxism (SB), 75, 76, 131, 148–151
attrition, 151
buccal exostosis, 151
CPH, 149
dental clinical signs, 150
GPT-9, 149
OFPG-4, 149
severe attrition, 151
severe recession and abfraction, 151

- Snoring, 139, 144, 159
- Somatic sensory impulses, 4
- Spasmodic torticollis, *see* Cervical dystonia (CD)
- Special somatic afferent (SSA), 19
- Special visceral afferent (SVA), 19
- Special visceral efferent (SVE), 19
- Sphenomandibular ligament, 74, 220
- Spinal trigeminal nuclei connections, 10–11
- Spinal trigeminal nucleus, 10, 27
- Standards for Reporting of Diagnostic Accuracy (STARD), 230
- Steiner norm, 173
- Strabismus
 - clinical results, 111
 - crossed eyes, 109
 - dental examination, 110
 - MLF, 109
 - patient history, 109
 - periodontal examination, 110
 - PPRF, 109
 - reticular formation, 109
- Strength of recommendation taxonomy (SORT), 230
- Stroke, 144, 145
- Stylomandibular ligament, 74, 78, 220
- Subnucleus caudalis, 27
- Subnucleus interopolaris, 27
- Subnucleus oralis, 27
- Substance P (SP), 45, 50
- Sudden infant death syndrome (SIDS), 148
- Superior labial branches, 22
- Supraorbital nerve, 21
- Supratrochlear nerve, 21
- Sympathetic and parasympathetic fibers, 4
- Symptom severity scale (SSS), 86, 88
- Syndrome X, *see* Metabolic syndrome
- Syndrome Z, 145
- Synovial articular disc, 240
- Synovitis, 80
- Systemic inflammation, 43, 47
- T**
- T cells-mediated cytokine patterns, 41
- T-cell receptor (TCR), 53
- Teeth clenching, 96
- Telehealth, 246, 247
- Teleology, 245
- Temple headaches, 88
- Temporal tendonitis, 78
- Temporary anchorage device (TAD), 158, 186, 193
- Temporomandibular disorders (TMD), 95, 146
 - AACP, 222
 - AAOP, 222
 - afferent input, 18
 - arthrokinetic reflex, 224
 - branchial structures, 19
 - clinical manifestation, 17, 40
 - cranial nerves, 18
 - disc displacement, 223
 - dysfunctional sensorimotor integration, 18
 - evidence-based revision of clinical practice guidelines, 234–236
 - inflammation, 40
 - ligament/tendon, 78
 - motor control, loss of, 18
 - muscle spasm, 77
 - myofascial trigger point, 77
 - with neurological disorders, 18
 - neurologic pain, 77
 - orofacial morbidities, 18
 - patient-centered paradigm, 225
 - poor sleep quality, 131
 - research evidence, 225
 - AGREE-II, 233
 - AHRQ, 231
 - AMSTAR, 232
 - best available evidence, 229, 231
 - bibliome, 228
 - clinical outcomes, 233
 - Cochrane Group, 229
 - consistency, 231
 - CONSORT, 230
 - directness, 231
 - effectiveness of splint therapy, 232
 - evidence-based health care, 224, 225
 - interactome, 228
 - magnetic resonance imaging, 229
 - MeSH, 227
 - meta-analysis, 233, 234
 - observational study, 227
 - peer-reviewed process, 227
 - PICOTS, 226, 227
 - precision, 231
 - QUOROM, 233
 - reliable, 232
 - risk of bias, 231
 - sample of, 226
 - SORT system, 230
 - STARD, 230
 - STROBE, 230
 - UK National Health Service, 230
 - US Preventive Services Task Force, 230
 - valid, 232
- SB, 131
- sleep-disordered breathing, 132
- somatic structures, 19
- symptoms of, 223
- TMJ neural integration, 18
- translational healthcare (*see* Translational healthcare)
- treatments for, 222
- trigeminal mesencephalic nucleus, 18
- visceral structures, 19
- with neurological disorders, 18
- Temporomandibular joints (TMJ)
 - articular eminence, 220
 - condylar process, 220
 - ginglymoarthrodial joints, 219
 - meniscus, 220

- mesencephalic trigeminal nucleus, 221
 - regulation of movements, 220
 - sensory nerve fibers, 221
 - synovial membrane lines, 220
 - temporomandibular synovium, 220
 - translational movement, 220
 - trigeminal branches, 221
 - trigeminal lemniscus, 221
 - Temporomandibular ligament, 220
 - Temporomandibular synovium, 220
 - Tension-type headache (TTH), 76, 127, 129, 146
 - Testosterone replacement therapy, 147
 - Thalamus, 11
 - Thermoreceptor, 21
 - TH17/TH9 BBB gateway model, 44
 - Thyroxine, 162
 - Toll-like receptors (TLRs), 63, 241
 - Tongue blades, *see* Tongue depressors
 - Tongue depressors, 97
 - Tongue-tie, 154
 - Tonic neck reflex (TNR), 35
 - Tori, 156, 157
 - Total sleep time (TST), 142
 - Tourette's syndrome
 - afferent sensory fibers, 97
 - clinical presentation and treatment, 96–97
 - clinical results, 97
 - corneal blink reflex neural circuit, 97
 - cough/gag reflex, 98
 - echolalia, 98
 - patient history, 96
 - repetitive and uncontrollable eye blinking, 97
 - shoulder shrugging, 98
 - throat clearing and sniffing, 97
 - Trans-activating crRNA (tracrRNA), 67
 - Transdiaphragmatic pressure, 141
 - Translational effectiveness (T2), 235, 240, 242–244
 - Translational healthcare, 68
 - caveats, fallacies, and related limitations, 245–248
 - disc displacement, 240
 - synovial articular disc, 240
 - translational effectiveness (T2), 240
 - translational research (T1), 240–242
 - translational science (T3), 240, 242–244
 - Translational research (T1), 68, 240–242, 248
 - Translational science (T3), 240, 242–244
 - Transverse interarch discrepancy, 153
 - Trigeminal afferent fibers, 8–9
 - Trigeminal cardiac reflex, 148
 - Trigeminal motor nucleus, 10
 - Trigeminal nerve, 4, 148
 - anterior cranial fossa, 24
 - Arnold (nervus tentorii), 24
 - cranial nerve dura mater, 24
 - cranial nerve pathways
 - facial nerve, 28
 - free nerve endings, 25
 - glossopharyngeal nerve, 29–32
 - main nucleus, 27
 - major cranial parasympathetic ganglia, 28
 - major cranial sensory ganglia, 28
 - mesencephalic nucleus, 27
 - motor nucleus, 26
 - pseudounipolar (first order) neurons, 25
 - second order neurons, 25
 - sensory nuclei, 27
 - spinal trigeminal nucleus, 27
 - SVE branchiomotor neurons, 26
 - third order neurons, 25
 - trigeminal A-beta fibers, 25
 - vagus nerve, 32, 33
 - major intracranial vessels, 24
 - mandibular nerve
 - anterior branches, 22
 - anterior division, 22
 - auriculotemporal nerve, 22
 - buccal nerve, 22
 - meningeal branches, 22
 - mental nerve, 22
 - muscular branches, 22
 - posterior branches, 22
 - posterior division, 22
 - maxillary nerve, 22
 - mid-meningeal nerve, 24
 - neurophysiological pathway
 - tonic neck reflex, 35
 - trigeminocardiac reflex, 34, 35
 - trigeminocervical reflexes, 34
 - trigeminofacial reflexes, 34
 - ophthalmic nerve, 21
 - posterior fossa, 24
 - Trigeminal nerve nuclei
 - main sensory nucleus, 9
 - mesencephalic nucleus, 10
 - spinal trigeminal nucleus, 10
 - trigeminal motor nucleus, 10
 - Trigeminal spinal nucleus, 4
 - Trigemino-cardiac reflex (TCR), 34, 35, 148, 149
 - Trigeminocervical reflexes, 34
 - Trigeminofacial reflexes, 34
 - TTH, *see* Tension-type headache (TTH)
 - Turn-off mechanisms, 49–50
 - Type 2 diabetes mellitus (DM2), 138
- U**
- Upper airway, 147, 152, 156, 161
 - Upper airway resistance syndrome (UARS), 186
 - Upper airway surgery, 161
 - Upper face symptomatology
 - annulus of Zinn, 81
 - ear pain, 80
 - eye pain, 81
 - lateral pterygoid, 81
 - Uvular stiffness, 136
 - Uvulopalatopharyngoplasty (UPPP), 194

V

Vagus nerve (CN X), 148
auricular branch, 33
cardiac branches, 33
carotid branches, 33
celiac branches, 33
esophageal branches, 33
gastric branches, 33
inferior (smaller) bundle, 32
meningeal branch, 33
pharyngeal branches, 33
pseudounipolar first order GSA neurons, 32
pseudounipolar first order GVA neurons, 32
pseudounipolar first order SVA neurons, 32
pulmonary branches, 33
recurrent laryngeal nerve, 33
renal branches, 33
superior (larger) bundles, 32
superior laryngeal nerve, 33
Vanilloid receptor (VR1), 45, 46

Vanilloid receptor 1-like receptor (VRL-1), 45, 46
Vascular-type headaches, 127
Ventral respiratory group (VRG), 117
Vertical dimension of occlusion (VDO), 84, 159
Visual analogue scale (VAS), 88, 244
Volumetric computed tomography (VCT), *see* Cone
beam computed tomography (CBCT)

W

Western diet, 173
Wide dynamic range (WDR) neurons, 20, 34
Widespread pain index (WPI), 86, 88
Wolff's law, 156

Z

Zygomatic nerve, 22
Zygomaticofacial nerve, 22
Zygomaticotemporal nerve, 22