

# Index

## A

- Abbe's equation, 155
- Aberration correction model, 150
- Absorption, inorganic materials, 295–296
- Accelerating voltages, 121, 126
- Additive process, 236
- AFM, *see* Atomic force microscopy
- Airy discs, 117, 154
- Alzheimer's disease, 340
- $\alpha$ -methyl styrene (AMS), 575
- Analogue-digital converters (ADCs), 561
- Angle-resolved energy distribution curves (AREDCS), 471
- Angle-resolved photoelectron spectroscopy (ARPES), 438, 468, 469
  - Au-110 surface, 471
  - Bi<sub>2</sub>Se<sub>3</sub>, electronic structure of, 472
  - GaAs (110) surface, normal emission spectra of, 470–471
  - MoS<sub>2</sub> and MoSe<sub>2</sub>, electronic structure of, 471–472
  - spin-resolved ARPES
    - BCC Fe, 478
    - Bi thin films, 478
    - ferromagnetic substance, 474
    - longitudinal configuration, 475
    - Lorentz force, 474
    - magnetic domains, 474
    - phase space considerations, 477–478
    - polarimeters, 475–477
    - transverse configuration, 474
- Arlunya image processor, 225
- Atomic emission spectroscopy (AES), 436
- Atomic force microscopy (AFM), 241
  - atomic resolution images, 270
  - attractive and repulsive forces, 268
  - biological samples, imaging of, 264, 270
  - cantilever with sharp tip/probe, 264, 269, 270
  - conducting mode AFM, 264, 281, 283
  - contact mode, 267
    - advantages and disadvantages, 271–272
    - Ar beam-induced ripple formation, on InP surface, 280, 282
    - force-distance curve, 271
    - repulsive force, 271
    - SPM controller, functions, 271
  - Co thin films and nanoparticles (*see* Cobalt (Co) thin films and nanoparticles)
  - feedback mechanism, 270
  - Hooke's law, 268
  - laser diode, 269
  - limitations, 272, 290
  - for liquid samples, 264
  - multimode, 264
  - non-biological materials, surfaces of, 264
  - nonconducting materials, 250
  - non-contact mode, 272
  - optical lever, 268–269
  - position-sensitive photodetector, 270
  - probe-sample separation, 267
  - probe/tip attached to flexible cantilever, 268
  - static and dynamic mode, 270
  - tapping (intermittent) mode
    - advantages and disadvantages, 272
    - biological samples, imaging of, 283
    - gold films, nanoring formation in, 281, 282
    - topographic images, 270
- Atomic number, 121

- Atomic probe microscopy, 229  
 Atom manipulation process, 232–233  
 ATOMS software, 534, 535  
 Attenuated total reflectance (ATR), 297, 335–336  
 Aufbau principle, 450  
 Auger electron emission, 461  
 Auger electron spectroscopy, 436  
 Auger electron yield (AEY), 516, 517  
 Auger spectroscopy, 229  
 Autocorrelation function, Co nanoparticles  
   exponential correlation model, 286, 287  
   height-height correlation function, 286  
   lateral correlation length, 286  
   one-dimensional autocorrelation function, 285  
   pristine and ion-irradiated thin films, 287–289  
 AXUV-100G detector, 518
- B**
- Background spectrum, 331, 332  
 Backscatter coefficient, 123  
 Backscattered electrons (BSEs), 119, 122–124, 461  
 Band gap energy, 301, 303  
 BasIreps program, 26–28  
 Beaucage model, 65  
 Beer-Lambert law, 406, 500  
 Beer's law, 307, 320  
 Bending vibration, 325  
 1,3,5-Benzenetribenzoic acid (BTB)  
   molecules, 240–241  
 Bias-dependent surface imaging, 231  
 Bias voltage, 231  
 Bioimaging  
   atherosclerosis, 388  
   dual and multimode imaging, 390–397  
   lanthanide nanoparticles, 388  
   LEDs, 397–398  
   luminescent imaging, 388  
   osteopontin, 389  
   THP-1 macrophages, 390  
   UCNPs, 389–390  
   vulnerable plaques, rupture of, 388  
 Biomedical imaging, 339–340  
 Bismuth oxyhalides (BiOX), 303, 304  
 Blackbody effect, 293  
 Bohr magneton, 451  
 Bologna stone (BaS), 350  
 Bolometers, 333
- Bolt press and gas cell holders, 334  
 Boltzmann constant, 294  
 Bomem instruments, 322  
 Bonse-hart instruments, 70  
 Bragg equation, 10–11  
 Bragg's law, 154, 442  
 Bremsstrahlung radiation, 440  
 Brønsted acidic sites, 563, 564, 566, 567  
 Brownian motion, 81, 553
- C**
- Cadmium oxide (CdO), 339  
 C-AFM, *see* Conducting atomic force microscopy  
 Carbon materials, Raman spectroscopy  
   CNTs, electronic band structure of, 414–415  
   D-band, second-order Raman scattering, 416  
   first-order Raman scattering  
     G-band, 417–419  
     RBM, 416  
   graphene  
     B<sub>2g</sub> phonon, 420  
     Brillouin zone of, 420  
     CNTs, structure of, 410–413  
     E<sub>2g</sub> phonon, 420  
     electronic band structure, 413–414  
     Kohn anomaly, 421  
     LBMs, 421  
     SLG, 420  
 CasaXPS Casa Software YouTube channel, 462  
 Catalytic applications, 302–307  
 Cathodeluminescence (CL), 171  
 Cathode-ray tube (CRT), 350  
 Cathodoluminescence, 348  
 CCD, *see* Charge-coupled device  
 CDW, *see* Charge density wave  
 Cellulose nanofiber (CNF), 539, 540  
 Centerburst, 330  
 Channel electron multiplier (CEM), 446, 447  
 Channeltrons, *see* Channel electron multiplier  
 Charge-coupled device (CCD), 173, 387, 408  
   camera, 447  
   detectors, 71  
 Charge density wave (CDW), 243–246  
 Chemical mapping, 201–203  
 Chemical shift anisotropy (CSA), 552  
 Chemical vapour deposition (CVD), 409

- Chemiluminescence, 348  
Closed structure (CS), 236  
Cobalt oxide (Co<sub>3</sub>O<sub>4</sub>), 338–339  
Cobalt (Co) thin films and nanoparticles  
  atomic force microscopy  
    irradiated films, 277–279  
    pristine films, 275–277  
  magnetic force microscopy  
    irradiated films, 277–279  
    pristine films, 275, 276, 278, 279  
  surface correlation (*see* Surface correlation,  
    Co nanoparticles)  
Cold-field emission, 166  
Combined rotation and multiple-pulse  
  spectroscopy (CRAMPS), 559  
Compact fluorescent light (CFL), 355  
Complementary metal-oxide-semiconductor  
  (CMOS), 72  
Compound microscope, 263  
Compton, Arthur H., 353  
Computed tomography (CT), 390, 394  
Computerized tomography, 204  
Conductance imaging, 226  
Conducting atomic force microscopy  
  (C-AFM), 264, 281, 283  
Conduction band (CB), 295, 296  
Confocal scanning microscopy, 407  
Constant analyser energy (CAE), 446  
Constant current mode, 224, 267  
Constant height mode, 224, 225, 266–267  
Constant retard ratio (CRR), 446  
Constructive interference, 328  
Contact mode AFM, 267  
  advantages and disadvantages, 271–272  
  Ar beam-induced ripple formation, on InP  
    surface, 280, 282  
  force-distance curve, 271  
  repulsive force, 271  
  SPM controller, functions, 271  
CONTIN regularization, 86  
Continuous wave (CW), 356, 558  
Contrast agents (CAs), 394  
Cooperative energy transfer (CET), 373  
Coulomb potential, 491  
Cross-polarization (CP) technique, 557–558  
Cryopumps, 171  
Cubic spline function, 527  
Cumulant method, 83–85  
Cyclic voltammetry, 241  
Cylindrical mirror (CM), 514  
Cylindrical mirror analysers (CMA), 444,  
  468  
Czerny–Turner (CZ) monochromator, 383–385
- D**  
DIB layout, 18–19  
  de Broglie relation, 155  
  de Broglie’s equation, 5  
Debye formulation, 55  
Debye model, 533  
Debye–Scherrer geometry, 3  
Deflection analysers, 444  
Deformation vibration, *see* Bending vibration  
Density functional theory (DFT), 229–230,  
  456  
Density of states (DOS), 224  
Destructive interference, 328  
Detection quantum efficiency (DQE), 173  
Deuterated TGS (DTGS) detector, 333  
Dewar flask, 388  
Dexter energy transfer, 366  
Diamond, 336  
10-Dicyanoanthracene (DCA), 240  
Diffraction contrast, 159, 161, 162  
Diffuse reflectance measurements, 298  
Diffusion pumps, 170  
Diode array, 312  
Dirac delta function, 6  
Dissolved organic matters (DOMs), 95  
Double-crystal monochromator (DCM), 517,  
  518  
Dual and multimode imaging  
  luminescent/MR dual-mode imaging,  
    390–391  
  luminescent/SPECT dual-mode imaging,  
    393–394  
  luminescent/X-Ray-CT dual-mode  
    imaging, 394–395  
  PAI, 395–397  
Dual-pellet holder, 334  
Dual wavelength, 309, 311  
Dynamic light scattering (DLS)  
  “black-box” tool/technique, 78  
  data, interpretation of  
    particle size distribution, 88–90  
    PDI, 87–88  
    Z-average, 86–87  
  vs. electron microscopy’s size, 100–102  
MNP-based researches  
  FOQELS, 98  
  functionalized layer, thickness of,  
    90–94  
  particle concentration determination  
    tool, 97–98  
  particle’s colloidal stability, 94–96  
  thermoresponsive, particle size of,  
    96–97

Dynamic light scattering (DLS) (*cont.*)  
 particle concentration, role of, 102–104  
 sedimentation energy, 104–105  
 TEM, 78  
 working principle of  
   Brownian motion, 81  
   CONTIN regularization, 86  
   cumulant method, 83–85  
   intensity profiles of, 79–80  
   linear fit, 82–83  
   normalized electric field correlation  
     function, 81  
   normalized intensity correlation  
     function, 82  
   polarized light beam, 79  
   Seigert equation, 81  
   Stokes-Einstein equation, 81  
   time-averaged intensity, 80  
 Z-average size, 78  
 Dyson equations, 490, 491, 504

## E

Ebert-Fastie monochromator, 383, 384  
 EdPCR program, 29  
 EELS, *see* Electron energy-loss spectroscopy  
 EFTEM, *see* Energy-filtered transmission  
   electron microscope  
 Einstein model, 533  
 Electric dipole (ED) transition, 379  
 Electric discharge lamp, 355  
 Electric field microscopy (EFM), 264  
 Electrochemical etching, 222, 229  
 Electrochemical polishing, 229  
 Electroluminescence, 348  
 Electromagnetic lenses, 166–167  
 Electromagnetic spectrum, 293–294  
 Electron beam evaporation method, 287  
 Electron beam lithography (EBL), 424  
 Electron detectors, 171  
   DQE, 173  
   modern CCD detectors, 173  
   scintillator-photomultiplier detector,  
     175–176  
   semiconductor detectors, 174–175  
 Electron diffraction, 229  
 Electron energy-loss spectroscopy (EELS),  
   148, 150, 198, 199, 205  
 Electron gun  
   field emitters, 125–129  
   thermionic emitters, 125–126  
 Electronic density of states (DOS), 456  
 Electronic energy transfer process  
   CIE coordinates, 381

intramolecular energy transfer mechanisms,  
   rare earths  
     cross relaxation, 374–376  
     inorganic solids, RE<sup>3+</sup> ions in, 369–371  
     sensitization processes, RE<sup>3+</sup> organic  
       complexes, 367–369  
     in upconversion luminescent RE<sup>3+</sup>  
       materials, 371–374  
 luminescence decay curves, 380–381  
 luminescence spectra  
   emission spectra, 378–380  
   excitation spectra, 377–378  
   4f-4f intraconfiguration transitions, 376  
   ligand polarization effects, 376  
   magnetic dipole transitions, 376  
   sensitization process (antenna effect),  
     376  
 non-radiative energy transfer  
   donor and acceptor states, 365  
   nonresonant energy transfer, 367  
   resonant energy transfer, 366–367  
   radiative energy transfer mechanism, 365  
 Electronic spectroscopy, rare earth ions  
   CIE coordinates, 381  
   energy transfer (*see* Electronic energy  
     transfer process)  
   luminescence decay curves, 380–381  
   luminescence spectra, 376–380  
   [Xe]4f<sup>N</sup> configurations, 360–364  
 Electronic states  
   of atoms, 450–455  
   of solids  
     DOS, 456  
     electronic band structure, 456–458  
 Electron lensing mechanism, 443  
 Electron microscope  
   vs. optical microscope, 147, 152–154  
     TEM (*see* Transmission electron  
       microscopy)  
 Electron microscopy (EM), 113, 263  
 Electron-phonon interactions, 247  
 Electron repulsion, 362, 363  
 Electron spin resonance, 249  
 Electrostatic Einzel lens, 443  
 Electrostatic forces, 230  
 Energy-dispersive curve (EDC), 438, 471, 478  
 Energy-dispersive spectroscopy (EDS), 192,  
   195, 197  
 Energy-dispersive X-ray spectroscopy (EDX),  
   124, 138, 148  
 Energy-filtered transmission electron  
   microscope (EFTEM), 198–201  
 Energy migration-mediated upconversion  
   (EMU), 373–374

- Energy transfer upconversion (ETU), 372–374
- Entrapment vacuum pumps, 448
- Environmental electron microscopy, energy-filtered TEM (EFTEM), 150
- Environmental remediation, 305
- Environmental secondary electron detector (ESED), 139
- EXAFS measurement, 509, 518, 519, 539
- Excitation energy transfer process, 365
- Excited-state absorption (ESA), 372
- EXCURVE program, 522
- Exponential correlation model, 286, 287
- Extended X-ray absorption fine structure (EXAFS)
- Artemis (Cu *K*-Edge data from Cu Foil), 533–535
  - $\chi(k)$  conversion, 529
  - Fourier transformation, 530–531
  - modeling, 532–533
  - weighed  $\chi(k)$  vs. *k*spectrum, 529–530
- F**
- Face centre cubic (FCC), 457
- Fast FT (FFT), 563
- Feedback circuit, 218, 219, 223, 224
- constant height mode, 225
  - spectroscopic measurement, 232
- Fermi-Dirac distribution function, 457
- Fermi energy, 456
- Fermi level, 220, 221, 230, 231
- Fermi's pseudo-potential, 5
- Fermi's rule, 506
- Ferrites, 538–539
- Fiber-optic quasi-elastic light scattering (FOQELS), 98
- Field emission guns (FEG), 125–129, 138, 164–165
- Field emission scanning electron microscope (FESEM), 126, 138
- vs. SEM, 139–140
- Field evaporation process, 229
- Fixed analyser transmission (FAT), 446
- Fixed retard ratio (FRR), 446
- Floating-layer technique, 229
- Fluorescent lamps (FL), 350
- 18-Fluorodeoxyglucose (FDG), 391
- Force-distance (F-D) curve, 271
- Förster resonance energy transfer, 366
- Fourier transformation (FT), 530–531, 560
- Fourier transform infrared spectroscopy (FTIR)
- absorption spectrum, 319, 320
  - applications
    - biomedical imaging, 339–340
    - proteins study, 341
  - basic principle of, 325–326
  - electromagnetic spectrum, 318–319
  - gaseous samples, 341
  - history of, 322
  - hydrogen fluoride, 318
  - instrumentation
    - bolometers, 333
    - infrared red radiation sources, 333
    - interferogram to spectrum, 331–332
    - interferometer and interferogram, 328–330
    - photon detectors, 332
    - pyroelectric detectors, 333
    - sample holders, 334
    - sample preparation, 334–335
    - thermal detectors, 332–333
  - IR-ATR, 335–336
  - materials characterization
    - nanomaterials, 338–339
    - organic compounds, 336–338
  - matter-energy interaction, 323–325
  - net dipole moment, 319
  - organic and inorganic compounds, 341
  - percent transmittance, 321
  - wavenumbers, 320
  - zero dipole moment, 318
- Fractal aggregate (FA) model
- fractal aggregate architecture, 62
  - Gaussian size distribution, 62–63
  - mass fractal aggregate, 62
  - mass fractal structure, 60
  - N* primary nanoparticles, 59
  - pair-distribution function, 61
  - Porod law, 60
  - surface fractals, 60
- Free induction decay (FID), 563
- Fridrich, Elmer, 353
- FullProf, 2
- FullProf Studio, 31–33
- Furfuryl alcohol (FA), 578
- G**
- GaAsP LED, 355
- Gadolinium, 357
- Gallium arsenide (GaAs), 385, 386
- Gallium arsenide phosphide (GaAsP), 385, 386
- Gas transfer vacuum pumps, 448
- Gatan imaging filter (GIF), 176
- Gaussian distributions, 50, 83, 85

General Electric (GE) Corporation, 355  
 General Electric Research Laboratory, 353  
 Generalized gradient approximation (GGA), 488  
 Germanium, 336  
 Germer, Edmund, 354  
 GNXAS program, 522  
 Gold (Au) thin films, 281, 282  
 Graphene, 409–410  
    $B_{2g}$  phonon, 420  
   Brillouin zone of, 420  
   CNTs, structure of, 410–413  
    $E_{2g}$  phonon, 420  
   electronic band structure, 413–414  
   Kohn anomaly, 421  
   LBMs, 421  
   SLG, 420  
 Graphene-like nanoporous carbons (GNCs), 582  
 Graphene nanoribbons (GNR), 232  
 Graphene-superconductor (GS) interface, 226  
 Graphite, imaging of HOPG, 234–236  
 Green's function, 425, 490, 504, 505  
 GSAS, 2  
 Guinier average approach, 48  
 Guinier law, 44  
   Cartesian coordinate system, 45  
   concentrated nanoparticle solution, 46  
   distributed properties, 47  
   experimental SAXS curves, 46  
   Guinier average approach, 48  
   percolated samples, 46  
   radius of gyration, 47  
   scattering intensity, 45

## H

HAADF-STEM, *see* High-angle annular dark-field scanning transmission electron microscopy  
 Hamiltonian theory, 559  
 Hammer, Edward, 355  
 Hard X-ray beamline  
   experimental end station, 518  
   layout, 517–518  
   1D beamline, data measurement, 519  
 Hartmann-Hahn (H-H) matching conditions, 557  
 Heavy-duty magnetic film holder, 334  
 Hemispherical electron energy analyser, 444, 445  
 Hexagonal boron nitride (h-BN), 227  
 HgCdTe detectors, 332

High-angle annular dark-field scanning transmission electron microscopy (HAADF-STEM), 192–194  
 High-density polyethylene (HDPE), 341  
 Highest occupied molecular orbital (HOMO), 323  
 High-intensity discharge (HID) lamp, 354  
 Highly oriented pyrolytic graphite (HOPG), 234–236  
 High-pressure carbon monoxide (HiPCO) method, 409, 424  
 High-pressure sodium (HPS) lamps, 353  
 High-resolution photoemission spectroscopy (HRPES), 514  
 High-resolution transmission electron microscopy (HRTEM), 147, 190–192  
 High-temperature superconductors (HTS), 245  
 $^1\text{H}$  magic-angle-spinning (MAS), 550  
 Hohenberg-Kohn theorem, 486–487, 489  
 Holographic grating, 308  
 Homonuclear recoupling technique, 560  
 Hooke's law, 268, 271, 336  
 HORIBA Jobin Yvon Fluorolog-3 spectrofluorometer, 381  
 Horizontal focusing mirror (HFM), 513, 514  
 Hot-field emission, 166  
 HRTEM, *see* High-resolution transmission electron microscopy  
 Hubbard model, 243–244  
 Hund's rules, 452  
 Huygens principle, 7  
 Hydrogen fluoride (H-F), 318, 324  
 5-Hydroxymethyl-2-furaldehyde (HMF), 578

## I

IFEFFIT program package, 522  
 Incident radiation, 297  
 Inductively coupled plasma-atomic emission spectroscopy (ICP-AES), 436  
 Infrared-emitting diode (IRED), 355  
 Infrared spectroscopy, 229  
 In-plane bending vibration, 325  
 In-plane transverse optic (iTo), 418, 427  
 Insensitive nuclei enhanced by polarization-transfer (INEPT), 565  
 Insertion devices (ID), 511  
 Institut laue-langevin (ILL), 18–19  
 Integrating sphere, 298  
 Interference writing, 330  
 International Tables of Crystallography, 13  
 Ion pumps, 170–171

Ion scattering, 229

Iron oxide, 339

## J

Johannson-type curved crystal, 520

Judd-Ofelt theory, 379, 380

## K

Keldysh formalism, 490

Klechkowski rule, 459

Klystron, 510

Kohn-Sham equations, 487, 490

Korea Institute of Science and Technology (KIST), 509

Kubelka-Munk theory, 297

## L

Lab-source-based XAFS spectrometers

configuration of machine, 520–521

easy-XAS-300 banc top spectrometer, 519–520

principle of measurement, 520

R-XAS looper, 519, 520

target filament combination, 520

Landé interval rule, 379

Lanthanum hexaboride (LaB<sub>6</sub>), 138

Laplace transform formula, 86

Laporte rule, 347, 360, 363, 379

Laporte selection rule, 455

Larmor frequency, 249

Larmor's formula, 441

Lateral correlation length, 286–288

Lateral manipulation (LM), 233

Layer breathing modes (LBMs), 421

Lead perovskite, 301

Le Bail method, 24–25

Lee-Goldburg cross-polarization (LG-CP) method, 569

Lende's *g* factor, 451

Lewis acid, 563, 564

Lift mode, MFM

fullerene films, magnetic domains in, 280–281

ion irradiation experiments, 275

magnetic information, 274–275

topography measurement, 274, 275

Ligand-field effect (H<sub>LF</sub>), 363

Ligand-to-metal charge transfer (LMCT) state, 377

Light and lighting technologies

artificial lighting, 351

carbon filament, 352

CFL, 355

electromagnetic radiation, 351

fluorescent lamp, 354–355

halogen lamp, 353

incandescent tungsten filament, 352

LEDs, 355–356

metal filaments, 352

metal halide lamp, 354

sodium lamp, 353–354

wavelengths, 351

xenon arc lamp, 354

Light-emitting diodes (LEDs), 354–356, 397–398

Light microscope vs. electron microscope, 147, 152–154

Linear accelerator (LINAC), 508

Linear fit, 82–83

Local barrier height (LBH), 245

Local density approximation (LDA), 488

Local density of states (LDOS), 226, 230, 231

Localized surface plasmon resonances (LSPRs), 422

Logarithmic amplifier, 223

longitudinal acoustic (LA) (iTOLA), 418, 427

Loop technique, 229

Lorentz force, 443

Low-density polyethylene (LDPE), 341

Low-energy diffuse scattering spin analysers, 476

Low-energy electron diffraction spin analyser, 476

Low-energy exchange scattering (LEX), 476

Lower critical solution temperature (LCST), 96

Lowest unoccupied molecular orbital (LUMO), 323

Low-pressure sodium (LPS) lamps, 353

L-S coupling, 452, 455

Luminescence

history of, 348–350

light and lighting technologies, 351–356

rare earth elements, 356–360

Lutetium, 357

## M

Maclaurin series, 84

Macroscopic work function, 227

Madelung rule, 459, 462

- Magic-angle spinning (MAS), 556–557  
 Magnesium oxide (MgO), 298  
 Magnetic dipole (MD) transition, 379  
 Magnetic film/pellet holder, 334  
 Magnetic force microscopy (MFM), 264, 290  
   Co thin films and nanoparticles  
     irradiated films, 276–279  
     pristine films, 275–277, 279  
   high imaging resolution, 273  
   lift mode  
     fullerene films, magnetic domains in,  
       280–281  
     ion irradiation experiments, 275  
     magnetic information, 274–275  
     topography measurement, 274, 275  
   magnetic probe, 273  
   operating principle of, 273–274  
 Magnetic lens, 443  
 Magnetic resonance imaging (MRI), 390  
 Magnetic scattering  
   atomic scattering factor, 13  
   Fourier series, 15  
   helical magnetic structures, 15  
   magnetic form factor,  $\text{Nd}^{3+}$ , 13–14  
   magnetic interaction, 12–13  
   magnetic ordering, 12  
   magnetic structure factor, 15  
   magnetization, 13, 14  
   neutron diffractogram, 12  
 Magnetization, 13, 14  
 Mass thickness contrast, 159–161  
 “Maximum sampling rate”, 561  
 Mesoscopic work function, 227  
 Mesostructured cellular foam (MCF), 578  
 Metal halide lamp, *see* High-intensity  
   discharge lamp  
 Metal phthalocyanine (MPc), 239, 240  
 Metal vapor lamp, 354  
 Metoprolol tablets, 299  
 Meyer, Friedrich, 354  
 MFM, *see* Magnetic force microscopy  
 Mg-doped GaN, 356  
 Michelson interferometer, 322, 327–330  
 Micro-channel plates (MCPs), 387, 446, 447  
 Micro-electromechanical system (MEMS), 205  
 Microstate, 362  
 Mie theory, 89  
 Monochromator system, 308, 309  
 Monsanto Corporation, 355  
 Moseley’s law, 440  
 Mössbauer refinement method, 539  
 Mott polarimeters, 475  
 Movable analyser, 468  
 “Muffin-tin” approximation, 504  
 Multimode, 264  
 Multiphonon relaxation, 374–375  
 Multipole lenses, 156  
 Multi-walled carbon nanotubes (MWNTs),  
   407, 416, 430  
**N**  
 Nanolithography, 253  
 Nanomachining, 253  
 Nanometer patterning technique, 253  
 NEAXAFS measurement, 509, 514, 515  
 Neutron diffraction  
   applications, 16–17  
   elastic neutron scattering, 10–11  
   ILL, 18–19  
   magnetic interaction, 2  
   magnetic scattering  
     atomic scattering factor, 13  
     Fourier series, 15  
     helical magnetic structures, 15  
     magnetic form factor,  $\text{Nd}^{3+}$ , 13–14  
     magnetic interaction, 12–13  
     magnetic ordering, 12  
     magnetic structure factor, 15  
     magnetization, 13, 14  
     neutron diffractogram, 12  
   magnetic structure  
     BasIreps program, 26–28  
     Cartesian/spherical components, 29–31  
     double perovskite  $\text{A}_2\text{BB}'\text{O}_6$ , 19–21  
     FullProf Studio, 31–33  
     FullProf Suite, 19  
     K\_Search program, 21–23  
     Le Bail method, 24–25  
     magnetic peaks identification, 21–23  
     Mag.pcr file, 27–29  
     Rietveld analysis, 19  
      $\text{Sr}_2\text{YRuO}_6$ , 19–20  
     WinPLOTR-2006 program, 21, 23  
   neutrons and phonons, 2  
   nuclear scattering  
     absolute value of  $b$ , 8–9  
     atomic nucleus, 5  
     atomic scattering factor, 7–8  
     average kinetic energy, 3  
     de Broglie’s equation, 5  
     De Broglie wavelength, 3  
     Debye–Scherrer geometry, 3  
     Dirac delta function, 6  
     Fermi’s pseudo-potential, 5  
     Huygens principle, 7  
     Maxwell–Boltzmann velocities, 3  
     monochromatic beam, 3–4



- particle accelerators, 4
  - scattering wave, 5
  - values of  $b$ , 8
  - wave amplitude, 7
  - X-ray scattering, 6–7
  - polycrystalline materials, 2
  - X-and gamma-type photons, 1
  - Neutron powder diffraction (NPD), 19
  - NIR spectrometry, 300
  - NMR spectroscopy, 341
  - Non-contact AFM (NC-AFM), 272
  - Nuclear scattering
    - absolute value of  $b$ , 8–9
    - atomic nucleus, 5
    - atomic scattering factor, 7–8
    - average kinetic energy, 3
    - de Broglie's equation, 5
    - De Broglie wavelength, 3
    - Debye–Scherrer geometry, 3
    - Dirac delta function, 6
    - Fermi's pseudo-potential, 5
    - Huygens principle, 7
    - Maxwell–Boltzmann velocities, 3
    - monochromatic beam, 3–4
    - particle accelerators, 4
    - scattering wave, 5
    - values of  $b$ , 8
    - wave amplitude, 7
    - X-ray scattering, 6–7
  - Nujol mull, 335
  - Numerical aperture (NA), 155, 408
- O**
- One-molecule-at-a-time basis method, 232
  - Open structure (OS), 236
  - Optical microscopy (OM), 114, 254
    - vs. electron microscope, 147, 152–154
    - reflection and refraction of light, principles of, 263
  - Optical path difference (OPD), 328, 329, 331
  - Optical spectroscopy, inorganic materials
    - catalytic applications, 302–307
    - electromagnetic spectrum, 293–294
    - instrumentation
      - detectors, 311–312
      - dispersion device, 307–309
      - radiation source, 307
      - UV-Vis spectrophotometer configuration, 309–311
    - materials
      - absorption, 295–296
      - reflectance, 296–298
      - transmittance, 298–300
      - solar cell applications, 300–302
  - Oscillation frequency, 274
  - Osram Lighting Company, 353
  - Osteopontin (OPN), 389
  - Out of plane bending vibration, 325
- P**
- Parallel plate analysers, 444
  - Partial electron yield (PEY) mode, 516, 517
  - Particle system, 88
  - Passivated implanted planner silicon (PIPS), 518
  - Pauli's exclusion principle, 220
  - Periodic mesoporous organosilica (PMO) materials, 578
  - Perovskite, 301, 302
  - Perturbation technique, 232
  - Phonon detection, 247–248
  - Photoacoustic imaging (PAI), 395–397
  - Photoacoustic microscopy (PAM), 396
  - Photocatalysis process, 302–306
  - Photodegradation process, 303
  - Photodiode, 333
  - Photoelectric effect, 500
  - Photoelectron emission methods, 229
  - Photoelectron spectroscopy (PES)
    - atomic/molecular spectroscopy, 435
    - Born-Oppenheimer approximation, 483–484
    - core level spectroscopy
      - atomic bonding effect, 460
      - charge compensation, 461
      - crystal field splitting, 459
      - depth profiling, 462
      - energy atomic orbitals, 459
      - energy bands, 460
      - spin-orbit interaction, 459
      - XPS data, 458, 461
      - XPS spectra, 460–464
      - X-rays, 458, 461
    - de Broglie wavelength, 435
    - density functional theory, 486–488
    - EDC, 438
    - Einstein equation, 437
    - ejected electrons, 437, 438
    - electron detectors, 438, 446–447
    - electron energy analyser, 444–446
    - electron optics, 443–444
    - energy bands, 436
    - Hartree-Fock approximation, 484–486
    - incident photon, 438

- Photoelectron spectroscopy (PES) (*cont.*)  
 incident radiation, 435  
 independent electron approximation, 437  
 infrared and Raman spectroscopy, 436  
 molecular spectroscopy, 436  
 mono and multiatomic systems, electronic states in  
   atoms, 450–455  
   quantum numbers, 449  
   Schrodinger equation, 449  
   solids, 455–458  
 monochromators, 441–442  
 photoelectric effect, 437  
 quantum mechanics theory, 435  
 radiation sources  
   synchrotron radiation, 440–441  
   ultraviolet radiation, 440  
   X-rays, 439–440  
 spectral lines, 436  
 spin-resolved ARPES  
   BCC Fe, 478  
   Bi thin films, 478  
   ferromagnetic substance, 474  
   longitudinal configuration, 475  
   Lorentz force, 474  
   magnetic domains, 474  
   phase space considerations, 477–478  
   polarimeters, 474–477  
   transverse configuration, 474  
 three-step model, 480–482  
 threshold frequency, 438  
 time-dependent response of electrons in material  
   GW approximation, 490–491  
   RPA, 489  
   TD-DFT, 489  
 vacuum chambers, 448–449  
 valence band spectroscopy  
   angle-integrated photoemission, 465  
   ARPES data, 469–472  
   Brillouin zone, 465  
   electron wavevector, 466  
   experimental setup, 468–469  
   free electron-like behaviour, 467–468  
   layered compounds, 467  
   normal emission, 467  
   reciprocal lattice vector, 466  
   triangulation method, 468  
   UPS technique, 465  
 work function, 438  
 Photoemission from absorbed xenon (PAX)  
   technique, 227  
 Photoexcitation process, 296  
 Photoluminescence, 348  
 Photomultiplier, 309, 311, 312  
 Photomultiplier tubes (PMT), 382, 385–387  
 Photon detectors, 332  
 Phototubes, 311, 312  
 Piezo-scanner, 224  
 Pinhole-collimated instruments, 69–70  
 Planar tunneling, 230  
 Planck's constant, 318  
 Pohang Accelerator Laboratory (PAL), 507, 509  
 Point charge electrostatic model (PCEM), 363  
 Poly(N-isopropylacrylamide) (PNIPAAm), 96  
   poly(N-vinylcaprolactam) (PNVCL), 96  
   poly(oligo(ethylene glycol)-methacrylate) (POEGMA), 96  
 Polycrystalline method, 10  
 Polydispersity index (PDI), 51, 65, 87–88  
 Polydivinylbenzene (PDVB), 583  
 Polytetrafluoroethylene (PTFE), 298  
 Polyvinyl alcohol (PVA), 68  
 Porod law, 44, 48–49  
 Position-sensitive detector (PSD), 18  
 Positron emission tomography (PET), 390, 391  
 Press-on demountable cell holders, 334  
 Prism, 442  
 Promethium, 357  
<sup>31</sup>P Solid-state nuclear magnetic resonance spectroscopy (SSNMR)  
   acid catalysis, 549  
   adsorbed phosphorous probe molecules  
     <sup>27</sup>Al-<sup>31</sup>P INEPT, 565  
     Brønsted acidic sites, 563, 564, 566–570  
     2-<sup>13</sup>C-acetone approach, 569  
     H-ZSM-5 zeolite catalyst, 567  
     interaction modes, 563, 564  
     Lewis acidic sites, 563, 564, 566, 569  
     LG-CP method, 569  
     <sup>31</sup>P chemical shift values, 570  
     proton transfer, 563  
     <sup>31</sup>P-R<sub>3</sub>PO approach, 568  
     <sup>31</sup>P-TMP SSNMR approach, 566  
     solid acid catalysts, 563, 564, 566  
     sulfated metal oxide, 564  
     superacidity features, 568  
     TMP, 563, 564  
     TMPO, 567, 569, 570  
     TRAPDOR effect, 565  
     8T zeolite cluster model, 570

- anisotropic interactions
    - chemical shift, 553–554
    - dipole-dipole interaction, 554
    - indirect dipole-dipole/spin-spin interaction/*J*-coupling, 555–556
    - quadrupole interaction, 554–555
    - Zeeman interaction, 555
  - carbonaceous materials, acidity
    - characterization of
      - AMS dimerization, 575
      - Brønsted acidic sites, 574, 581
      - carbohydrate biomass conversion, 579
      - carbon catalysis/carbocatalysis, 571
      - carbon-silica composite, 574–577
      - colorimetry experiment, 572
      - furfuryl alcohol, 578
      - GNC-[C<sub>3</sub>N][SO<sub>3</sub>CF<sub>3</sub>] material, 582, 583
      - graphene, 584, 585
      - HMF, 578
      - hydrothermal sulfonation method, 576
      - intramolecular Friedel-Crafts alkylation, 575, 576
      - metal-free catalysis, 571
      - PDVB-SO<sub>3</sub>H-SO<sub>2</sub>CF<sub>3</sub> catalysts, 583, 584
      - petroleum cokes, 578, 580
      - PMO materials, 578
      - SHTC, 576
      - SO<sub>3</sub>H groups, 572–574, 576, 585
      - solid acid, 580, 581
      - sulfonated carbons, 572, 573
      - surface functional groups, 571
      - TEPO, 576, 577, 580, 585
      - TMP adsorption, 580, 581
      - TMPO, 573, 574, 577, 580
      - TOF, 575
    - CSA, 552
  - high-resolution solid-state NMR techniques
    - cross-polarization, 557–558
    - dilution, 558
    - heteronuclear decoupling, 558–559
    - MAS, 556–557
    - multiple-pulse homonuclear decoupling, 559
    - recoupling techniques, 559–560
    - <sup>1</sup>H MAS NMR, 550, 551
    - instrumentation, 560–563
    - internuclear dipolar coupling, 552
    - isotropic chemical shift, 553
    - J*-coupling, 553
    - Lewis vs. Brønsted acid, 550
    - non-recyclable acid waste, 549
    - petrochemical process, 549
    - pyridine, 550
    - pyridine-*d*<sub>5</sub>, 551
    - resonance frequency, 552
    - TMP and trialkylphosphine oxides, 551
  - Pyroelectric detector, 333
- Q**
- Quantum dots (QDs), 396
  - Quantum effects, 141
  - Quantum Monte Carlo calculations, 488
- R**
- Radial breathing mode (RBM), 416, 418, 419, 427
  - Radiation-matter interaction, 293
  - Radio frequency cavity, 510
  - Radioluminescence, 348
  - Raman spectroscopy
    - carbon materials
      - carbon nanotube, electronic band structure of, 414–415
      - D-band, second-order Raman scattering, 416
      - G-band, first-order Raman scattering, 417–419
      - graphene, 410–414, 419–421
      - RBM, first-order Raman scattering, 416
    - CNTs, 426–430
    - confocal scanning optical microscopy, 407–409
    - IR spectra, 406
    - momentum angular mapping, 407, 431
    - sample preparation, 409–410
    - SERS signals, 405
      - experimental set-up and sample preparation, 423–424
      - LSPRs, 422, 423
      - nanoscale optical spectroscopy, 422
      - optical antennas, 422, 423
      - theory of, 425–426
    - TGA, 405
    - vibrational transition, 406
    - XPS, 405
  - Random phase approximation (RPA), 489
  - Rare earth (RE)
    - electronic spectroscopy, rare earth ions
      - CIE coordinates, 381
      - energy transfer, 364–376
      - luminescence decay curves, 380–381
      - luminescence spectra, 376–380
      - [Xe]4f<sup>*N*</sup> configurations, 360–364

- Rare earth (RE) (*cont.*)
- 4f energy levels, 347
  - instrumentation
    - sample holders, 387–388
    - spectrofluorometer, 381–387
  - LEDs, 346
  - luminescence (*see* Luminescence)
  - luminescent RE<sup>3+</sup> materials, applications of
    - bioimaging, 382–397
    - LEDs, 397–398
  - phosphors, 347
  - trivalent lanthanide ions, 347
- Rashba effect, 478
- Raster scanning, 423
- Rayleigh criterion, 117
- Rayleigh law, 98
- Rayleigh scattering, 89, 406
- Reactive nanoscale iron particles (RNIP), 94
- Reflectance, inorganic materials, 296–298
- Refocused continuous wave (*r*CW), 559
- Refocusing mirror system (RFM), 513, 514
- Retarding field analysers, 444
- Retarding type spin analysers, 476
- Rhodamine 6G, 406–407
- Richardson's law, 163
- Rietveld method, 2, 28
- Rietveld refinement method, 539
- Rotary pump, 163
- Rotational echo adiabatic passage double resonance (REAPDOR), 560
- Rotational echo double resonance (REDOR), 560
- Russell-Saunders notations, 452
- Russell-Saunders spin-orbit coupling scheme, 360
- S**
- SAED, *see* Selected area electron diffraction
- Samarskite, 357
- Sample-to-detector distance (SDD), 39
- SAS software package, 43
- Satellite peaks, 461
- Scanning electron microscopy (SEM), 100, 250, 424
- applications of, 140
  - composition, 116
  - development in, 138–139
  - electron beam, importance of, 117–118
  - vs.* FESEM, 139–140
  - FESEM operation, 132–134
  - human chromosomes, imaging of, 282, 283
- instrumentation
  - apertures, 131
  - condenser lens, 129–130
  - electron gun (*see* Electron gun)
  - FESEM, 125
  - lenses and apertures, 129
  - objective lens, 130
  - scanning coils, 130
  - specimen chamber, 131–132
  - stigmator coils, 131
- morphology, 116
- nanomaterials characterization, 140–143
- OM and EM, 114–115
- operator control
  - accelerating voltage, 134
  - astigmatism, 136
  - charging, 137
  - emission current, 134
  - focus and alignment, 135
  - high-resolution imaging, 136–137
  - objective apertures size, 135
  - probe diameter, 134–135
  - scan-square method, 137–138
  - specimen damage, 138
  - tilting, 136
  - working distance, 135
- principles of
  - accelerating voltages, 121
  - atomic number, 121
  - BSEs, 119
  - carbon tap, 118
  - inelastic and elastic interaction, 119–120
  - photons, 119
  - primary electrons, 118, 119
  - secondary electrons, 118
  - tilt, 121–124
- vs.* TEM, 115–116
- topography, 116
- Scanning force microscopy (SFM), 250
- Scanning probe microscopy (SPM)
  - definition, 263
  - MFM (*see* Magnetic force microscopy)
  - STM (*see* Scanning tunneling microscopy)
  - surface scanning, 217
- Scanning transmission electron microscopy (STEM), 44, 139, 150, 191–194
- Scanning tunneling microscopy (STM)
  - advantages, 253–254
  - atomic resolution capability, 264
  - biology and organic chemistry, application in, 250–251

- electrochemical applications, 252
- electron spin resonance, 249
- imaging process
  - spectroscopic imaging, 231–232
  - topographical process, 230–231
- instrumental operation of, 223
- limitations/drawbacks, 254, 264, 267
- liquid and gaseous media, scanning in, 218
- nanolithography and nanomachining, 253
- nonconducting materials, application in, 250
- operational modes of
  - constant current mode, 224, 267
  - constant height mode, 224, 225, 266–267
  - potentiometry, 228
  - spectroscopic mode, 225–226
  - work function measurement, 226–228
- quantum mechanical tunneling, 265
  - one-dimensional potential barrier, 218–219
  - from sample to tip, 220–221
  - from tip to sample, 220–222
  - transmission coefficient, 219–220
- schematic of, 265, 266
- as sensing device, 249
- single atoms/molecules manipulation, 232–233
- STM tip, geometry of, 222–223
- surface scanning, 217
- surface science, application in, 217
  - adsorbate covered surface, 241–243
  - charge density wave, 243–246
  - graphite, 234–237
  - inhomogeneous material, 247, 248
  - irregular structures, 241
  - metals, 239–241
  - phonon detection, 247, 249
  - semiconductors, 236–239
  - spin-polarized tunneling, 249
  - superconductors, 245–246
- tip-material influence, 228–230
- tip-sample separation, 265
- tribology, application in, 253
- tunneling current, 218, 265, 266
- Scanning tunneling potentiometry (STP), 228
- Scanning tunneling spectroscopy (STS), 225–226, 231–232
- Scattering coefficient, 297
- Schrodinger equation, 449, 450, 483, 486, 504
- Schrödinger's equation, 219
- Schultz-Zimm distributions, 50
- Scintillator-photomultiplier detector, 175–176
- Secondary electrons (SE2), 123
- Selected area electron diffraction (SAED), 194–196
- Self-assembled monolayers (SAMs), 241
- Semiconductor detectors, 174–175
- Semiconductors, STM application, 236–239
- S-glutamic acid, 250
- Sherman function, 476
- Siegert equation, 81, 86
- Signal-to-noise (S/N) ratio, 558
- Silicene, 237–238
- Silicon diode, 312
- Silicone-like reconstruction (SLR), 238–239
- Silicon phthalocyanine dichloride (SiPcCl<sub>2</sub>), 240
- Single-layer graphene (SLG), 420
- Single-pellet holder, 334
- Single-photon emission tomography (SPECT), 390
- Single-walled carbon nanotubes (SWNTs), 407, 409, 415, 416, 430
- Skating mode, *see* Constant height mode
- Slit-collimated instruments, 69
- SLR, *see* Silicone-like reconstruction
- Small-angle X-ray scattering (SAXS)
  - absorption and scattering, 39
  - anisotropic systems, 43
  - autocorrelation function, 42
  - basic schematic setup, 39
  - correlated particles, 55
    - FA and Beaucage models, application of, 66–68
    - FA model (*see* Fractal aggregate model)
    - monodisperse system, 58
    - Ornstein-Zernike integral, 58, 59
    - scattering amplitude, 58
    - total scattering intensity, 58
    - unified exponential/power law model, 64–65
  - correlation function, 42
  - 1-D/2-D scattering pattern, 43
  - diluted sets of nano-objects
    - scattering intensity, 52
    - simple geometrical shape, 55–57
    - uncorrelated spherical nanoparticles, 52–54
  - dispersion intensity, 41
  - electron density, 42
  - Fourier transformation, 40, 42
  - heat and/or fluorescence radiation, 39

- Small-angle X-ray scattering (SAXS) (*cont.*)  
 instrumentation  
   beam stop, 71  
   bonse-hart instruments, 70  
   CCD detectors, 71  
   imaging plates detectors, 71–72  
   pinhole-collimated instruments, 69–70  
   sample holder, 70  
   slit-collimated instruments, 69  
   solid-state detectors, 72  
   TEM, 72–73  
   X-ray source, 69  
 isotropic and non-fixed nano-objects  
   Guinier law, 44  
   high- $q$  regime, 48–49  
   intermediate- $q$  regime, 49–52  
   low- $q$  regime (*see* Guinier Law)  
   Porod law, 44  
   scattering intensity, 44  
   nanoparticle, mean size of, 38  
   neutron diffraction techniques, 38  
   pair-distribution function, 42  
   Patterson function, 41  
   SAS software package, 43  
   scattering amplitude, 40, 42  
   scattering intensity, 42, 43  
 Soft X-ray beamline (KIST Beamline)  
   experimental end station, 514–515  
   measurement procedure  
     NEXAFS, 515  
     TEY method, 516–517  
     TFY mode, 517  
   optical layout, 513–514  
 Solar cell applications, 300–302  
 Solid-state epitaxy process, 238  
 Spanner, Hans, 354  
 Spectrofluorometer  
   detectors  
     CCD, 382, 387  
     PMT, 382, 385–387  
   Fluorolog-3, 382, 389  
   monochromators, 383–385  
   450W xenon arc lamp, 381  
 Spectrophotometers, 307  
 SPEX FL212 Fluorolog-2 spectrofluorometer,  
   381  
 Spin-polarized scanning tunneling microscope  
   (SP-STM), 248–249  
 Spintronics, 474  
 SPM, *see* Scanning probe microscopy  
 STM, *see* Scanning tunneling microscopy  
 Stokes-Einstein equation, 81, 83  
 Stokes-shifted wavelengths, 423  
 Stretching vibration, 324–325  
 STS, *see* Scanning tunneling spectroscopy  
 Subtractive process, 236  
 Sulfonated hydrothermal carbon (SHTC), 576  
 Superconductors, STM application, 245–246  
 Superior sagittal sinus (SSS), 396  
 Surface barrier detector, 174  
 Surface correlation, Co nanoparticles  
   autocorrelation function  
     exponential correlation model, 286, 287  
     lateral correlation length, 285–286  
     one-dimensional autocorrelation  
       function, 285  
     pristine and ion-irradiated thin films,  
       287–289  
   height-height correlation function,  
     286–289  
   surface roughness, 284–285  
 Surface-enhanced Raman spectroscopy  
   (SERS), 405, 407  
 Surface tunneling spectroscopy, 225  
 Symmetric traceless tensors, 555  
 Symmetry-based resonance echo saturation  
   pulse double resonance  
   (S-RESPDOR), 560  
 Synchrotron radiation source  
   booster rings, 508–509  
   cosmic rays, 507  
   electromagnetic radiation, 507  
   LINAC, 508  
   storage ring and components  
     bending magnets, 508, 510  
     insertion devices, 511  
     quadrupole magnets, 512  
     radio frequency system, 509–510  
     undulators, 511–512  
     wigglers, 511
- T**  
 Tapping (intermittent) mode AFM  
   advantages and disadvantages, 272  
   biological samples, imaging of, 281–283  
   gold films, nanoring formation in, 281, 282  
 TEM, *see* Transmission electron microscopy  
 Temperature gravimetric analysis (TGA), 405  
 Tersoff-Hamann model, 222, 223, 230, 231  
 Thermal detectors, 332–333  
 Thermal magnetic noise, 157  
 Three-dimensional (3-D) tomography,  
   203–204  
 Tight-binding model, 230  
 Tilt, 121–124  
 Time-dependent density-functional theory  
   (TD-DFT), 489–490

- Time-dependent perturbation theory, 222  
Time-of-flight (TOF) spectroscopy, 477  
Tip crash technique, 218, 233  
Tip-sample interaction, 229, 230  
Tip-sharpening techniques, 222, 229  
Titanium oxide (Ti-O), 339  
Total electron yield (TEY) mode, 502, 516–517  
Total fluorescence yield (TFY) mode, 502, 517  
Transfer of populations in double resonance (TRAPDOR), 560  
Transmission coefficient, 219–220, 232  
Transmission electron microscopy (TEM), 54, 72–73, 78, 100, 114, 250  
  aberration correction model, 150  
  apertures, 177  
  applications, 150–151  
  electromagnetic lenses, 166–167  
  electron  
    advantages of, 157  
    detectors, 171, 173–176  
    discovery of, 157  
    field emission guns, 164–165  
    field emission source, 162, 164, 166  
    limitation, 157  
    properties of, 157–159  
    thermionic emission source, 162–164  
    thermionic gun, 164, 165  
  EMCD, 205  
  environmental TEM, 205  
  filters, 176–177  
  historical developments, 148–150  
  imaging and spectroscopy  
    chemical mapping, 201–203  
    in conventional TEM, 188–190  
    EDS, 195, 197  
    EELS, 198, 199, 205  
    EFTEM, 198–201  
    HRTEM, 190–192  
    SAED, 194–196  
    STEM, 191–194  
    3-D tomography, 203–204  
  imaging contrast mechanisms  
    bright-field and dark-field imaging, 159, 160  
    diffraction/amplitude contrast, 159, 161, 162  
    mass thickness, 159–161  
    phase contrast, 159, 161, 162  
  liquid-cell TEM, 205  
  neutron source, 157  
  operational and alignment procedures, 177–180  
  purpose of, 150  
  resolution and limitations, 154–157  
  sample preparation  
    abrasion mechanism, 182–183  
    aim of, 180  
    artifact eliminations, 186–187  
    basic criterion, 181  
    biological sample preparation, 181  
    bulk sample, steps for, 181, 182  
    chemical and electrochemical dissolution, 184  
    ionic abrasion principles, 184–185  
    nanoparticles, 185–187  
    optical images of, 186  
  vs. SEM, 115–116  
  vacuum systems  
    definition, 168  
    high vacuum, 169  
    history, 168  
    low vacuum, 169  
    principle purposes for, 168  
    ultrahigh vacuum, 168, 169  
    vacuum pumps, 163, 168–172  
    vacuum units, 168–169  
  X-rays, 157  
Transmission electron microscopy (TEM) micrograph, 424  
Transmittance, inorganic materials, 298–300  
Tribology, 253  
Triboluminescence, 348  
Tributylphosphine oxide (TBPO), 566  
Triglycerine sulfate (TGS) detector, 333  
Trimethylphosphine (TMP), 551  
Trioctylphosphine oxide (TOPO), 566  
Trip-atom interaction, 233  
Trivalent europium ion, 368  
Tunneling effect, 218  
  one-dimensional potential barrier, 218–219  
  from sample to tip, 220–221  
  from tip to sample, 220–222  
  transmission coefficient, 219–220  
Tunneling resistance, 233  
Tunneling spectroscopy, 245  
Turbo-molecular pump, 170  
Turnover frequency (TOF), 575  
2D Fourier transform (2DFT), 244  
Two-pulse phase modulation (TPPM), 559
- U**  
UC mechanisms  
  CET system, 373  
  EMU process, 373–374  
  ESA, 372  
  ETU, 372–373  
  photon avalanche process, 373

UCNPS, 389, 390, 396  
 Ulbricht sphere, *see* Integrating sphere  
 Ultra-high vacuum (UHV), 448  
 Ultraviolet photoelectron spectroscopy (UPS), 440  
 Ultraviolet-visible spectrophotometers, 298, 300, 301  
 Ultraviolet-visible spectroscopy (UV-vis), 304, 309–311  
 Universal sample holder, 334

## V

Vacuum systems  
 definition, 168  
 high vacuum, 169  
 history, 168  
 low vacuum, 169  
 principle purposes for, 168  
 ultrahigh vacuum, 168, 169  
 vacuum pumps, 163, 168–172  
 vacuum units, 168–169  
 Valence band (VB), 295, 296  
 Valence band maximum (VBM), 470, 472  
 Van der Waals forces, 230, 268  
 Vertical focusing mirror (VFM), 513, 514  
 Vertical manipulation technique, 233  
 Vibrational spectrometry, 299  
 Vibrations modes, 323–325  
 Visible-light microscope, 152  
 Voltage-dependent imaging, 226

## W

WAHUA pulse sequence, 559  
 Water splitting process, 303, 306  
 Wave function, 219  
 Waveguide, 510  
 Westinghouse Lamp Company, 353  
 White light-emitting diodes (WLEDs), 350  
 Wiley, Emmet, 353  
 Wings, 330  
 WinPLOT-2006 program, 21  
 Work function, 220, 221  
 measurement of, 226–227

## X

X- and gamma-type photons, 1  
 XANES, 505

X-ray absorption fine structure (XAFS), 436, 499, 500, 505, 507  
 oxide materials  
 Cu<sub>2</sub>O, morphology effect of, 537–538  
 metal oxidation, biological and environmental applications, 539–541  
 metal-oxygen metal bond length and oxide nanoparticles, 538–539  
 MgO and Fe interface, 541  
 NEXAFS measurements, 541–545  
 oxygen (O) *K*-edge spectra, 542–545  
 X-ray absorption near-edge structures (XANES), 436, 499  
 background subtraction and normalization, 527–529  
 edge energy reference parameter, 525  
 EXAFS analysis, 522  
 IFEFFIT program package, 522  
 $\mu(E)$  raw data collection, *Athena* project, 523  
 nonlinear least-square fittings, 522  
 pre-edge/post-edge subtraction and assignment, 524  
 X-ray absorption spectroscopy (XAS), 436, 499, 501, 517  
 beamlines  
 general layout, 512–513  
 hard X-ray beamline, 517–519  
 lab-source-based XAFS spectrometers, 519–521  
 soft X-ray beamline (KIST Beamline), 513–517  
 cross section, 506–507  
 dipole and quadrupole approximation, 502–503  
 dipole selection rules and transition probabilities, 506  
 EXAFS data  
 Artemis (Cu *K*-Edge data from Cu Foil), 533–535  
 $\chi(k)$  conversion, 529  
 Fourier transformation, 530–531  
 modeling, 532–533  
 weighed  $\chi(k)$  vs. *k* spectrum, 529–530  
 multiple-scattering approach, 504–505  
 quasi-particle model, 504  
 synchrotron radiation source  
 bending magnets, 508, 510  
 booster rings, 508–509  
 cosmic rays, 507



- electromagnetic radiation, 507
  - LINAC, 508
  - storage ring and components, 509–512
  - XAFS, oxide materials
    - Cu<sub>2</sub>O, morphology effect of, 537–538
    - metal oxidation, biological and environmental applications, 539–541
    - metal-oxygen metal bond length and oxide nanoparticles, 538–539
    - MgO and Fe interface, 541
    - NEXAFS measurements, 541–545
    - oxygen (O) *K*-edge spectra, 542–545
  - XANES data
    - background subtraction and normalization, 527–529
    - edge energy reference parameter, 525
    - EXAFS analysis, 522
    - IFEFFIT program package, 522
    - $\mu(E)$  raw data collection, *Athena* project, 524
    - nonlinear least-square fittings, 522
    - pre-edge/post-edge subtraction and assignment, 526
  - X-ray generation, basic principle of and absorption coefficient, 500–502
  - bremsstrahlung (braking) radiation, 497, 498
  - characteristic radiation, 497, 498
  - core-level spectroscopy, 499
    - filament voltage, 497
    - XAFS, 500
    - X-ray photons, 499
  - X-ray crystallography, 341
  - X-ray diffraction (XRD), 44
  - X-ray energy-dispersive detectors, 197
  - X-ray free-electron lasers (XFEL), 71
  - X-ray magnetic circular dichroism (XMCD), 205
  - X-ray optics, 253
  - X-ray photoelectron spectroscopy (XPS), 436
  - X-ray photoemission spectroscopy (XPS), 405
- Y**
- Yttrium, 357
- Z**
- Z-average, 86–87, 105
  - Zeeman effect, 362
  - Zeeman interaction, 555, 561
  - Zero path difference (ZPD), 328
  - Zero separation theorem-based closure (ZSEP), 59
  - Ziegler-Nichols method, 224
  - Zinc oxide (ZnO), 338
  - Zinc selenide (ZnSe), 336
  - Zirconium oxide (ZrO<sub>2</sub>), 562