

# Index

## A

Ab Initio Molecular Dynamics (AIMD), 78  
Absolute temperature, 14–16  
Acoustic phonon transport, 16  
 $\text{Ag}_9\text{TlTe}_5$ , 17  
 $\text{AgPb}_m\text{SbTe}_{m+2}$ , 77, 80  
Alloying, 13, 14, 16, 39, 41, 49, 51, 65, 69, 72, 78, 80, 82, 92, 97, 98, 100, 115  
Altenkirch, E., 4  
Anderson localization, 8  
Anharmonicity, 15, 75  
Anisotropy, 12, 44, 69, 72, 98  
Annealing, 70, 114  
Antimony, 29, 69, 71–73, 79, 93, 95, 114  
Antimony telluride, 69, 72, 114  
Antisite defects, 71  
Atomic lattice vibrations, 37  
Atomic mass, 16, 91  
Atomic weight, 16, 72  
Automotive thermoelectric generators, 22  
Axes of symmetry, 13

## B

$\text{Ba}_4\text{In}_8\text{Sb}_{16}$ , 98  
 $\text{Ba}_8\text{Ga}_{16}\text{Ge}_{30}$ , 17, 104  
 $\text{Ba}_8\text{Ga}_{16-x}\text{Al}_x\text{Sn}_{30}$ , 107  
 $\text{BaGa}_2\text{Sb}_2$ , 98  
 $\text{Ba}_6\text{Ge}_{25-x}$ , 98  
Band mass, 7, 8  
Band structure engineering, 69  
Band structures, 8, 10, 13, 30, 31, 33, 34, 57, 79, 95, 97, 116  
 $\text{Bi}_{0.3}\text{Sb}_{1.7}\text{Te}_3$ , 70

$\text{Bi}_2\text{Se}_3$ , 71, 73, 74  
 $\text{Bi}_2\text{Te}_3$ , 17, 28, 69–75, 85, 93, 114  
 $\text{Bi}_2\text{Te}_3/\text{Sb}_2\text{Te}_3$  superlattices, 28, 70  
Bipolar effect, 15, 17  
Bismuth telluride, 29, 69, 72, 114  
 $\text{Bi}_x\text{Sb}_{2-x}\text{Te}_y$ , 114  
Boltzmann constant, 8, 15, 35, 39, 59  
Boltzmann transport theory, 8  
Bridgman and zone melting, 70  
Brillouin zone, 13, 33, 40, 70, 76  
Bulk materials, 30–32, 37–42, 57, 63, 113

## C

$\text{CaCd}_2\text{Sb}_2$ , 98  
Carbon-based combustion, 21  
Carrier concentration, 10–12, 15, 17, 36, 37, 42–44, 50, 53, 57, 62, 63, 66, 70, 72, 73, 76, 77, 79, 80, 93, 96, 98, 100, 101, 104, 107  
Carrier mobility, 7, 8, 11–14, 16, 30, 42–44, 72, 78, 80, 83, 84, 93, 96, 98, 107  
Carrier scattering, 8, 14, 16, 72  
Carrier transport process, 11  
 $\text{CeFe}_3\text{CoSb}_{12}$ , 17  
Chalcogenides, 13, 69, 116  
Charge carriers, 3, 10–17, 22, 33, 37, 45, 61, 77, 83, 97, 105, 107  
Charges, 9, 11, 15, 28, 29, 57, 59, 61–63, 73, 77, 80, 83  
Clathrates, 17, 98, 102, 104–107  
 $\text{Co}_{1-x}\text{Rh}_x\text{Sb}_3$ , 94  
 $\text{CO}_2$  emissions, 22  
 $\text{Co}_{4-x}\text{Fe}_x\text{Sb}_{12}$ , 94

- Cobalt-doped TiO<sub>2</sub>, 116  
 CoGe<sub>1.5</sub>S<sub>1.5</sub>, 94  
 CoGe<sub>1.5</sub>Se<sub>1.5</sub>, 94  
 CoGe<sub>1.5</sub>Te<sub>1.5</sub>, 94  
 Collision, 30, 35  
 Complex crystal structures, 16, 17, 44  
 Compositional stoichiometry, 93  
 Compound semiconductors, 31  
 Conduction, 4, 9–11, 15, 16, 18, 41, 46, 69–72,  
     75, 78, 80, 84, 93, 94, 97, 102, 107  
 Conduction bands, 8–10, 13, 33, 34, 57, 75, 78,  
     79, 93, 95, 97, 98  
 CoSb<sub>2.75</sub>Ge<sub>0.25-x</sub>Te<sub>x</sub>, 94  
 CoSb<sub>3</sub>, 91–93, 95, 96  
 CoSn<sub>1.5</sub>Se<sub>1.5</sub>, 94  
 Coulomb repulsion, 8  
 Crystal structures, 12, 31–33, 52, 70, 75, 91, 97,  
     99, 100  
 Crystalline size, 15  
 Cs<sub>8</sub>Al<sub>8</sub>Si<sub>38</sub>, 104  
 Curie temperature, 103, 105  
 Current, 1, 3, 4, 21, 23–26, 28, 29, 36, 41, 51,  
     55, 94, 104
- D**
- Defect mechanisms, 70, 74  
 Defect scattering, 7, 8, 13–14, 59  
 Defects, 7, 8, 13–16, 39, 40, 43, 45, 53, 59, 61,  
     70–74, 79, 92, 98  
 Degenerate conductors, 13  
 Degenerate semiconductors, 43  
 Degenerately doped, 8  
 Delta function, 8, 56  
 Density, 11, 22, 41, 45, 52, 57, 62, 71, 78–80,  
     82–85, 95, 107  
 Density of states (DOS), 8–10, 12, 13, 30, 35,  
     39, 43, 44, 46, 57, 61, 79, 80, 84, 95, 97  
 Dielectric constants, 8  
 Dimensionless, 7, 27, 29, 53, 95  
 Discrete energy bands, 8  
 Dislocations, 15, 39, 41, 82, 114  
 Disorder, 8, 16, 41, 82, 99  
 Dispersion relation, 38, 39  
 Distribution functions, 8, 9, 35, 57  
 Doping, 11, 16, 44, 45, 55, 57, 69, 71, 72, 74,  
     77, 79, 83, 84, 92, 93, 95, 97, 99, 100,  
     103, 114
- E**
- Effective mass, 7, 12–13, 17, 33, 34, 42, 43, 72,  
     78, 93, 97, 105
- Efficiencies, 4, 7, 16, 18–19, 21, 22, 28–30, 63,  
     66, 70, 96, 98, 115–117  
 Electric field, 11, 24, 36  
 Electrical conductivity, 4, 7, 8, 10–12, 14–16,  
     18, 21, 27, 36, 42, 45, 49, 50, 56–59,  
     61–63, 65, 66, 69, 70, 72, 73, 76, 77,  
     82–84, 91, 93, 96, 104, 105  
 Electrical resistivity, 4, 72, 77, 79, 93, 100, 101,  
     104, 107  
 Electrical transport properties, 70  
 Electromotive force, 1, 2  
 Electron crystal, 16, 27, 42, 44, 91, 96  
 Electronegativity, 13, 96, 97  
 Electron flow, 1  
 Electron scattering, 35–36  
 Electron transport, 30–32, 36, 37, 49, 56, 63  
 Electron transport model, 11  
 Electronic structures, 8, 12, 73, 74, 97, 98  
 Electronic thermal conductivity, 14–16, 27, 42,  
     58, 63, 65, 70, 80  
 Electronic transport properties, 69, 77, 91, 102  
 Electron-phonon scattering, 57  
 Electrons, 1, 8, 9, 11, 14–17, 26–46, 49, 56–59,  
     61–64, 66, 73, 77, 79, 91, 95–98, 116  
 Empty states, 9  
 Energy, 3, 4, 7–11, 13, 17, 19, 21–23, 25,  
     28–31, 33–35, 37–39, 41, 43, 45, 46, 51,  
     53, 56, 57, 61–63, 66, 71, 74, 75, 78–80,  
     82, 84, 97, 115–117  
 Energy band diagrams, 9, 34  
 Energy gap, 8, 9, 13, 33  
 Energy states, 8  
 Entropy, 3, 26  
 EuCd<sub>2</sub>Sb<sub>2</sub>, 98  
 Eu<sub>8</sub>Ga<sub>16</sub>Ge<sub>30</sub>, 102–105  
 Extrinsic semiconductor, 9
- F**
- Face-centered-cubic (FCC) lattice, 31, 80  
 Fe<sub>0.2</sub>Co<sub>3.8</sub>Sb<sub>12-x</sub>Te<sub>x</sub>, 94  
 Fe<sub>0.5</sub>Ni<sub>0.5</sub>Sb<sub>3</sub>, 94  
 Fe<sub>2</sub>Pd<sub>2</sub>Sb<sub>12</sub>, 93, 94  
 Fermi-Dirac statistics, 34  
 Fermi distribution function, 8  
 Fermi energy, 10, 11, 35, 43, 79, 116  
 Fermi level, 8, 9, 35, 45, 57, 72, 84, 93, 95, 97,  
     98  
 Fermi surfaces, 12, 44, 75  
 Figure of merit, 4, 7, 10–12, 14, 15, 17–18, 21,  
     27–30, 42–46, 51, 53, 56, 70, 73, 75–85,  
     93, 95, 98, 100, 105, 107, 113, 114  
 Filled energy levels, 9

Filled skutterudite, 92, 94–96, 98  
 Fossil-fuel, 21  
 Free-electron, 15  
 Fuel efficiency, 21

**G**

GaAs, 13  
 Ge/SiGe/Si, 84, 113  
 Generators, 4, 18, 22, 23, 28, 51, 84, 113,  
 115–117  
 GeTe, 76  
 Glasses, 16, 42, 44, 91, 117  
 Goldsmid, H.J., 13, 49  
 Grain boundaries, 14, 16, 41, 44, 46, 49, 51, 56,  
 59, 61–63, 70, 73, 80  
 Grain boundary scattering, 44, 49, 51, 56, 59,  
 61–63, 70, 73, 80  
 Grain size, 49, 51, 56, 59, 61–65, 82, 83  
 Group velocity, 38, 57, 59

**H**

Half-Heusler alloy, 17  
 Half-Heusler TiNiSn, 116  
 Hall mobility, 72, 85, 101  
 Heat, 1, 3, 4, 14, 16, 21–25, 28–42, 45, 52, 53,  
 65, 83, 93, 115–117  
 Heat capacity, 39, 41, 59  
 Heat flow rate, 14  
 Heat transfer, 14, 21, 116  
 Heat transport, 14, 15, 30–42, 64, 92  
 Heavily doped semiconductors, 12  
 Hf<sub>0.75</sub>Zr<sub>0.25</sub>NiSn, 17  
 Holes, 9, 11, 14, 15, 17, 28, 29, 33, 34, 37, 72,  
 73, 76, 93, 97, 98, 100  
 Hydrogen, 21

**I**

Imperfections, 15, 35, 36, 40, 57  
 Impurities, 8, 9, 13, 35, 36, 39–41, 46, 57, 72,  
 74, 76–79, 84, 85, 92, 98  
 Impurity bands, 8  
 Individual valley, 13  
 Induced voltage, 24  
 Inelastic scattering, 39, 40  
 Insulators, 9, 27, 33, 73  
 Interface scattering, 44, 53, 66  
 Interfaces, 1, 21, 28, 44, 45, 49, 53, 64, 65, 80,  
 82–84, 95, 117  
 Intrinsic semiconductors, 9, 98  
 Ioffe, A.F., 13, 49

Ionic compounds, 13, 16  
 Ionized impurities, 13, 57, 84, 85  
 IV–VI semiconductors, 78

**J**

Joule heating, 3, 4, 28  
 Junctions, 1–4, 23–26, 28, 29

**K**

K<sub>8</sub>Al<sub>8</sub>Si<sub>38</sub>, 104  
 Kelvin, 8, 24, 26, 27  
 Kinetic theory, 14, 36, 37

**L**

Lanthanum telluride, 8  
 La<sub>3-x</sub>Te<sub>4</sub>, 17  
 Lattice  
   constant, 37, 52, 82  
   defects, 15, 71, 92  
   heat capacity, 59  
   oscillations, 15  
   parameters, 31, 52  
   structure, 14, 80, 82, 91  
   thermal conductivity, 7, 13–17, 42–44, 51,  
     53, 59, 61, 63, 64, 71, 73, 77, 78, 81, 92,  
     93, 96, 97, 99, 100, 104, 114  
   vibrations, 13, 37, 38  
   waves, 14, 15  
 Layered structure, 69, 70  
 Lenz, 3  
 Lord Kelvin, 8, 24, 26, 27  
 Lorentz number, 15, 59, 64  
 Lorenz factor, 15  
 Lorenz number, 15, 27, 42  
 Low dimensional materials, 44  
 Low-dimensional structures, 30

**M**

Magnetic fields, 1, 23  
 Magnetic susceptibility, 105  
 Majority carriers, 11, 93  
 Mathiessen's rule, 57, 59, 62  
 Mean free path, 14, 37, 39, 41, 42, 45, 49, 56,  
 57, 59, 61, 82  
 Melt growth techniques, 70  
 Melt spinning, 93, 113  
 Metals, 1–3, 9, 10, 16, 23, 27, 29, 37, 43, 45,  
 56, 73, 74, 77, 78, 80, 91, 92, 96–98,  
 100, 101, 107, 117

- Mg<sub>3</sub>Bi<sub>2</sub>, 115  
 Mg<sub>3</sub>Sb<sub>2</sub>, 98  
 Microstructure, 70, 73, 82, 117  
 Military applications, 49  
 Minority carrier conduction, 10  
 Minority carriers, 11  
 Modeling, 56–61, 63, 78, 115–116  
 Modeling parameters, 58, 60  
 Mott localization, 8  
 Multilayers, 30, 44, 71  
 Multipolar ordering, 94  
 Multivalley system, 13
- N**
- Nanocomposites, 18, 21, 45–46, 49, 54, 56,  
 61–63, 65, 75, 77, 80, 84, 116, 117  
 Nano-inclusions, 95, 113  
 Nano-size, 21, 53, 56  
 Nanostructured materials, 44–45, 70, 84  
 Nanostructures, 21, 28–30, 51, 53, 55, 65, 66,  
 71, 77, 78  
 Nanostructuring, 16, 76, 78  
 Nanotechnology, 29  
 Nanowires, 14, 30, 45, 70, 71, 78, 114, 115, 117  
 Na<sub>1-x</sub>Pb<sub>m</sub>Sb<sub>y</sub>Te<sub>m+2</sub>, 77  
 Narrow-bandgap semiconductors, 10, 17, 75,  
 100  
 Na<sub>x</sub>Sn<sub>1-x</sub>Se, 115  
 Non-degenerate conductors, 10, 13  
 Normal and Umklapp scattering, 40, 78  
 n-Type, 9, 11, 18, 28–30, 45, 46, 49–54, 63–66,  
 69–72, 75, 77, 79, 80, 84, 93, 95, 107,  
 114–116  
 carrier, 10, 11  
 semiconductor, 9, 22
- O**
- Oersted, 1  
 Optical properties, 78, 116  
 Ørsted, H.C., 24  
 Oxides, 13, 17, 116
- P**
- Pb<sub>0.9815</sub>K<sub>0.0125</sub>Na<sub>0.006</sub>Te, 79  
 Pb<sub>1-x</sub>Sn<sub>x1-y</sub>In<sub>y</sub>Te, 77  
 Pb-doped bismuth telluride, 114  
 p-Bi<sub>2</sub>Te<sub>3</sub>, 69, 72  
 PbSe, 78  
 PbTe, 17, 75–81, 85, 114  
 PbTe/CdTe, 76, 80  
 PbTe/Pb<sub>1-x</sub>Eu<sub>x</sub>Te, 77  
 PbTe/PbSe, 76  
 PbTe/SnTe, 77  
 PbTe<sub>1-x</sub>Se<sub>x</sub>, 76, 78  
 Peltier coefficient, 3, 24–26  
 Peltier coolers, 22, 28  
 Peltier effect, 1–3, 7, 24, 25, 69  
 Peltier, J.C.A., 1, 24  
 Periodic potential, 8  
 Phonon-glass electron-crystal (PGEC), 16, 27,  
 42, 91, 101  
 Phonon-phonon scattering, 16  
 Phonons, 11, 14–16, 21, 36–46, 49, 53, 59, 63,  
 64, 66, 70, 72, 73, 76, 78, 80, 82–85, 91  
 dispersion, 37–38, 113  
 frequency, 59, 92, 94, 100  
 glass, 16, 44  
 scattering, 13–14, 16, 17, 28, 39–41, 44, 45,  
 53, 56, 57, 59, 65, 70, 72, 73, 80, 83–85,  
 94, 95, 99  
 Photovoltaics (PV), 21, 23, 75, 115  
 Physical mechanisms, 46  
 Pnictogen, 91  
 Point defects, 14, 45, 53, 59, 71, 74  
 Polarization, 39  
 Polaron conductors, 13  
 Polycrystalline, 14, 56, 69, 70, 73, 80, 104  
 Polymers, 18, 116  
 Potential difference, 3, 61  
 Power factor, 10–12, 16, 18–19, 27, 28, 42–45,  
 56, 61–64, 66, 72, 76, 82–84, 93, 94,  
 107  
 Power generation, 22, 23, 28, 49, 51, 65, 66, 80,  
 115–117  
 p-Type, 8, 11, 18, 22, 29, 30, 45, 49–53, 63, 65,  
 66, 70–73, 75–78, 80, 81, 84, 95, 97,  
 107, 113–115  
 carriers, 11  
 semiconductor, 9, 75, 77, 93
- Q**
- Quantum anomalous Hall effect (QAHE), 74  
 Quantum confinement, 17, 44, 63, 69, 78, 115  
 Quantum dots, 51, 76, 78, 82  
 Quantum well superlattices, 30
- R**
- Radioisotope thermoelectric generators  
 (RTGs), 51, 65  
 Radioisotopes, 22, 65  
 Rb<sub>8</sub>Ga<sub>8</sub>Si<sub>38</sub>, 104

- RCA Laboratories, 49  
 Refrigerator, 4, 18, 25  
 Relaxation time, 36, 37, 40, 41, 57–59, 62  
 Rock salt, 31, 32  
 $\text{Ru}_2\text{Ni}_2\text{Sb}_{12}$ , 94  
 $\text{Ru}_{0.5}\text{Pd}_{0.5}\text{Sb}_3$ , 93
- S**  
 $\text{Sb}_2\text{Te}_3$ , 71, 73, 74  
 Scattering, 7, 8, 11–14, 16, 17, 21, 35–36, 39–44, 49, 51, 53, 57, 59, 61–63, 66, 73, 76–78, 80, 82–85, 92, 93, 99  
 Seebeck coefficient, 4, 7, 10–12, 14–17, 19, 21, 24–29, 43–46, 49, 50, 56–58, 61–63, 69, 72, 73, 75–83, 91, 93–96, 99, 100, 104, 107, 116  
 Seebeck effect, 1–3, 7, 23–25, 117  
 Semiconductors, 3, 7–9, 11–14, 27, 29, 31, 33, 37, 43–45, 49, 52, 73, 75, 77, 78, 83, 93, 97, 98, 100, 117  
 $\text{Si}_{0.8}\text{Ge}_{0.2}$ , 83, 84, 113  
 $\text{Si}_{80}\text{Ge}_{20}$ , 45, 46, 51, 52, 54, 62, 63, 65  
 $\text{Si}_{80}\text{Ge}_{20}\text{B}_3$ , 113  
 $\text{SiGe}$ , 36  
 Silicon germanium (SiGe), 13, 17, 45, 49, 69  
 Silicon germanium (SiGe) alloys, 49, 69  
 Single-element spark plasma sintering (SE SPS), 52, 56  
 Skutterudites, 8, 16, 17, 91  
 Sodium chloride (NaCl), 31, 32  
 Solar cells, 55  
 Solids, 14, 15, 34, 37, 39, 41, 50, 77, 78, 91, 93, 100, 101  
 Space missions, 51, 63, 65  
 Space probes, 22  
 Spark plasma sintering (SPS), 77, 80, 104, 113, 115  
 Sphalerite, 31, 32  
 $\text{Sr}_8\text{A}_{16.3}\text{Ga}_{10.3}\text{Ge}_{29.4}$ , 107  
 $\text{SrZn}_2\text{Sb}_2$ , 98, 99  
 Superlattices, 28, 30, 45, 51, 71, 76–78, 84, 113, 114  
 Synthesis, 18, 51, 70, 77, 93, 100, 103, 104, 114, 115  
 Synthesis techniques, 53, 70
- T**  
 TAGS (Te/Sb/Ge/Ag), 17, 76  
 Temperature, 1–4, 7, 8, 11, 14–18, 21–25, 27–29, 35, 36, 39–42, 44, 45, 50, 57, 59, 63, 65, 66, 70, 72, 75–85, 96, 97, 99, 101, 103, 104, 107, 113–116  
 Temperature gradient, 1, 2, 4, 7, 11, 14, 15, 23, 24, 26, 29, 41, 97  
 Temperature regulators, 22  
 Tetrahedron, 31, 99  
 Thermal conductivity, 4, 7, 8, 12–19, 21, 27, 28, 30, 37, 38, 41–45, 49, 51, 53, 56, 58, 59, 61, 63–66, 69–73, 77, 78, 80–83, 91–95, 97, 99–102, 104, 105, 107, 113, 114  
 Thermal transport, 44, 113, 114  
 Thermocouples, 3, 4, 24, 26  
 Thermoelectric device efficiency, 28–29  
 Thermoelectric effects, 1–5, 21, 23, 24, 26  
 Thermoelectric generators (TEG), 4, 7, 22, 28, 29, 51, 84, 113, 115–117  
 Thermoelectric oxides, 17  
 Thermoelectric performance, 7, 11, 23, 27, 69, 77, 80, 82, 85, 94, 95, 107, 113, 115  
 Thermometry, 3  
 Thermopower, 7, 12, 24, 26, 54, 69, 96, 100, 101, 107  
 Thin films, 30, 44, 45, 61, 70, 72, 79, 83, 114–116  
 Thomson effect, 1, 2, 4, 5, 24–26  
 Transport, 8, 9, 11–16, 22, 36–42, 49, 52, 53, 56, 61–64, 73, 77, 82, 85, 92, 94, 97, 113, 116  
 Transport coefficients, 11, 36, 37  
 Transport parameters, 8, 11–13, 72, 74, 75, 77, 82, 98  
 Transport properties, 11, 13, 30, 33, 36, 44, 53, 56, 57, 61, 69, 70, 73, 77, 79, 91, 92, 94, 95, 97, 102, 103, 106, 107, 114–116
- U**  
 Unit cells, 31, 38, 62, 70, 80, 82, 91, 92, 101, 102  
 U.S. Navy, 49, 51
- V**  
 Valence bands, 9, 10, 31, 33, 34, 46, 76, 78, 79, 93, 97, 100, 114  
 Vector space, 8  
 Voltages, 2, 3, 11, 22, 24, 25, 28, 29, 97, 116
- W**  
 Waste heat recovery, 21, 66  
 \$/Watt, 54

Wave packets, 15  
Wave vector, 8, 33, 35, 38–40  
Wiedemann-Franz relation, 8  
Wind power technology, 21

**Y**

$\text{Yb}_{0.3}\text{Co}_4\text{Sb}_{12.3}$ , 95  
 $\text{Yb}_{11}\text{GaSb}_9$ , 98  
 $\text{Yb}_{14}\text{MnSb}_{11}$ , 17, 98–100  
 $\text{YbCd}_{2-x}\text{Mn}_x\text{Sb}_2$ , 98

$\text{Yb}_x\text{Fe}_y\text{Co}_{4-y}\text{Sb}_{12}$ , 94  
 $\text{YbZn}_2\text{Sb}$ , 98  
 $\text{YSi}_2$ , 113

**Z**

Zincblende, 31, 32  
Zincite, 31  
Zintl compounds, 17, 96–98, 100, 101  
Zintl phases, 96  
 $\text{Zn}_4\text{Sb}_3$ , 17