

Index

A

Abiotic factors, 223–225
Acanthocephalans, 215
Acanthoparyphium, 216
Accretion, 25
Across-shore zonation, 104
Adhesive capacity, 78
Adoncholaimus fuscus, 123
Aerobic, 26
Aggregative
 distribution, 393
 structure, 356
Airy wave theory, 195
Akaike Information Criterion (AIC), 399
Allelopathy, 128
Allometric modelling, 410
Allometry, 409
Ammonification, 28
Amphipod, 225
Amplitude, 404
Anaerobic, 26
Anaerobic ammonium oxidation (anammox),
 29, 125
Anammox (AMX), 125
Anodontia, 171, 174, 177
ANOVA, 403
Anoxia, 381
Antennae, 151
Anthropomorphic bias, 380
Apparent competition, 298
Aquaculture, 8
Arcaculture, 375
Archaea, 30, 32
Arcuatula senhousia (*Musculista senhousia*),
 298

Aristotle, 342
Artefacts, 356
Astomonema spp., 120
Asymmetric competition, 128
Asymmetric dependence, 411
Aulacomya, 368
Austriella, 171, 177
Austromineus modestus, 300
Austrovenus stutchburyi, 216
Autocorrelogram, 357
Avocets, 313, 314

B

Backfilling, 354
Back-transformation, 410
Bacteria, 44, 64, 174
Bacterial biomass, 44
Baffling, 191
Bait pump, 349
Bar-tailed godwits (*Limosa lapponica*), 327
Batillaria atramentaria, 298, 301
Bayesian, 392
Beam trawling, 152
Belief system, 390
Benthic microalgae, 153
Benthos, 45
Biodeposition, 381
Biodiffusers, 158
Biofilm(s), 6, 32, 33, 64, 158, 188
Biogeochemical cycles, 162, 189
Biogeochemistry, 44–45
Bioirrigation, 47, 150, 174–176
Biostabilization, 7
Biotic factors, 221–223

- Biotic interactions, 153
 Biotic resistance, 281, 294–295
 Bioturbation, 28, 47–48, 150, 174–175
 Bioturbators, 202, 230, 244, 257, 279, 281, 290–292, 300, 352
 hydrogen sulfide, 324
 Birds, 221
 Bivalves, 219
 Bloodworms, 352
 Book of Genesis, 341
 Bottom-up, 204
 Bottom-up interactions, 161
 Bouchot, 366, 367
 Bound EPS, 70, 187
 Bronze-Iron Age, 343
 Buccal armature, 113
 Burrow construction, 157
 Burrowing, 174
 Burrows, 174, 175, 179
- C**
- Calidris alpina*, 296, 316
 Capsular EPS, 70
 Carbohydrates, 70
 Carbon-13 (¹³C), 52
Carcinus maenas, 216, 218, 290, 293, 295, 296
 Carrying capacity, 381
Caulerpa taxifolia, 282
 Cell-to-cell signalling molecules, 80
 Cell Tracker Green (CTG), 102, 103
 Cerastoculture, 374
Cerastoderma edule, 222, 355, 367
 Cercariae, 218
Cerithideopsis californica, 226
Cerithideopsis pliculosala, 226
 Cestodes, 215
 Charismatic vertebrates, 380
 Chemolithoautotrophic, 170
 Chemosynthesis, 170
 Chlorophyll, 352
 Chlorophytes, 354
 Choice experiments, 350
 Christian tradition, 341
 Clammers, 347
 Clay minerals, 13
Clymenella torquata, 290
 CO₂, 44
 Coagulation, 22
Codakia, 174, 177
 Cohesive strength, 78
 Colloidal carbohydrate fraction, 187
 Colloidal EPS, 70, 187
- Colloids, 21
 Colonization, 8
 Communication, 79
 Competition, 78, 214, 280, 281, 288, 290, 297
 Competitive loops, 128
 Concomitant predation of parasites, 231
 Cone of influence, 408
 Conjoint analysis, 350
 Connectivity, 231
 Conservation, 358
 Context-dependence (Context-dependent), 272, 273, 280, 286–288, 291
 Contingent valuation, 350
 Cooperation, 187
 Cooperative, 78
 Copula-based regression, 411
 Copula modelling, 411
 Corers, 93
 Coring, 93, 151
Corophium volutator, 201, 227, 291
 Correlograms, 397, 398
 Coupled nitrification-DNF, 126
Crassostrea angulata, 376
Crepidula fornicata, 285, 297, 298
 Criticality, 202
 Critical shear stress, 193
 Cross-wavelet power spectrum, 407
 Crustaceans, 219
 Cryolander, 95
 Cryptobioturbation, 121–122
Curtuteria australis, 316, 329
 Cyanobacteria (filamentous), 32, 66
- D**
- Daptonema* sp., 114
 Data function, 405
 Data independence, 402
 Deductive reasoning, 390
 Defence, 81
 Definitive hosts, 217
 Denitrification (DNF), 29, 125
 Denitrifiers, 27, 126
 Density-mediated indirect effects, 227
 Dependence structure, 411
 Dependency, 411
 Deposit feeder, 152
Desmoscolecida, 99
 DESS, 97
 Determinism, 409
 Detritivores, 154
 Detritus, 48

Diatoms, 33, 45, 64
 Diatoms (planktonic), 22
 Dietary restrictions, 341
 Dimethylsulfide (DMS), 30
Diplolaimella dievengatensis, 119
Diplolaimelloides meyli, 119, 127
Diplolaimelloides oschei, 119
 Dissimilatory nitrate reduction to ammonia (DNRA), 29, 125
 Dissolved organic matter (DOM), 21, 45
 Disturbance-diversity relations, 104
 Disturbance gradients, 104
 Disturbance—recovery dynamics, 154
Divaricella, 175
 Diversity, 221
 Downward conveyers, 158
 Drainage network, 200
 Dredging, 353
 Dunlin (*Calidris alpina*), 296, 316
 Dynamic energy budget, 410

E

Ecological engineering, 8
 Ecological services, 8
 Ecosystem, 161
 energetics, 230
 engineering, 160
 engineers, 175, 244, 272, 278, 279, 284
 functioning, 150
 Ecosystem service (or ecological service), 258, 350
 benefit that humans derive from ecosystems, 258
Ectinosoma dentatum, 116
 Edge effects, 408
 Elutriation, 97
 Emergent properties, 8
 Enabling documents, 345
 Endobenthic, 8
 Endobenthic microbial mat, 7
 Enforcement, 351
 Engineering effect, 78
Enoploides longispiculosus, 108, 109, 129
 Environmental change, 46
 Epibenthic, 8
 Epibenthic microbial mat, 6
 Epibenthic predators, 157
 Epibionts, 368
 Epifauna, 150
 Epipellic, 6
 Epipellic diatom, 66
 Epipsammic diatoms, 80

Epizootics, 366
 Erodibility, 193
 Erosion, 74
 Erosional remnants, 200
 Errant polychaetes, 354
Eurypanopeus depressus, 291
 Events, 400
 Evidentiary approach, 392
 Exoskeletons, 151
 Experimental studies, 413
 Experimental variogram, 399
 Extracellular enzymes, 75–76
 Extracellular polymeric substance (EPS), 6, 33, 34, 186

F

Facilitation, 127, 282, 284
 Faecal casts, 162
 Feedback loops, 79
 Feeding distributions, 8
 Feeding-guild classifications, 115
 Feeding pits, 154
 Fermentation, 28
 Fine-grained sediments, 13
 First Law of Geography, 393
 Fish, 219
 Fishing, 8
 Fish kills, 381
 Flip-over microbial sedimentary structures, 195
 Flocculation, 21
 Flow speeds, 193
 Food chains, 230
 Food selectivity, 157
 Food webs, 215
 shorebirds and nutrient cycling, 322
 Shorebirds in mudflat foodwebs, 310, 311, 316, 318, 320
 Foot, 174
 Foraging modes (shorebirds)
 bill sweeping (*see* Surface-tension transport)
 biofilm grazing, 311
 pecking, 311
 probing, 311
 surface tension-transport, 311
 Foraminifera, 65, 130
 Force analysis, 194
 Fourier analysis, 404
 Fractal dimension, 399
 Frequentist, 391
 Frictional forces, 195
 Functional diversity, 150

Functional group, 273, 280, 290
 Functional traits, functional roles, 272, 273, 280–298

G

Gallery biodiffusors, 159
 $\gamma(h)$, 398
 Gammaproteobacteria, 171
 Gardening, 118
 Gastropod, 150, 219
 Geochemical effects, 354
 Global change, 272, 273, 299–301
 Great knot (*Calidris tenuirostris*), 327
 Greek and Roman Empires, 342

H

Habitat cascade, 280, 282–284
 Habitat complexity, 272, 287
 Habitat match, 277
 Habitat partitioning, 128
Halomonhystera disjuncta, 127
 Harpacticoid copepods, 93
 Hediste, 276, 298
 Helminths, 215
Hemigrapsus takanoi, 292
 Hemoglobin, 151
 Herbivore grazers, 156
 Heteroscedasticity-consistent standard error estimators for OLS regression, 411
 Hole-effect, 399
 Holobiont, 187
 Holocene, 12
 Hologenome, 187
 Horizontal species interactions, 127
 Host, 214
 Human trampling, 355
 Hummocks, 2
Hydrobia, 204
Hydrobia ulvae, 201, 225
 Hydrodynamic stress, 152
 Hydrogels, 187
 Hypotheses, 390
 Hypoxia, 381

I

Ilyanassa obsoleta, 298
 Inactive temporary meiobenthos, 131
 Incipient motion, 194
 Independence of observations, 392
 Infauna, 150

Infaunal foodweb, 156
 Inference, 390
 Inferential, 390
 Information-theoretic analysis, 392
 Informed probability, 392
 Interaction, 64
 Interference, 162
 Interference competition, 127
 Intermediate disturbance hypothesis, 104, 162
 Intermediate host, 217
 Intermediate Productivity Model, 104
 Inter-patch distance, 398
 Interspecies communication, 79
 Intrinsic hypothesis, 399
 Inundation, 153
 Invasion, 8
 Invasional meltdown, 284
 Invertebrates, 150
 Isometry, 409
 Isotope ratio mass spectrometry (IRMS), 52
 Isotropy, 397
 Isotropy condition, 397

J

Judgements, 390

K

Kaolin, 98
Keletistes, 177

L

Labile carbon, 126
 Lag distance, 398
 Laminar structures, 191
 Lamination, 25
 Latencies, 192
 Latitudinal gradients, 225
 Length-weight relation, 410
 Lévy walk, 401
 Life cycles, 217
 Likelihood, 392
 Linearization, 410
 Linear regression, 410
Litoditis spp., 111
 L. marina, 127
Littorina littorea, 230
 Local ecological knowledge, 358
 Locomotion, 160
Loripes, 171, 172, 176–178
Loxothylacus panopei, 291

- Lucina*, 171, 177
Lucinella, 171
 Lucinidae, 171
 Lucinids, 174, 176
Lucinoma, 171, 175, 176
 Ludox, 98
 Lugworms, 352
 Luminophores, 161
 Lutocline, 21
- M**
- Macoma balthica*, 201, 355
 Macrofauna, 2
 Macrofauna/meiofauna interactions, 160
 Macroparasites, 215
 Macrophytes, 354
 Mangrove, 1, 170, 171, 179
Marenzelleria, 291, 298
Maritrema novaezealandensis, 224
Maritrema subdolum, 216, 225
 Mass mortalities, 227
 Mats, 6
 Mechanical disturbance, 352
 Meiobenthos, 93
Mercenaria mercenaria, 367
 Mesh size, 100
 Metabolic cooperation, 78
 Metacercariae, 218
 Methanogenesis, 30
 Microalgae, 64
Microarthridion littorale, 116
 Microbial community, 162
 Microbial consortia, 189
 Microbial gardening, 48–50
 Microbial growth, 160
 Microbial interactions, 45–51
 Microbialites, 191
 Microbial loop, 45–47
 Microbial mats, 32, 65, 188
 Microbiome, 119
Microcoleus chthonoplastes, 190
 Microparasites, 215
 Microphytobenthos (MPB), 2, 28, 32, 45, 154, 246
 Micropredators, 215
 Middens, 366
 Middle Ages, 343
 Miracidia, 217
 Molenplaat tidal flat, 108
 Molluscs, 219
 Monhysteridae, 119, 127
 Monosaccharides, 71
- Moran's spatial coefficient, 398
 Mother wavelet, 405
 Mucopolysaccharides, 6
 Mucus, 159–160
 Mucus trails, 126
 Mud, 13
 Mud cohesiveness, 13
 Mudflat accretion, 24
 Multidimensional scaling (MDS), 123
 Multi-model inference, 411
 Multiple pressures, 162
 Mussels, 367
Mya arenaria, 295, 296
Mytilicola orientalis, 232
Mytilus edulis, 216
- N**
- Nanoflagellates, 193
Nassarius, 204
 Nematodes, 93, 215, 356
 Nematophagous fungi, 130
Neotrypaea californica, 281
 Next-generation sequencing (NGS), 131
 Niche, 279, 281
 Nitrification, 28
 Nitrifiers, 126
 Nitrogen cycling, 125
 No-dig, 346
 Noise, 403
 Non-consumptive effects, 281, 296–297
 Nonlinearity, 411
 Non-second-order stationarity, 398
 Non-stationarity, 398
 Null hypothesis significance testing (NHST), 391
 Nutraceuticals, 342
 Nutrient regeneration, 28
- O**
- Ocean acidification, 225
 Ocean sprawl, 278, 281, 299–300
 Oesophageal glands, 122
Oncholaimus sp., 114
 Ontogenetic variation, 157
 Ordinary least squares, 410
 Organic matter, 44
Orthione griffensis, 291
 Oscillating pattern, 398
Ostrea edulis, 376
Ostrearia, 366
 Oxidation, 27

Oxidized state, 26
 Oxygenic photosynthesis, 188
 Oystercatchers (*Haemotopus ostralegus*), 316

P

Pacific oysters (*Crassostrea gigas* or *Magallana gigas* or *C. gigas*), 284, 286–288, 290, 294, 296, 298, 300
 Panagrolaimidae, 119
Panagrolaimus paetzoldi, 119
Paracalliope novizealandiae, 224, 225, 234
Paramphiascella fulvofasciata, 124
 Parasite, 8, 155, 214, 404
 Parasite abundance, 404
 Parasite-host interactions, 214
 Parasite-inclusive food webs, 231
 Parasite-induced mortalities, 227
 Parasite manipulation, 230
 Parasite, parasitism, 291, 294, 297
 Parasite spillback, 232
 Parasite spillover, 232
 Parasitic interactions, 214
 Parasitism, 219
Parastomonema spp., 120
 Particulate organic matter (POM), 22
 Patch width, 398
 Patterning, 202
 Paulina tidal flat, 117, 123
 PCR, 131
 Pearson correlation coefficient, 398
 Perak, 375
 Periodicities, 404
 Periodicity characteristics, 407
 Periodicity frequency, 404
Perna, 368
Perna canaliculus, 216
 pH, 225
Phacoides, 174, 179
 Phalaropes, 313, 314
 Pheromones, 80
Philine orientalis, 301
 Phi size scale, 5
 Phospholipid fatty acids (PLFAs), 53
 Photosynthesis, 68
 Phycosphere, 77
 Phytoplankton blooms, 381
Pillucina, 171
Pinnotheres novaezealandiae, 216
 Pinologio, 342
Plagiorhynchus allisonae, 216
 Plankton, 151
Platychelipus littoralis, 124

Plovers, 312–314
 Polychaetes, 150, 219
Polydora ciliata, 230
 Polynomial interpolation, 406
 Pools, 2
Post-hoc, 390
 Post-settlement dispersal, 154
 Power law, 410
 Precipitates, 187
 Predation, 152, 214, 280, 288, 294–297
 Predation strategies, 400
 Predator, 214
 Prey-taxon-specific primers, 131
 Primary production, 157
 Primary recruitment, 376
 Priming, 50–51
 Priority effects, 128
 Production, 231
 Propagule pressure, 272, 277, 279
Prosorhynchus squamatus, 216
 Protobranchia, 172
 Pseudoreplication, 412
Pseudostenhelia wellsii, 128
Ptycholaimellus sp., 114

Q

Quorum sensing, 79

R

Ranching, 375
 Random component, 403
 Reactive N, 125
 Recruitment, 155
 Red knots (*Calidris canutus*), 312, 313, 315, 319, 320, 325–329
 Redox potential discontinuity (RPD), 27, 107
 Redox reactions, 8, 27
 Redshank (*Tringa totanus*), 316
 Reduced major axis, 410
 Reduced state, 26
 Reduction, 27
 Reference wavelet, 405
 Regenerator, 158
 Remane's minimum, 103
 Remineralization of organic matter, 44
 Remote sensing, 151
 Replication, 412
 Resource competition, 128
 Resource stewardship, 346
 Revealed preferences, 349
 Rhabditida, 119

- Rhithropanopeus harrisi*, 292
 Ribbonworm, 358
 Ringed plover (*Charadrius hiaticula*), 314
 merlin (*Falco columbarius*), 317
 peregrine falcons (*Falco peregrinus*), 317
 sparrowhawk (*Accipiter nisus*), 317
 Rolling conditions, 194
 Rose Bengal (RB), 102
 Rotation regression method, 411
Ruditapes, 372
- S**
- Sabatieria* sp., 110
Sacculina carcini, 216
 Salt marshes, 1, 170
Sargassum muticum, 282
 Satellite bacteria, 77
 Scaleinvariant, 411
 Scavengers, 156
 Schelde Estuary, 108
 Science, 390
 Seagrass, 171, 179
 Sea-level change(s), 12, 25
 Sea level rise, 299
 Seasonal dynamics, 155
 Seasonality, 402
 Secondary metabolites, 64, 79
 Second order stationarity, 398
 Sedimentary structures, 33
 Sediment bed, 193
 Sediment-binding capacity, 68
 Sediment erodibility, 162
 Sediment granulometry, 16
 Sediment stabilisation/ Sediment stabilization,
 33, 34, 36, 74, 186
 Sediment stability, 74, 272, 279–281, 290–292,
 294
 Sediment transport, 23, 24
 Self-organization, 8, 186
 Semivariance, 398
 Semivariance technique, 399
 Settlement choice, 162
 Settling velocity, 22
 Shear stress, 193
 Shell middens, 340
 Shields parameter, 195
 Shorebird diet
 arthropods, 315
 epibenthic biofilm, 310, 312, 320, 323,
 328, 329
 Horseshoe crab eggs, 318
 marine invertebrates
 Bivalves
 Dosinia isocardia, 319, 325
 Loripes lucinalis, 319, 324
 Potamocorbula laevis, 325
 common shrimp (*Crangon crangon*),
 315
 Corophium volutator, 318, 323
 crustaceans, 325
 gastropods, 325
 Hydrobia spp., 321
 Molluscs, 319
 Nereis spp., 321
 ostracods, 323
 polychaetes, 312, 318, 325
 omega-3 fatty acids, 329
 sea grass, 319
 Zostera noltii, 319
 Shorebird distributions
 eutrophication, 319
 pollutants, 319
 predation, 316, 317
 prey distribution, 316, 317
 productivity, 316
 tides, 316
 Shorebird functional morphology
 bill, 311, 313, 314
 eye placement, 312
 foot structure, 312
 gizzard, 312, 315
 tongue, 312, 313
 Shorebirds, 8, 275, 295, 296
 Shore profile, 25
 Significance fallacies, 392
 Silt, 13
 Siphon(s), 151, 174
 Sites (shorebirds)
 Banc d'Arguin, Mauritania, 319, 324
 Bay of Fundy, Canada, 323
 Delaware Bay, USA, 329
 Fraser River Delta, Canada, 315, 322, 323
 Marenne-Oleron Bay, France, 322
 Roberts Bank, Canada, 321–323
 Yellow Sea, China, 325–327
 Size-dependent bias, 411
 Size effect, 412
 Social carrying capacity, 383
Solemya, 172
 Solemyida, 172
 Solemyids, 172–176
 Sonication, 98
 Spacefilling, 401

- Spartina*, 192
Spartina alterniflora, 274–276, 278, 279, 281, 296, 299, 300
 Spat, 376
 Spatial autocorrelation, 393
 Spatial data set, 399
 Spatial distribution(s), 8, 356, 397
 Spatial lag, 95
 Spatial pattern, 395
 Spatial processes, 393
 Spatial structure, 398
 Spatial variability, 152
 Spatio-temporal dynamics, 161
 Spawning, 155
 Special Areas of Conservation, 344
 Special Protection Areas, 344
 Species composition, 124
 Species interactions, 214
 Species richness, 226
 Spectral analysis, 404
Sphaeroma quioanum, 291
 Stable isotopes, 52
 Stakeholder, 347
 Stated preferences, 349
 State shift, 272, 278
 Storm events, 195
 St. Peter, 341
 Structural complexity of mud, 32
 Sulfate-methane transition zone, 32
 Sulfate reduction, 27, 30, 31
 Sulfide, 170
Sunaristes spp., 120
 Surplus value, 349
 Suspended solids, 162
 Suspension feeders, 153, 381
 Symbionts, 171
 Synergy, 77
 Systematic patterns, 403
- T**
Tapes, 372
Tapes philippinarum=*Venerupis philippinarum*=*Ruditapes philippinarum* (Manila clams), 291, 295, 298
 Tardigrades, 130
 Temperature, 223
 Temporal analysis, 402
 Temporally autocorrelated data, 403
 Temporal processes, 394, 403
Terschellingia sp., 114
 T. longicaudata, 120
- Theoretical variogram, 399
Thyasira, 173, 175, 176
 Thyasiridae, 173
 Thyasirids, 173–176
 Tidal bedding, 25
 Time-series analysis, 402, 403
Tisbe furcata, 116
 Top-down, 204
 Top-down control, 129
 Top-down interactions, 162
 Traditional ecological knowledge, 358
 Tragedy of the Commons, 346
 Trait-mediated indirect effects, 227
 Trampling, 382
 Transient biofilms, 66
 Transient epibenthic biofilm, 6
 Transmission, 222
 Transmission interference, 222
Trantorchestia chiliensis, 216
 Trapping, 191
 Travel Cost Method, 351
 Trematodes, 215
 Trend component, 404
 Trend direction, 404
 Trophic amensalism, trophic group
 amensalism, 281, 294, 297
 Trophic guilds, 156
 Trophic interaction(s), 75, 230
 Trophic transmission, 218
 Trophic webs, 8
 Truncation problem, 351
 Turbellarians, 130
 Turbidity, 381
 Turbidity maximum, 21
 Type 1 error, 391
- U**
 Ultraviolet radiation, 234
 Unpatterning, 202
 Unprocessed time series data, 406
 Upward conveyers, 158
- V**
 Valuation, 349
 Variance
 based indices, 398
 mean ratio, 397
 Variogram, 358
 Venericulture, 374
 Virulence, 81
 Viscoelasticity, 187

W

Wadden Sea, 2, 343, 375
Warming (Global warming, Climate warming),
272, 273, 299, 300
Waterbody salinity, 224
Wave attenuation, 23
Wave erosion, 25
Wavelet, 405
Wavelet analysis, 404
Wavelet coefficient, 405
Wavelet function, 405
Wavelet power spectrum, 405
Wavelet scale, 405
Wavelet transformation, 405
Wave orbital velocity, 195

Wave shear stress, 195

Western sandpipers (*Calidris mauri*), 315,
321–323

Winter mortality, 155

Wormers, 347

Y

Yellow Sea, 2

Z

Zeacumantus subcarinatus, 224

Zonation, 34, 152

Zostera japonica, 281, 282, 296