

# Index

## A

*A priori* dimensionality reduction method, 139  
Access policies, 47, 48  
Accuracy, 110  
Advanced CDSS, 153  
Aggregation terminologies, 23  
Alert fatigue, 158, 159  
 $\alpha$  level, 102  
Analyze phase of DMAIC cycle, 189  
Android (Google) apps, 171  
Anonymisation, 45, 60  
Anonymous data, 60  
Apple HealthKit, 5, 172  
Area Under the Curve (AUC), 113  
Artificial Intelligence (AI), 122  
Artificial neural networks (ANN)  
  activation function, 128  
  advantages, 128  
  architecture, 126–128  
  classification, 127  
  disadvantages, 128, 129  
  dropout, 128  
  network weight initialization, 128  
Autoregressive (AR) modeling, 96, 97

## B

Bandpass filter, 90  
Band-reject filter, 90  
Bias-variance tradeoff, 106, 107  
Big (clinical) data, *See* Big data  
Big data, 5

exchange barriers, 16  
outcome and cost measurement, 195  
validity, 14  
variety, 13  
velocity, 13  
veracity, 13, 14  
virality, 14  
viscosity, 14  
volatility, 14  
volume, 13  
Biopsychosocial model, of medicine, 199  
Brier score, 109

## C

Calibration plot, 114, 115  
Care process, 182–184  
  optimization  
    (*see* Operational Excellence (OE))  
    (*see* Process mining)  
Categorical variables, 104  
CDSS, *See* Clinical decision support systems  
  (CDSS)  
CGA model, 30–32  
CHARMS checklist, 145, 148  
Clinical data, *See* Big data  
Clinical data standards, 20, 21  
  clinical terminology systems, 23–25  
    (*see also* Healthcare data standards,  
    implementation of)  
  quality and usability, 25, 26  
  semantic interoperability, 25

- Clinical decision support systems (CDSS)
  - adaption in practice, 165
  - advanced, 153
  - basic/simple, 153
  - challenges, 158
    - high adoption and effective use, 158–160
    - integration in clinical workflow, 160
    - updated clinical rules, 161, 162
  - computerized physician order entry, 154, 157
  - decision tree models, 155, 156
  - decision-making process/model, 155
  - electronic health records, 154
  - future perspectives, 166
  - high-quality, 154
  - human computer interaction, 155
  - medication related, 157, 158
  - software verification and validation, 162, 163
  - structured development and validation of clinical rules, 163–165
  - style of communication, 155
  - types of, 154–157
  - user requirement specification, 162
- Clinical rules, development and validation, 163
  - post-implementation prospective validation, 165
  - pre-implementation prospective validation, 165
  - technical validation, 164
  - therapeutic retrospective validation, 164
- Clinical Trials Regulation (CTR), 65, 67
- Clinician burnout, 207
- Co-creation concept, 31
- Confidence levels, 102
- Conformité Européenne (CE), 176
- Confusion matrix, 109, 110
- Connectathons, 26
- Context factors, 159, 160
- Continuous variables, 104
- Convolutional Neural Networks (CNN), 128
- CoreML technology, 176
- Cox proportional hazards regression model, 106, 79
- Cox regression, 106
- Critical appraisal, 136, 145, 146
- Cross-validation, 117
  - See also* Monte Carlo cross-validation
- D**
  - Data and reality, 20
  - Data elements, definition of, 7
  - Data exchange barriers, big data, 16
  - Data explosion, 12
  - Data fragmentation, 11
  - Data interchange formats, 7
  - Data landscape, 15
  - Data leakage, 117
  - Data management plan (DMP), 41
  - Data sharing policy
    - anonymity, 52
    - with commercial party, 52
    - general considerations, 51, 52
  - Data sources
    - big data, 5
    - electronic medical records, 3, 4
    - medical information systems, 3, 4
    - mobile apps, 4, 5
    - social media, 5
  - Data standards, 7
  - Data stewardship
    - collaborating with patients, 41
    - data access, 43
    - data analysis
      - plan, 49, 50
      - raw data preparation, 48, 49
    - in data collection phase, 45
      - data management infrastructure, 46
      - metadata, 46, 47
      - monitoring and validation, 46
      - security, 47, 48
    - data management plan, 41
    - definition, 38
    - FAIR Principles, 38, 39
    - Open Science, 38
    - operational workflow, 41, 42
    - privacy and autonomy, 43–45
      - care and research environment, 44, 45
      - informed consent, 44
      - research data anonymisation and pseudonymisation, 45
    - responsibilities of people involved, 39, 40
    - reusing data, 40, 41
    - scientific data archiving, 50
    - selecting file formats, 42, 43
    - sharing data policies, 51, 52
    - statistical analysis plans, 41
    - study design and registration, 40
  - Data types

- free text, 7
  - images and videos, 7
  - tabular data, 6
  - time series data, 6
  - Data-driven medicine, 203
  - Deep learning, 128
  - Dimensionality reduction techniques, 108
  - Donabedian approach, 193
- E**
- Economic inflexibility, 184
  - e-Health, 201
  - Electronic health records (EHRs), 3, 154, 198
  - Electronic medical records (EMRs), 3, 4
  - Electronic phenotyping, 196
  - Equiripple design, 91
  - Error types, in statistical testing, 103, 102
  - eStandards initiative
    - eStandards compass
      - alignment concept, 32
      - co-creation, 31
      - governance, 31, 32
      - respecting perspectives of stakeholders, 30
    - evidence-based roadmap, 28
    - reusing eHealth artefacts, 30
    - roadmap development methodology, 30–33
    - sustainable adoption and evolution, 28
    - trusted data flow, 29
  - EU data protection law, 56, 57
  - EU's General Data Protection Regulation (GDPR), 6
    - checklists, 70
    - and Clinical Trials Regulation, 65–67
    - compliance criteria, 64
    - compliance obligations, 55
    - controller and processor, 61
    - Data Protection Officer (DPO)
      - appointment, 64, 65
    - data subject rights, 63, 64
    - hallmark of, 58
    - lawful processing of personal data, 61, 62
    - legal basis for data processing operation, 62, 63
    - legitimate interest legal basis, 69
    - modes of consent, in research context, 69
    - notion of processing, 61
    - omnibus approach, 57
    - personal data categories, 58–60
    - personal data transfer to third countries, 65
    - research exemption, 65, 67, 68
    - risk-based approach, 57
    - sensitive data and explicit consent, 63
    - technological-neutral approach, 58
    - temporal scope, 58
    - territorial scope, 61
  - Evidence-based clinical outcomes, 198
  - Evidence-based medicine (EBM)
    - guideline, 164, 203
  - External validation, 117
- F**
- F1-score, 111
  - FAIR principles, for clinical data, 21
  - False negative rate (FNR), 111
  - False positive rate (FPR), 111
  - Fast Fourier Transform (FFT), 94
  - Feature extraction methods, 108
    - frequency-domain processing, 93–97
    - time-domain processing, 85–93
    - time-frequency processing, 98, 99
    - time-series, 85
  - Feature selection, 108
  - Feed-forward neural networks, 127
  - Filter design considerations, 92, 93
  - Finite impulse response (FIR) filters, 91, 92
  - Flat passband/stopband, 92
  - Flexible algorithms, 106
  - Frequency-domain processing, 93
    - band power, 93, 94
    - Fourier transform, 93
      - spectral analysis
        - autoregressive modeling, 96, 97
        - Fast Fourier Transform (FFT), 94, 95
        - Hamming and Hanning windows, 96
  - Fully homomorphic encryption (FHE), 60
  - Fundamental rights character of EU data protection law, 56
- G**
- General Data Protection Regulation (GDPR),
    - See* EU's General Data Protection Regulation (GDPR)
  - Google Fit, 5, 172
  - Google's Deepmind project, 7

**H**

Health Informatics Standards Life Cycle, 28  
 Healthcare data standards, implementation of  
   conformance audit, 26  
   Connectathons, 26  
   eStandards initiative, 28–33  
   interoperability tools, 27  
   purposes, 26  
   shared tools, 27  
   W3C standards, 27  
 Hierarchical clustering, 131, 132  
 Hosmer-Lemeshow test, 114  
 Hotspotting method, 196  
 Human computer interaction, 155  
 Humanistic clinical practice, 207  
 Hybrid apps, 171  
 Hybrid framework, 171

**I**

Images and videos, 7  
 Improvement phase of DMAIC cycle, 189  
 Imputation method, 82, 83  
 Index-event bias, 77  
 Infinite impulse response (IIR) filter, 91, 92  
 Inflexibility, types of, 184  
 Inflexible algorithms, 106  
 Information model standard, on arterial blood pressure, 22  
 Institution-shifted validation cohort, 140  
 Integrity and confidentiality, of personal data, 62  
 Intellectual Property Rights, 43  
 Interface terminologies, 22  
 Internal validation techniques, 116, 117  
 International Consortium of Healthcare Outcomes Measurement (ICHOM), 197  
 Internet of Things (IoT), 5  
 iOS (Apple) apps, 171

**K**

Kaplan-Meier curves, 106  
 Karasek's high demand-low control model, 190  
*k*-fold cross-validation, 116, 117  
 K-means, 129, 130  
 Knowledge creation, 205  
 Knowledge management  
   for clinical information systems, 205  
   description, 205  
 Knowledge representation, 7

**L**

Laboratory information management system (LIMS), 4  
 Laboratory information system (LIS), 4  
 Lean Six Sigma, 186, 187  
 Lean Thinking, 185  
 Learning health system, 203, 204  
 Linear regression, 104  
 Logistic regression, 104

**M**

Machine learning  
   in clinical prediction modelling, 122  
   online courses for, 105  
   semi-supervised algorithms, 123  
   supervised algorithms, 122  
     artificial neural networks, 126–129  
     random forests, 125, 126  
     support vector machines, 123, 125  
   unsupervised algorithms  
     goal, 122, 123  
     hierarchical clustering, 131, 132  
     K-means, 129, 130  
 Medical data standards, 24, 25  
 Medication related CDSS, 157, 158  
 MEDLINE, 172  
 MijnIBDcoach software platform, 202  
 Missing at random (MAR), 82  
 Missing completely at random (MCAR), 82  
 Missing data, 12, 144  
   handling  
     complete case analysis, 82  
     imputation methods, 82, 83  
 Missing not at random (MNAR), 82  
 Mobile apps, 4  
   bring your own device strategy, 175  
   health data collection, 172  
   mCDSS, 174–176  
   medical device regulations (MDR), 176  
   MEDLINE, 172  
   operating systems, 171  
   randomized clinical trial, 172–175  
   systematic review, 172  
 Monte Carlo cross-validation, 116  
 Multimorbidity, 198, 199  
 Multiple imputation, 83  
 Multivariate prediction modelling, 138

**N**  
 Natural language processing, 7  
 Negative predictive value (NPV), 110  
 Network medicine, 203  
 Network-based thinking, 203

Non-computerized tools, 153  
 Null hypothesis, 102, 103

## O

On-demand care services, 206, 207  
 Ontologies, 16, 23  
 Operational Excellence (OE)  
   coaching style, 191  
   DMAIC-cycle, 184, 186  
   goal of, 184  
   leadership, 191  
   Lean Six Sigma, 186, 187  
   Lean Thinking, 185  
   Six Sigma technique, 186  
   sociotechnical systems, 191  
 Outcome measures, 194  
 Overfitting, 114, 138  
   reducing risk of  
     *a priori* dimensionality reduction, 139  
     increasing sample size, 139  
     internal cross-validation, 138  
     repeated cross-validation, 139

## P

Passive CDSS, 155  
 Patient-reported experience measures (PREMs), 197  
 Patient-reported outcome measures (PROMs), 197  
 Patient-reported outcomes, 197  
 Picture Archiving and Communication System (PACS), 4, 11  
 Population-shifted validation cohort, 140  
 Positive predictive value (PPV), 110  
 Post-implementation prospective validation, of clinical rules, 165  
 Pragmatics, 22  
 Prediction modelling, *See* Prediction models  
 Prediction models, 77, 137  
   applicability, 146, 147  
   case control design, 78  
   clinical significance, 145  
   context, 142, 143  
   critical appraisal, 145, 146  
   cross-sectional design, 77  
   data pre-processing, 80  
     categorizing predictor variables, 81  
     transforming predictor variables, 80  
     visualizing data, 81  
   impact assessment and clinical implementation, 141  
   limitations, 145  
   meta-analysis, 148

missing data, 81–83, 144  
 model development, 137–139, 143  
 patient selection, 78  
 presentation, 144, 145  
 prospective cohort study, 77  
 quality reporting, 136, 141, 142  
 randomized controlled trial, 77, 78  
 retrospective cohort design, 77  
 risk of biased estimation, 147, 148  
 sample size considerations, 79–80  
   overfitted models, 79  
   predictor variables, 79  
   sample size rules-of-thumb, 79–80  
 sample size, predictors and predictor selection, 143  
 specification and performance, 144  
 statistical model, 144  
 systematic reviews, 148  
 transparent reporting, 136  
 transparent reporting guidelines, 142  
 updates, 140, 141  
 validation, 138–140  
 Prediction tools, types of, 76  
 Predictive model  
   bias-variance tradeoff, 106, 107  
   calibration, 111–114  
   dimensionality reduction techniques, 108  
   discrimination performance, 110–114  
   external validation, 117  
   internal validation techniques, 116, 117  
   using linear and logistic regression, 103, 104  
   online courses for, 105  
   overfitting, 114  
   performance metrics  
     confusion matrix, 109–111  
     general, 109  
   software packages for, 104, 105  
   splitting training/test sets, 114  
   underfitting, 115  
   validation, 114–117  
 Pre-implementation prospective validation, of clinical rules, 165  
 Prevalence, defined, 109  
 Principle of accountability, 58  
 PRISMA guidelines, 148  
 Probability of detection, 111  
 Process measures, 194  
 Process mining, 6  
   conformance checking, 189  
   discovery, 189  
   enhancement, 189, 190  
   event log, 187, 188  
   objectives and types, 187, 188  
 Prognostic modelling, 147

Pseudonymisation, 45  
 of personal data, 59  
 p-value, 102

## Q

Quality improvement collaborative (QIC)  
 model, 205  
 Quantitative clinical prediction models, 136

## R

Radiology information system (RIS), 4  
 Random forests (RF), 125, 126  
 Random split, 116  
 Recall, 111  
 Receiver Operating Characteristic (ROC)  
 curve, 112, 113  
 Recurrent neural networks, 127  
 Reference terminology, 22  
 Regression techniques, 75  
 Regularization methods, 108  
 Research data stewardship, *See* Data  
 stewardship  
 ResearchKit, 172  
 ResearchStack.org., 172  
 Reusable data sources, 41  
 Rippled passband/stopband, 92  
 R-squared measures of goodness of fit, 109  
 Rubin's Rules, 83

## S

Safety measures, for research data, 48  
 Scientific data archiving, 50, 51  
 Secure multi-party computing (SMC), 60  
 Semantics, 22  
 Semi-supervised algorithms, 123  
 Sensitive personal data, 56, 59  
 Sensitivity, 111  
 Setting-shifted validation cohort, 140  
 Six Sigma technique, 186  
 SNOMED CT concept, 23  
 Social determinants, of health, 199  
 Social media, 5  
 Sociotechnical approach, to health information  
 technology, 204  
 Sociotechnical systems (STS), 190, 191  
 Socio-technique, *See* Sociotechnical systems  
 (STS)  
 Special categories of personal data, 56, 59  
 Specificity, 111  
 Staff inflexibility, 184

Statistical analysis plans, 41  
 Statistical hypothesis testing, 101–103  
 Structural measures, 194  
 Supervised algorithms, 122  
 artificial neural networks, 126–129  
 random forests, 125, 126  
 support vector machines, 123–125  
 Support vector machines (SVMs)  
 advantages and disadvantages, 124, 125  
 examples, 123, 124  
 kernel, 124  
 margin, defined, 124  
 soft margin constant, 124  
 Survival analysis, 106  
 Syntax, 22  
 Systematic reviews, of prediction models, 148

## T

Tabular data, 6  
 Technical inflexibility, 184  
 Technical validation, of clinical rules, 164  
 Terminologies, 7  
 Therapeutic retrospective validation, of  
 clinical rules, 164  
 Thesauri, 23  
 Time-domain processing, 85  
 peak-picking, 85  
 template matching, 87  
 time-locked averaging, 86, 87  
 weighted moving averages  
 with feedback, 91–93  
 frequency filtering, 88–93  
 Time-driven activity-based costing (TDABC)  
 approach, 200, 201  
 Time-frequency processing, 98, 99  
 Time-series, 6  
 feature extraction methods (*see* Feature  
 extraction methods)  
 Time-shifted validation cohort, 140  
 Time-to-event analysis, 106  
 Tracebook, 161  
 Triggers, 159  
 TRIPOD checklist, 142, 144, 145  
 True positive rate (TPR), 111  
 Type I error, 102  
 Type II error, 102

## U

Underfitting, 115  
 Unstructured data, 12  
 Unstructured information, 12

## Unsupervised algorithms

goal, 123

hierarchical clustering, 131, 132

K-means, 129, 130

User requirement documentation (URD), 162

User requirement specification (URS), 162

**V**

Value agenda, 193, 194, 206

Value in health care, 193

Value-based health care

costing analysis, 201

education, 206

and innovation, 201, 202

learning health system, 203, 204

on-demand care services, 206

outcome measurement, 195

cohort identification, 195–197

evidence-based clinical outcomes, 198

multimorbidity, 198, 199

patient-reported outcome

measures, 197

social determinants, 199

sociotechnical considerations, 204–206

Variance, 106

Vendor Neutral Archive (VNA), 4

**W**

W3C standards, 27

Waiting time vs. utilization rate, 183

Waiting time, for patient, 182

Wavelets, 98, 99