

---

## Literaturverzeichnis

- [1] *MATLAB Version 5.2*. <http://www.mathworks.com>.
- [2] K. AJMANI, W.-F. NG, M. LIOU. Preconditioned Conjugate Gradient Methods for the Navier-Stokes Equations. *J. Comput. Phys.*, 110: 68–81, 1994.
- [3] E. ANDERSON, Z. BAI, C. BISCHOF, J. DEMMEL, J. DONGARRA, J. DU CROZ, A. GREENBAUM, S. HAMMARLING, A. MCKENNEY, S. OSTROUCHOV, D. SORENSSEN. *LAPACK User's Guide*. SIAM, Philadelphia, 1995.
- [4] A. ARNONE, M.-S. LIOU, L. A. POVINELLI. Integration of Navier-Stokes Equations Using Dual Time Stepping and a Multigrid. *AIAA Journal*, 33 (6): 985–990, 1995.
- [5] S. F. ASHBY, T. A. MANTEUFFEL, P. E. SAYLOR. Adaptive Polynomial Preconditioning for Hermitian Indefinite Linear Systems. *BIT*, 29: 583–609, 1989.
- [6] O. AXELSSON. A survey of preconditioned iterative methods for linear systems of algebraic equations. *BIT*, 25: 166–187, 1985.
- [7] R. BARRETT, M. BERRY, T. CHAN, J. DEMMEL, J. DONATO, J. DONGARRA, V. EIJKHOUT, R. POZO, C. ROMINE, H. VAN DER VORST. *Templates for the Solution of Linear Systems*. SIAM, Philadelphia, 1994.
- [8] M. BENZI, M. TUMA. A comparative study of Sparse Approximate Inverse Preconditioners. *Los Alamos National Laboratory Technical Report*, LA-UR-98-24, 1998.
- [9] A. BRANDT. Guide to Multigrid Development. In *Multigrid Methods*, (Eds.) W. HACKBUSCH, U. TROTTEBERG, number 960 in Lecture Notes in Mathematics, pp. 220–312, Berlin, Heidelberg, New York, 1981. Springer.
- [10] C. BREZINSKI, M. REDIVO-ZAGLIA. Look-ahead in BiCGSTAB and other product methods for linear systems. *BIT*, 35: 169–201, 1995.
- [11] C. BREZINSKI, M. REDIVO-ZAGLIA, H. SADOK. A breakdown-free Lanczos type algorithm for solving linear systems. *Numer. Math.*, 63: 29–38, 1992.
- [12] C. BREZINSKI, H. SADOK. Avoiding breakdown in the cgs algorithm. *Numerical Algorithms*, 1: 199–206, 1991.
- [13] W. BUNSE, A. BUNSE-GERSTNER. *Numerische lineare Algebra*. Teubner, Stuttgart, 1985.
- [14] T. F. CHAN, E. GALLOPOULOS, V. SIMONCINI, T. SZETO, C. H. TONG. A quasi-minimal residual variant of the Bi-CGSTAB algorithm for nonsymmetric systems. *SIAM J. Sci. Comput.*, 15 (2): 338–347, 1994.
- [15] A. J. CHORIN. A Numerical Method for Solving Incompressible Viscous Flow Problems. *J. Comput. Phys.*, 2: 12–26, 1967.
- [16] J. DEMMEL. *Applied Numerical Linear Algebra*. SIAM, Philadelphia, 1997.

- [17] P. DEUFELHARD, A. HOHMANN. *Numerische Mathematik I*. de Gruyter, Berlin, New York, 2. überarb. edition , 1993.
- [18] P. F. DUBOIS, A. GREENBAUM, G. H. RODRIGUE. Approximating the inverse of a matrix for use in iterative algorithms on vector processors. *Computing*, 22: 257–268, 1979.
- [19] W. S. EDWARDS, L. S. TUCKERMAN, R. A. FRIESNER, D. C. SORENSEN. Krylov Methods for the Incompressible Navier-Stokes Equations. *J. Comput. Phys.*, 110: 82–102, 1994.
- [20] J. H. FERZIGER, M. PERIC. *Computational Methods for Fluid Dynamics*. Springer, Berlin, Heidelberg, 1996.
- [21] K. GRAF F. VON FINCKENSTEIN. *Einführung in die Numerische Mathematik*. Hanser, München, 1. edition , 1977.
- [22] B. FISCHER. *Polynomial Based Iteration Methods for Symmetric Linear Systems*. Advances in Numerical Mathematics. Wiley-Teubner, Stuttgart, 1996.
- [23] R. W. FLETCHER. Conjugate Gradients Methods for Indefinite Systems. In *Dundee Biennial Conference on Numerical Analysis*, (Ed.) G. A. WATSON, pp. 73–89, New York, 1975. Springer.
- [24] R. W. FREUND. Conjugate Gradient-Type Methods for Linear Systems with Complex Symmetric Coefficient Matrices. *SIAM J. Sci. Stat. Comput.*, 13 (1): 425–448, 1992.
- [25] R. W. FREUND. A Transpose-Free Quasi-Minimal Residual Algorithm for Non-Hermitian Linear Systems. *SIAM J. Sci. Comput.*, 14 (2): 470–482, 1993.
- [26] R. W. FREUND, N. M. NACHTIGAL. QMR: A quasi-minimal residual method for non-Hermitian linear systems. *Numer. Math.*, 60: 315–339, 1991.
- [27] A. L. GAITONDE. A dual-time method for the solution of the unsteady Euler equations. *The Aeronautical Journal of the Royal Aeronautical Society*, 98: 283–291, 1994.
- [28] (Eds.) G. GOLUB, A. GREENBAUM, M. LUSKIN. Transpose-Free Quasi-Minimal Residual Methods for Non-Hermitian Linear Systems, volume 60 of *The IMA Volumes in Mathematics and its applications*, *Recent Advances in Iterative Methods*, New York, 1994. Springer.
- [29] G. H. GOLUB, C. VAN LOAN. *Matrix Computations*. The John Hopkins University Press, Baltimore, Maryland, 2. edition , 1989.
- [30] A. GREENBAUM. *Iterative Methods for Solving Linear Systems*. SIAM, Philadelphia, 1997.
- [31] M. J. GROTE, T. HUCKLE. Parallel Preconditioning with Sparse Approximate Inverses. *SIAM J. Sci. Comput.*, 18(3): 838–853, 1997.
- [32] W. HACKBUSCH. *Multi-Grid Methods and Applications*, volume 4 of *Springer Series in Computational Mathematics*. Spinger, Berlin, Heidelberg, New York, Tokio, 1985.

- 
- [33] W. HACKBUSCH. *Integralgleichungen: Theorie und Numerik*. Teubner, Stuttgart, 1989.
- [34] W. HACKBUSCH. *Iterative Lösung großer schwachbesetzter Gleichungssysteme*. Teubner, Stuttgart, 2., überarb. und erw. edition, 1993.
- [35] M. R. HESTENES, E. STIEFEL. Methods of Conjugate Gradients for Solving Linear Systems. *NBS J. Res.*, 49: 409–436, 1952.
- [36] M. HOCHBRUCK, C. LUBICH. Error analysis of Krylov methods in a nutshell. *SIAM J. Sci. Comp.*, 19: 695–701, 1998.
- [37] E. ISSMAN, G. DEGREGZ. Acceleration of compressible flow solvers by Krylov subspace methods. Von Karman Institute for Fluid Dynamics, Lecture Series 1995-14, Rhode-Saint-Genève, March 1995.
- [38] O. G. JOHNSON, C. A. MICCHELLI, G. PAUL. Polynomial preconditioners for conjugate gradient calculations. *SIAM J. Numer. Anal.*, 20: 362–376, 1983.
- [39] W. JOUBERT. Lanczos Methods for the Solution of Nonsymmetric Systems of Linear Equations. *SIAM J. Matrix Anal. Appl.*, 13 (3): 926–943, 1992.
- [40] R. KRESS. *Linear Integral Equations*, volume 82 of *Applied Mathematical Sciences*. Springer, New York, Berlin, Heidelberg, 1989.
- [41] C. LANCZOS. An iterative method for the solution of the eigenvalue problem of linear differential and integral operators. *J. Res. Nat. Bur. Standards*, 45: 255–282, 1950.
- [42] C. LANCZOS. Solution of systems of linear equations by minimized iterations. *J. Res. Nat. Bur. Standards*, 49: 33–53, 1952.
- [43] T. A. MANTEUFFEL. An incomplete factorization technique for positive definite linear systems. *Math. Comp.*, 34: 473–497, 1980.
- [44] J. A. MEIJERINK, H. A. VAN DER VORST. An iterative solution method for linear systems of which the coefficient matrix is a symmetric M-matrix. *Math. Comp.*, 31: 148–162, 1977.
- [45] A. MEISTER. Comparison of Different Krylov Subspace Methods Embedded in an Implicit Finite Volume Scheme for the Computation of Viscous and Inviscid Flow Fields on Unstructured Grids. *J. Comput. Phys.*, 140: 311–345, 1998.
- [46] A. MEISTER, C. VÖMEL. Efficient Preconditioning of Linear Systems arising from the Discretization of Hyperbolic Conservation Laws. *Hamburger Beiträge zur Angewandten Mathematik, Reihe F, Computational Fluid Dynamics and Data Analysis* 10, July 1999. Submitted to *J. Comput. Phys.*
- [47] A. MEISTER, J. WITZEL. Krylov Subspace Methods in Computational Fluid Dynamics. *Hamburger Beiträge zur Angewandten Mathematik, Reihe F, Computational Fluid Dynamics and Data Analysis* 9, Feb. 1999. To appear in *Surv. Math. Ind.*
- [48] N. M. NACHTIGAL, S. C. REDDY, L. N. TREFETHEN. How fast are nonsymmetric matrix iterations? *SIAM J. Matrix Anal. Appl.*, 13 (3): 778–795, 1992.

- [49] G. OPFER. *Numerische Mathematik für Anfänger*. Vieweg, Wiesbaden, 2. verb. edition, 1994.
- [50] C. C. PAIGE, M. A. SAUNDERS. Solution of Sparse Indefinite Systems of Linear Equations. *SIAM J. Num. Anal.*, 12 (4): 617–629, 1975.
- [51] B. N. PARLETT, D. R. TAYLOR, Z. A. LIU. A Look-Ahead Lanczos Algorithm for Unsymmetric Matrices. *Math Comp.*, 44: 105–124, 1985.
- [52] G. RADICATI, Y. ROBERT, S. SUCCI. Iterative Algorithms for the Solution of Nonsymmetric Systems in the Modelling of Weak Plasma Turbulence. *J. Comput. Phys.*, 80: 489–497, 1989.
- [53] J. K. REID. On the method of conjugate gradients for the solution of large sparse systems of linear equations. In *Large sparse sets of linear equations*, (Ed.) J. K. REID, London, New York, 1971. Academic Press.
- [54] Y. SAAD. Practical use of some Krylov Subspace Methods for Solving Indefinite and Nonsymmetric Linear Systems. *SIAM J. Sci. Stat. Comput.*, 5 (1): 203–228, 1984.
- [55] Y. SAAD. Practical use of polynomial preconditionings for the conjugate gradient method. *SIAM J. Sci. Stat. Comput.*, 6(4): 865–881, 1985.
- [56] Y. SAAD. Krylov subspace techniques, conjugate gradients, preconditioning and sparse matrix solvers. *von Karman Institute of Fluid Dynamics, Lecture Series*, 1994–05, 1994.
- [57] Y. SAAD. *Iterative Methods for Sparse Linear Systems*. PWS Publishing Company, Boston, 1996.
- [58] Y. SAAD, M. H. SCHULTZ. GMRES: A generalized minimal residual algorithm for solving nonsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 7: 856–869, 1986.
- [59] H. R. SCHWARZ. *Numerische Mathematik*. Teubner, Stuttgart, 2. edition, 1988.
- [60] G. L. G. SLEIJPEN, D. R. FOKKEMA. BiCGSTAB( $\ell$ ) for Linear Systems involving Unsymmetric Matrices with Complex Spectrum. *Electronic Transactions on Numerical Analysis*, 1: 11–32, 1993.
- [61] A. VAN DER SLUIS. Condition Numbers and Equilibration of Matrices. *Numerische Mathematik*, 14: 14–23, 1969.
- [62] A. VAN DER SLUIS. Condition, Equilibration and Pivoting in Linear Algebraic Systems. *Numerische Mathematik*, 15: 74–86, 1970.
- [63] P. SONNEVELD. CGS: A fast Lanczos-Type Solver for Nonsymmetric Linear Systems. *SIAM J. Sci. Stat. Comput.*, 10 (1): 36–52, 1989.
- [64] J. STOER, R. BULIRSCH. *Numerische Mathematik II*. Springer, Berlin, Heidelberg, New York, 3. edition, 1990.
- [65] L. N. TREFETHEN, D. BAU. *Numerical Linear Algebra*. SIAM, Philadelphia, 1997.

- 
- [66] H. A. VAN DER VORST. The convergence behaviour of preconditioned CG and CG-S in the presence of rounding errors. *Lecture Notes in Mathematics*, 1457: 126–136, 1990.
- [67] H. A. VAN DER VORST. BI-CGSTAB: A fast and smoothly converging variant of BI-CG for the solution of nonsymmetric linear systems. *SIAM J. Sci. Stat. Comput.*, 13: 631–644, 1992.
- [68] H. F. WALKER. Implementation of the GMRES Method using Householder Transformations. *SIAM J. Sci. Comput.*, 9 (1): 152–163, 1988.
- [69] R. WEISS. *Parameter-Free Iterative Linear Solvers*. Akademie Verlag, Berlin, 1. edition , 1996.
- [70] R. WEISS, H. HÄFNER, W. SCHÖNAUER. LINSOL (LINEAR SOLVER) Description and User's Guide for parallelized version. IB Nr. 61/95, Rechenzentrum der Universität Karlsruhe, 1995.
- [71] J.H. WILKINSON, C. REINSCH. *Linear Algebra. Handbook for automatic computation, Vol 2. Grundlehren der mathematischen Wissenschaften in Einzeldarstellungen*, volume 186. Springer, Berlin, Heidelberg, New York, 1971.

# Index

- Äquivalenzkonstanten, 9, 12, 28
- Überrelaxationsverfahren, 71
- äquivalente Gleichungssysteme, 17
  
- Arnoldi-Algorithmus, 129, 134
  - modifizierter, 134
  
- Banachscher Fixpunktsatz, 30
- beidseitig präkonditioniert, 189
- Besetzungsstruktur, 198
- Bi-Lanczos-Algorithmus, 138
- bi-orthogonal, 138
- bi-orthonormal, 138
- BiCG-Verfahren, 110, 158, 174
  - Algorithmus, 162
- BiCGSTAB-Verfahren, 110, 168, 184
  - Algorithmus, 172
  - Algorithmus des präkonditionierten, 210
  - präkonditioniertes, 208, 211
  - Stabilisierter, 173
  
- CG-Verfahren, 110, 121, 138, 189, 207
  - Algorithmus, 124
  - Algorithmus des präkonditionierten, 207
  - präkonditioniertes, 205
- CGN, 157
- CGNE, 190
- CGNR, 189
- CGS-Verfahren, 110, 157, 165, 168, 174
  - Algorithmus, 168
- Cholesky-Zerlegung, 42
  - Algorithmus, 44
  - Algorithmus der unvollständigen, 201
  - unvollständige, 200, 206
  
- D-Lanczos-Methode, 134, 137
- Defekt, 99
- Diagonalmatrix, 17
- DIOM, 134
- DQGMRES, 153
- Dreiecksmatrix, 17
  
- Eigenvektor, 19
- Eigenwert, 19
- Einzelstufenverfahren, 68
- Energienorm, 88
  
- Fehlerabschätzung
  - a posteriori, 30
  - a priori, 30, 60
- Fixpunkt, 29, 56
- Folge
  - Cauchy-, 8
  - divergente, 8
  - konvergente, 8
- FOM, 132, 137
  - Restarted, 133
- Frobenius-Inverse
  - unvollständige, 212
- Frobeniusnorm, 19
  
- Galerkin-Bedingung, 106
- Gaußsches Eliminationsverfahren, 32
- Gaußsches Eliminationsverfahren
  - Algorithmus, 33, 38
- Gauß-Seidel-Verfahren, 67
  - symmetrisches, 87, 206
- gerichteter Graph, 64
- gerichteter Weg, 64
- Gesamtschrittverfahren, 62, 73
- Givens-Verfahren, 51
  - Algorithmus, 54
- Glätter, 102
- GMRES-Verfahren, 110, 143, 174, 189
  - Algorithmus, 150
  - restarted Algorithmus, 153, 154
- Gradientenverfahren, 113
- Gram-Schmidt-Verfahren, 46
  - Algorithmus, 48
  - mit Nachorthogonalisierung, 50
  - modifiziertes, 49
- Grobitterkorrekturverfahren, 100
  
- Hauptabschnittsdeterminante, 34
- Hauptabschnittsmatrix, 34
- Hessenbergmatrix, 131
  
- Integralgleichung, 3
- IOM, 134
- Iterationsmatrix, 56
- Iterationsverfahren, 55
  - Fixpunkt eines, 56
  - konsistentes, 56
  - konvergentes, 56
  - lineares, 55
  
- Jacobi-Verfahren, 62, 97, 126
  
- Konditionszahl, 24, 28
  - äquivalente, 28
- Kontraktionszahl, 29
- Konvektions-Diffusions-Gleichung, 5, 66, 211
- Krylov-Unterraum, 107
  - transponierter, 138

- Krylov-Unterraum-Methode, 107
- Lanczos-Algorithmus, 134  
— Look-ahead-, 143, 168, 174
- LAPACK, viii
- Laplace-Operator, 1
- LINSOL, viii
- LU-Zerlegung, 134  
— Algorithmus der unvollständigen, 199  
— mit fill-in, 200  
— unvollständige, 153, 198, 211
- Matlab, viii
- Matrix  
— ähnliche, 17  
— adjungierte, 17  
— diagonaldominante, 63  
— Frobenius-, 33  
— Hauptabschnitts-, 34  
— Hermitesche, 17  
— Hessenberg-, 131  
— irreduzible, 63, 66  
— Konditionszahl einer, 24  
— konsistent geordnete, 76  
— muster, 198  
— negativ definite, 17  
— negativ semidefinite, 17  
— normale, 17  
— orthogonale, 16  
— Permutations-, 32  
— positiv definite, 17  
— positiv semidefinite, 17  
— reduzible, 63  
— strikt diagonaldominante, 63, 69  
— symmetrische, 16  
— transponierte, 16  
— Tridiagonal-, 77  
— unitäre, 17  
— unzerlegbare, 63  
— zerlegbare, 63
- Matrixnorm  
— induzierte, 14
- Mehrgitterverfahren, 91  
— Algorithmus, 104  
— vollständiges, 105
- Methode der kleinsten Quadrate, 4
- Methode der konjugierten Richtungen, 118, 121  
— Algorithmus, 120
- Methode des steilsten Abstiegs, 113, 121, 189  
— Algorithmus, 114
- MINRES, 157
- Muster  
— Matrix-, 198  
— reguläres, 203  
— Spalten-, 198  
— Zeilen-, 198
- Neumannsche Reihe, 193  
— m-ter Stufe, 194
- Norm, 7  
— äquivalente, 9  
— Betragssummen-, 7  
— euklidische, 8  
— Frobenius-, 19  
— Maximums-, 8  
— Operator-, 14  
— Spaltensummen-, 19  
— Spektral-, 22  
— Vektor-, 7  
— Zeilensummen-, 19
- Operator  
— beschränkter, 14  
— Fixpunkt eines, 29  
— kontrahierender, 29  
— linearer, 14  
— stetiger, 13  
— Operatornorm, 14
- PCG-Verfahren  
— Algorithmus, 207
- Petrov-Galerkin-Bedingung, 106
- Pivotisierung, 41  
— Spalten-, 41  
— vollständige, 41  
— Zeilen-, 41
- Poisson-Gleichung, 1, 66, 91, 126, 207
- Präkonditionierer, 189  
— Gauß-Seidel-, 197, 211  
— ILU-, 199, 211  
— IQR-, 202, 212  
— Jacobi-, 197, 211  
— Links-, 189, 212  
— Polynomiale, 193, 212  
— Rechts-, 189, 212  
— SOR-, 197  
— Splitting-assozierte, 196  
— SSOR-, 197  
— symmetrischer Gauß-Seidel-, 197, 212
- Präkonditionierungen, 26
- Produktiteration, 101
- Projektionsmethode, 106  
— orthogonale, 106  
— schiefe, 106
- Prolongation, 96
- QGMRES, 153
- QMR-Verfahren, 110
- QMRCGSTAB-Verfahren, 110, 184  
— Algorithmus, 186

- QR-Zerlegung, 45  
 — Algorithmus der unvollständigen, 202  
 — unvollständige, 201, 212
- Raum  
 — Banach-, 12  
 — normierter, 7  
 — Prä-Hilbert-, 8
- Relaxationsparameter, 71, 73  
 Relaxationsverfahren, 70  
 — symmetrisches Gauß-Seidel-, 87  
 — Gauß-Seidel-, 74, 78  
 — Jacobi-, 71
- Residuum, 112  
 Restriktion, 96  
 Richardson-Verfahren, 82
- singuläre Werte, 27, 28  
 Skalarprodukt, 8  
 Skalierung, 190  
 — Spalten-, 191  
 — Zeilen-, 191
- SOR-Verfahren, 81  
 Spaltensummennorm, 19  
 Spektralnorm, 22  
 Spektralradius, 20, 60, 61  
 Spektrum, 20  
 Splitting-Methode, 58, 107, 126  
 — symmetrische, 59, 86, 206
- SSOR-Verfahren, 87  
 Submultiplikativität, 16
- Templates, viii  
 TFQMR-Verfahren, 110, 174  
 — Algorithmus, 183
- Unterrelaxationsverfahren, 71  
 unvollständige Frobenius-Inverse, 203
- V-Zyklus, 105  
 Vektor  
 — Fehler-, 25  
 — norm, 7  
 — Residuen-, 25, 112  
 — Singulär-, 27
- Verfahren der konjugierten Gradienten, 110,  
 121, 138, 189, 207  
 — Algorithmus, 124  
 — Algorithmus des präkonditionierten, 207  
 — präkonditioniertes, 205
- Verfahren der konjugierten Richtungen, 118,  
 121  
 — Algorithmus, 120
- Verfahren des steilsten Abstiegs, 113, 121, 189  
 — Algorithmus, 114
- W-Zyklus, 105
- Zeilensummennorm, 19  
 Zweigitterverfahren, 99  
 — Algorithmus, 103