
References

- Aagaard P, Helgeson HC (1983) Activity/composition relations among silicates and aqueous solutions II. Chemical and thermodynamic consequences of ideal mixing of atoms among energetically equivalent sites in the montmorillonites, illites and mixed layer clays. *Clays Clay Miner* 31:207–217
- Abercrombie HJ, Hutcheon IE, Bloch JD, Caritat P de (1994) Silica activity and the smectite-illite reaction. *Geology* 22:539–542
- Agard P, Jullien M, Goffé B, Baronnet A, Bouybaouène M (1999) TEM evidence for high-temperature (300 °C) smectite in multistage clay-mineral pseudomorphs in pelitic rocks (Rif, Morocco). *Eur J Mineral* 11:655–668
- Ahn JH, Peacor DR (1985) Transmission electron microscopic study of diagenetic chlorite in Gulf Coast argillaceous sediments. *Clays Clay Miner* 33:228–236
- Ahn JH, Peacor DR, Coombs DS (1988) Formation mechanism of illite, chlorite and mixed-layer illite-chlorite in Triassic volcanogenic sediments from Southland Syncline, New Zealand. *Contrib Mineral Petrol* 99:82–89
- Al Shaara M (1986) Etude géochimique et métallogénique des minéralisations (U-Ba) du nord di massif des Palanges (Aveyron, France). Thèse Univ. Paris VI, 174 pp
- Allard T, Muller JP, Dran JC, Ménager MT (1994) Radiation-induced paramagnetic defects in natural kaolinites: alpha dosimetry with ion beam irradiation. *Phys Chem Minerals* 21:85–96
- Allègre C (1985) *De la pierre à l'étoile*. Fayard, Paris, 300 pp
- Allen PA (1997) *Earth surface processes*. Blackwell, Oxford, 404 pp
- Alt JC (1999) Very-low grade hydrothermal metamorphism of basic igneous rocks. In: Frey M, Robinson D (eds) *Low-grade metamorphism*. Blackwell, Oxford, 169–201 pp
- Alt JC, Honnorez J (1984) Alteration of the upper oceanic crust DSDP Site 417: mineralogy and chemistry. *Contrib Mineral Petrol* 87:149–169
- Alt JC, Laverne C, Muehlenbachs K (1985) Alteration of the upper oceanic crust: mineralogy and processes in DSDP Hole 504B, Leg 83. In: Anderson RN, Honnorez J, Becker K (eds) *Initial reports, DSDP vol 83*. US Government Printing Office, Washington, DC, pp 217–247
- Alt JC, Muehlenbach K, Honnorez J (1986) An oxygen isotopic profile through the upper kilometre of the oceanic crust, DSDP Hole 504B. *Earth and Planet Sci Lett* 80:217–299
- Altaner SP, Hower J, Whitney G, Aronson JL (1984) Model for K-bentonite formation: evidence from zoned K-bentonites in the disturbed belt, Montana. *Geology* 12:412–415
- Altaner SP, Ylagan RF (1997) Comparison of structural models of mixed-layer illite/smectite and reaction mechanisms of smectite illitisation. *Clays Clay Miner* 45:517–533
- Ames LL, Sand LB (1958) Factors effecting maximum hydrothermal stability in montmorillonites. *Am Mineral* 43:641–648

- Anceau A (1992) Sudoite in some Visean (Lower Carboniferous) K-bentonites from Belgium. *Clay Miner* 27:283–292
- Anceau A (1993) Caractérisation des minéraux argileux des bentonites potassiques du Carbonifère Inférieur de la Belgique et des régions limitrophes. Thèse Univ. Liège, 165 pp
- Anderson SJ, Sposito G (1991) Caesium-adsorption method for measuring accessible surface charge. *Soil Sc Soc Am J* 55:1569–1576
- Andrews AJ (1977) Low temperature fluid alteration of oceanic layer 2 basalts. *Can J Earth Sci* 14:911–926
- Andrews AJ (1980) Saponite and celadonite in layer 2 basalts, DSDP Leg 37. *Contrib Mineral Petrol* 73:323–340
- April RH (1981) Trioctahedral smectite and interstratified chlorite/smectite in Jurassic strata of the Connecticut Valley. *Clays and Clay Miner* 29:31–39
- Arch J, Maltman A (1990) Anisotropic permeability and tortuosity of wet sediments. *J Geophys Res* 95(B6):9035–9045
- Arkai P (1991) Chlorite crystallinity: an empirical approach and correlation with illite crystallinity, coal rank and mineral facies as exemplified by Palaeozoic and Mesozoic rocks of north east Hungary. *J Metam Geol* 9:723–734
- Aronson JL, Hower J (1976) Mechanism of burial metamorphism of argillaceous sediments. 2: Radiogenic argon evidence. *Bull Geol Soc Am* 87:738–744
- Backer H, Richter H (1973) Die rezente hydrothermal-sedimentäre Lagerstätte Atlantis II – Tief im Roten Meer. *Geol Rundschau* 62:697–740
- Badaut D (1988) Les argiles et les composés silico-ferriques des sédiments métallifères de la fosse Atlantis II (Mer Rouge). Thèse Univ. Paris-Sud, 217 pp
- Badaut D, Besson G, Decarreau A, Rautureau R (1985) Occurrence of a ferrous trioctahedral smectite in recent sediments of Atlantis II Deep, Red Sea. *Clay Miner* 20:389–404
- Badaut D, Blanc G, Decarreau A (1990) Variation des minéraux argileux ferrifères, en fonction du temps et de l'espace, dans les dépôts métallifères de la fosse Atlantis II en Mer Rouge. *CR Acad Sci Paris* 310:1069–1075
- Badaut D, Decarreau A, Besson G (1992) Ferripyrophyllite and related Fe³⁺ – rich 2:1 clays in recent deposits of Atlantis II Deep, Red Sea. *Clay Miner* 27:227–244
- Bai TB, Guggenheim S, Wang SJ, Rancourt DG, Koster van Groos AF (1993) Metastable phase relations in the chlorite-H₂O system. *Am Mineral* 78:1208–1216
- Bailey SW (1975) Chlorites. In: Gieseking JE (ed) *Soil components*, vol 2. Inorganic components. Springer, Berlin Heidelberg New York, pp 191–263
- Bailey SW (1980) Structures of layer silicates. In: Brindley GW, Brown G (eds) *Crystal structures of clay minerals and their X-Ray identification*. Mineralogical Society Monographs 5, pp 1–123
- Bailey SW (1982) Nomenclature for regular interstratifications. *Am Mineral* 67:394–398
- Bailey SW (1988) Odinite, a new dioctahedral-trioctahedral Fe³⁺-rich 1:1 clay mineral. *Clay Miner* 23:237–247
- Bailey SW (1988) Hydrous phyllosilicates (exclusive of micas). *Rev Mineral* 19:725
- Baker JC (1997) Green ferric clay in non-marine sandstones of the Rewan group, southern Bowen Basin, Eastern Australia. *Clay Miner* 32:499–506
- Balan E, Allard T, Boizot B, Morin G, Muller JP (1999) Structural Fe³⁺ in natural kaolinites: new insights from electron paramagnetic resonance spectra fitting at X and Q-band frequencies. *Clays Clay Miner* 47:605–616
- Banfield JE, Eggleton RA (1988) Transmission electron microscope study of biotite weathering. *Clays Clay Miner* 36:47–60

- Banfield JF, Eggleton RA (1990) Analytical transmission electron microscope studies of plagioclase, muscovite, and K-feldspar weathering. *Clays Clay Miner* 38:77–89
- Banin A, Clark BC, Wänke H (1992) Surface chemistry and mineralogy. In: Kieffer HH, Jakosky BM, Snyder CW, Matthews MS (eds) *Mars*. Univ Arizona Press, Tucson, AZ, pp 594–625
- Barnes HL (1997) *Geochemistry of hydrothermal ore deposits*. Wiley, New York, 972 pp
- Barnes I, O'Neil JR, Trescases JJ (1978) Present-day serpentinization in New Caledonia, Oman and Yugoslavia. *Geochim Cosmochim Acta* 42:144–145
- Baronnet A (1976) Polytypisme et polymorphisme dans les micas. Contribution à l'étude du rôle de la croissance cristalline. Thèse Aix-Marseille III, 2 vol., 256 pp
- Baronnet A (1988) *Minéralogie*. Dunod, 184 pp
- Baronnet A (1994) Murissement d'Ostwald des minéraux: rappel des conditions limitantes. *Bull Liaison Soc Fr Miner Cristall* 2:28
- Baronnet A (1997) Silicate microstructures at the sub-atomic scale. *CR Acad Sci Paris* 324(Iia):157–172
- Baudracco J, Bel M, Perami R (1982) Effets de l'altération sur quelques propriétés mécaniques du granite du Sidobre (France). *Bull Int Assoc Engin Geol* 25:33–38
- Bauer A, Berger G (1998) Kaolinite and smectite dissolution rate in high molar KOH solutions at 35 and 80 °C. *Appl Geochem* 13:905–916
- Bauer A, Velde B, Berger G (1998) Kaolinite transformation in high molar KOH solutions. *Appl Geochem* 13:619–629
- Bauer A, Velde B (1999) Smectite transformation in high molar KOH solutions. *Clay Miner* 34:259–273
- Bauer A, Velde B, Gaupp R (2000) Experimental constraints on illite crystal morphology. *Clay Miner* 35:587–597
- Bauer RE (1982) Hydrothermal alteration in silicate rocks, Southwestern North America. In: Titley SR (ed) *Advances in geology of the porphyry copper deposits, southwestern North America*. University of Arizona Press, Tucson, AZ, pp 117–137
- Beaufort D (1987) Interstratified chlorite/smectite ("metamorphic vermiculite") in the Upper Precambrian greywackes of Rouez, Sarthe, France. In: Schultz LG, Olphen H van, Mumpton FA (eds) *Proc Inter Clay Conf, Denver 1985*, pp 59–65
- Beaufort D, Baronnet A, Lanson B, Meunier A (1997) Corrensite: a single phase or a mixed layered phyllosilicate of the saponite-chlorite conversion series? The case study of the Sancerre-Couy deep drill-hole (France). *Am Mineral* 82:109–124
- Beaufort D, Berger G, Lacharpagne JC, Meunier A (2001) An experimental alteration of montmorillonite into a di + trioctahedral smectite assemblage at 100 and 200 °C. *Clay Miner* 36:211–225
- Beaufort D, Cassagnabère A, Petit S, Lanson B, Berger G, Lacharpagne JC, Johansen H (1998) Kaolinite-to-dickite reaction in sandstone reservoirs. *Clay Miner* 33:297–316
- Beaufort D, Meunier A (1983) Petrographic characterization of an argillic hydrothermal alteration containing illite, K-rectorite, K-beidellite, kaolinite and carbonates in a cupromolybdenic porphyry at Sibert, Rhône, France. *Bull Min* 106:535–551
- Beaufort D, Meunier A (1994) Saponite, corrensite and chlorite-saponite mixed-layers in the Sancerre-Couy deep drill-hole (France). *Clay Miner* 29:47–61
- Beaufort D, Papanagiotou P, Patrier P, Fujimoto K, Kasai K (1995) High temperature smectites in active geothermal fields. In: *Proc 8th Int Symp Water-Rock Interact, Vladivostok*, pp 493–496

- Beaufort D, Patrier P, Meunier A, Ottaviani MM (1992) Chemical variations in assemblages including epidote and/or chlorite in the fossil hydrothermal system of Saint Martin (Lesser Antilles). *J Volcano Geotherm Res* 51:95–114
- Beaufort D, Westercamp D, Legendre O, Meunier A (1990) The fossil hydrothermal system of Saint Martin, Lesser Antilles: geology and lateral distribution of alterations. *J Volcano Geotherm Res* 40:219–243
- Becker RH (1971) Carbon and oxygen isotopic ratios in iron formation and associated rocks from the Hamersley Range of Western Australia and their implications. PhD Dissertation, Univ of Chicago, Illinois, 258 pp
- Belanteur N, Tacherifet S, Pakzad M (1997) Etude des comportements mécanique, thermo-mécanique et hydro-mécanique des argiles gonflantes fortement compactées. *Rev Fr Géotechnique* 78:31–50
- Bergaya F (1990) Argiles à piliers. In: *Matériaux argileux. Structure, propriétés et applications*. Société Française de Minéralogie et de Cristallographie, pp 511–537
- Berger G (1995) The dissolution rate of sanidine between 100 and 300 °C. In: *Proc 8th Inter Symp Water-Rock Interaction, Vladivostok*, pp 141–144
- Berger G, Claparols C, Guy C, Daux V (1994) Dissolution rate of basalt glass in silica-rich solutions: implications for long-term alteration. *Geochim Cosmochim Acta* 58:4875–4886
- Berger G, Turpault MP, Meunier A (1992) Dissolution-precipitation processes induced by hot water in a fractured granite. Part 2: Modelling of water-rock interaction. *Eur J Mineral* 4:1477–1488
- Berger G, Velde B (1992) Chemical parameters controlling the propylitic and argillic alteration process. *Eur J Mineral* 4:1439–1454
- Berg-Madsen V (1983) High-alumina glaucony from the Middle Cambrian of Öland and Bornholm, southern Baltoscandia. *J Sediment Petrol* 53:875–893
- Bernal JD (1951) *The physical basis of life*. Routledge, London, 80 pp
- Berndt ME, Seyfried WE, Beck JW (1988) Hydrothermal alteration processes at mid-ocean ridges: experimental and theoretical constraints from Ca and Sr exchange reactions and Sr isotopic ratios. *J Geophys Res* 93:4573–4583
- Berry R (1999) Eocene and Oligocene Otay-type waxy bentonites of San Diego County and Baja California: chemistry, mineralogy, petrology and plate tectonic implications. *Clays Clay Miner* 47:70–83
- Besson G, Drits VA, Daynyak LG, Smolliar BB (1987) Analysis of cation distribution in dioctahedral micaceous minerals on the basis of IR spectroscopy data. *Clay Miner* 22:465–478
- Bethke CM, Altaner S (1986) Layer-by-layer mechanism of smectite illitisation and application to new rate law. *Clays Clay Miner* 34:136–145
- Bettison LA, Schiffman P (1988) Compositional and structural variations of phyllosilicates from the Point Sal ophiolite, California. *Am Mineral* 73:62–76
- Bettison-Varga L, MacKinnon IDR (1997) The role of randomly mixed-layer chlorite/smectite in the transformation of smectite to chlorite. *Clays Clay Miner* 45:506–516
- Bevins RE, Rowbotham G, Robinson D (1991) Zeolite to prehnite-pumpellyite facies metamorphism of the Late Proterozoic Zig-Zag Dal Basalt Formation, eastern North Greenland. *Lithos* 27:155–165
- Bigham JM, Fitzpatrick RW, Schulze DG (2002) Iron oxides. In: Dixon JB, Schulze DG (eds) *Soil mineralogy with environmental applications*. Soil Science Society of America Book Series 7:323–366
- Billault V (2002) *Texture, structure et propriétés cristallochimiques des chlorites ferreuses dans les réservoirs gréseux*. Thèse Univ. Poitiers, 193 pp

- Bird DK, Schiffman P, Elders WA, Williams AE, McDowell SD (1984) Calc-silicates mineralization in active geothermal systems. *Econ Geol* 79:671–695
- Bischoff JL (1972) A ferroan nontronite from the Red Sea geothermal system. *Clays Clay Miner* 20:217–223
- Bisdom EBA (1967) Micromorphology of weathered granite near the Ria de Arosa (NW Spain). *Leiden Geol Med* 37:33–67
- Bish DL, Duffy CJ (1990) Thermogravimetric analyses of minerals. In: Stucki JW, Mumpton FA (eds) *Thermal analysis in clay science. CMS Workshop Lectures 3*, pp 96–157
- Blanc P (1996) Organisation de l'empilement des minéraux interstratifiés illite/smectite: modélisation thermodynamique et application au domaine expérimental. Thèse Univ. Strasbourg, 205 pp
- Blanc P, Bieber A, Frtitz B, Duplay J (1997) A short range interaction model applied to illite/smectite mixed-layer minerals. *Phys Chem Minerals* 24:574–581
- Blatt H, Middleton GV, Murray RC (1980) *Origin of sedimentary rocks*. Prentice Hall, Englewood Cliffs, NJ
- Blatter CL, Roberson HE, Thompson GR (1973) Regularly interstratified chlorite-dioctahedral smectite in dike-intruded shales, Montana. *Clays Clay Miner* 21:207–212
- Bloch S, Bischoff JL (1979) The effect of low-temperature of basalt on the oceanic budget of potassium. *Geology* 7:193–196
- Blum AE (1994) Determination of illite/smectite particle morphology using scanning force microscopy. In: Nagy KL, Blum AE (eds) *Scanning probe microscopy of clay minerals. CMS Workshop Lectures 7*, pp 172–202
- Bocquier G, Muller JP, Boulangé B (1984) Les latérites. Connaissances et perspectives actuelles sur les mécanismes de leur différenciation. In: *Livre Jubilaire du Cinquantenaire, A.F.E.S, Plaisir*, pp 123–140
- Bodine MW, Madsen BM (1987) Mixed-layer chlorite/smectites from a Pennsylvanian evaporite cycle, Grand County, Utah. In: Schultz LG, van Olphen H, Mumpton FA (eds) *Proc Int Clay Conf, Denver, 1985. The Clay Minerals Society*, pp 85–93
- Boettcher AL (1966) Vermiculite, hydrobiotite, and biotite in the Rainy Creek igneous complex near Libby, Montana. *Clay Miner* 6:283–296
- Bohor BF, Triplehorn DM (1993) Tonsteins: altered volcanic-ash layers in coal-bearing sequences. *Geol Soc Am Spec Paper* 285, 44 pp
- Boles JR, Franks SG (1979) Clay diagenesis in Wilcox sandstones of southwest Texas: implications of smectite diagenesis on sandstone cementation. *J Sediment Petrol* 49:55–70
- Bonhomme MG, Dos Santos RP, Renac C (1995) La datation potassium-argon des minéraux argileux. Etat des connaissances. *Bull Centres Rech Explor-Prod Elf Aquitaine* 19:199–223
- Bonorino FG (1959) Hydrothermal alteration in the Front Range Mineral Belt, Montana. *Bull Geol Soc Am* 70:53–90
- Bouchet A (1987) *Minéralogie et géochimie des roches altérées du chapeau de fer de Rouez (Sarthe)*. Thèse Univ. Poitiers, 145 pp
- Bouchet A, Lajudie A, Rassineux F, Meunier A, Atabek R (1992) Mineralogy and kinetics of alteration of a mixed layer kaolinite/smectite in nuclear waste disposal simulation experiment (Stripa site, Sweden). In: Meunier A (ed) *Clays and hydrosilicate gels in nuclear fields*, 113–123 pp
- Bouchet A, Meunier A, Sardini P (2001) Minéraux argileux – Structures cristallines – Identification par diffraction de rayons X. Avec CD-ROM. Editions TotalFinaElf, 136 pp
- Bouchet A, Meunier A, Velde B (1988) Hydrothermal mineral assemblages containing two discrete illite / smectite minerals. *Bull Miner* 111:587–599

- Boulangé B (1984) Les formations bauxitiques latéritiques de Côte-d'Ivoire. Les faciès, leur transformation, leur distribution et l'évolution du modelé. Mem ORSTOM, 175 pp
- Bradaoui M, Bloom PR (1990) Iron-rich high-charge beidellite in vertisols and mollisols of the high Chaouia region of Morocco. *Soil Sci Am J* 64:267–274
- Brady NC, Weil RR (1999) The nature and properties of soils, 12th edn. Prentice Hall, Englewood Cliffs, New Jersey
- Brearely AJ, Jones RH (1998) Chondritic meteorites. In: Papike JJ (ed) *Planetary materials*. *Rev Mineral* 36
- Brearely AJ, Prinz M (1992) CI-like clasts in the Nilpena polymict ureilite: implications for aqueous alteration processes in CI chondrites. *Geochim Cosmochim Acta* 56:1373–1386
- Brigatti MF (1983) Relationships between composition and structure in Fe-rich smectites. *Clay Miner* 18:177–186
- Brindley GW (1961) Chlorite minerals. In: Brown G (ed) *The X-ray identification and crystal structure of the clay Minerals*. Mineralogical Society, London, UK, pp 242–296
- Brindley GW, Brown G (1980) Crystal structures of clay minerals and their X-ray identification. *Mineralogical Society Monograph* 5, 485 pp
- Brindley GW, Suzuki T, Thiry M (1983) Interstratified kaolinite/smectites from the Paris basin; correlations of layer proportions, chemical compositions and other data. *Bull Mineral* 106:403–410
- Brindley GW, Chih-Chun Kau, Harrison JL, Lipsicas M, Raythatha R (1986) Relation between structural disorder and other characteristics of kaolinites and dickites. *Clays Clay Miner* 34:239–249
- Browne PRL (1978) Hydrothermal alteration in active geothermal fields. *Ann Rev Earth Planet Sci* 6:229–250
- Browne PRL (1998) Hydrothermal alteration in New Zealand geothermal systems. In: Arehart GB, Hulston JR (eds) *Water-rock interaction 9*. Balkemia, Rotterdam, pp 11–17
- Browne PRL, Ellis AJ (1970) The Ohaaki-Broadland hydrothermal area, New Zealand. *Mineralogy related to geochemistry*. *Am J Sci* 269:97–131
- Brusewitz AM (1986) Chemical and physical properties of Palaeozoic potassium bentonites from Kinnekulle, Sweden. *Clays Clay Miner* 34:442–454
- Bujdak J, Rode BM (1999) Silica, alumina and clay catalysed peptide bond formation: enhanced efficiency of alumina catalyst. *Origins Life Evol B* 29:451–461
- Burgess J (1978) *Ions in solution: basic principles of chemical interactions*. Wiley, New York
- Burley SD, Flisch M (1989) K-Ar chronology and the timing of detrital I-S clay illitisation and authigenic illite precipitation in the Piper and Tartan Fields, Outer Moray Firth, UK North Sea. *Clay Miner* 24:285–315
- Calarge LM, Meunier A, Formoso ML (2002) Chemical signature of two Permian volcanic ash deposits in a bentonite bed from Melo, Uruguay. *Clays Clay Miner* (in press)
- Calle de la C (1977) Structure de vermiculites, facteurs conditionnant le mouvement des feuillettes. Thèse Univ. Paris VI, 133 pp
- Capuano RM (1992) The temperature dependence of hydrogen isotope fractionation between clay minerals and water: evidence for a geopressured system. *Geochim Cosmochim Acta* 56:2547–2554
- Carslaw HS, Jaeger JC (1959) *Conduction of heat in solids*. Oxford University Press, New York, 510 pp
- Caschetto S, Wollast R (1979) Dissolved aluminium in interstitial waters of recent marine sediments. *Geochim Cosmochim Acta* 43:425–428

- Cases JM, Villiéras F, Michot L (2000) Les phénomènes d'adsorption, d'échange ou de rétention à l'interface solide-solution aqueuse. 1. Connaissance des propriétés structurales, texturales et superficielles des solides. CR. Acad Sci Paris, 331(IIa):763–773
- Cassagnabère A, Iden IK, Johansen H, Lacharpagne JC, Beaufort D (1999) Kaolinite and dickite in Froy and Rind sandstone hydrocarbon reservoirs (Brent Formation from Norwegian continental shelf). In: Proc 11th Int Clay Conf, Ottawa, pp 97–102
- Cathles LM (1977) An analysis of the cooling of intrusives by ground-water convection which includes boiling. Econ Geol 72:804–826
- Cavaretta G, Gianelli G, Puxeddu M (1982) Formation of authigenic minerals and their use as indicators of the physicochemical parameters of the fluids in the Larderello-Travale geothermal field. Econ Geol 77:1071–1084
- Chamley H (1971) Recherches sur la sédimentation argileuse en Méditerranée. Sci Géol, Strasbourg, Mém 35, 225 pp
- Chamley H (1989) Clay sedimentology. Springer, Berlin Heidelberg New York, 623 pp
- Chang HK, Mackenzie FT, Schoonmaker J (1986) Comparisons between the diagenesis of dioctahedral and trioctahedral smectite, Brazilian offshore basin. Clays Clay Miner 34:407–423
- Chermarck JA (1993) Low temperature experimental investigation of the effect of high pH NaOH solutions on the Opalinus shale, Switzerland. Clays Clay Miner 40:650–658
- Chermarck JA, Rimstidt JD (1990) The hydrothermal transformation rate of kaolinite to illite/muscovite. Geochim Cosmochim Acta 42:1–7
- Chudaev OV (1978) Occurrence of clay minerals in flyschoid sediments of eastern Kamchatka (en russe). Lithol Polezn Iskop (1):105–115 (Traduction: Lithol Miner Resour 13:89–97)
- Claret F (2001) Caractérisation structurale des transitions minéralogiques dans les formations argileuses: contrôle et implications géochimiques des processus d'illitisation. Cas particulier d'une perturbation alcaline dans le Callovo-Oxfordien – Laboratoire souterrain Meuse – Haute Marne. Thèse Univ. Joseph Fourier, Grenoble, 174 pp
- Clark BC, van Hart DC (1981) The salts of Mars. Icarus 45:370–378
- Clauer N (1997) Un concept pour le comportement isotopique des minéraux argileux: une meilleure identification des époques, des mécanismes et des conditions de genèse et de diagenèse. CR Acad Sci 324(IIa):253–268
- Clauer N, Chaudhuri S (1995) Clays in crustal environments. Isotope Dating and Tracing. Springer, Berlin Heidelberg New York, 359 pp
- Clauer N, Keppens E, Stille P (1992) Sr isotopic constraints on the process of glauconitization. Geology 20:133–136
- Clauer N, O'Neil JR, Bonnot-Courtois C (1982) The effect of natural weathering on the chemical and isotopic compositions of biotites. Geochim Cosmochim Acta 46:1755–1762
- Clayton RN, O'Neil JR, Mayeda TK (1972) Oxygen isotope exchange between quartz and water. J Geophys Res 77:3057–3067
- Clozel B, Allard T, Muller JP (1994) Nature and stability of radiation-induced defects in natural kaolinites: new results and a reappraisal of published works. Clays Clay Miner 42:657–666
- Colman SM, Dethier DP (1986) Rates of chemical weathering of rocks and minerals. Academic Press, New York, 603 pp
- Compton JS, Conrad ME, Vennemann TW (1999) Stable isotope evolution of volcanic ash layers during diagenesis of Miocene Monterey Formation, California. Clays Clay Miner 47:84–95

- Coombs DS (1970) Present status of the zeolite facies. *Am Chem Soc 2nd Int Zeolite Conf*, pp 556–566
- Courbe C, Velde B, Meunier A (1981) Weathering of glauconites: reversal of the glauconitization process in a soil profile in western France. *Clay Miner* 16:231–243
- Couture R (1977) Composition and origin of palygorskite-rich and montmorillonite-rich zeolite-containing sediments from the Pacific Ocean. *Chem Geol* 19:113–130
- Cradwick PDG, Farmer VC, Russell JD, Masson CR, Wada K, Yoshinaga N (1992) Imogolite, a hydrated aluminum silicate of tubular structure. *Nature (London) Phys Sci* 240:187–189
- Craig H (1961) Isotopic variations in meteoric waters. *Science* 133:1702–1703
- Creasey SC (1959) Some phase relations in hydrothermally altered rocks of porphyry copper deposits. *Econ Geol* 54:351–373
- Cuadros J, Linares J (1995) Some evidence supporting the existence of polar layers in mixed-layer illite/smectite. *Clays Clay Miner* 43:467–473
- Cuadros J, Altaner SP (1998) Compositional and structural features of the octahedral sheet in mixed-layer illite-smectite from bentonites. *Eur J Miner* 10:111–124
- Cuadros J, Sainz-Diaz CI, Ramirez R, Hernandez-Laguna A (1999) Analysis of Fe segregation in the octahedral sheet of bentonitic illite-smectite by means of FTIR, ^{27}Al MAS NMR and reverse Monte Carlo simulations. *Am J Sci* 299:289–308
- Dani N (1998) Petrologia das alterações posmagmáticas e meteoríticas das rochas alcalinas de Lages, SC-Brasil. Thèse Univ. Fed Rio Grande do Sul, Brasil, and Univ. Poitiers, France, 228 pp
- Dasgupta S, Chaudhuri AK, Fukuoka M (1990) Compositional characteristics of glauconitic alteration of K-feldspar from India and their implications. *J Sediment Petrol* 60:277–281
- Decarreau A (1990) Matériaux argileux. Structure, propriétés et applications. Soc Fr Mineral Cristall, Paris, 586 pp
- Decarreau A, Bonnin D (1986) Synthesis and crystallogeneses at low temperature of Fe(III)-smectites by evolution of coprecipitated gels: experiments in partially reducing conditions. *Clay Miner* 21:861–877
- Decarreau A, Petit S (1996) Clay synthesis and crystal growth. Short course on crystal growth in Earth Sciences. European Mineralogical Union, Lecture notes SC CG ES, pp 299–313
- Decarreau A, Bonnin D, Badaut-Trauth D, Couty R, Kaiser P (1987) Synthesis and crystallogeneses of ferric smectite by evolution of Si-Fe coprecipitates in oxidising conditions. *Clay Miner* 22:207–223
- Deconninck JF, Strasser A, Debrabant P (1988) Formation of illitic minerals at surface temperatures in Purbeckian sediments (Lower Berriasian, Swiss and French Jura). *Clay Miner* 23:91–103
- Deer WA, Howie RA, Zussman J (1962) Rock-forming minerals, vol 3. Sheet silicates. Wiley, New York, 270 pp
- Derjaguin B, Landau LD (1941) Theory of the stability of strongly charged lyophobic sols and the adhesion of strongly charged particles in solution of electrolytes. *Acta Physichchim URSS* 14:733–762
- Delhoume JP (1996) Fonctionnement hydro-pédologique d'une toposéquence de sols en milieu aride (réserve de la Biosphère de Mapimi, Nord-Mexique). Thèse Doctorat Univ. Poitiers, 295 pp
- Dixon JB, White GN (2002) Manganese oxides. In: Dixon JB, Schulze DG (eds) Soil mineralogy with environmental applications. Soil Science Society of America Book Series 7:367–388

- Dong H, Peacor DR (1996) TEM observation of coherent stacking relations in smectite, I/S and illite of shales: evidence for MasEwan crystallites and dominance of the 2M1 polytypism. *Clays Clay Miner* 44:257–275
- Douglas MC, MacEwan DMC, Wilson MJ (1980) Interlayer and intercalation complexes of clay minerals. In: Brindley GW, Brown G (eds) *Crystal structures of clay minerals and their identification*. Mineralogical Society Monograph 5, pp 197–248
- Dove PM, Crerar DA (1990) Kinetics of quartz dissolution in electrolyte solutions using a hydrothermal mixed flow reactor. *Geochim Cosmochim Acta* 54:955–969
- Drever JI (1982) *The geochemistry of natural waters*. Prentice Hall, Englewood Cliffs, NJ, 388 pp
- Drits VA, Lindgreen H, Sakharov BA, Salyn AS (1997) Sequence structure transformation of illite-smectite-vermiculite during diagenesis of Upper Jurassic shales, North Sea. *Clay Miner* 33:351–371
- Drits VA, Plançon A, Sakharov BA, Besson G, Tsipursky SI, Tchoubar C (1984) Diffraction effects calculated for structural models of K-saturated montmorillonite containing different types of defects. *Clay Miner* 19:541–561
- Drits VA, McCarty DK (1996) The nature of diffraction effects from illite and illite-smectite consisting of interstratified trans-vacant and cis-vacant 2:1 layers: a semiquantitative technique for determination of layer-type content. *Am Mineral* 81:852–863
- Drits VA, Varaxina TV, Sakharov BA, Plançon A (1994) A simple technique for identification of one-dimensional powder X-ray diffraction patterns for mixed-layer illite-smectites and other interstratified minerals. *Clays Clay Miner* 42:382–390
- Drits VA, Salyn AL, Sucha V (1996) Structural transformations of interstratified illite-smectites from Dolna Ves hydrothermal deposits: dynamics and mechanisms. *Clays Clay Miner* 44:181–190
- Drits VA, Tchoubar C (1990) X-ray diffraction by disordered lamellar structures. Theory and applications to microdivided silicates and carbons. Springer, Berlin Heidelberg New York, 371 pp
- Ducloux J (1989) Fontenay-Le-Comte C-14. Carte pédologique de France à moyenne échelle. INRA, 17, 204 pp
- Ducloux J, Meunier A, Velde B (1976) Smectite, chlorite and a regular interlayered chlorite-vermiculite in soils developed on a small serpentinite body, Massif Central, France. *Clay Miner* 11:121–135
- Dudoignon P (1983) Altérations hydrothermales et supergène des granites. Etude des gisements de Montebras (Creuse), de Sourches (Deux-Sèvres) et des arènes granitiques de Parthenay. Thèse de Spécialité, Univ. Poitiers, 117 pp
- Dudoignon P, Meunier A, Beaufort D, Gachon A, Buigues D (1989) Hydrothermal alteration at Muruoa Atoll (French Polynesia). *Chem Geol* 76:385–401
- Dudoignon P, Pantet A (1998) Measurement and cartography of clay matrix orientations by image analysis and grey-level diagram decomposition. *Clay Miner* 33:629–642
- Dudoignon P, Proust D, Gachon A (1997) Hydrothermal alteration associated with rift zones at Fangataufa Atoll (French Polynesia). *Bull Volcanol* 58:583–596
- Eberl D (1978) Reaction series for dioctahedral smectites. *Clays Clay Miner* 26:327–340
- Eberl D (1978) The reaction of montmorillonite to mixed layer clay: the effect of interlayer alkali and alkaline earth cations. *Geochim Cosmochim Acta* 42:1–7
- Eberl DD, Blum A (1993) Illite crystallite thickness by X-ray diffraction. In: Reynolds RC, Walker JR (eds) *Computer applications to X-ray powder diffraction analysis of clay minerals*. CMS Workshop Lectures 5, pp 124–153

- Eberl DD, Hower J (1975) Kaolinite synthesis: the role of Si/al and (alkali)/(H⁺) ratio in hydrothermal systems. *Clays Clay Miner* 23:301–309
- Eberl DD, Hower J (1976) Kinetics of illite formation. *Geol Soc Am Bull* 87:1326–1330
- Eberl DD, Srodon J (1988) Ostwald ripening and interparticle-diffraction effects for illite crystals. *Am Mineral* 73:1335–1345
- Eberl DD, Srodon J, Kralik M, Taylor BE, Peterman ZE (1990) Ostwald ripening of clays and metamorphic minerals. *Science* 248:474–477
- Eberl DD, Srodon J, Lee M, Nadeau PH, Northrop HR (1987) Sericite from the Silverton caldera, Colorado: correlation among structure, composition, origin and particle thickness. *Am Mineral* 72:914–934
- Eberl DD, Srodon J, Northrop HR (1986) Potassium fixation in smectite by wetting and drying. In: Davis JA, Hayes KF (eds) *Geochemical processes at mineral surfaces*. *Am Chem Soc Symp Ser* 323:296–326
- Edwards M (1986) Glacial environments. In: Reading HG (ed) *Sedimentary environments and facies*. Blackwell, Oxford, pp 445–470
- Eggleton RA (1977) Nontronite: chemistry and X-ray diffraction. *Clay Miner* 12:181–194
- Eggleton RA (1986) The relation between crystal structure and silicate weathering rate. In: Colman SM, Dethier DP (eds) *Rates of chemical weathering of rocks and minerals*. Academic Press, New York, pp 21–40
- Eggleton RA, Busek PR (1980) High-resolution electron microscopy of feldspar weathering. *Clays Clay Miner* 28:173–178
- Eggleton RA, Boland JN (1982) Weathering of enstatite to talc through a sequence of transitional phases. *Clays Clay Miner* 30:11–20
- Ehrenberg SN, Aagaard P, Wilson MJ, Fraser AR, Duthie DML (1993) Depth-dependent transformation of kaolinite to dickite in sandstones of the Norwegian continental shelf. *Clay Miner* 28:325–352
- Ehrmann WU, Melles M, Kuhn G, Grobe H (1992) Significance of clay mineral assemblages in the Antarctic Ocean. *Mar Geol* 107:249–273
- Elder JW (1981) *Geothermal systems*. Academic Press, New York, 508 pp
- Elliott WC, Aronson JL, Matisoff G, Gautier DL (1991) Kinetics of the smectite to illite transformation in the Denver Basin: clay minerals, K-Ar data and mathematical results. *Am Assoc Petrol Geol Bull* 75:426–462
- Ellis AJ, Mahon WAJ (1977) *Chemistry and geothermal systems*. Academic Press, New York, pp 392
- Elprince AM, Mashhady AS, Aba-Hussayn MM (1979) The occurrence of pedogenic palygorskite (attapulgitite) in Saudi Arabia. *Soil Sci* 128:211–218
- Escande MA (1983) Echangeabilité et fractionnement isotopique de l'oxygène des smectites magnésiennes de synthèse. Etablissement d'un géothermomètre. Thèse Doct Univ. Paris-Sud, 150 pp
- Eslinger E (1971) Mineralogy and oxygen isotope ratios of hydrothermal and low-grade metamorphic argillaceous rocks. PhD Thesis, Univ. Cleveland, 205 pp
- Eslinger E, Pevear D (1988) Clay minerals for petroleum geologists and engineers. SEPM short course 22, Soc Econ Paleontol Mineral, 420 pp
- Eslinger E, Savin SM (1973) Mineralogy and oxygen isotope geochemistry of the hydrothermally altered rocks of the Oaki-Broadlands, New-Zealand geothermal area. *Am J Sci* 273:240–267
- Eslinger EV, Yeh HW (1981) Mineralogy of O¹⁸/O¹⁶ and D/H ratios of clay-rich sediments from Deep Sea Drilling Project site 180, Aleutian Trench. *Clays Clay Miner* 29:309–315

- Esposito KJ, Whitney G (1995) Thermal effects of thin igneous intrusions on diagenetic reactions in a Tertiary basin of Southwestern Washington. US Geol Survey Bull 2085-C, 36 pp
- Essene EJ, Peacor DR (1995) Clay mineral thermometry: a critical perspective. *Clays Clay Miner* 43:540–553
- Eswaran H, Bin WC (1978) A study of a deep weathering profile on granite in peninsular Malaysia. III Alteration of feldspars. *Soil Soc Am J* 42:154–158
- Fagel N, Debrabant P, de Menocal P, Demoulin B (1992) Utilisation des minéraux sédimentaires argileux pour la reconstitution des variations paléoclimatiques à court terme en Mer d'Arabie. *Oceanol Acta* 15:125–136
- Fang-Ru Chou Chang, Skipper NT, Sposito G (1998) Monte Carlo and molecular dynamics simulations of electrical double-layer structure in potassium-montmorillonite hydrates. *Langmuir* 14:1201–1207
- Faure G (1986) *Principles of isotope geology*, 2nd edn. Wiley, New York, 589 pp
- Feth TH, Bobertson CE, Polzer WE (1964) Sources of mineral constituents in waters from granitic rocks, Sierra Nevada, California and Nevada. U.S. Geol Surv Water Supply Paper 1535:70
- Feuillet JP, Fleischer P (1980) Estuarine circulation: controlling factor of clay mineral distribution in James River estuary, Virginia. *J Sediment Petrol* 50:267–279
- Fialips CI, Petit S, Decarreau A (2000) Hydrothermal formation of kaolinite from various metakaolins. *Clay Miner* 35:559–572
- Fialips CI, Petit S, Decarreau A, Beaufort D (2000) Influence of synthesis pH on kaolinite “crystallinity” and surface properties. *Clays Clay Miner* 48:173–184
- Fontanaud A, Meunier A (1983) Mineralogical facies of a serpentized lherzolite from Pyrénées, France. *Clay Miner* 18:77–88
- Fontes JC, Letolle R, Olive P, Blavoux B (1967) Oxygène 18 et tritium dans le bassin d'Evian. In: *Isotopes in hydrology*. IAEA, pp 401–415
- Foscolos AE, Kodama H (1974) Diagenesis of clay minerals from lower Cretaceous shales of North Eastern British Columbia. *Clays Clay Miner* 22:319–335
- Foster MD (1960) Interpretation of the composition of trioctahedral micas. *Prof Pap U.S. Geol Survey* 354-B:11–49
- Foster MD (1962) Interpretation of the composition and a classification of the chlorites. *U.S. Geol Survey Prof Paper* 414-A:33
- France-Lanord C, Derry L, Michard A (1993) Evolution of the Himalayas since Miocene time: isotopic and sedimentological evidence from the Bengal Fan. In Treloar PJ, Searle MP (eds) *Himalayan Tectonics*. Geol Soc London Special Publ 74, pp 603–621
- Franchi M, Bramanti E, Morassi Bonzi L, Orioli PL, Vettori C, Gallori E (1999) Clay-nucleic acid complexes: characteristics and implications for the preservation of genetic material in primeval habitats. *Origins Life Evo B* 29:297–315
- Frank-Kamenestkii VA, Kotov NV, Tomashenko AN (1973) The role of AlIV (tetrahedral) and AlVI (octahedral) in layer silicate synthesis and alteration. *Geokhimiya* 8:1153–1162 (English translation, *Geochem Int* 1973:867–874)
- Fransolet AM, Schreyer W (1984) Sudoite, Di/trioctahedral chlorite: a stable low-temperature phase in the system MgO-Al₂O₃-SiO₂-H₂O. *Contrib Mineral Petrol* 86:409–417
- Frey M (1969) A mixed layer Paragonite/Phengite of low grade metamorphism origin. *Contrib Mineral Petrol* 24:63–65
- Frey M, Robinson G (1999) *Low-grade metamorphism*. Blackwell, Oxford, 313 pp

- Frey M, Teichmüller M, Teichmüller R, Mullis J, Künzi B, Breitschmid A, Griner U, Schwizer B (1980) Very low grade metamorphism in external parts of the Central Alps: illite crystallinity, coal rank and fluid inclusion data. *Eclogae Geol Helv* 73:173–203
- Friedman I, O'Neil JR (1977) Compilation of stable isotope fractionation factors of geochemical interest. In: Fleischer M (ed) *Data of geochemistry*, 6th edn. US Gov Printing Office, Washington, DC
- Fritz B (1981) Etude thermodynamique et modélisation des réactions hydrothermales et diagénétiques. *Sciences Géologiques Mém* 65:197
- Fritz P, Fontes JC (1980) *Handbook of environmental isotope geochemistry*, vol 1. Elsevier, Amsterdam, 328 pp
- Fritz SJ, Toth TA (1997) An Fe-berthierine from a Cretaceous laterite: Part II. Estimation of Eh, pH and pCO₂ conditions of formation. *Clays Clay Miner* 45:580–586
- Frost RL (1995) Fourier transform Raman spectrometry of kaolinite, dickite and halloysite. *Clays Clay Miner* 43:191–195
- Frost RL, van der Gaast SJ (1997) Kaolinite hydroxyls-A raman microscopy study. *Clay Miner* 32:293–306
- Frost RL, Thu Ha Tran, Kristof J (1997) FT-Raman spectroscopy of the lattice region of kaolinite and its intercalates. *Vibration Spectros* 13:175–186
- Fyfe WS, Price N, Thompson AB (1978) *Fluids in the Earth's crust*. Elsevier, Amsterdam, 340 pp
- Garrels RM (1984) Montmorillonite/illite stability diagrams. *Clays Clay Miner* 32:161–166
- Garrels RM, Christ LL (1965) *Solutions, minerals and equilibria*. Freeman, Cooper, San Francisco, 450 pp. Traduction en français par Wollast R (1967) *Equilibres des minéraux et de leurs solutions aqueuses*. Gauthier-Villars, Paris, 335 pp
- Garrels RM, Howard DF (1957) Reactions of feldspar and mica with water at low temperature and pressure. In: *Proc 6th Conf Clays Clay Miner*. Pergamon Press, New York, pp 68–88
- Garrels RM, Mackenzie FT (1971) *Evolution of sedimentary rocks*. WW Norton, New York, 397 pp
- Gautier DL (1986) Roles of organic matter in sediment diagenesis. *SEPM Special Publication* 38, *Soc Econ Paleonto Mineral*, 203 pp
- Gautier DL, Kharaka YK, Surdam RC (1985) Relationships of organic matter and mineral diagenesis. *SEPM short course* 17, *Soc Econ Paleonto Mineral*, 279 pp
- Ghent ED, Robbins DB, Stout MZ (1979) Geothermometry, geobarometry and fluid compositions of metamorphosed calc-silicates and pelites, Mica Creek, British Columbia. *Am Mineral* 64:874–885
- Gibbs R (1967) The geochemistry of the Amazon River Basin. Part I; The factors that control the salinity and the composition and concentration of suspended solids. *Geol Soc Am Bull* 78:1203–1232
- Giese RF Jr (1988) Kaolin minerals: structures and stabilities. Chapter 3. In: Bailey SW (ed) *Hydrous phyllosilicates (exclusive of micas)*. *MSA Rev Mineral* 19:29–66
- Gilkes RJ, Scholz G, Dimmock GM (1973) Lateritic deep weathering of granite. *J Soil Sci* 24:523–536
- Gillot F, Righi D, Räisänen ML (1999) Formation of smectites and their alteration in two chronosequences of podzols in Finland. *Canadian J Soil Sci*
- Giorgetti G, Memmi I, Nieto F (1997) Microstructures of intergrown phyllosilicate grains from Verrucano metasediments (northern Apennines, Italy). *Contrib Mineral Petrol* 128:127–138
- Giresse P, Odin GS (1973) Nature minéralogique et origine des glauconies du plateau continental du Gabon et du Congo. *Sedimentology* 20:457–488

- Glassman JR, Lundegard PD, Clark RA, Penny BK, Collins ID (1989) Geochemical evidence for the history of diagenesis and fluid migration: Brent sandstone, Heather Field, North Sea. *Clay Miner* 24:255–284
- Goldschmidt PM, Pfirman SL, Wollenburg I, Heinrich R (1992) Origin of sediment pellets from the Arctic seafloor: sea ice or iceberg? *Deep Sea Res* 39:539–565
- Gooding JL (1992) Soil mineralogy and chemistry on Mars: possible clues from salts and clays in SNC meteorites. *Icarus* 99:28–41
- Goy-Eggenberger D (1998) Faible métamorphisme de la nappe de Morcles: Minéralogie et géochimie. Thèse Univ. Neuchâtel, Suisse, 192 pp
- Grahame DC (1947) The electrical double layer and the theory of electrocapillarity. *Chem Rev* 41:441–501
- Grauby O, Petit S, Decarreau A, Baronnet A (1993) The beidellite-saponite series: an experimental approach. *Eur J Mineral* 5:623–635
- Grauby O, Petit S, Decarreau A, Baronnet A (1994) The nontronite-saponite series: an experimental approach. *Eur J Mineral* 6:99–112
- Grim RE (1968) *Clay Mineralogy*, 2nd edn. McGraw Hill, New York, 596 pp
- Gueddari M (1984) Géochimie et thermodynamique des évaporites continentales. Etude du lac Natron en Tanzanie et du Chott El Jerid en Tunisie. *Sci Géol Mém* 76, 143 pp
- Gutsaenko GS, Samotoyin ND (1966) The decoration method applied to the study of clay minerals. In: *Proc Int Clay Conf, Jerusalem*, 1, pp 391–400
- Güven N (1988) Smectites. In: Bailey W (ed) *Hydrous phyllosilicates (exclusive of micas)*. *Rev Mineral* 19:497–559
- Güven N (2001) Mica structure and fibrous growth of illite. *Clays Clay Miner* 49:189–196
- Hannington MD, Jonasson IR, Herzig PM, Petersen S (1995) Physical and chemical processes of seafloor mineralization at mid-ocean ridges. In: *Seafloor hydrothermal systems: physical, chemical, biological and geological interactions*. *Geophysical Monograph* 91:115–175
- Hanor JS (1988) Origin and migration of subsurface sedimentary brines. *Soc Econ Paleont Mineral Tulsa, Short Course* 24, 248 pp
- Harder H (1978) Synthesis of iron layer silicate minerals under natural conditions. *Clays Clay Miner* 26:65–72
- Hardie LA, Eugster HP (1970) The evolution of closed-basin brines. *Min Soc Am Spec Paper* 3:273–290
- Harper CT (1970) Graphical solutions to the problem of $^{40}\text{Ar}^*$ loss from metamorphic minerals. *Eclogae Geol Helv* 63:1500–1507
- Harris RC, Adams JAS (1966) Geochemical and mineralogical studies on the weathering of granitic rocks. *Am J Sci* 264:146–173
- Hart R (1970) Chemical exchange between sea water and deep ocean basalts. *EP SL* 9:269–279
- Hartmann M (1980) Atlantis II deep geothermal brine system. Hydrographic situation in 1977 and changes since 1965. *Deep Sea Research* 27A:161–171
- Harward ME, Brindley GW (1966) Swelling properties of synthetic smectites in relation to lattice substitutions. *Clays Clay Miner* 13:209–222
- Hazen RM, Wones DR (1972) The crystal structures of one-layer phlogopite and annite. *Am Mineral* 58:889–900
- Hedenquist JW, Arribas A, Reynolds TJ (1998) Evolution of an intrusion-centered hydrothermal system: Far Southeast-Lepanto porphyry and epithermal Cu-Au deposits, Philippines. *Econ Geol* 93:373–404
- Hein JR, Scholl DW (1978) Diagenesis and distribution of Late Cainozoic volcanic sediment in the Southern Bering Sea. *Geol Soc Amer Bull* 89:197–210

- Helgeson HC, Delaney JM, Nesbitt HW, Bird DK (1978) Summary and critique of the thermodynamic properties of rock-forming minerals. *Am J Sci* 278A:1–229
- Hellmuth KH, Siitari-Kauppi M, Lindberg A (1993) Study of the porosity and migration pathways in crystalline rock by impregnation with ^{14}C -polyméthylmethacrylate. *J Contamin Hydrol* 13:403–418
- Helmold KP, van de Kamp PC (1984) Diagenetic mineralogy and controls on albitisation and laumontite formation in Paleogene arkoses, Santa Inez Mountains, California. In: McDonald DA, Surdam RC (eds) *Clastic diagenesis*. *Am Assoc Petroleum Geol Mem* 27, Tulsa, Oklahoma, pp 239–276
- Henley RW, Ellis AJ (1983) Geothermal systems ancient and modern. *Earth Sci Rev* 19:1–50
- Henley RW, Truesdell AH, Barton PB, Whitney JA (1984) Fluid-mineral equilibria in hydrothermal systems. *Reviews in Economic Geology* 1:267
- Herbillon AJ, Makumbi MN (1975) Weathering of chlorite in a soil derived from chlorite schist under humid tropical conditions. *Geoderma* 13:89–104
- Herrero CP, Gregorkiewitz M, Sanz J, Serratos JM (1987) ^{29}Si MAS-NMR spectroscopy of mica-type silicates: observed and predicted distribution of tetrahedral Al-Si. *Phys Chem Minerals* 15:84–90
- Herrero CP, Sanz J, Serratos JM (1985) Si, Al distribution in micas: analysis of high-resolution ^{29}Si NMR spectroscopy. *J Phys C Solid State* 18:13–22
- Herrero CP, Sanz J, Serratos JM (1989) Dispersion of charge deficits in the tetrahedral sheet of phyllosilicates. Analysis from ^{29}Si NMR spectra. *J Phys Chem* 93:4311–4315
- Hess PC (1966) Phase equilibria of some minerals in the $\text{K}_2\text{O}-\text{Na}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ system at 25 °C and 1 atmosphere. *Am J Sci* 264:289–309
- Heuvel RC van den (1966) The occurrence of sepiolite and attapulgite in the calcareous zone of a soil near Las Cruces, N. Mexico. *Clays Clay Miner* 13:193–207
- Hillier S (1993) Origin, diagenesis and mineralogy of chlorite minerals in Devonian lacustrine mudrocks, Orcadian Basin, Scotland. *Clays Clay Miner* 41:240–259
- Hillier S (1994) Pore-lining chlorites in siliclastic reservoir sandstones: electron microprobe, SEM and XRD data, and implications for their origin. *Clay Miner* 29:665–679
- Hillier S (1995) Erosion, sedimentation and sedimentary origin of clays. In: Velde B (ed) *Origin and mineralogy of clays. clays and the environment*. Springer, Berlin Heidelberg New York, pp 162–219
- Hillier S, Velde B (1991) Octahedral occupancy and the chemical composition of diagenetic (low-temperature chlorites) *Clay Miner* 26:149–168
- Hillier S, Velde B (1992) Chlorite interstratified with a 7 Å mineral: an example from offshore Norway and possible implications for the interpretation of the composition of diagenetic chlorites. *Clay Miner* 27:475–486
- Hodder APW, Green BE, Lowe DJ (1990) A two-stage model for the formation of clay minerals from tephra-derived volcanic glass. *Clay Miner* 25:313–327
- Hoefs J (1980) *Stable isotope geochemistry*, 2nd edn. Springer, Berlin Heidelberg New York, 208 pp
- Hofmann U, Klemen R (1950) Verlust der Austauschfähigkeit von Lithiumionen an Bentonit durch Erhitzung. *Zeitsch Anorg Chem* 262:95–99
- Holdren GR Jr, Speyer P (1986) Stoichiometry of alkali feldspar dissolution at room temperature and various pH values. In: Colman SM, Dethier DP (eds) *Rates of chemical weathering of rocks and minerals*. Academic Press, New York, pp 61–81
- Holtzapffel T, Chamley H (1986) Les smectites lattées du domaine Atlantique depuis le Jurassique supérieur: gisement et signification. *Clay Miner* 21:133–148

- Hornibrook ERC, Longstaffe FJ (1996) Berthierine from the lower Cretaceous Clearwater Formation, Alberta, Canada. *Clays Clay Miner* 44:1–21
- Horton DG (1985) Mixed layer illite/smectite as a paleotemperature indicator in the Amethyst vein system, Creede district, Colorado, USA. *Contrib Mineral Petrol* 91:171–179
- Howard JJ (1981) Lithium and potassium saturation of illite/smectite clays from interlaminated shales and sandstones. *Clays Clay Miner* 29:136–142
- Howard JJ, Roy DM (1985) Development of layer charge and kinetics of experimental smectite alteration. *Clays Clay Miner* 33:81–88
- Hower J (1961) Some factors concerning the nature and origin of glauconite. *Am Mineral* 47:886–896
- Hower J (1981) Shale diagenesis. In: Longstaff FJ (ed) *Short course in clays and the resource geologist*. Miner Assoc Canada, pp 60–80
- Hower J, Eslinger EV, Hower ME, Perry EA (1976) Mechanism of burial and metamorphism of argillaceous sediments: 1. Mineralogical and chemical evidence. *Geol Soc Am Bull* 87:725–737
- Hower J, Mowatt TC (1966) The mineralogy of illites and mixed-layer illite/montmorillonites. *Am Mineral* 51:825–854
- Huang WL, Longo JM, Pevear DR (1993) An experimentally derived kinetic model for smectite-to-illite conversion and its use as a geothermometer. *Clays Clay Miner* 41:162–177
- Huff WD, Türkmenoglu AG (1981) Chemical characteristics and origin of Ordovician K-bentonites along the Cincinnati Arch. *Clays Clay Miner* 29:113–123
- Huff WD, Anderson TB, Rundle CC, Odin GS (1991) Chemostratigraphy, K-Ar ages and illitization of Silurian K-bentonites from the Central Belt of the Southern Uplands-Down-Longford terrane, British Isles. *J Geol Soc* 148:861–868
- Humphris S, Thompson RN, Marriner GF (1980) The mineralogy and chemistry of basalt weathering, Holes 417A and 418B. DSDP Initial Reports, vol. 51–52–53, pp 1201–1217
- Hunziker JC (1986) The evolution of illite to muscovite: an example of the behaviour of isotopes in low-grade metamorphic terrains. In: Deutsch S, Hofmann AW (eds) *Isotopes in geology*. *Chem Geol* 57:34–40
- Hutcheon I, Oldershaw A, Ghent ED (1980) Diagenesis of Cretaceous sandstones of the Kootenay Formation at Elk Valley (southeast British Columbia) and Mt. Allan (south-western Alberta). *Geochim Cosmochim Acta* 44:1425–1435
- Iijima A, Matsumoto R (1982) Berthierine and chamosite in coal measures of Japan. *Clays Clay Miner* 30:264–274
- Iijima A, Utada M (1966) Zeolites in sedimentary rocks, with reference to the depositional environments and zonal distribution. *Sedimentology* 28:185–200
- Iijima A, Utada M (1971) Present-day zeolitic diagenesis of the Neogene geosynclinal deposits in the Niigata oil field, Japan. In: *Molecular sieve zeolites-I*. *Adv Chem Ser* 101:342–348
- Iiyama JT, Roy R (1963) Controlled synthesis of heteropolytypic (mixed layer) clay minerals. *Clays Clay Miner* 10:4–22
- Iiyama JT, Roy R (1963) Unusually stable saponite in the system $\text{Na}_2\text{O}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$. *Clay Miner Bull* 5:161–171
- Ildefonse P (1980) Mineral facies developed by weathering of a meta-gabbro, Loire-Atlantique (France). *Geoderma* 24:257–273
- Ildefonse P (1987) Analyse pétrologique des altérations prémétéoriques et météoriques de deux roches basaltiques (basalte alcalin de Belbex, Cantal et hawaïte de M'Bouda, Cameroun). Thèse doctorat, Univ. Paris 7, 323 pp

- Imbert T, Desprairies A (1987) Neof ormation of halloysite on volcanic glass in a marine environment. *Clay Miner* 31:81–91
- Inoue A (1985) Chemistry of corrensite: a trend in composition of trioctahedral chlorite/smectite during diagenesis: *J Coll Arts Sci Chiba Univ. B*-18:69–82
- Inoue A, Aoki M (1999) In situ growing kaolinite under hydrothermal conditions of Ohyunuma explosion crater lake, Hokkaido, Japan. In: *Proc 11th Int Clay Conf, Ottawa*, pp 673–680
- Inoue A, Aoki M, Ito H (2000) Mineralogy of Ohunuma explosion crater lake, Hokkaido, Japan. Part 2: dynamics of kaolinite formation. *Clay Sci* (in press)
- Inoue A, Kitagawa R (1994) Morphological characteristics of illitic clay minerals from a hydrothermal system. *Am Mineral* 79:700–711
- Inoue A, Utada M (1991) Smectite to chlorite transformation in thermally metamorphosed volcanoclastic rocks in the Kamikita area, northern Honshu, Japan. *Am Mineral* 76:628–640
- Inoue A, Utada M, Nagata H, Watanabe T (1984) Conversion of trioctahedral smectite to interstratified chlorite/smectite in Pliocene acidic pyroclastic sediments of the Ohyu district, Akita Prefecture, Japan. *Clay Sci* 6:103–106
- Inoue A, Utada M, Wakita K (1992) Smectite to illite conversion in natural hydrothermal systems. *Appl Clay Sci* 7:131–145
- Inoue A, Velde B, Meunier A, Touchard G (1988) Mechanism of illite formation during smectite-to-illite conversion in a hydrothermal system. *Am Mineral* 73:1325–1334
- Iriarte Lecumberri I (2003) Synthèse de minéraux argileux dans le système $\text{SiO}_2 - \text{Al}_2\text{O}_3 - \text{Fe}_2\text{O}_3 - \text{MgO} - \text{Na}_2\text{O} - \text{H}_2\text{O}$. PhD Thesis (cotutella) Univ. Poitiers and Granada, 241 pp
- Jaboyedoff M (1999) Transformation des interstratifiés illite-smectite vers l'illite et la phengite: un exemple dans la série carbonatée du domaine Briançonnais des Alpes suisses romandes. Thèse Univ. Lausanne, 452 pp
- Jaboyedoff M, Kübler B, Thélin P (1999) An empirical equation for weakly swelling mixed-layer minerals, especially illite-smectite. *Clay Miner* 34:601–617
- Jaeger JC (1964) Thermal effects of intrusions. *Reviews of Geophysics* 2:443–466
- Jaeger JC (1968) Cooling and solidification of igneous rocks. In: Hess H (ed) *Basalts*, vol 2. Wiley, New York, pp 504–535
- Jakobsen HJ, Nielsen NC, Lindgreen H (1995) Sequences of charged sheets in rectorite. *Am Mineral* 80:247–252
- Jahren JS, Aagaard P (1989) Compositional variations in diagenetic chlorites and illites and relationships with formation-water chemistry. *Clay Miner* 24:157–170
- Jeans CV, Mitchell JG, Scherer M, Fisher MJ (1994) Origin of the Permo-Triassic clay mica assemblage. *Clay Miner* 29:575–589
- Jennings S, Thompson GR (1987) Diagenesis in the Plio-Pleistocene sediments of the Colorado River Delta, southern California. *J Sediment Petrol* 56:89–98
- Jeong GY, Kim HB (2003) Mineralogy, chemistry, and formation of oxidized biotite in the weathering profile of granitic rocks. *Am Mineral* 88:352–364
- Jiang WT, Peacor DR, Buseck PR (1994) Chlorite geothermometry? Contamination and apparent octahedral vacancies. *Clays Clay Miner* 42:593–605
- Jones BF, Galan E (1988) Sepiolite and palygorskite. In: Bailey SW (ed) *Hydrous phyllosilicates (exclusive of micas)*. *Rev Mineral* 19:631–674
- Juteau T, Noack Y, Whitechurch H (1979) Mineralogy and geochemistry of alteration products in holes 417A and 417D basement samples (Deep Sea Drilling Project LEG 51). In: Donnelly T, Francheteau J, Bryan W, Robinson P, Flower M, Salisbury M (eds) *Initial reports of the deep sea drilling project*. Vol. Ll, Lll, Llll, pp 1273–1297

- Juteau T, Maury R (1999) Géologie de la croûte océanique. Pétrologie et dynamique endogènes. Dunod, Paris, 367 pp
- Kaleda KG, Cherkes ID (1991) Alteration of glauconite minerals in contact with heated (100 °C) water. *Int Geol Rev* 33:203–208
- Karlin R (1980) Sediment sources and clay mineral distributions off the Oregon coast. *J Sediment Petrol* 50:543–560
- Kawamura K, Ferris J (1999) Clay catalysis of oligonucleotide formation: kinetics of the reaction of the 5'-phosphorimidazolides of nucleotides with the non-basic heterocycles uracil and hypoxanthine. *Origins Life Evo B* 29:563–591
- Keller J, Ryan WBF, Ninkovich D, Altherr R (1978) Explosive volcanic activity in the Mediterranean over the past 200,000 years as recorded in deep-sea sediments. *Geol Soc Am Bull* 89:591–564
- Kharpoff AM (1984) Miocene red clays of the South Atlantic: dissolution facies of calcareous oozes at Deep Sea Drilling Project sites 519 to 523, Leg 73. In: Hsü KJ, Labrecque JL et al. (eds) Initial report of deep sea drilling project 73, Washington, DC, pp 515–535
- Kisch HJ (1981) Coal rank and illite crystallinity associated with the zeolite facies of Southland and the pumpellyite-bearing facies of Otago, southern New Zealand. *N Zeal J Geol Geophys* 24:349–360
- Kitagawa R (1992) Surface microtopographies of pyrophyllite from the Shozokan area, Chugoku Province, Southwest Japan. *Clay Sci* 8:285–295
- Kitagawa R (1995) Coarsening process of a hydrothermal sericite sample using surface microtopography and transmission electron microscopy techniques. In: Churchman GJ, Fitzpatrick RW, Eggleton RA (eds) Clays controlling the environment. In: Proc Int Clay Conf, Adelaide, pp 249–252
- Kitagawa R (1997) Surface microtopographies of clay minerals by Au-decoration method and its technical problems. *Nendo Kagaku* 4:215–220
- Kitagawa R, Matsuda T (1992) Microtopography of irregularly-interstratified mica and smectite. *Clays Clay Miner* 40:114–121
- Klein G de V (1991) Basin – forming processes. In: Force ER, Eidel JJ, Maynard JB (eds) Sedimentary and diagenetic mineral deposits: a basin analysis approach to exploration. *Soc Econ Geol Reviews in Economic Geology* 5:25–41
- Klopprogge JT, Jansen JBH, Geus JW (1990) Characterization of synthetic Na-beidellite. *Clays Clay Miner* 38:409–414
- Klopprogge JT, Komarneni S, Amonette J (1999) Synthesis of smectite clay minerals: a critical review. *Clays Clay Miner* 47:529–554
- Klopprogge JT, van der Eerden AMJ, Jansen JBH, Geus JW, Schuiling RD (1993) Synthesis and paragenesis of Na-beidellite as function of temperature, water pressure and sodium activity. *Clays Clay Miner* 41:423–430
- Koizumi M, Roy R (1959) Synthetic montmorillonoids with variable exchange capacity. *Am Mineral* 44:788–805
- Kolla V, Kostecki JA, Robinson F, Biscaye PE, Ray PK (1981) Distributions and origins of clay minerals and quartz in surface sediments of the Arabian Sea. *J Sediment Petrol* 51:563–569
- Korzinskii DS (1959) Physicochemical basis of the analysis of the paragenesis of minerals (Trans.). Consultant Bureau, New York, 143 pp
- Kossovskaia AG, Drits VA (1970) The variability of micaceous minerals in sedimentary rocks. *Sedimentology* 15:83–101
- Köster HM, Ehrlicher U, Gilg HA, Jordan R, Murad E, Onnich K (1999) Mineralogical and chemical characteristics of five nontronites and Fe-rich smectites. *Clay Miner* 34:579–599

- Koster van Groos AF, Guggenheim S (1987) Dehydration of a Ca- and a Mg-exchanged montmorillonite (Swy-1) at elevated pressures. *Am Mineral* 72:292–298
- Koster van Groos AF, Guggenheim S (1990) High-pressure differential thermal analysis: application to clay minerals. In: Stucki JW, Mumpton FA (eds) *Thermal analysis in clay science*. CMS Workshop Lectures 3, pp 50–94
- Kounestron O, Robert M, Berrier J (1977) Nouvel aspect de la formation des smectites dans les vertisols. *CR Acad Sci Paris* 284:733–736
- Kretz R (1994) *Metamorphic crystallization*. Wiley, New York, 507 pp
- Kristmannsdottir H (1975) Hydrothermal alteration of basaltic rocks in Icelandic geothermal areas. In: *Proc 2nd UN Symposium on the Development and Use of Geothermal Resources*. Lawrence Berkeley Laboratory, CA, pp 441–445
- Kristmannsdottir H (1977) Types of clay minerals in hydrothermally altered basaltic rocks, Reykjanes, Iceland. *Jokull* 26:30–39
- Kristmannsdottir H (1978) Alteration of basaltic rocks by hydrothermal activity at 100–300 °C. *Developments in Sedimentology* 27:359–367
- Kübler B (1964) Les argiles, indicateurs de métamorphisme. *Rev Inst Franç Pétrol* 19:1093–1112
- Kübler B (1969) Crystallinity of illite. Detection of metamorphism in some frontal part of the Alps. *Referate der Vorträge auf der 47. Jahrestagung der Deutschen Mineral Ges* 29–40
- Kübler B (1973) La corrensite, indicateur possible de milieux de sédimentation et du degré de transformation d'un sédiment. *Bull Centre Rech Pau-S.N.P.A.* 7:543–556
- Kübler B (1984) Les indicateurs des transformations physiques et chimiques dans la diagenèse, température et calorimétrie. In: Lagache M (ed) *Thermométrie et barométrie géologiques*. *Soc Fr Mineral Cristall* 2:489–596
- Kuhlemann J, Lange H, Paetsch H (1993) Implication of a connection between clay mineral variations and coarse grained debris and lithology in the central Norwegian-Grenland Sea. *Mar Geol* 114:1–11
- Kyser TK (1987) Equilibrium fractionation factors for stable isotopes. In: Kyser TK (ed) *Stable isotope geochemistry of low temperature processes*. Short course handbook 13, Miner Assoc Can, Toronto, pp 1–84
- Laffon B, Meunier A (1982) Les réactions minérales des micas hérités et de la matrice argileuse au cours de l'itération supérogène d'une marne (Roumazières, Charente). *Sci Géol* 35:225–236
- Lagache M (1984) *Thermométrie et barométrie géologique*. *Soc Fr Minéral Cristall*:663 pp
- Lagaly G, Weiss A (1969) Determination of the layer charge in mica-type layer silicates. In: *Proc Int Clay Conf*, Tokyo, Japan, 1, pp 61–80
- Laird DA (1994) Evaluation of the structural formula and alkylammonium methods of determining layer charge. In: Mermut AR (ed) *Layer charge characteristics of 2:1 silicate clay minerals*, pp 80–103
- Lambert SJ, Epstein S (1980) Stable isotope investigations of active geothermal system in Valles Caldera, Jemez Mountains, New Mexico. *J Volcanol Geotherm Res* 8:111–129
- Land LS, Dutton SP (1978) Cementation of a Pennsylvanian deltaic sandstone: isotopic data. *J Sediment Petrol* 48:1167–1176
- Lanson B (1990) Mise en évidence des mécanismes de transformation des interstratifiés illite/smectite au cours de la diagenèse. Thèse Univ. Paris VI, 366 pp
- Lanson B, Champion D (1991) The I/S to illite reaction in the late stage diagenesis. *Am J Sci* 291:473–506

- Lanson B, Beaufort D, Berger G, Baradat J, Lacharpagne JC (1996) Illitization of diagenetic kaolinite-to-dickite conversion series: late stage diagenesis of the Lower Permian Rotliegend sandstone reservoir. Offshore of the Netherlands. *J Sediment Res* 66:501–518
- Lanson B, Meunier A (1995) La transformation des interstratifiés ordonnés ($S \geq 1$) illite-smectite en illite dans les séries diagénétiques. Etat des connaissances et perspective. *Bull Centres Rech Explor.-Prod. Elf Aquitaine* 19:149–165
- Laperche V (1991) Etude de l'état et de la localisation des cations compensateurs dans les phyllosilicates par les méthodes spectrométriques. Thèse Univ. Paris VII, 104 pp
- Larsen G, Chilingar GV (1983) Diagenesis in sediments and sedimentary rocks 1–2. *Developments in Sedimentology* 25(A-B):579
- Lasaga AC, Kirkpatrick RJ (1981) Kinetics of geochemical processes. *Rev Mineral* 8:398
- Lasaga AC (1981) Rate laws of chemical reactions. In: Lasaga AC, Kirkpatrick RJ (eds) *Kinetics of geochemical processes. Rev Mineral* 8:1–68
- Laverne C (1987) Les altérations des basaltes en domaine océanique. Minéralogie, Pétrologie et Géochimie d'un système hydrothermal: le puits 504B, Pacifique oriental. Thèse Univ. Aix-Marseille
- Lawrence JR (1979) $^{18}\text{O}/^{16}\text{O}$ of the silicate fraction of recent sediments used as a provenance indicator of the South Atlantic. *Mar Geol* 33(M1–M7)
- Lawrence JR, Drever JI (1981) Evidence for cold water circulation at DSDP site 395: isotopes and chemistry of alteration products. *J Geophys Res* 86:5125–5133
- Lawrence JR, Drever JI, Anderson TF, Brueckner HK (1979) Importance of alteration of volcanic material in the sediments of Deep Sea Drilling site 323: chemistry. *Geochim Cosmochim Acta* 43:573–588
- Lawrence JR, Taylor HP (1971) Deuterium and oxygen-18 correlation: Clay minerals and hydroxides in Quaternary soil compared to meteoric waters. *Geochim Cosmochim Acta* 35:993–1003
- Lawrence JR, Taylor HP (1972) Hydrogen and oxygen isotope systematics in weathering profiles. *Geochim Cosmochim Acta* 36:1377–1393
- Lee M (1984) Diagenesis of the Permian Rotliegendes sandstone, North Sea: K/Ar, $\text{O}^{18}/\text{O}^{16}$ and petrologic evidence. PhD Thesis, Case Western Reserve University, Cleveland, 205 pp
- Lee JH, Ahn JH, Peacor DR (1985) Textures in layered silicates: progressive changes through diagenesis and low-temperature metamorphism. *J Sediment Petrol* 55:532–540
- Lee JH, Peacor DR, Lewis DD, Wintsch RP (1984) Chlorite-illite/muscovite interlayered and interstratified crystals: a TEM/STEM study. *Contrib Mineral Petrol* 88:372–385
- Léger CL (1997) Etude expérimentale des solutions solides octaédriques ternaires dans les smectites. Thèse Univ. Poitiers, 156 pp
- Levi B, Aguirre L, Nyström JO (1982) Metamorphic gradients in buried metamorphosed vesicular lavas: comparison of basalt and spilite in Cretaceous basic flows from central Chile. *Contrib Mineral Petrol* 80:49–58
- Longstaffe FJ, Ayalon A (1987) Oxygen-isotope studies of clastic diagenesis in the Lower Cretaceous Viking Formation, Alberta: implications for the role of meteoric water. In: Marshall JD (ed) *The diagenesis of sedimentary sequences. Geol Soc Spec* 36:277–296
- Longstaffe FJ, Racki MA, Ayalon A (1992) Stable isotope studies of diagenesis in berthierine-bearing oil sands, Clearwater Formation Alberta, Canada. In: Kharaka YK, Maest AS (eds) *Water rock interaction (WRI-7). Proc 7th Int Symp, Park City, USA*, pp 955–958
- Loveland PJ (1981) Weathering of a soil glauconite in southern England. *Geoderma* 25:35–54
- Lovering TS (1949) Rock alteration as a guide to ore – East Tintic district, Utah. *Econ Geol Mon* 1:65

- Lovering TS (1950) The geochemistry of argillic and related types of alteration. Colorado School of Mines Quart 45-1B:231-260
- Lowe DJ (1986) Controls and rates of weathering and clay mineral genesis in airfall tephra: a review and New Zealand case study. In: Colman SM, Dutie DP (eds) Rates of chemical weathering of rocks and minerals. Academic Press, New York, pp 265-230
- Lowell JD, Guilbert JM (1970) Lateral and vertical alteration and mineralization zoning in porphyry ore deposits. Econ Geol 65:373-408
- Luo X, Brigaud F, Vasseur G (1992) Compaction coefficient of argillaceous sediments: their implication, significance and determination. Norw Petrol Soc Elsevier, pp 321-332
- Lynn WC, Arhens RJ, Smith AL (2002) Soil minerals, their geographic distribution, and soil taxonomy. In: Dixon JB, Schulze DG (eds) Soil mineralogy with environmental applications. Soil Science Society of Am Book Series 7:691-709
- Mackinnon IDR, Zolensky M (1984) Proposed structures for poorly characterized phases in the C2 M carbonaceous chondrite meteorites. Nature 309:240-242
- Madejová J, Komadel P, Cícel B (1994) Infrared study of octahedral site populations in smectites. Clay Miner 29:319-326
- Maes A, Verheyden D, Cremers A (1985) Formation of highly selective cesium-exchange sites in montmorillonites. Clays Clay Miner 33:251-257
- Makumbi L, Herbillon AJ (1972) Vermiculitisation expérimentale d'une chlorite. Bull Groupe franç Argiles 24:153-164
- Malla PB, Douglas LA (1987) Identification of expanding layer silicates: layer charge vs. expanding properties. Proc Int Clay Conf, Denver 1985, pp 277-283
- Mamy J, Gautier JP (1976) Les phénomènes de diffraction des rayons X et électroniques par les réseaux atomiques. Application à l'étude de l'ordre cristallin dans les minéraux argileux. II: Evolution structurale de la montmorillonite associée au phénomène de fixation irréversible du potassium. Ann Agron 27:1-16
- Manceau A, Calas G (1985) Heterogeneous distribution of nickel in hydrous silicates from New Caledonia ore deposits. Am Mineral 70:549-558
- Manceau A, Calas G (1986) Ni-bearing clay minerals. 2. X-ray absorption study of Ni-Mg distribution. Clay Miner 21:341-360
- Manceau A, Calas G, Petiau J (1985) cation ordering in Ni-Mg phyllosilicates of geological interest. In: EXAFS and near edge structure III. Springer, Berlin Heidelberg New York, pp 358-361
- Mas A (2000) Etude pétrographique et minéralogique des mésostases d'unités basaltiques et hawaïtiques de l'Atoll de Moruroa (Polynésie Française). Origine des phyllosilicates en présence. Thèse Univ. Poitiers, 358 pp
- Matsuda T, Kodama H, Yang AF (1997) Ca-rectorite from Sano mine, Nagano prefecture, Japan. Clays Clay Miner 45:773-780
- Matsuhisa Y, Goldsmith JR, Clayton RN (1979) Oxygen isotopic fractionation in the system quartz-albite-anorthite-water. Geochim Cosmochim Acta 43:1131-1140
- McBride MB (1994) Environmental chemistry of soils. Oxford University Press, New York, 406 pp
- McDowell SD, Elders WA (1980) Authigenic layer silicate minerals in borehole Elmore 1, Salton sea geothermal field, California, USA. Contrib Mineral Petrol 74:293-310
- McEwan DMC (1961) Montmorillonite minerals. In: Brown G (ed) The X-ray identification and crystal structures of clay minerals. Mineralogical Society, London, pp 143-207
- McIlrath IA, Morrow DW (1990) Diagenesis. Geoscience Canada, reprint series 4, Geol Assoc Canada, 338 pp

- McMurtry GM, Wang Chung-Ho, Yeh Hsueh-Wen (1983) Chemical and isotopic investigations into the origin of clay minerals from the Galapagos hydrothermal mounds field. *Geochim Cosmochim Acta* 47:475–489
- Mélières F (1973) Les minéraux argileux de l'estuaire du Guadalquivir (Espagne). *Bull Gr Fr Argiles* 25:161–172
- Merceron T, Vieillard P, Fouillac AM, Meunier A (1992) Hydrothermal alterations in the Echassières granitic cupola (Massif Central, France). *Contrib Mineral Petrol* 112:279–292
- Mercury L (1998) Equilibres minéraux-solutions en domaine non saturé des sols. Thermodynamique de l'eau non capillaire et modélisation physicochimique. Doc BRGM, 283
- Mercury L, Vieillard P, Tardy Y (2001) Thermodynamics of ice polymorphs and "ice-like" water in hydrates and hydroxides. *Appl Geochem* 16:161–181
- Méring J (1949) L'interférence des rayons X dans les systèmes à stratification désordonnée. *Acat Crystallogr* 2:371–377
- Méring J (1975) Smectites. In: Gieseking JE (ed) *Soil components, vol 2: Inorganic components*. Springer, Berlin Heidelberg New York, pp 97–119
- Mermut AR (1994) Problems associated with layer charge characterization of 2:1 phyllosilicates. In: Mermut AR (ed) *Layer charge characteristics of 2:1 silicate clay minerals*, pp 106–122
- Merriman R, Frey M (1999) Patterns of very low-grade metamorphism in metapelitic rocks. In: Frey M, Robinson D (eds) *Low-grade metamorphism*. Blackwell, Oxford, pp 61–107
- Meunier A (1983) Micromorphological advances in rock weathering studies. In: Bullock P, Murphy CP (eds) *Int Working Meeting Soil Micromorphology*, pp 467–483
- Meunier A (1980) Les mécanismes de l'altération des granites et le rôle des microsystemes. Etude des arènes du massif granitique de Parthenay. *Mémoires SGF*, 1980, 140, 80 pp
- Meunier A (1995) Hydrothermal alteration by veins. In: Velde B (ed) *Origin and mineralogy of clays. Clays and the environment*. Springer, Berlin Heidelberg New York, pp 247–267
- Meunier A, Beaufort D, Parneix JC (1987) Dépôts minéraux et altérations liées aux microfracturations des roches: un moyen pour caractériser les circulations hydrothermales. *Bull Soc Géol France* 8, t. III, 5:163–171
- Meunier A, Lanson B, Beaufort D (2000) Vermiculitization of smectite interfaces and illite layer growth as a possible dual model for illite-smectite illitization in diagenetic environments: a synthesis. *Clay Miner* 35:573–586
- Meunier A, Velde B (1976) Mineral reactions at grain contact in early stages of granite weathering. *Clay Miner* 11:235–250
- Meunier A, Velde B (1986) Construction of potential-composition and potential-potential phase diagrams for solid solution-type phases: graphical considerations (a graphical method based on Korzhinskii' equipotential theory. *Bull Mineral* 109:657–666
- Meunier A, Velde B (1989) Solid solutions in illite/smectite mixed layer minerals and illite. *Am Mineral* 74:1106–1112
- Meunier A, Velde B, Griffault L (1998) The reactivity of bentonites: a review. An application to clay barrier stability for nuclear waste storage. *Clay Miner* 33:187–196
- Meybeck M (1987) Global chemical weathering of surficial rocks estimated from the river dissolved loads. *Am J Sci* 287:401–428
- Millot G (1964) *Géologie des argiles*. Masson, Paris, 510 pp
- Monnier F (1982) Thermal diagenesis in the Swiss molasse basin: implications for oil generation. *Can J Earth Sci* 19:328–342

- Montanez IP, Gregg JM, Shelton KL (1997) Basin-wide diagenetic patterns: integrated petrologic, geochemical and hydrologic considerations. *SEPM special publ 57*, Soc Sedim Geol Tulsa, 302 pp
- Montoya JW, Hemley JJ (1975) Activity relations and stabilities in alkali feldspar and mica alteration reactions. *Econ Geol* 70:577–594
- Morton JP (1985) Rb-Sr dating of diagenesis and source age of clays in Upper Devonian black shales of Texas. *Geol Soc Am Bull* 96:1043–1049
- Moore DM, Reynolds RC (1989) X-ray diffraction and the identification and analysis of clay minerals. Oxford University Press, New York, 332 pp
- Mossman JR, Clauer N, Liewig N (1992) Dating thermal anomalies in sedimentary basins: the diagenetic history of clay minerals in the Triassic sandstones of the Paris Basin (France). *Clay Miner* 27:211–226
- Mukarami T, Utsunomyia S, Yokoyama T, Kasama T (2003) Biotite dissolution process and mechanisms in the laboratory and in nature: early stage weathering environment and vermiculitization. *Am Mineral* 88:377–386
- Muller JP, Bocquier G (1986) Dissolution of kaolinite and accumulation of iron oxides in lateritic-ferruginous nodules: mineralogical and microstructural transformations. *Geoderma* 37:113–136
- Muller JP, Ildefonse P, Calas G (1990) Paramagnetic defect centers in hydrothermal kaolinite from an altered tuff in the Nopal uranium deposit, Chihuahua, Mexico. *Clays Clay Miner* 38:600–608
- Muller JP, Manceau A, Callas G, Allard T, Ildefonse P, Hazemann JL (1995) Crystal chemistry of kaolinite and Fe-Mn oxides: relation with formation conditions in low-temperature systems. *Am J Sci* 297:393–417
- Murakami T, Sato T, Watanabe T (1993) Microstructure of interstratified illite/smectite at 123 K: a new method for HERTM examination. *Am Mineral* 78:465–468
- Nadeau PH, Wilson J, McHardy WJ, Tait JM (1984) Interstratified clays as fundamental particles. *Science* 225:923–925
- Nagasawa K (1978) Kaolin minerals. In: Sudo T, Shimoda S (eds) *Clays and clay minerals in Japan*. Development in Sedimentology 26. Elsevier, Amsterdam, pp 189–219
- Nagy KL (1994) Application of morphological data obtained using scanning force microscopy to quantification of fibrous illite growth rates. In: Nagy KL, Blum AE (eds) *Scanning probe microscopy of clay minerals*. CMS Workshop Lectures 7, pp 204–239
- Nagy KL, Blum AE (1994) *Scanning Probe Microscopy of Clay Minerals*. CMS Workshop Lectures, The Clay Mineralogical Society, Boulder, 239 pp
- Nahon D (1991) *Introduction to the petrology of soils and chemical weathering*. Wiley, New York, 334 pp
- Nakasawa H, Yamada H, Fujita T (1992) Crystal synthesis of smectite applying very high pressure and temperature. *Appl Clay Sci* 6:395–401
- Nespolo M (2001) Perturbative theory of mica polytypism. Role of the M2 layer in the formation of inhomogeneous polytypes. *Clays Clay Miner* 49:1–23
- Neuhoff PS, Fridriksson T, Anorsson S, Bird DK (1999) Porosity evolution and mineral paragenesis during low-grade metamorphism of basaltic lavas at Teigarhorn, eastern Iceland. *Am J Sci* 299:467–501
- Newman ACD (1987) *Chemistry of clays and clay minerals*. Mineralogical Society Monograph 6, Mineralogical Society, 480 pp
- Newman ACD, Brown G (1966) Chemical changes during the alteration of micas. *Clay Miner* 23:337–342

- Newman ACD, Brown G (1987) The chemical constitution of Clays. In: Newman ACD (ed) Chemistry of clays and clay minerals. Mineral Soc Monograph 6, Mineralogical Society, pp 1–128
- Nguyen Kha, Rouiller J, Souchier B (1976) Premiers résultats concernant une étude expérimentale du phénomène d'appauvrissement dans les Pélosols. *Sci Sol* 4:269–268
- Nickkling WG (1994) Aeolian sediment transport and deposition. In: Pye K (ed) Sediment transport and depositional processes. Blackwell, Oxford, pp 293–350
- Norrish K, Pikerling JG (1983) Clay minerals. In: Soils: an Australian viewpoint. Academic Press, London, pp 281–308
- Northrop DA, Clayton RN (1966) Oxygen isotope fractionations in systems containing dolomite. *J Geol* 74:174–195
- Norton D, Knight J (1977) Transport phenomena in hydrothermal systems: cooling plutons. *Am J Sci* 277:937–981
- Odin GS, Matter A (1981) De glauconarium origine. *Sedimentology* 28:611–624
- Odin GS (1988) Green marine clays. *Development in Sedimentology* 45, Amsterdam, Elsevier, 445 pp
- Odin GS, Fullagar PD (1988) Geological significance of the glaucony facies. In: Odin GS (ed) Green marine clays. Oolitic ironstone facies, Verdine facies, Glaucony facies and Celadonite bearing facies – A comparative study. *Development in Sedimentology* 5, Elsevier, Amsterdam, pp 295–332
- Odin GS, Bailey SW, Amouric M, Fröhlich F, Waychunas G (1988) Mineralogy of the verdine facies. In: Odin GS (ed) Green marine clays. Oolitic Ironstone facies, Verdine facies, Glaucony facies and Celadonite-bearing facies – A comparative study. *Development in Sedimentology* 5, Elsevier, Amsterdam, pp 159–219
- Odin GS, Desprairies A, Fullagar PD, Bellon H, Decarreau A, Frölich F, Zelvelde M (1988) Nature and geological significance of celadonite. In: Odin GS (ed) Green marine clays. Oolitic ironstone facies, Verdine facies, Glaucony facies and Celadonite bearing facies – A comparative study. *Development in Sedimentology* 5, Elsevier, Amsterdam, pp 337–398
- Odom E (1984) Glauconite and celadonite minerals. In: Micas, *Rev Mineral* 13:545–572
- Olis AC, Malla PB, Douglas LA (1990) The rapid estimation of the layer charges of 2:1 expanding clays from a single alkylammonium ion expansion. *Clay Miner* 25:39–50
- Ollier C, Pain C (1996) Regolith, soils and landforms. John Wiley & Sons, LTD, Chichester, 316 pp
- O'Neil JR, Clayton RN, Mayeda TK (1969) Oxygen isotope fractionation in divalent metal carbonates. *J Chem Phys* 51:5547–5558
- O'Neil JR, Taylor HP (1967) Oxygen isotope equilibration between muscovite and water. *J Geophys Res* 74:6012–6022
- Page R, Wenk HR (1979) Phyllosilicate alteration of plagioclase studied by transmission electron microscopy. *Geology* 7:393–397
- Papike JJ (1998) Planetary materials. *Rev Mineral* 36:1014
- Papapanagiotou P, Beaufort D, Patrier P, Traineau H (1992) Clay mineralogy of the < 0.2 μm rock fraction in the MI-1 drill hole of the geothermal field of Milos (Greece). *Bull Geol Soc Greece*, XXVIII(2):575–586
- Paquet H (1983) Stability, instability and significance of attapulgitite in the calcretes of Mediterranean and tropical areas with marked dry seasons. *Sci Géol* 72:131–140
- Paquet H, Clauer N (1997) Soils and sediments. Mineralogy and geochemistry. Springer, Berlin Heidelberg New York, 369 pp
- Paradis S, Velde B, Nicot E (1983) Chloritoïd-pyrophyllite-rectorite facies rocks from Brittany, France. *Contrib Mineral Petrol* 83:342–347

- Patrier P, Beaufort D, Meunier A, Eymeri JP, Petit S (1991) Determination of the non-equilibrium ordering state in epidotes from the ancient geothermal field of Saint-Martin: application of the Mossbauer spectroscopy. *Am Mineral* 76:602–610
- Patrier P, Beaufort D, Touchard G, Fouillac AM (1990) Crystal size of epidote: a potentially exploitable geothermometer in geothermal fields? *Geology* 18:1126–1129
- Peacor DR (1992) Diagenesis and low-grade metamorphism of shales and slates. In: Busek PR (ed) *Minerals and reactions at the atomic scale: transmission electron microscopy*. *Rev Mineral* 27:335–380
- Pédro G (1989) Geochemistry, mineralogy and microfabric of soils in soils and their management. Elsevier, Amsterdam, pp 59–90
- Pédro G (1993) Argiles des altérations et des sols. Colloque Georges Millot: Sédimentologie et Géochimie de Surface. Académie des Sciences, pp 1–17
- Perry E, Hower J (1970) Burial diagenesis in Gulf Coast pelitic sediments. *Clays Clay Miner* 18:165–178
- Petit S, Decarreau A (1990) Hydrothermal (200 °C) synthesis and crystal chemistry of iron-rich kaolinites. *Clay Miner* 25:181–196
- Pevear DR (1992) Illite age analysis, a new tool for basin thermal history analysis. In: Kharaka YK, Maest AS (eds) *Proc 7th Int Symp on water-rock interaction*. Balkema, Rotterdam, pp 1251–1254
- Pye K (1987) *Aeolian dust and dust deposits*. Academic Press, New York, 334 pp
- Pignon F, Magnin A, Piau JM (1996) Thixotropic colloidal suspensions and flow curves with minimum: identification of flow regimes and rheometric consequences. *J Rheology* 40:573–587
- Pirajno F (1992) *Hydrothermal mineral deposits, principles and fundamental concepts for the exploration geologist*. Springer, Berlin Heidelberg New York, 709 pp
- Plançon A, Drits VA (2000) Phase analysis of clays using an expert system and calculation programs for X-ray diffraction by two- and three-component mixed layer minerals. *Clays Clay Miner* 48:57–62
- Plançon A (2001) Order-disorder in clay mineral structures. *Clay Miner* 36:1–14
- Pollastro RM, Barker CE (1986) Application of clay minerals, vitrinite reflectance and fluid inclusion studies to the thermal and burial history of the Pinedale anticline. Green River Basin, Wyoming. In: Gautier DL (ed) *Roles of organic matter in sediment diagenesis*. *Soc Econ Paleontol Mineral Spec Publ* 38:73–83
- Porrenga DH (1967) Glauconite and chamosite as depth indicators in the marine environment. *Mar Geol* 5:495–501
- Porrenga DH (1968) Non-marine glauconitic illite in the lower Oligocene of Aardebrug, Belgium. *Clay Miner* 7:421–430
- Prêt D, Sardini P, Beaufort D, Zellaoui R, Sammartino S (2004) Porosity distribution in a clay gouge by image processing of ¹⁴C-PolyMethylMetacrylate (¹⁴C-PMMA) autoradiographs: case study of the fault of St. Julien (Basin of Lodève, France). *Applied Clay Sci* 27, 107–118 pp
- Proust D, Eymeri JP, Beaufort D (1986) Supergene vermiculitization of a magnesian chlorite: iron and magnesium removal processes. *Clays and Clay Miner* 34:572–580
- Proust D, Lechelle J, Meunier A, Lajudie A (1990) Hydrothermal reactivity of mixed-layer kaolinite/smectite and implications for radioactive waste disposal: I. High-charge to low-charge smectite conversion. *Eur J Miner* 2:313–325
- Proust D, Meunier A, Fouillac AM, Dudoignon P, Sturz A, Charvet J, Scott SD (1992) Preliminary results on the mineralogy and geochemistry of basalt alteration, hole 794D. In: *Proceedings of the Ocean Drilling Program, Scientific Results*, 127/128, 2, pp 883–889

- Proust D, Velde B (1978) Beidellite crystallization from plagioclase and amphibole precursors: local and long-range equilibrium during weathering. *Clay Miner* 13:199–209
- Pruissen DJ, Capkova P, Driessen RAJ, Schenk H (2000) Structure analysis of intercalated smectites using molecular simulations. *Applied Catalysis A: General* 193:103–112
- Purdy JW, Jäger E (1976) K-Ar ages of rock forming minerals from the central Alps. *Mem Inst Geol Min Univ. Padova*, 30 pp
- Pusch R, Madsen FT (1995) Aspects on the illitization of the Kinnekulle bentonites. *Clays Clay Miner* 43:261–270
- Putnis A (2003) *Introduction to mineral sciences*. Cambridge University Press, 457 pp
- Putnis A, McConnell JDC (1980) *Principles of mineral behaviour*. Blackwell Scientific Publications, Oxford
- Pytte AM (1982) The kinetics of the smectite to illite reaction in contact metamorphic shales. MS Thesis, Dartmouth College, Hanover, NH, 78 pp
- Pytte AM, Reynolds RC (1989) The thermal transformation of smectite to illite. In: Naesser ND, McCulloh TH (eds) *The thermal history of a sedimentary basin: methods and case history*. Springer, Berlin Heidelberg New York, pp 133–140
- Radoslovich EW, Norrish K (1962) The cell dimensions and symmetry of layer lattice silicates. I. Some structural considerations. *Am Mineral* 47:599–636
- Renac C (1994) *Diagenèse des minéraux argileux dans la marge passive cévenole (Forage G.P.F. Balazuc 1, France): structure cristalline, morphologie, composition isotopique, datation K/Ar et inclusions fluides*. Thèse Doctorat Univ. Poitiers, 185 pp
- Ransom B, Helgeson HC (1993) Compositional end members and thermodynamic components of illite and dioctahedral aluminous smectite solid solutions. *Clays Clay Miner* 41:537–550
- Rassineux F, Beaufort D, Merceron T, Bouchet A, Meunier A (1987) Diffraction sur lame mince pétrographique avec un détecteur à localisation linéaire. *Analisis* 15:333–336
- Rassineux F, Griffault L, Meunier A, Berger G, Petit S, Vieillard P, Zellagui R, Munoz M (2001) Expandability-layer stacking relation during experimental alteration of a Wyoming bentonite in pH 13.5 solutions at 35 and 60 °C. *Clay Miner* 36:197–210
- Reyes AG (1990) Petrology of Philippine geothermal systems and the application of alteration mineralogy to their assessment. *J Volcanol Geotherm Res* 43:279–309
- Reyes AG, Cardile CM (1989) Characterization of clay scales forming in Philippine geothermal wells. *Geothermics* 3:429–446
- Reynolds RC Jr (1980) Interstratified clay minerals. In: Brindley GW, Brown G (eds) *Crystal structures of the clay minerals and their X-ray identification*. Mineralogical Society, London, pp 249–303
- Reynolds RC Jr (1985) NEWMOD a computer program for the calculation of one-dimensional diffraction patterns of mixed-layered clays. RC Reynolds, 8 Brook Rd., Hanover, NH, USA
- Reynolds RC Jr (1988) Mixed layer chlorite minerals. *Rev Mineral* 19:601–630
- Reynolds RC Jr (1992) X-ray diffraction studies of illite/smectite from rocks, < 1 µm randomly oriented powders, and < 1 µm oriented powder aggregates: the absence of laboratory-induced artifacts. *Clays Clay Miner* 40:387–396
- Rice RM (1973) Chemical weathering on the Carnmenellis granite. *Min Mag* 39:429–447
- Rietmeijer FJM (1998) Interplanetary dust particles. In: Papike JJ (ed) *Planetary materials*. *Rev Mineral* 36(2–1):2–95
- Righi D, Huber K, Keller C (1999) Clay formation and podzol development from postglacial moraines in Switzerland. *Clay Miner* 34:319–332
- Righi D, Meunier A (1991) Characterization and genetic interpretation of clays in an acid brown soil (Dystrochrept) developed in a granite saprolite. *Clays Clay Miner* 39:519–530

- Righi D, Meunier A (1995) Origin of clays by rock weathering and soil formation. In: Velde B (ed) *Origin and mineralogy of clays. Clays and the environment*. Springer, Berlin Heidelberg New York, pp 43–161
- Righi D, Ranger J, Robert M (1988) Clay minerals as indicators of some soil forming processes in the temperate zone. *Bull Miner* 111:326–632
- Righi D, Terribile F, Petit S (1998) Pedogenic formation of high-charge beidellite in a vertisol of Sardinia (Italy). *Clays Clay Miner* 46:167–177
- Robert JL, Kodama H (1988) Generalization of the correlations between OH-stretching wavenumbers and composition of micas in the system K_2O - MgO - Al_2O_3 - SiO_2 - H_2O : a single model for trioctahedral and dioctahedral micas. *Am J Sci* 288-A:196–212
- Robert M, Pédro G (1972) Etablissement d'un schéma de l'évolution expérimentale des micas trioctédriques en fonction des conditions du milieu (pH concentration). In: *Proc Int Clay Conf Madrid*, pp 433–447
- Roberson HE (1988) Random mixed-layer chlorite-smectite: does it exist? Abstract for Clay Mineral Society, 25th annual meeting, Grand Rapids, MI, USA
- Roberson HE, Lahann RW (1981) Smectite to illite conversion rates: effects of solution chemistry. *Clays Clay Miner* 29:129–135
- Roberson HE, Reynolds RC, Jenkins DM (1999) Hydrothermal synthesis of corrensite: a study of the transformation of saponite to corrensite. *Clays Clay Miner* 47:212–218
- Robinson D, Bevins RE (1994) Mafic phyllosilicates in low-grade metabasites. Characterization using deconvolution analysis. *Clay Miner* 29:223–237
- Roddick JC, Farrar E (1971) High initial argon ratios in hornblendes. *Earth Planet Sci Lett* 12:208–214
- Ross GJ, Kodama H (1976) Experimental alteration of a chlorite into a regularly interstratified chlorite-vermiculite by chemical oxidation. *Clays Clay Miner* 24:183–190
- Routson RC, Kittrick JA (1971) Illite solubility. *Soil Sci Soc Am Proc* 35:714–718
- Russell JD, Clark DR (1978) The effect of Fe for Si substitution on the b-dimension of nontronite. *Clay Miner* 13:133–138
- Ryan PC, Reynolds RC Jr (1996) The origin and diagenesis of grain-coating serpentine-chlorite in Tuscloosa Formation sandstone, U.S. Gulf Coast. *Am Mineral* 81:213–225
- Sainz-Diaz CI, Hernandez-Laguna A, Dove MT (2001) Modelling of dioctahedral 2:1 phyllosilicates by means of transferable empirical potentials. *Phys Chem Minerals* 28:130–141
- Sakai H, Tutsumi M (1978) D/H fractionation factors between serpentine and water at 100 to 500 °C and 2,000 bar water pressure and the D/H ratio of natural serpentine. *Earth Planet Sci Lett* 40:231–242
- Salomons W, Hofman P, Boelens R, Mook WG (1975) The oxygen isotopic composition of the fraction less than 2 microns (clay fraction) in recent sediments of Western Europe. *Mar Geol* 18:M23-M28
- Sanz J, Robert JL (1992) Influence of structural factors on ^{29}Si and ^{27}Al NMR chemical shifts of phyllosilicate 2:1. *Phys Chem Minerals* 19:39–45
- Sardini P, Meunier A, Siitatri-Kauppi M (2001) Porosity distribution of minerals forming crystalline rocks. In: Cidu R (ed) *Water-rock interaction, vol. 2*. Balkema, Rotterdam, pp 1375–1378
- Sato M (1960) Oxidation of sulfide ore bodies. I. Geochemical environments in terms of Eh and pH. *Econ Geol* 55:928–961
- Savin SM, Epstein S (1970) The oxygen and hydrogen isotope geochemistry of clay minerals. *Geochim Cosmochim Acta* 34:25–42
- Savin SM, Lee ML (1988) Isotopic studies of phyllosilicates. *Rev Mineral* 19:189–223

- Sayles FL (1979) The composition and diagenesis of interstitial solutions: I. Fluxes across the seawater-sediment interface in the Atlantic Ocean. *Geochim Cosmochim Acta* 43:527–545
- Sayles FL, Mangelsdorf PC (1977) The equilibration of clay minerals with sea water: exchange reactions. *Geochim Cosmochim Acta* 41:951–960
- Shafiqullah M, Damon E (1974) Evaluation of K-Ar isochron methods. *Geochim Cosmochim Acta* 38:1341–1358
- Schiffman P, Fridleifsson GO (1991) The smectite-chlorite transition in drillhole NJ-15, Nesjavellir geothermal field, Iceland: XRD, BSE and electron microprobe investigations. *J Metam Geol* 9:679–696
- Schmidt ST, Robinson D (1997) Metamorphic grade and porosity/permeability controls on mafic phyllosilicate distributions in a regional zeolite to greenschist facies transition in the North Shore Volcanic Group, Minnesota. *Bull Geol Soc Am* 109:683–697
- Schultz LG, van Olphen H, Mumpton FA (eds) (1985) *Proc Int Clay Conf 1985*. The Clay Minerals Society, Bloomington, Indiana, pp 85–93
- Scott RB, Hajash A (1976) Initial submarine alteration of basalt pillow lavas: a microprobe study. *Am J Sci* 276:480–501
- Scott AD, Smith SJ (1966) Susceptibility of interlayer potassium in mica to exchange with sodium. 14th Nat Conf Clay Clay Miner, New York. Pergamon Press, Oxford, pp 69–81
- Shannon RD, Prewitt CT (1976) Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides. *Acta Crystallographica* A32:751–767
- Shau YH, Peacor DR, Essene EJ (1990) Corrensite and mixed-layer chlorite/corrensite in metabasalt from northern Taiwan: TEM/AEM, EMPA, XRD, and optical studies. *Contrib Mineral Petrol* 105:123–142
- Sheppard SME, Gilg HA (1996) Stable isotope geochemistry of clay minerals. The story of sloppy, sticky, lumpy and tough. *Clay Miner* 31:1–24
- Shinamoto T, Logan JM (1981) Effects of simulated clay gouges on the sliding behavior of Tennessee sandstone. *Tectonophysics* 75:243–255
- Shutov VD, Drits VA, Sakharov BA (1969) On the mechanism of a postsedimentary transformation of montmorillonite to hydromica. In: Heller L (ed) *Proc Int Clay Conf*, Tokyo. Israel University Press, Jerusalem, pp 523–531
- Siffert B (1962) Quelques réactions de la silice en solution: la formation des argiles. *Mém Serv Carte Géol Als Lorr* 21, pp 86
- Sikora W, Stoch L (1972) Mineral forming processes in weathering crusts of acidic magmatic and metamorphic rocks of lower Silesia. *Miner Pol* 3:39–52
- Sillén LG (1961) The physical chemistry of sea water. In: Sears M (ed) *Oceanography*. Am Assoc for the Advancement of Science, Washington, DC, pp 549–581
- Singer A, Stoffers P, Heller-Kallai L, Safranek D (1984) Nontronite in a deep-sea core from the South Pacific. *Clays Clay Miner* 32:375–383
- Singh B (1996) Why does halloysite roll? – A new model. *Clays Clay Miner* 44:191–196
- Singh B, Mackinnon IDR (1996) Experimental transformation of kaolinite to halloysite. *Clays Clay Miner* 44:825–834
- Small JS (1993) Experimental determination of the rates of precipitation of authigenic illite and kaolinite in the presence of aqueous oxalate and comparison of the K/Ar ages of authigenic illite in the reservoir sandstones. *Clays Clay Miner* 41:191–208
- Smith DE (1998) Molecular computer simulations of the swelling properties and interlayer structure of cesium montmorillonite. *Langmuir* 14:5959–5967
- Smith JV, Yoder HS (1956) Experimental and theoretical studies of the mica polymorphs. *Mineral Mag* 31:209–235

- Soil Survey Staff (1998) Keys to soil taxonomy, 8th edn. US Department of Agriculture, Natural Resources Conservation Service, Washington, DC, 326 pp
- Soil Survey Staff (1999) Soil taxonomy. A basic system of classification for making and interpreting soil surveys, 2nd edn. US Department of Agriculture, Natural Resources Conservation Service. Agriculture Handbook 436, 869 pp
- Somerton WH (1992) Thermal properties and temperature-related behavior of rock/fluid systems. *Developments in Petroleum Science* 37, Elsevier, Amsterdam, 257 pp
- Spear FS, Ferry JM, Rumble III D (1982) Analytical formulation of phase equilibria: the Gibbs' method. In: Ferry JM (ed) *Characterization of metamorphism through mineral equilibria*. *Rev Mineral* 10:105–122
- Spiers GA, Dudas MJ, Muehlenbachs K, Pawlucck S (1986) Isotopic evidence for clay mineral weathering and authigenesis in Cryoboralfs. *Soil Sci Soc Am J* 49:467–474
- Sposito G (1984) *The surface chemistry of soils*. Oxford University Press, New York, 234 pp
- Sposito G (1989) *The chemistry of soils*. Oxford University Press, New York, 277 pp
- Srodon J (1980) Precise identification of illite/smectite interstratifications by X-ray powder diffraction. *Clays Clay Miner* 28:401–411
- Srodon J (1981) X-ray identification of randomly interstratified illite/smectite in mixtures with discrete illite. *Clay Miner* 16:297–304
- Srodon J (1984) X-ray powder diffraction identification of illitic materials. *Clays Clay Miner* 32:337–349
- Srodon J, Eberl DD (1987) Illite. In: Bailey SW (ed) *Micas*. *Rev Miner* 13:495–544
- Stakes DS, O'Neil JR (1982) Mineralogy and stable isotope geochemistry of hydrothermally altered oceanic rocks. *Earth Planet Sci Lett* 57:285–304
- Stalder P (1979) Organic and inorganic metamorphism in the Staveyannaz sandstone of the Swiss Alps and equivalent sandstones in France and Italy. *J Sediment Petrol* 49:463–482
- Staudigel H, Muelenbachs K, Richardson SH, Hart SR (1981) Agents of low temperature ocean crust alteration. *Contrib Mineral Petrol* 77:150–157
- Steinberg M, Holtzapffel T, Raurureau M (1987) Characterization of overgrowth structures formed around individual clay particles during early diagenesis. *Clays Clay Miner* 35:189–195
- Steiner A (1968) Clay minerals in hydrothermally altered rocks in Wairakei, New Zealand. *Clays Clay Miner* 16:193–213
- Stern O (1924) Zur theorie der electrolytischen doppelschicht. *Z Elektrochem* 30:508–516
- Stumm W (1992) *Chemistry of the solid-water interface. Processes at the mineral-water and particle-water interface in natural systems*. Wiley, New York, 428 pp
- Sucha V, Kraus I, Gerthofferova H, Petes J, Serekova M (1993) Smectite to illite conversion in bentonites and shales of the East Slovak Basin. *Clay Miner* 28:243–253
- Suquet H, De la Calle C, Pezerat H (1975) Swelling and structural organization of saponite. *Clays Clay Miner* 23:1–9
- Surdam RC, Boles JR (1979) Diagenesis of volcanoclastic sandstones. *Soc Econ Paleontol Mineral Special publication* 26:227–242
- Talibudeen O, Goulding KWT (1983) Charge heterogeneities in smectites. *Clays Clay Miner* 31:37–42
- Tardy Y (1993) *Péetrologie des latérites et des sols tropicaux*. Masson, 535 pp
- Tardy Y, Garrels RM (1974) Method for estimating the Gibbs energies of formation of layer silicates. *Geochim Cosmochim Acta* 38:1101–1116
- Tardy Y, Garrels RM (1976) Prediction of Gibbs energies of formation. I – Relationships among Gibbs energies of formation of hydroxides, oxides and aqueous ions. *Geochim Cosmochim Acta* 40:1051–1056

- Tardy Y, Garrels RM (1977) Prediction of Gibbs energies of formation of compounds from the elements. II – Monovalent and divalent metal silicates. *Geochim Cosmochim Acta* 41:87–92
- Tardy Y, Roquin C (1992) Geochemistry and evolution of lateritic landscapes. In: Martini IP, Chesworth W (eds) *Weathering, soils and paleosoils*. Elsevier, Amsterdam, pp 407–443
- Taylor G, Eggleton RA (2001) *Regolith geology and morphology*. John Wiley & Sons, LTD, Chichester, 375 pp
- Tessier D (1984) Etude expérimentale de l'organisation des matériaux argiles. Hydratation, gonflement et structuration au cours de la dessiccation et de la réhumectation. Thèse Univ. Paris VII, INRA Versailles PuB, 360 pp
- Tessier D (1990) Organisation des matériaux argileux en relation avec leur comportement hydrique. In: Decarreau A (ed) *Matériaux argileux. Structure, propriétés et applications*. Soc Fr Minér Cristall Paris, pp 389–445
- Thiry M (2000) Paleoclimatic interpretation of clay minerals in marine deposits: an outlook from the continental origin. *Earth Sci Rev* 49:201–221
- Thiry M, Simon-Coinçon R, Schmidt JM (1999) Paléooltérations kaoliniques: signification climatique et signature dans la colonne sédimentaire. *CR Acad Sci Paris, 329(IIa)*:853–863
- Thompson G (1973) A geochemical study of low-temperature interaction of sea water and oceanic igneous rocks. *Am Geophys Union Trans* 54:1015–1019
- Thompson GR, Hower J (1973) An explanation for the low radiometric ages from glauconite. *Geochim Cosmochim Acta* 37:1473–1491
- Thompson GR, Hower J (1975) The mineralogy of glauconite. *Clays and Clay Miner* 23:289–300
- Thornber MR (1975) Supergene alteration of sulfides. A chemical model based on massive nickel deposit at Kambalda, Western Australia. *Chem Geol* 15:1–14
- Thornber MR (1983) Weathering of sulfide orebodies. The chemical processes of gossan formation. Chemical aspects of gossan assessment. In: Smith RE (ed) *Geochemical exploration of deeply weathered terrains*. CSIRO, Wembley, Australia, pp 67–72; 92–103
- Thornber MR, Allchurch PD, Nickel EH (1981) Variation in a gossan geochemistry at the Perseverance nickel sulfide dposit, Western Australia: a descriptive and experimental study. *Econ Geol* 76:1764–1774
- Tissot BP, Welte DH (1978) *Petroleum formation and occurrence. A new approach to oil and gas exploration*. Springer, Berlin Heidelberg New York, 638 pp
- Titley SR (1982) The style and progress of mineralization and alteration in porphyry copper systems. In: Titley SR (ed) *Advances in geology of the porphyry copper deposits, southwestern North America*. University Arizona Press, Tucson, AZ, pp 93–116
- Titley SR, Thompson RC, Haynes FM, Manske SL, Robinson LC, White JL (1986) Evolution of the fractures and alteration in the Sierra-esperanza hydrothermal system, Pima County, Arizona. *Econ Geol* 81:343–370
- Tomasson J, Kristmannsdottir H (1972) High temperature alteration minerals and thermal brines, Reykjanes, Iceland. *Contrib Mineral Petrol* 36:123–134
- Tomeoka K, Busek PR (1985) Indicators of aqueous alteration in CM carbonaceous chondrites: microtextures of a layered mineral containing Fe, S, O and Ni. *Geochim Cosmochim Acta* 49:2149–2163
- Tomeoka K, Busek PR (1988) Matrix mineralogy of the Orgueil CI carbonaceous chondrite. *Geochim Cosmochim Acta* 52:1627–1640
- Trauth N (1977) Argiles évaporitiques dans la sédimentation carbonatée continentale et épicontinentale tertiaire. *Sci Géol* 49:195

- Trescases JJ (1997) The lateritic nickel-ore deposits. In: Paquet H, Clauer N (eds) Soils and sediments. Mineralogy and geochemistry. Springer, Berlin Heidelberg New York, pp 125–138
- Trolard F, Tardy Y (1989) A model for Fe^{3+} -kaolinite, Al^{3+} -goethite, Al^{3+} -hematite equilibria in laterites. *Clay Miner* 24:1–21
- Tsoar H, Pye K (1987) Dust transport and the question of desert loess formation. *Sedimentology* 34:139–153
- Turpault MP, Berger G, Meunier A (1992a) Dissolution-precipitation processes induced by hot water in a fractured granite. Part 1: Wall-rock alteration and vein deposition processes. *Eur J Mineral* 4:1457–1475
- Turpault MP, Meunier A, Guilhaumou N, Touchard G (1992b) Analysis of hot fluid infiltration in fractured granite by fluid inclusion study. *Appl Geochim Suppl* 1:269–276
- Urey HC (1947) The thermodynamic properties of isotopic substances. *J Chem Soc* 562–581
- Utada M (1980) Hydrothermal alteration related to igneous acidity in Cretaceous and Neogene formations of Japan. *Mining Geol Jpn Spec Issue* 12:79–92
- Van Damme H (1995) Scale invariance and hydric behaviour of soils and clays. *CR Acad Sci Paris* 320(IIa):665–681
- Van Damme H, Fripiat JJ (1985) A fractal analysis of adsorption processes by pillaring swelling clays. *J Chem Phys* 82:2785–2789
- Van den Heuvel RC (1966) The occurrence of sepiolite and attapulgite in the calcareous zone of a soil near Las Cruces, New Mexico. *Clays Clay Miner* 13:193–207
- Van Olphen H (1977) An introduction to clay colloid chemistry, 2nd edn. Wiley, New York, 187 pp
- Vantelon D, Pelletier M, Michot LJ, Barres O, Thomas F (2001) Fe, Mg and Al distribution in the octahedral sheet of montmorillonites. An infrared study in the OH-bending region. *Clay Miner* 36:369–379
- Varajao A, Meunier A (1995) Particle morphological evolution during the conversion of I/S to illite in lower Cretaceous shales from Sergipe-Alagoas basin, Brazil. *Clays Clay Miner* 43(1):35–59
- Vasseur G (1988) Propagation de la chaleur dans la terre et flux géothermique. In: Berest P, Weber P (eds) *La thermomécanique des roches. Manuels et méthodes*, BRGM, 16, pp 102–130
- Veblen DR, Guthrie GD, Livi KJT, Reynolds RC Jr (1990) High-resolution transmission electron microscopy and electron diffraction of mixed-layer illite/smectite: experimental results. *Clays Clay Miner* 38:1–13
- Veblen RR, Buseck PR (1980) Microstructures and reaction mechanisms in biopyriboles. *Am Mineral* 65:599–623
- Vedder W (1964) Correlations between infrared spectrum and chemical composition of mica. *Am Mineral* 49:736–768
- Vegard L (1928) Die Röntgenstrahlen im Dienste der Erforschung der Materie. *Z Kristallogr* 42:239–259
- Velde B (1972) Celadonite mica: solid solution and stability. *Contr Miner Petrol* 37:235–247
- Velde B (1976) The chemical evolution of glauconite pellets as seen by microprobe determinations. *Mineral Mag* 30:753–760
- Velde B (1985) Clay minerals. A physico-chemical explanation of their occurrence. *Developments in Sedimentology* 40, Elsevier, Amsterdam, 427 pp

- Velde B (1995) Origin and mineralogy of clays. *Clays and the environment*. Springer, Berlin Heidelberg New York, 334 pp
- Velde B (1995) Compaction and diagenesis. In: Velde B (ed) *Origin and mineralogy of clays. Clays and the environment*. Springer, Berlin Heidelberg New York, pp 220–246
- Velde B (1999) Structure of surface cracks in soils and muds. *Geoderma* 93:101–124
- Velde B, Odin GS (1975) Further information related to the origin of glauconite. *Clays Clay Miner* 23:376–381
- Velde B, Vasseur G (1992) Estimation of the diagenetic smectite to illite transformation in time-temperature space. *Am Mineral* 77:697–709
- Velde B, Lanson B (1993) Comparison of I/S transformation and maturity of organic matter at elevated temperatures. *Clays Clay Miner* 41:178–183
- Velde B, Renac C (1996) Smectite-to-illite conversion and K-Ar ages. *Clay Miner* 31:25–32
- Verwey EJW, Overbeek JTG (1948) *Theory of the lyophobic colloids*. Elsevier, Amsterdam
- Vidal O (1997) Experimental study of the thermal stability of pyrophyllite, paragonite, and clays in a thermal gradient. *Eur J Miner* 9:1123–140
- Vieillard P (1994) Prediction of enthalpy of formation based on refined crystal structures of multisite compounds. 1. Theories and examples. *Geochim Cosmochim Acta* 58:4049–4063
- Vieillard P (2000) A new method for the prediction of Gibbs free energies of formation of hydrated clay minerals based on the electronegativity scale. *Clays Clay Miner* 48:459–473
- Villieras F, Micot L, Cases J, Berend I, Bardot F, François M, Gerard G, Yvon J (1996) Static and dynamic studies of the energetic surface heterogeneity of clay minerals. In: Rudzinsky W, Steele WA, Zgrablich G (eds) *Equilibria and dynamics of gas adsorption on heterogeneous solid surfaces*. Elsevier, Amsterdam, pp 1–47
- Vrolijk P (1990) On the mechanical role of smectite in subduction zones. *Geology* 18:703–707
- Wada K (1989) Allophane and imogolite. In: Dixon JB, Weed SB (eds) *Minerals in soil environments*, 2nd edn. Soil Sci Soc Am Madison, pp 1051–1087
- Walker GG (1961) Vermiculite minerals. In: Brown G (ed) *The X-ray identification and crystal structures of clay minerals*. Mineralogical Society, London, pp 297–324
- Walker GF (1975) Vermiculites. In: Gieseking JE (ed) *Soil components*, vol 2: Inorganic components. Springer, Berlin Heidelberg New York, pp 155–189
- Walker JR, Thompson GR (1990) Structural variations in illite and chlorite in a diagenetic sequence from the imperial valley, California. *Clays Clay Miner* 38:315–321
- Watanabe T (1988) The structural model of illite/smectite interstratified minerals and the diagram for their identification. *Clay Science* 7:97–114
- Weaver CE, Pollard LD (1975) The chemistry of clay minerals. In: *Developments in sedimentology* 15, Elsevier, Amsterdam, 213 pp
- Weaver CE (1989) Clays, muds and shales. *Developments in sedimentology* 44. Elsevier, Amsterdam, 819 pp
- Wenner DB, Taylor HP (1971) Temperatures of serpentinization of ultramafic rocks based on O^{18}/O^{16} fractionation between coexisting serpentine and magnetite. *Contr Mineral Petrol* 32:165–168
- White AF, Brantley SL (1995) Chemical weathering rates of silicate minerals. *Reviews in Mineralogy* 31, 583 pp
- Whitney G (1983) Hydrothermal reactivity of saponite. *Clays Clay Miner* 31:1–8
- Whitney G, Northrop HR (1987) Diagenesis and fluid flow in the San Juan Basin, New Mexico. Regional zonation in the mineralogy and stable isotope composition of clay minerals in sandstones. *Am J Sci* 287:353–382

- Whitney G, Northrop HR (1988) Experimental investigation of the smectite to illite reaction: dual reaction mechanisms and oxygen isotope systematics. *Am Mineral* 73:77–90
- Wiewiora A (1990a) Crystallochemical classifications of phyllosilicates based on the unified system of projection of chemical composition: III. The mica group. *Clay Miner* 25:73–81
- Wiewiora A (1990b) Crystallochemical classifications of phyllosilicates based on the unified system of projection of chemical composition: III. The serpentine-kaolin group. *Clay Miner* 25:93–98
- Wiewiora A, Weiss Z (1990) Crystallochemical classifications of phyllosilicates based on the unified system of projection of chemical composition: III. The chlorite group. *Clay Miner* 25:83–92
- Wildman WE, Whittig LD (1971) Serpentine stability in relation to formation of iron-rich montmorillonite in some California soils. *Am J Sci* 56:587–602
- Wilkinson M, Haszeldine RS (2002) Fibrous illite in oilfield sandstones – a nucleation kinetic theory of growth. *Terra Nova* 14:56–60
- Wilson MJ (1987) Soil smectites and related interstratified minerals: recent developments. In: Schultz G, van Olphen H, Mumpton FA (eds) *Proc Int Clay Conf, Denver*. The Clay Minerals Society, Bloomington, pp 167–173
- Wilson MJ (1994) *Clay mineralogy: spectroscopic and chemical determinative methods*. Chapman and Hall, London, 366 pp
- Wise WS, Eugster HP (1964) Celadonite: synthesis, thermal stability and occurrence. *Am Mineral* 1031–1083
- Woff RG (1967) Weathering of Woodstock granite near Baltimore, Maryland. *Am J Sci* 265:106–117
- Wood JR, Hewitt TA (1984) Reservoir diagenesis and convective fluid flow. In: MacDonald DA, Surdam RC (eds) *Clastic diagenesis*. AAPG Memoir 37, pp 99–110
- Worden RH, Morad S (2003) Clay mineral cements in sandstones. *Int Assoc Sediment Special Publ* 34, Blackwell, Oxford, 509 pp
- Xu H, Veblen DR (1996) Interstratification and other reaction microstructures in the chlorite-berthierine series. *Contrib Mineral Petrol* 124:291–301
- Yamada H, Nakasawa H (1993) Isothermal treatments of regularly interstratified montmorillonite-beidellite at hydrothermal conditions. *Clays Clay Miner* 41:726–730
- Yamada H, Nakasawa H, Yoshioka K, Fujita T (1991) Smectites in the montmorillonite-beidellite series. *Clay Miner* 26:359–369
- Yeh HW (1974) Oxygen isotope studies of the ocean sediments during sedimentation and burial diagenesis. PhD Thesis, Univ. Cleveland, 136 pp
- Yeh HW (1980) D/H ratio and late-stage dehydration of shales during burial. *Geochim Cosmochim Acta* 44:341–352
- Yeh HW, Savin SM (1977) Mechanism of burial metamorphism of argillaceous sediments, 3. O-isotope evidence. *Geol Soc Am Bull* 88:1321–1330
- Yeh HW, Eslinger E (1986) Oxygen isotopes and the extent of diagenesis of clay minerals during sedimentation and burial in the sea. *Clays Clay Miner* 34:403–406
- Young DA, Smith DE (2000) Simulations of clay mineral swelling and hydration: dependence upon interlayer ion size and charge. *J Phys Chem B* 104:9163–9170
- Zane A, Sassi FP, Sassi R (1996) New data on chlorites as petrogenic indicator mineral in metamorphic rocks. *Plinius* 16:212–213
- Zan L, Gianelli G, Passerini P, Toisi C, Hagas AO (1990) Geothermal exploration in the Republic of Djibouti: thermal and geological data of the Hanlé and Asa areas. *Geothermics* 19:561–582

- Zellagui R (2001) Mécanismes d'argilisation des gouges argileuses associées aux failles dans les bassins silicoclastiques: étude du faisceau de failles du Mas d'Alary-St Jean (bassin de Lodève) et de la faille de Caire Brun (bassin d'Anot). Thèse Univ. Poitiers, 249 pp
- Zen EA (1959) Clay mineral carbonate relations in sedimentary rocks. *Am J Sci* 257:29–43
- Zierenberg RA, Shanks III WC (1983) Mineralogy and geochemistry of epigenetic features in metalliferous sediment, Atlantis II Deep, Red Sea. *Econ Geol* 78:57–72

Index

1M polytype 21
1M_d polytype 21
1:1 layer 8
2:1 layer 8
14 Å chlorite 89
2M₁ polytype 21
7 Å chlorite 89

A

absorption spectrometry in the middle
infrared 69
absorption spectrometry in the near
infrared 69
acid hydrothermal system 394
acid lake 395
actinolite 380, 400
addition solid solution 65
adsorption isotherm 203
adsorption of nitrogen +
cetylpyridinium-N bromide 217
adsorption of nitrogen + water 217
AFM 48
aggregate 19, 31, 334
aggregation 224
Al-Fe-Mg system 78
Al-O bond 5
albite 380
alkylammonium 15, 214
allevardite 364
allophane 291
alteroplasma 246
aluminol 195
alunite 394
Amazon River 298
amphibole 255
amphibolite 262

analcite 367
anchizone 362
andisol 291
anhydrite 317, 386
anion exchange capacity (AEC) 212
Aquic Entisol 275
Arabian Sea 306
argillic 380
Arrhenius diagram 148
aseismic decollement 427
attraction 222
Avogadro 12

B

basalt 263
beidellite 17, 87
bentonite 312, 366
berthierine 325
BET function 203
Bingham fluid 297
biological factor 273
biopyribole 238
biotite 14
black shale 320
black smoker 315
boiling 387
bond 4
Bravais' unit cell 4
Brownian motion 222, 297
brucite-like sheet 241
bubbles 381
burial 170

C

C-polymethylmethacrylate 246
calcite 256

cambisol 282
 catalytic reaction 432
 cation exchange capacity (CEC) 207
 CEC 211
 celadonite 14, 83, 323
 – system 83
 cemented zone 269
 chamosite 325
 channelway 16
 charge density 219
 chemical bond 2
 chemical potential 119
 – gradient 233
 chert 309
 chlorite 16
 chlorite/smectite mixed layer 371
 chronosequence 275
 chrysotile 256
 cis-octahedra 12
 cis-vacant 96
 clay gouges 229
 cleavage 248
 clinoptilolite 367
 coalescence 31
 colloidal particle 298
 compaction 227, 332
 congruent dissolution 233
 coordination 3
 corrensite 50, 95, 356
 critical radius r^* 39
 cronstedtite 430
 crystal 19
 crystal defect 30
 crystal growth 35
 crystal shape 27
 crystal size 29
 crystallinity index 363
 cutan 249, 283

D

dacitic rock 413
 datation 186
 decomposition 348
 dehydration 197
 dehydroxylation 197
 δD 154
 $\delta^{18}O$ 154
 density 12, 333

derivative isotherm summation 217
 desorption 203
 detrital clay 168
 diagenesis 330, 362
 diatoma 311
 dioctahedral vermiculite 17
 dissolution 36, 232
 dissolution-recrystallisation 51
 ditrigonal 7
 donbassite 16, 397
 dust cloud 299

E

early diagenesis 319
Eh-pH diagram 271
 electric cell 270
 eluvial horizon 284
 embryo 38
 energy barrier 421
 enthalpy 107
 entisol 284
 entropy 107
 eodiagenesis 295
 epidote 380
 epitaxy 31
 epithermal 381
 epizone 362
 equilibrium 35, 107
 – constant K_{eq} 44
 equipotential line 253
 erionite 367
 evaporation 307
 EXAFS 73
 experimental synthesis 43
 extensive variable 119

F

far infrared 72
 Fe²⁺ oxidisation 257
 Fe-oxyhydroxide 265
 ferric illite 83, 320
 ferric montmorillonite 87
 ferripyrophyllite 316
 flood basalt 369
 fluid 335
 – inclusion 411
 – pressure 332

fluidised bed 297
fractal 201
fracture 201
fragmentation 224
free energy of formation 108
fumarole 381
fundamental particle 93
FWHM 386

G

gabbro 262
garnet 341
gel 226
geothermal field 379
geothermal gradient 333
geothermal system 175
geothermal systems with seawater 399
Gibbs-Thompson-Freundlich equation 54
glacier-borne sediment 300
glass 265
glauconies 321
glauconite 83, 267, 321
glauconitisation 321
global climatic change 304
glycerol 15
glycol 15
goethite 287
gold deposition 48
gossan 268
Gouy-Chapman model 220
granitic cupola 397
granitic rock 245
graphical derivation 133

H

hair 28
hectorite 88
hematite 317
heterogeneous nucleation 39, 46
heulandite 367
high charge 213
high-resolution NMR spectroscopy 73
hisingerite 318
Hofmann-Klemen test 86
H₂O – MgO – SiO₂
system 138

homogeneous nucleation 37, 46
HRTEM 51
humus 291
hydration energy 194
hydration enthalpy 194
hydration sphere 194
hydraulic fracturation 333
hydrogen bond 17
hydromica 411
hydrostatic pressure 332
hydrothermal breccia 387
hydrothermal system 379
hydroxides Fe³⁺ – Al 127

I

I/S 187
I/S/V 349
illitization 354
imogolite 291
inceptisol 278, 282
incongruent dissolution 233
intensive variable 119
interaction energy 223
interfacial energy 39
interlayer sheet 10
interstratification 22
ionic activity product 45
ionic radius 2
isochron 181
isomorph 63
isotopic fractionation 155
isotope 63

K

K-Ar method 179
K-feldspar 124
kaolinite 11
kaolinite-to-dickite transition 354
kinetic law 143
kinetics 108, 141

L

laponite 227
laumontite 367
layer 8
– charge 213

Lewis base 192
 lherzolite 254
 limestone 267
 lithostatic pressure 332
 lizardite 11
 loess 283
 low charge 213
 lutite 290

M

Mössbauer 74
 Méring's law 26
 magnetite 255
 margarite 14
 Markovian probability 27
 marl 267
 Mars 429
 maximum degree of order (R1) 23
 McEwan crystallite 93
 Mediterranean Sea 306
 mesostasis 373
 metamorphic vermiculites 363
 meteorite 429
 Mg–O bond 5
 mica 14
 microdiffraction 136
 microenvironment 243
 microfissure 248
 microsampling 136
 microsystem 134, 243
 middle infrared 69
 mineral zonation 369
 mineral-mineral 158
 mineral-water 155
 mixed-layer mineral 22
 Mn-oxihydroxide 403
 molecular dynamics 210
 montmorillonite 17
 moraine 276
 mordenite 367
 $MR^3 - 2R^3 - 3R^2$
 system 88
 $M^+ - 4Si - R^{2+}$
 system 83
 muscovite 14
 – system 83
 $\mu_{H_2O-Fe^{3+}-Al}$ system 130
 $\mu_{H_2O} - MgO - SiO_2$ system 138

$\mu_{SiO_2} - R^{2+} - R^{3+}$ system 310

N

natrolite 367
 near infrared 69
 neogenesis 232
 newly formed clay 169
 nodule 286
 nontronite 86, 87
 normalised coordinates 55
 nucleation 35
 nucleotide 431

O

ocean floor 311
 octahedral sheet 5
 octahedral substitution 65
 octahedral vacancy 76
 odinite 325
 oligoclase 411
 olivine 255
 omission solid solution 65
 oolitic ironstone 325
 opal 314
 organic matter 286, 337
 origin of fluids 173
 origin of life 430
 orthoclase 251
 Ostwald (1900) 53
 Ostwald ripening rule 52
 Ostwald step rule 42, 421
 outer-sphere complex 194
 overgrowth 320
 oversaturated solution 111
 oxisol 285

P

palaeoclimatic signature 305
 palaeosol 312
 palaeotemperature 172
 palygorskite 16, 310
 paragenesis 379
 partial order (R1) 24
 particle 19, 31
 particle size 295
 PCI 187

pedoplasma 250
 periglacial area 283
 permanent charge 207
 pervasive alteration 376
 phase 119
 – diagram 118
 – rule 118
 phengite 14, 362
 phillipsite 367
 phlogopite 14
 phylitic 380
 pillared clay 421
 plagioclase 251
 podzol 275, 282
 point of zero charge PZC 223
 polar molecule 15
 polymineral particle 59, 61
 polytype 19
 porosity 246
 porphyry copper deposit 380
 post-magmatic 424
 post-magnetic alteration 376
 potassic 380
 precipitation 36, 232
 precursor 42
 prehnite 367
 primitive cell 4
 projection system 76
 propylitic 380
 – alteration 382
 pulsed flow 411
 pumpellyite 367
 pyrite 317
 pyroclastic deposit 314
 pyrophyllite 12
 – system 83
 pyroxene 238
 pyrrhotite 317

Q

quasi-crystal 206

R

radiation-induced defect 423
 radioactive isotope 178
 Raman spectroscopy 72
 random stacking sequence (R0) 23

randomly ordered I/S (R0) 346
 rate constant 149
 rectorite 50, 100
 Red Sea 316
 redox condition 338
 regularly ordered I/S mineral (R1) 346
 regularly ordered mixed-layer mineral 50
 repulsion 222
 retrograde path 428
 rheological properties 224
 rhyolitic 312
 ripening 52
 river-borne sediment 298

S

salt lake 307
 sandstone 267
 saponite 17
 saprock 249
 saponite 249
 schot 289
 screw dislocation 47
 sea-ice pellet 301
 seawater weathering 272
 sebkha 289
 sedimentary clay 168
 segregation (R1) 24
 selectivity coefficient K_s 208
 sepiolite 16, 310
 serpentine 110
 serpentinite 260
 shale 287
 shear 225
 shrinkage 200
 Si–Al–Li–H₂O 398
 Si–Al– $\mu_{Na,K}$ system 252
 Si–O bond 5
 SiO₂ – Al₂O₃ – K₂O – H₂O
 system 121
 siloxane 193
 smectite 14
 smectite → illite 338
 Sodic Entisol 275
 solid state transformation 51
 solubility constant K_{sp} 112
 specific surface 215
 spectrometry 69
 spiral growth 48

– step 49
 spodosol 275, 282
 stable isotope 153
 standard free energy of formation 113
 Stern-Grahame triple layer 221
 stevensite 17, 88
 stilbite 367
 stilpnomelane 363
 Stokes' law 295
 stratigraphic column 303
 structural formula 19
 subduction zone 426
 subsidence 330
 substitution solid solution 65
 succession probability 22
 sudoite 16, 365
 sulphide 269
 supersaturation 35, 36
 suspension 226
 swelling 17, 204

T

tactoid 206
 talc 12, 256
 ta-sap 401
 tetrahedra 4
 tetrahedral
 – substitution 67
 tetrahedron 3
 The diffuse double layer 220
 thermal analysis 196
 thermal diffusion 406
 thermal plume 382
 thermocline 322
 thermometamorphism 409
 thixotropy 226
 three-component mixed-layer mineral 27
 tochilinite 430
 tonstein 312
 tosudite 399
 trans-octahedra 12
 trans-vacant 96
 transfer 232, 278
 transformation 232
 transitory state 108
 transport 295

trapp 369
 tremolite 400
 trioctahedral vermiculite 17
 Tschermak substitution 82
 turbostratism 21

U

undersaturated solution 111
 undersaturation 35, 36
 unit cell 3
 – volume 12

V

van der Waals bond 12
 variable charge 207
 vein alteration 376
 verdine 325
 vermiculite 14
 vermiculitisation 241
 vertisol 285
 very low-grade metamorphism 361
 viscosity 225

W

wadi 307
 wairakite 380
 water 15
 – adsorption isotherm 203
 WCI 187
 weathering clay 165
 wetting-drying cycle 97, 206
 wind-borne sediments 299

X

xeric soil 285

Y

Young's modulus 248

Z

zeta potential 222
 zircon 341