

---

## References

1. Agilent Corporation (2005) Advanced Design System (ADS) - User's Guide. Agilent Technologies, Inc., Palo Alto, <http://www.agilent.com/find/eesof>
2. Air Force Research Laboratory (2004) Dosimetry model: human body model. AFRL, Wright-Patterson, <http://www.brooks.af.mil/AFRL/HED/hedr/hedr.html>
3. Alaydrus M (2001) Hybridmethode zur Lösung komplexer elektromagnetischer Feldprobleme. PhD-Thesis, University Wuppertal, Germany (in German)
4. Ansoft Corporation (2005) HFSS - Online Help. Ansoft Corporation, Pittsburgh, <http://www.ansoft.com>
5. Archambeault B, Brench C, Ramahi OM (2001) EMI/EMC Computational modeling handbook. Second Edition. Kluwer Academic Publishers, Boston Dordrecht London
6. Balanis CA (1989) Advanced engineering electromagnetics. John Wiley & Sons, New York
7. Balanis CA (1997) Antenna theory. Analysis and design. Second Edition. John Wiley & Sons, New York
8. Berenger JP (1994) A perfectly matched layer for the absorption of electromagnetic waves. *Journal of Computational Physics*. Vol. 4, pp. 185-200
9. Bolz T, Neuhaus B, Beyer A (2005) Interaction between metal packages and the enclosed MMICs. *Wireless and Microwave Technology, 2005. The 2005 IEEE Annual Conference 6-7 April 2005*, pp. 145-148
10. Burke GJ, Poggio AJ (1981) Numerical Electromagnetics Code (NEC). Lawrence Livermore National Laboratory, Livermore
11. Burke JJ, Jackson RW (1991) A simple circuit model for resonant mode coupling in packaged MMICs. *Microwave Symposium Digest, IEEE MTT-S International 10-14 June 1991*, pp. 1221-1224
12. Burkhardt M, Kuster N (1998) Artifact at material boundaries in exposure assessment with FDTD. *Annual meeting of the Bioelectromagnetics Society, St. Pete Beach, Abstract Book*, pp. 263-264
13. Chen Z (2005) Finite Element Methods and their applications. Springer, Berlin Heidelberg New York
14. CST GmbH (2005) Microwave Studio - User's guide. CST GmbH, Darmstadt, <http://www.cst.com>
15. Duck FA (1990) Physical properties of tissue. Academic Press, San Diego

16. Federal Communications Commission (FCC) (2002) Revision of Part 15 of the communications rules regarding ultra wideband transmission systems. First report and order, ET Docket 98-153, FCC 02-48; Adopted: Feb. 14th, 2002; Released: Apr. 22nd, 2002
17. Gabriel S, Lau R, Gabriel C (1996) The dielectric properties of biological tissue: III. Parametric models for the dielectric spectrum of tissues. *Phys. Med. Biol.* 41, pp. 2231-2249
18. Gandhi O (1990) Biological effects and medical applications of electromagnetic energy. Prentice Hall, Eaglewood Cliffs
19. Gomez Martin R, Rubio Bretones A, Monorchio A, Fernandez Pantoja M, Gonzales Garcia S (2003) Time-domain hybrid methods. In: Time-domain techniques in computational electromagnetics. Edited by D. Poljak. WIT Press/Computational Mechanics, Southampton, UK
20. Hansen RC (1998) Phased array antennas. John Wiley & Sons, New York
21. Hansen VW (1989) Numerical solution of antennas in layered media. John Wiley & Sons, New York
22. Harrington RF (1992) Field computation by moment methods, IEEE Press, Piscataway
23. Haznadar Z, Stih Z (2000) Electromagnetic fields, waves and numerical methods. IOS Press, Amsterdam Berlin
24. Hirasawa K, Haneishi M (Eds) (1992) Analysis and design of small and low-profile microstrip antennas. Artech House, Boston
25. Hoffmann RK (1987) Handbook of microwave integrated circuits. Artech House, Norwood
26. Hofmann-Wellehof B, Lichtenegger H, Collins J (1994) GPS. Theory and practice. Springer, Wien New York
27. Ida N, Bastos JPA (1997) Electromagnetics and calculation of fields. Springer, New York Berlin
28. Ida N (2004) Engineering electromagnetics. Springer, New York, Berlin
29. IEEE Standard C95.1 (1999), IEEE standard for safety levels with respect to human exposure to radio frequency electromagnetic fields, 3 kHz to 300 GHz, Institute of Electrical and Electronic Engineers, New York
30. IEEE Standards Coordinating Committee 34, SC-2, WG-1 (2003) IEEE P1528/D1.2 Recommended practice for determining the peak spatial-average specific absorption rate (SAR) in the human head from wireless communications devices: measurement techniques
31. IEEE Standards Coordinating Committee 34, SC-2, WG-2 (2003) Draft version P1529/D0.0 12/15/03 of IEEE recommended practice for determining the specific absorption rate (SAR) in the human body due to wireless communication devices: computational techniques
32. IEEE Standards Coordinating Committee 28 (2002) IEEE Std C95.3-2002 IEEE recommended practice for measurements and computations of radio frequency electromagnetic fields with respect to human exposure to such fields, 100 kHz-300 GHz
33. IMST GmbH (2005) Empire - User's guide. IMST GmbH, Kamp-Lintfort, <http://www.empire.com>
34. Intel (2005) Wireless USB The first High-speed personal wireless interconnect. White paper. URL: <http://www.intel.com/technology/comms/wusb/download/wirelessUSB.pdf>

35. International Commission on Non-Ionizing Radiation Protection (ICNIRP) (1998) Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz). *Health Physics* Vol. 74, No 4, pp 494-522
36. Itoh T (Ed) (1989) Numerical techniques for microwave and millimeter-wave passive structures. John Wiley & Sons, New York
37. Jackson JD (1962) Classical electrodynamics. John Wiley & Sons, New York
38. James JR, Hall PS (1989) Handbook of microstrip antennas. IEE Electromagnetic Waves Series 28. Peter Peregrinus Ltd., London
39. Jin JM (1993) The finite element method in electromagnetics. John Wiley & Sons, New York
40. Kaplan ED (Ed) (1996) Understanding GPS. Principles and applications. Artech House, Boston London
41. Kathrein Technical Specification (2005) Base station antenna 736 078. Kathrein, Rosenheim, <http://www.kathrein.de>
42. Krietenstein B, Schuhmann R, Thoma P, Weiland T (1998) The perfect boundary approximation technique facing the big challenge of high precision field computation. Proc. of the XIX International Linear Accelerator Conference (LINAC98), Chicago, pp. 860-862
43. Kunisch J, Pamp J (2003) UWB radio channel modeling considerations. Proc. of ICEAA'03, Turin
44. Kunz KS, Luebbers RJ (1993) The finite difference time domain method for electromagnetics. CRC Press, Boca Raton
45. Lee KF, Chen W (1997) Advances in microstrip and printed antennas. John Wiley & Sons, New York
46. Makimoto M (2001) Microwave resonators and filters for wireless communication systems. Springer, Berlin Heidelberg
47. Manteuffel D (2002) Analyse und Synthese von integrierten Antennen für Mobiltelefone unter besonderer Berücksichtigung des Benutzereinflusses. PhD Thesis at University Duisburg-Essen, Shaker Verlag, Aachen (in German)
48. Morgan MA (Ed)(1990) Finite element and finite difference methods in electromagnetic scattering. Elsevier, New York
49. Paul CR, Whites KW, Nasar SA (1997) Introduction to electromagnetic fields. McGraw Hill, Boston
50. Peterson AF, Ray SL, Mittra R (1997), Computational methods for electromagnetics. IEEE Press, Piscataway
51. Pozar DM (1998) Microwave engineering. Second Edition. John Wiley & Sons, New York
52. Quarteroni A, Valli A (1994) Numerical approximation of partial differential equations. Springer, Berlin Heidelberg
53. Rockey KC, Evans HR, Griffiths DW, Nethercot DA (1985) The Finite Element Method. A basic introduction for engineers. Springer, Berlin Heidelberg
54. Rohde UL, Newkirk DP (2000) Electromagnetics, microwave circuit and antenna design for communication engineering. Artech House, Boston London
55. Russer P (2003) RF/microwave circuit design for wireless applications. John Wiley & Sons, New York
56. Sadiku MNO (2001) Numerical techniques in electromagnetics. Second edition. CRC press, Boca Raton London
57. Sainati RA (1996) CAD of microstrip antennas for wireless applications. Artech House, Boston London

58. Shaw AK, Naishadham K (1997) Efficient ARMA modeling of FDTD time sequences for microwave resonant structures. In: IEEE MTT-S, Microwave Symposium, Denver
59. Singer H, Brüns H-D, Freiberg A (2005) Concept-II manual. Technical University Hamburg-Harburg, Hamburg
60. Soergel W, Waldschmidt Ch, Wiesbeck W (2003) Transient response of Vivaldi antenna and logarithmic periodical dipole array for ultra wideband communication. AP-S - International Symposium on Antennas and Propagation, Proc. on CDROM, Columbus (Ohio) USA
61. Soergel W, Wiesbeck W (2004) Influence of the antennas on the ultra wideband transmission. EURASIP Journal on Applied Signal Processing, Special Issue UWB - State of the Art
62. Swanson DG, Hofer WJR (2003) Microwave circuit modeling using electromagnetic field simulation. Artech House, Boston London
63. Taflove A, Hagness SC (2000) Computational electrodynamics. Artech House, Boston London
64. Tong P, Rossettos JN (1977) Finite-Element Method. Basic techniques and implementation. MIT Press, Cambridge London
65. Weiland T, Schuhmann R, Greger RB, Parazzoli CG, Vetter AM, Smith DR, Vier DC, Schultz S (2001) A initio numerical simulations of left-handed metamaterials: Comparison of calculations and experiments. Journal of Applied Physics, Vol. 90, No.10, pp. 5419-5424
66. Wong KL (2003) Planar antennas for wireless communications. John Wiley & Sons, New York
67. Yee KS (1966) Numerical solution of initial boundary value problems involving Maxwell's equations in isotropic media. IEEE Trans. Antennas and Propagation, Vol. 14, pp. 302-307
68. Zienkiewicz OC (1977) The finite element method. Third edition. McGraw Hill, Boston

---

# Index

- 4NEC2, 139
  - base station antenna, 211
  - dipole, 139
- ABC, 96
- absorbing boundary condition, 96
- adaptive frequency sweep, 100
- adaptive meshing, 98
- ADS/Momentum
  - branchline coupler, 193
  - cavity, 183
  - microstrip filter, 137
  - patch antenna, 204
- AFRL, 223
- antenna
  - array, 37, 207
  - bandwidth, 35
  - base station, 207
  - C-patch, 227
  - capacitive loading, 227
  - dielectric loading, 227
  - e-patch, 244
  - efficiency, 34
  - GPS, 191
  - helix, 239
  - integrated, 226
  - losses, 34
  - matching, 35
  - microstrip, 226
  - miniaturization, 227
  - mobile phone, 225
  - parameters, 28
  - patch, 197, 226
  - PIFA, 157, 226
  - receive, 257
  - reciprocity, 258
  - smart, 41
  - transmit, 257
  - ultra-wideband, 247
- antenna array, 209
- aperture antenna, 148
- ARMA filter, 63
- array, 37, 207
  - phased, 41
- automatic optimization, 253
  - target function, 253
- axial ratio, 200
- bandwidth, 35, 113, 227
  - matrix, 77
- base function, 68
- base station antenna, 207
- beam steering, 41
- BEM, 79
- biological tissues, 223, 234
- Bluetooth, 247
- boundary conditions, 8, 46, 94
  - absorbing boundary condition, 96
  - electric wall, 94, 117
  - magnetic wall, 94, 117
  - plane of symmetry, 94
- box modes, 177
- branchline coupler, 192
- CAD, 86
  - parametric object, 252
- cavity, 177
  - FDTD, 181

- FEM, 178
- MoM, 183
- coaxial line, 18, 108, 185
- computational domain, 46
- concentrated elements, 94
- concentrated port, 93
- CONCEPT II
  - mobile phone, 230
- conductivity, 89
- coupler, 193
- coupling impedance, 69
- coupling matrix, 69
- dipole
  - current distribution, 31
  - FDTD, 139, 146
  - input impedance, 139
  - radiation pattern, 30
  - thin, 28
- directivity, 33
- discrete Fourier transform, 59
- DXF, 87
- EMPIRE
  - dipole, 144
  - induced current, 171
  - mobile phone, 225
  - PIFA, 158
  - UWB antenna, 247
- energy, 14, 113
  - functional, 73
- equivalent sources, 60, 71
- fading, 265
- farfield, 30
- farfield approximation, 37, 62
- FCC UWB mask, 247
- FDTD, 48
  - aperture antenna, 149
  - base station antenna, 208
  - branchline coupler, 193
  - cavity, 181
  - coaxial transition, 109
  - Courant stability, 54
  - dipole, 144
  - induced current, 171
  - leapfrog, 53
  - microstrip filter, 131
  - mobile phone, 225
  - patch antenna, 192
  - quarter wavelength transformer, 124
  - rectangular waveguide, 149
  - staircasing, 109, 171, 250
  - system resources, 100
  - thin wire, 144
- FEM, 73
  - aperture antenna, 155
  - cavity, 178
  - coaxial transition, 117
  - dipole, 146
  - microstrip filter, 135
  - PIFA, 166
  - quarter wavelength transformer, 126
  - system resources, 100
- filter
  - microstrip, 128
- finite elements, 73
- FIT, 78, 109
- frequency plan, 226
- Fries equation, 143
- fundamental mode, 18, 91, 128, 148
- FVTD, 78
- geometry, 84
  - boolean operation, 84
  - simple objects, 84
- GPS, 191
- GPS antenna, 191
- graphical user interface, 81
- Green's function, 17, 67, 72
- GSM, 207, 225
  - base station antenna, 207
  - mobile phone, 225
- GTD, 79
- GUI, 81
- half power beam width, 211
- Helmholtz equation, 17
- HFSS
  - aperture antenna, 155
  - cavity, 178
  - coaxial transition, 117
  - dipole, 146
  - microstrip filter, 135
  - PIFA, 166
  - quarter wavelength transformer, 126
- home entertainment system, 247
- human body model, 223

- SAM, 236
- Huygens principle, 61, 79
- hybrid method, 79
- IGES, 87
- induced current, 171
- input impedance, 25, 139
- isotropic radiator, 33
- length reduction, 140
- line impedance, 21
  - plane of symmetry, 96
- LOS, 264
- loss resistance, 34
- loss tangent, 89
- lumped elements, 94
- lumped port, 93, 139, 159, 185, 209
- macro language, 86
- magnetic current density, 71
- matching, 35
- Maxwell's equations, 5, 48
- meshing, 97, 104, 115
  - adaptive, 98
- microstrip, 128
  - filter, 128
  - gap, 177
  - line, 177
  - line impedance, 128
  - patch antenna, 192
- Microwave Studio
  - aperture antenna, 149
  - base station antenna, 208
  - branchline coupler, 193
  - cavity, 181
  - coaxial transition, 109
  - microstrip filter, 131
  - patch antenna, 192
  - quarter wavelength transformer, 124
  - rectangular waveguide, 149
- mobile communication standards, 226
- mobile phone, 227
  - generic simulation model, 227
  - interaction with user, 234
- mobile phone antenna, 225
- modeling
  - CAD, 84
  - macro language, 86
- modeling guidelines, 103
- MoM, 66
  - 2.5D, 137
  - base station antenna, 211
  - branchline coupler, 193
  - cavity, 183
  - dipole, 139
  - microstrip filter, 137
  - mobile phone, 230
  - patch antenna, 204
  - system resources, 100
  - thin wire, 139
- multi-port excitation, 90, 208
- nearfield, 30
- nearfield-to-farfield transformation, 60, 255
- NLOS, 264
- numbering of nodes, 77
- PAN, 247
- patch antenna, 197
- permeability, 89
- permittivity, 89
- phase velocity, 10
- phasor, 7
- PIFA, 157
- plane wave port, 91
- PML, 96
- polarization, 11
  - LHCP, 11
  - LHEP, 12
  - RHCP, 11, 191
  - RHEP, 12
- port, 46, 90
  - coaxial, 108, 166
  - coaxial waveguide, 110
  - lumped, 93, 166, 208
  - microstrip, 128, 177, 191
  - plane wave, 91
  - rectangular waveguide, 148
  - waveguide, 91
- postprocessor, 82
- Poynting vector, 11
- preprocessor, 82
- propagation constant, 13
- quarter wavelength transformer, 192
- quasi-TEM, 128
- radiation

- efficiency, 34
  - resistance, 34
- radome, 215
- ray tracing, 257
- reciprocity theorem, 193, 258
- rectangular waveguide, 148
- resonance, 27, 139
- RHCP, 11, 191
- rooftop function, 70
  
- SAM phantom, 239
- SAR, 224, 234
  - mass averaging, 236
- scattering parameters, 23, 59
- shape function, 75
- simultaneous excitation, 90
- skin depth, 13
- solver, 82
- sparse matrix, 77
- specific absorption rate, 224
- staircasing, 97, 103, 109, 171, 249
- standard
  - C95.1, 220
  - C95.3, 239
  - ICNIRP, 220
  - IEEE 1528, 239
  - IEEE P1529, 239
- STEP, 87
- system resources, 100
  
- thin dipole, 28, 139
  
- thin wire, 68, 139
- transfer function, 257
- transmission line, 18
  - coaxial, 18
  - current, 19
  - TEM, 18, 108
  - voltage, 19
  
- UMTS, 225
- uniform plane wave, 9
- unit cell, 46
- USB, 247
- UWB antenna, 247
  
- variational expression, 73
  
- wave, 9
  - current wave, 20
  - plane wave port, 91
  - uniform plane wave, 9
  - voltage wave, 20
- wave equation
  - transmission line, 20
- waveguide, 18
  - modes, 109, 151
  - rectangular, 148
  - waveguide port, 108
- waveguide port, 91, 163
  - coaxial, 108
- wire grid, 70
- WLAN, 247