
Index

- α -amylase, 412
- α -relaxation, 490
- α -lactalbumin, 533, 545
- β -amyloid, 301
- β -casein, 294
- β -lactoglobulin, 295

- accessible surface area, 54
- acetanilide, 449
- agarose, 441
- allosteric regulation, 191
- amino acids, 14
- amylose, 453
- anomalous swelling, 114
- atomic form factor, 8
- atomic jump motions, 368
- ATP, 193
- average atomic mean square displacement, 365

- bacteriophage MS2, 178
- bacteriorhodopsin, 73, 383, 424
- bending rigidity, 510, 512, 526
- Bessel function, 144, 408
- bicelles, 108
- bilayer undulations, 513
- biocompatible interface, 294
- biomembranes, 289, 299
- biomolecules
 - conformational entropy, 399
 - dynamics, 400
 - energy landscape, 399
- biosensors, 265, 294
- biotin, 291, 296

- bone, 206, 209, 214, 215, 217–221, 452
 - hierarchical structure, 212
 - nanostructure, 213
- Born approximation, 232, 236, 254, 311
- Bose occupation number, 487
- Boson peak, 366, 372, 445, 452, 465, 486, 496
- bovine serum albumin, 120, 271, 297
- Bragg
 - law, 128
 - sheet, 513–515
- Brillouin
 - amplitude, 519
 - line, 523
 - mode, 445
 - zone, 514, 524
- Brownian motion, 130, 467

- Caillé
 - model, 510, 512, 514
 - theory, 527
- calcified tissue, 209, 217–219
- calmodulin, 130, 148, 149
- cAMP receptor protein, 163
- capillary wave, 286, 287
- carnosine, 450
- cartilage, 206, 219
- casein, 118
- cell adhesion, 294
- cellulose, 26, 85, 89, 98
- chaperones, 172, 192
 - thermosome, 193
- chasing experiments, 199

- cholera toxin, 292
- cholesterol, 527
- chymotrypsin, 117
- circular dichroism spectroscopy, 404
- classical approximation, 314
- CLIMAX simulations, 451
- coherence length
 - in-plane, 286
- coherent scattering, 131, 132, 437
 - length, 133
- collagen, 206–209, 212, 442, 448, 452, 453, 457
 - cross-links, 206, 209
 - elastic behavior, 208
 - hierarchical structure, 208
 - hydration, 209
 - mechanical properties, 206, 208
- collective modes, 490
- composition-space refinement, 287
- Compton scattering, 9, 132
- concanavalin A, 65
- concentration fluctuation relaxation, 360
- conformational
 - fluctuations, 169
 - space, 415
 - substates, 432
 - transition, 496
- contrast variation, 11, 13, 22, 26, 63, 74, 78, 135, 137, 151, 153, 155, 164, 174, 181, 189, 197, 199, 203, 205, 206, 209, 257, 266, 283, 289, 290, 296, 512
- correlation time, 402, 406, 467
- Couette cell, 118
- crowded media, 359
- cryo-crystallography, 66
- cytochrome *c*, 296

- dahlite, 209
- de-Broglie
 - relation, 129
 - wavelength, 415
- Debye formula, 148
- Debye-Waller factor, 361, 441, 448
- density functional theory, 451
- deoxyhemoglobin, 108
- detailed-balance factor, 315, 362
- detergent, 77

- deuteration laboratory, 90, 102, 423, 499
- deuterium labelling, 129
- dielectric loss spectra, 487
- differential scattering cross-section, 140
- diffusion-in-a-sphere model, 318, 414, 545
- diffusive motion
 - confined, 490
 - localized, 490
- dihydrofolate reductase, 375
- distance distribution function, 161
- DNA, 15, 26, 28, 60, 85, 89, 92, 107, 112, 163, 296, 302, 453, 455, 457, 485, 487, 497, 499
 - dynamics, 485, 486
 - hydration, 491, 495
 - slow relaxation, 488
- Doppler drive, 329
- Doppler shift, 129
- drug delivery systems, 302
- dynamic
 - heterogeneity, 427
 - light scattering, 130, 404, 533
 - model, 318
 - structure factor, 487, 520
 - susceptibility, 487
 - transition, 420, 487
- dynamic susceptibility, 363
- dynamical model, 356
- dynamical transition, 386

- EISF, 316, 370, 406, 408, 411, 413, 441, 466, 539, 542, 543
- elastic
 - incoherent neutron scattering, 420
 - Gaussian approximation, 420
 - neutron scattering, 521
 - scattering, 6, 7, 128, 129
- elastic incoherent structure factor, 316
- elastic- window scan, 331
- electron
 - density profile, 296
 - image
 - backscattered, 219, 220
 - microscopy, 187, 190, 193, 205, 207, 209, 217
- endothiapepsin, 37
- energetic barrier, 462

- energy landscape, 441, 498, 499
 energy resolution function, 321
 entropy calculation, 415
 enzyme activity, 431
 erythrocytes, 108
 ESR, 491
 ESS, 69, 416
 eV spectroscopy, 436, 438
 evanescent wave, 284, 514
 experimental observation time, 321
- F-actin filaments, 290
 fascicles, 206, 207
 Fermi chopper, 323, 446
 ferrofluids, 111
 fiber diffraction, 85
 fibrinogen, 108, 297
 Fickian diffusion, 490
 fluctuations, 399, 401
 stochastic, 399
 structural, 401
 fluorescence
 correlation spectroscopy, 404
 microscopy, 291
 spectroscopy, 400, 404
 force constants, 421
 Fourier synthesis, 508
 Fresnel reflectivity, 507, 509
- gangliosides, 292
 Gaussian approximation, 358
 generalized three effective eigenmode
 theory, 523
 glass
 forming liquids, 486
 forming systems, 485, 489
 transition, 441, 449, 493
 glutamate dehydrogenase, 492
 glutathione, 450
 glycation, 206
 glycerol, 491
 GP31 protein, 199
 grafting density, 292
 grazing-incidence diffraction, 284, 290,
 291, 302, 506
 GroEL/GroES, 172, 192, 202
 Guinier approximation, 146, 161, 188
- H/D
 exchange, 52, 403, 404, 448
 labelling, 423
 harmonic oscillator, 463, 467
 heavy water, 135
 hemoglobin, 442
 Hill coefficient, 192
 hisactophilin, 290
 holonomic constraint, 534
 human serum albumin, 271, 296
 hydration dependence, 426
 hydration level, 373
 hydration water, 380
 hydrogen
 bonding, 50, 96, 98
 bifurcated, 51
 mobile defects, 491
 hydration data base, 59
 nuclear-spin incoherence, 211
 hydrostatic pressure, 114
 hydroxyapatite, 209, 211
- incoherent scattering, 131–133, 145,
 208, 403, 437, 518
 background, 287, 300
 cross-section
 deuterium, 403
 hydrogen, 146, 403
 length, 537
 indirect Fourier transform, 188
 inelastic
 neutron scattering, 206, 208
 scattering, 129, 445
 cross section, 520
 X-ray scattering, 518, 524
 instrumental resolution, 242
 insulin, 44, 48, 60
 interferometric data inversion, 296
 intermediate scattering function, 313,
 488, 496, 540
 IR spectroscopy, 404, 485
 isomorphous replacement, 12, 46
 isopicnic point, 74
 isotopic
 labeling, 127
 substitution, 22, 46, 52, 164
- jump-diffusion model, 408, 411, 412
 jump-distance, 370

- Kiessig fringes, 240, 259
 Kilham rat virus, 143
 kinematic approximation, 232, 268
 Kohrauch–Williams–Watts relaxation
 function, 488
 Kratky camera, 143

 L'Hospital's rule, 234
 lamellar spacing, 384, 427
 Lamor precession, 336
 Langevin equation, 463
 Langmuir monolayers, 289
 Langmuir–Blodgett
 films, 286, 297
 transfer, 298
 Langmuir–Schaefer
 transfer, 298
 Laue diffraction, 64
 time-resolved, 190
 Lennard–Jones potential, 535
 light scattering, 128, 130
 light-driven proton pump, 424
 light-harvesting complex, 364
 lineshape analysis, 510
 lipid
 bilayer, 107
 magnetic field alignment, 108
 environment, 428
 monolayers, 289
 functionalized, 291
 protein interaction, 290
 vesicles
 multilamellar, 112
 unilamellar, 112
 lipopolymers, 292
 liposomes, 292
 localized atomic motion, 318
 localized diffusive motion, 370
 Lorentz factor, 507
 Lorentzian
 line width, 487
 lineshape, 513, 516
 lumazine synthase, 292
 lung surfactant, 290, 295
 lyophilization, 531
 lysozyme, 36, 38, 43, 44, 48, 60, 113,
 266, 295, 297, 371, 445, 485–487,
 492, 497, 533, 542
 slow relaxation, 488

 Mössbauer spectroscopy, 400, 431, 491,
 492
 magainin, 504, 517
 magnetic field alignment, 107
 master equation, 368
 maxon, 524, 525
 Maxwell spectrum, 137
 melittin, 227, 259, 300
 membrane
 dynamics, 518, 521, 523, 527
 collective, 519
 fluctuations, 512
 hybrid bilayer, 259, 299, 302
 proteins, 39, 73
 metmyoglobin, 47
 mineral particles, 217, 219
 mode coupling theory, 493, 496, 499
 model refinement
 structure-based, 287
 molecular displacements, 462
 molecular dynamics simulations, 400,
 449, 524, 531, 534
 moment analysis, 474
 momentum transfer, 128
 Monte Carlo simulations, 162
 mosaicity, 67
 motor proteins, 191
 mucins, 113
 multilamellar vesicles, 120
 multiple scattering, 141, 145, 349, 381,
 405
 mushroom-to-brush transition, 293
 myoglobin, 27, 37, 44, 57, 113, 117, 290,
 359, 399, 422, 442, 462, 494, 497,
 533, 542, 543
 myosin light chain kinase, 148, 149

 neutron
 activation analysis, 206
 beam focussing, 221
 beam polarisation, 340
 charge, 5
 coherence length, 239
 coherent
 scattering cross section, 312
 coherent scattering length, 8, 227
 Compton
 profile, 456
 scattering, 456

- cross-section, 463
- crystallography, 21, 32, 73
- differential cross-section, 7
- diffraction, 6, 11, 21, 22, 32, 45, 209, 221
- dispersion relation, 519
- dynamic structure factor, 310
- energy transfer, 5, 310
- experimental observation function, 346
- fiber diffraction, 36, 87
- flux, 3, 4, 11, 23
- guide, 2, 137
- gyromagnetic ratio, 336
- image plate, 29, 43, 64, 68
- incoherent
 - scattering cross section, 312
- incoherent scattering, 25, 45, 238, 239, 287
 - cross-section, 9
 - factor, 34
 - length, 8
- inelastic scattering, 10, 13, 503, 518, 531
- intermediate scattering function, 463
- Laue diffraction, 23–25, 29, 43
- lifetime, 129
- magnetic
 - lens, 221
 - moment, 2, 5, 22
- mass, 5
- moderator, 2, 438
- momentum transfer, 5, 310
- multiple scattering, 479
- polarized, 9, 237, 255
- protein crystallography, 25, 43
- reflectometry, 118, 266, 284, 288
 - Q -resolution, 239
 - non-specular, 226, 514
 - phase-sensitive, 261
 - phospholipid monolayers, 290
 - resolution, 285
 - shear cell, 119
 - specular, 225
 - time-of-flight, 236, 512
- refractive
 - index, 11
 - lens, 221
- resonance spin-echo spectrometry, 344
- scattering
 - cross-section, 8, 9, 21, 311
 - length, 9, 22, 74, 88, 289
 - length biguplusdensity, 14
 - length density, 11, 44
- scattering function, 310
- single crystal diffraction, 22
- source, 1, 22, 64, 67, 236, 435
 - accelerator, 4, 436
 - cold, 137, 151, 237, 438
 - pulsed, 435
 - reactor, 2, 23, 137, 435
 - spallation, 3, 25, 28, 32, 61, 68, 139, 416, 435, 437, 499
- spectroscopy, 13, 399, 403, 435, 485, 537
 - energy resolution, 406
 - resolution, 487
- spin, 2, 9
- spin-echo, 437, 438, 485, 542
- spin-echo principle, 337
- static structure factor, 313
- structure factor, 12
 - dynamic, 13, 437
- supermirror, 138
- total scattering cross-section, 7
- wave vector, 5
- neutron instruments
 - spin-echo spectrometers, 335
 - backscattering spectrometers, 328, 405, 439, 487, 488, 542
 - HFBS, 330
 - IN10, 330
 - IN13, 330
 - IN16, 329
 - IRIS, 334, 440
 - OSIRIS, 440
- chopper spectrometers, 439, 446
 - DCS, 326
 - FOCUS, 324, 442
 - IN5, 326
 - IN6, 324, 412, 442
 - MARI, 446
 - MIBEMOL, 326
 - NEAT, 326
- crystal analyzer spectrometers
 - TOSCA, 446

- neutron instruments (*Continued*)
- diffractometer
 - D19, 101
 - diffractometers
 - AND/R, 156
 - BIX, 43
 - BIX-3, 28
 - BIX-4, 28
 - BIX-P1, 61
 - D19, 26, 68, 90
 - DB21, 26, 75
 - LADI, 26, 27, 29, 43, 64
 - LMX, 64
 - MANDI, 64
 - MaNDi, 31, 61
 - PCS, 28
 - SXD, 28, 30
 - VIVALDI, 30
 - eV spectrometers
 - VESUVIO, 456
 - reflectometers
 - D17, 515
 - NG-1, 237
 - SANS spectrometers, 165
 - D11, 137
 - D22, 139, 200
 - spin-echo spectrometers
 - MUSES, 342
 - TOF-TOF spectrometers, 325
 - TOF-XTL spectrometers, 333
 - triple axis spectrometers, 504, 527
 - IN12, 507, 520
 - IN3, 520
 - N5, 110
 - XTL-TOF spectrometers, 323
 - XTL-XTL spectrometers, 328
 - NMR, 50, 54, 109, 155, 187, 190, 400, 402, 404, 407, 411, 452, 457, 491, 498, 518, 533
 - normal mode analysis, 463
 - nucleic acids, 14, 26
 - nucleosides, 455
 - null reflecting water, 267
 - Nylon, 491
 - Nyquist
 - lattice points, 234
 - number, 235
 - observation function, 321
 - OmpF porin, 73, 80
 - optical microscopy, 286
 - osmotic compressibility, 361
 - osmotic pressure, 507
 - osteon, 219, 220
 - pair correlation function, 316
 - pair-distance distribution function, 131, 146, 188
 - papaya mosaic virus, 108
 - Parratt algorithm, 507
 - PDB format, 162
 - phase
 - determination, 296
 - inversion, 231
 - problem, 12, 76, 231, 507
 - phenomenological fit, 406, 407
 - phonon-expansion, 361
 - phonon-population factor, 362
 - phospholipase, 295, 298
 - phospholipase A, 81
 - phospholipid, 15
 - bilayers, 120, 254, 289, 297, 300, 301, 457, 504
 - anomalous swelling, 522
 - DAPC, 117
 - DBPC, 117
 - density profile, 508
 - DLPC, 116, 518
 - DMPC, 108, 113, 114, 116, 259, 297, 301, 505-507, 514, 515, 519, 522, 524, 525, 527
 - DMPG, 109, 301
 - DOPC, 233
 - DPPC, 297
 - DPPS, 299
 - DSPC, 117
 - dynamics, 527
 - fluctuations, 507, 510
 - hydration, 505, 506
 - mosaicity, 504
 - thermal fluctuations, 513
 - undulations, 512
 - collective motion, 503, 504
 - critical unbinding, 114
 - membranes, 292
 - fluctuations, 503
 - monolayers, 287, 290
 - DLPE, 290

- DMPC, 290, 294, 301
- DMPG, 290
- DPPC, 288, 290
- DPPE, 293
- DPPG, 290
- DSPE, 293
- ganglioside, 293
- PEGylated, 293
- phase behavior, 114
- photocycle, 424, 427
- photoreaction center, 79
- Plazcek expansion, 442
- pneumolysin, 298
- Poiseuille cell, 118
- poly(allylamine hydrochloride), 301
- poly(methyl methacrylate), 144
- poly(methyl oxazoline), 294
- poly(styrene sulfonate), 301
- poly-L-lysine, 290
- polyamides, 491
- polyelectrolytes, 298, 301
- polyethylene glycol, 292
- polymer
 - brush, 292
 - cushion, 301
- polyols, 491
- Porod regime, 145
- powder sample, 421
- protein, 289
 - activity, 492, 495
 - adsorption, 265, 290, 291, 294–296, 298
 - aggregation, 400, 404
 - conformational
 - changes, 401, 402
 - entropy, 414, 415
 - cosolvent, 491
 - crystallization, 59
 - crystallography, 23, 43, 63, 193
 - high pressure, 113
 - dehydrated protein, 462
 - denaturation, 294
 - diffusion, 541
 - coefficient, 404, 411
 - diffusive motion, 543
 - dynamic, 206, 400, 419, 485, 486, 491, 531, 532, 543
 - transition, 492
 - energy landscape, 401
 - folding, 113, 176, 294, 399–401, 404, 413, 414
 - folding/unfolding transition, 402, 412, 443
 - function, 419, 498, 531
 - glucose-vitrified protein, 462
 - hydration, 55, 399, 410, 491, 532
 - hydrodynamic radius, 411
 - hydrogen bonds, 403
 - internal flexibility, 492
 - ligand binding, 375
 - light harvesting, 79
 - molecular resilience, 421
 - monolayers, 291
 - motions, 190
 - physiological condition, 399
 - plasticizer, 491, 492
 - powder sample, 399
 - quasielastic scattering, 406
 - rotational diffusion, 411
 - sample preparation, 403
 - solvent scattering, 399
 - stability, 412, 415
 - structural
 - fluctuations, 400, 414
 - stability, 402
 - thermal unfolding, 415
 - thermostable, 412
 - translational diffusion, 411
 - unfolding, 117
- protein-water interaction, 461
- proteoglycan, 206–208
- proteomics, 63
- proton dynamics, 440
- pseudo critical swelling, 525
- purple membrane, 108, 381, 424
- pyrolytic graphite
 - neutron monochromator, 110, 238
- QENS, 309, 355
- QENS spectroscopy, 323
- QISF, 370
- quasi-elastic
 - incoherent neutron scattering, 487
 - incoherent structure factor (QISF), 318
 - neutron scattering, 206, 208, 309, 405, 428, 518, 532, 546
 - scattering, 129

- r.m.s. roughness, 286
- radiation damage, 63
- radius of gyration, 117, 130, 140, 144, 147, 152, 161, 188, 202, 539
- Raman spectroscopy, 485
- rate equation, 368
- Rayleigh scattering, 491
- recoil energy, 456
- red blood cells, 400
- reflection amplitude, 235
- reflectometry, 228
 - angle-dispersive, 286
 - critical angle, 507
 - footprint correction, 246, 248
 - master equation, 509
 - momentum transfer, 286
 - non-specular, 503, 506
 - nonspecular, 510
 - off-specular, 284, 302
 - phase-sensitive, 232
 - resolution, 286
 - semi-kinematic approximation, 509
 - specular, 284, 506
 - total reflection, 286
- refractive index, 249
- relaxation
 - process, 487, 496
 - single exponential, 488
- residence time, 368
- resolution function, 538
- ribonuclease, 35, 486, 497, 533, 536, 543
- ribozyme, 165
- RNA, 165, 178
- rocking curve, 116, 247, 522
- rotational jumps, 478
- rotational motions, 356
- roton, 524
- rubredoxin, 30, 39, 44, 52, 57

- S-layer protein, 291
- sample
 - theorem, 287
 - transmission, 405
- SANS, 4, 111, 112, 118, 127, 161, 187, 195, 205, 210, 265, 404
 - absolute calibration, 140
 - desmearing, 144
 - incoherent background, 145
 - instrumental resolution, 142
 - pinhole camera, 144
 - time resolved, 200
- SAXS, 128, 130, 145, 153, 166, 187, 209, 210, 213, 404
 - pole-figure, 218
 - scanning, 205, 219
 - time resolved, 200
- scattering vector, 6
- SDS, 277
- secondary extinction, 254
- self assembled monolayers, 272, 296
- self-diffusion coefficient, 358
- semikinematical scattering theory, 508
- shape restoration models, 148, 154
- shear flow, 118
- silanization, 294
- Slepian
 - number, 235
- smectic
 - elasticity, 510, 512, 513, 515
 - liquid systems, 527
 - theory, 513
- Snell's law, 249
- Soller collimator, 253
- solvent
 - accessible surface area, 163
 - matching, 135
 - scattering, 409
 - viscosity, 491
- sound wave, 524
- spectral power density, 514
- spectrin, 290
- spherical micelles, 140
- staphylococcal nuclease, 114
- stopped-flow apparatus, 201
- streptavidin, 292, 296
- stretched-exponential decay, 474
- structural fluctuations, 462
- structure factor, 11, 23, 407, 441, 537
- superoxide dismutase, 442
- surface roughness, 288
- swelling method, 507
- synchrotron radiation, 205, 208, 216, 219

- temperature factor, 407, 429, 545
- tendon, 206–208, 219
 - mechanical properties, 206

- Thompson scattering, 8
 - factor, 135
- time-focusing principle, 324
- tobacco
 - mosaic virus, 108
 - rattle virus, 111
- translational diffusion, 358, 379
- translational motion, 356
- trehalose, 449, 493
- van Hove
 - correlation function, 313, 490
 - scattering function, 313
 - self-correlation function, 315, 403, 464
- vapor pressure paradox, 121, 505
- velocity selector, 138
- vibrational density of states, 361
- vibrational modes, 362
- vibrational motions, 486
- visco-elastic relaxation, 470
- vitamin B12, 36
- volume-restricted distribution function, 287, 301
- water
 - distribution profile, 296
 - dynamics, 491
 - viscosity, 495
- window function, 537
- X-ray
 - atomic form factor, 88
 - atomic scattering factor, 44
 - crystallography, 65, 73, 187, 190
 - diffraction, 85, 209
 - interferometry, 296
 - protein crystallography, 46
 - protein diffraction, 65
 - reflectometry, 288, 507
 - nonspecular, 511
 - scattering, 120
 - beam damage, 189, 287
- Zemach-Glauber expression, 451
- Zimm approximation, 188