

---

# Index

- action-angle variables, 5
  - obstructions to global, 5, 99
- algebraic invariant theory, 4, 114
- artificial satellite problem, 18
- auxiliary invariants, 12, 38
  
- Betti numbers, 136
- bifurcation, 56
  - Hamiltonian Hopf, *see* Hamiltonian Hopf bifurcation
  - Hopf bifurcation
  - pitchfork, 15, 56
- breathing motion, 10
  
- $\mathbb{CP}^2$ , 37
  - coordinates, 38
- constrained system, 87, 89
- cotangent lift, 16, 89, 130
- critical inclination, 14
- critical line, 8, 115
- critical point, 12, 41, 47, 66
- curled torus, 8, 32, 118
- cycle basis, 32, 124, 125
  
- Darboux theorem, constructive, 68
- deformation, 102, 103
- Dirac-Poisson structure, 88, 89
- discriminant locus, 92, 114
- double cycle, 33, 127
- Duistermaat-Heckman theory, 24
  
- Eckart frames, 10
- elimination of the node, 4
- energy-momentum map, 5, 20, 24, 30, 77, 89, 98, 113
  
- $\mathcal{EM}$ , *see* energy-momentum map
- $\epsilon^2$ -generic, 45
- Euler characteristic, 43, 49, 52, 56, 136
  
- first return time, 120
- flattening of symplectic form, 68, 70, 109
- focus-focus point, 30
  
- Gröbner basis, 38, 54
  
- H atom
  - in crossed fields, 6, 18, 59
  - in electric field, *see* Stark effect
  - in magnetic field, *see* Zeeman effect
  - in parallel fields, 18
- Hénon-Heiles, 6, 11, 57
- Hamiltonian Hopf bifurcation, 5, 6, 68
  - and monodromy, 6, 7, 26, 77–80, 106
  - degenerate, 56, 85
  - description in the reduced space, 81
  - geometric, 7, 57, 106
    - subcritical, 106
    - supercritical, 106
  - linear, 56, 69, 72
  - nonlinear, 56, 75
  - subcritical, 5, 68, 76, 84
  - supercritical, 5, 68, 75, 78, 83
- Hilbert basis, 4
- Hilbert map, 4
- Hironaka decomposition, 12
  
- integrity basis, 12
- isotropy group, 15, 36, 40, 45

- joint spectrum, 100, 104
- Kepler problem, 17, 59
- Kustaanheimo-Stiefel integral, 19, 60
- Kustaanheimo-Stiefel regularization, 19, 59
- linear stability, 17, 41, 43, 45, 48, 107, 135  
 2E, 41, 56, 57, 106–108, 136  
 2H, 41, 56, 57, 106–108, 136  
 CH, 41, 56, 72, 136  
 complex hyperbolic, *see* linear stability, CH  
 degenerate elliptic, *see* linear stability, 2E  
 degenerate hyperbolic, *see* linear stability, 2H  
 EE, 41, 56, 72, 80, 136  
 EH, 41, 56, 136  
 elliptic-elliptic, *see* linear stability, EE  
 elliptic-hyperbolic, *see* linear stability, EH  
 HH, 41, 136  
 hyperbolic-hyperbolic, *see* linear stability, HH
- Liouville integrable, 23, 46, 89
- Liouville-Arnold's theorem, 5, 98, 113
- Lyapunov theorem, 36
- Maslov index, 100
- metamorphosis, V, 3
- Michel's theorem, 12, 41, 66
- molecule  
 $X_4$ , *see* molecule, tetrahedral  
 CO<sub>2</sub>, 110  
 floppy, 22, 110  
 HClO, 22  
 HCN, 7, 22, 111  
 HCP, 22  
 LiCN, 7, 22, 110  
 tetrahedral, 6, 9  
 XAB, 22
- molecules  
 floppy, 7
- Molien function, 12, 16, 38, 44
- momentum, 4, 30, 98
- monodromy, 5, 6, 77, 99  
 and Hamiltonian Hopf bifurcation, 6, 7, 26  
 classical, 98  
 computation, 32, 101  
 fractional, 8, 33, 124  
   quantum, 126  
 geometric theorem, 23, 30, 102  
 in type I systems, 103  
 in type II systems, 102  
 in type O systems, 102  
 map, 32  
 matrix, 23, 78–80, 99, 101–103, 124  
 non-local, 6, 26, 80, 104  
 non-trivial, 5  
 ordinary, 5, 30  
 quantum, 100, 104  
 standard, *see* ordinary
- Morse function, 39, 40, 45, 53, 136  
 perfect, *see* Morse index, simplest  
 simplest, 43, 137
- Morse index, 17, 41, 43, 48, 56, 136  
 and linear stability, 137
- Morse theory, 42
- Morse type Hamiltonian, 41
- Noether's theorem, 4
- normal mode  
 linear, 9  
 nonlinear, 11, 12, 36, 47
- normalization, 3, 22, 46, 60  
 in  $\mathfrak{so}(3) \times \mathfrak{so}(3)$ , 3, 20, 64  
 Keplerian, 19  
 Lie series, 19, 46, 64, 109  
 nilpotent, 3, 109  
 oscillator, 3  
 second, 6, 19, 63
- orbitally stable, 49
- orbiting dust problem, 18
- period lattice, 8, 33, 99, 119, 124  
 modified, 123
- perturbed Kepler system, 6
- pinched curled torus, 118
- pinched torus  
 $k$ -times, 102  
 doubly, 24, 25, 79, 96, 102  
 singly, 23, 25, 78, 95, 96, 102
- Poisson structure, 27, 39, 52, 61, 63, 65,

- Poisson system, 39  
 principal invariants, 12, 38
- RE, *see* relative equilibria  
 reconstruction, 66, 94, 117  
 reduced phase space, 11, 19, 20, 39, 64, 66, 67, 90, 114  
 reduced system, 39, 53, 63, 114  
 reduction, 4, 6, 19, 27, 61  
   discrete, 20, 66  
   Lyapunov-Schmidt, 40  
   regular, 4  
   singular, 4, 90
- relative equilibria  
   in configuration space, 54  
 relative equilibria, 5, 23, 39, 47, 68, 77  
   and nonlinear normal modes, 40, 47  
   in configuration space, 133
- resonance  
   1: - 1, 30  
   1: - 2, 8, 30, 113  
   1:1, 11  
   1:1:1, 35  
   1:1:1:1, 19, 60  
   1:2, 22, 110  
    $m: - n$ , 26, 28  
    $m:n$ , 26, 27
- rotation angle, 120, 122
- Schwarz theorem, 4, 38  
 semialgebraic variety, 4, 64, 90  
 short periodic orbits, *see* relative equilibria
- singularity theory, 5  
 $\mathbf{S}^2 \times \mathbf{S}^2$ , 61  
   coordinates, 63
- spherical pendulum  
   classical, *see* linear  
   generalized, 7, 89  
   linear, 7, 23  
   quadratic, 7, 23, 87, 91  
   type I, 25, 96  
   type II, 25, 96  
   type O, 25, 95  
   with  $V(z) = -z^2$ , 24  
   with  $V(z) = z^2$ , 24
- stabilizer, *see* isotropy group  
 Stark effect, 18, 20
- symmetry  
   approximate, 3, 19  
   exact, 3  
   generator, 20, 64, 71, 89, 98  
   tetrahedral, 6, 9, 43, 129  
   time reversal, 6
- syzygies, 38
- tetrahedral  
   group, 6, 129  
    $T_d$ , *see* tetrahedral, group  
   molecule, *see* molecule, tetrahedral  
   symmetry, *see* symmetry, tetrahedral
- time rescaling, 123  
 time reversal, 54, 57, 108
- Zeeman effect, 18, 20

4. Manuscripts should in general be submitted in English. Final manuscripts should contain at least 100 pages of mathematical text and should always include
  - a general table of contents;
  - an informative introduction, with adequate motivation and perhaps some historical remarks: it should be accessible to a reader not intimately familiar with the topic treated;
  - a global subject index: as a rule this is genuinely helpful for the reader.
  
5. Lecture Notes volumes are, as a rule, printed digitally from the authors' files. We strongly recommend that all contributions in a volume be written in the same LaTeX version, preferably LaTeX2e. To ensure best results, authors are asked to use the LaTeX2e style files available from Springer's web-pages at [www.springeronline.com](http://www.springeronline.com)

[on this page, click on <Mathematics>, then on <For Authors> and look for <Macro Packages for books>]. Macros in LaTeX2.09 and TeX are available on request from: [lnm@springer.de](mailto:lnm@springer.de). Careful preparation of the manuscripts will help keep production time short besides ensuring satisfactory appearance of the finished book in print and online. After acceptance of the manuscript authors will be asked to prepare the final LaTeX source files (and also the corresponding dvi-, pdf- or zipped ps-file) together with the final printout made from these files. The LaTeX source files are essential for producing the full-text online version of the book. For the existing online volumes of LNM see: <http://www.springerlink.com> .  
The actual production of a Lecture Notes volume takes approximately 8 weeks.
  
6. Volume editors receive a total of 50 free copies of their volume to be shared with the authors, but no royalties. They and the authors are entitled to a discount of 33.3 % on the price of Springer books purchased for their personal use, if ordering directly from Springer.
  
7. Commitment to publish is made by letter of intent rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume. Authors are free to reuse material contained in their LNM volumes in later publications: A brief written (or e-mail) request for formal permission is sufficient.

**Addresses:**

Professor J.-M. Morel, CMLA,  
École Normale Supérieure de Cachan,  
61 Avenue du Président Wilson, 94235 Cachan Cedex, France  
E-mail: [Jean-Michel.Morel@cmla.ens-cachan.fr](mailto:Jean-Michel.Morel@cmla.ens-cachan.fr)

Professor F. Takens, Mathematisch Instituut,  
Rijksuniversiteit Groningen, Postbus 800,  
9700 AV Groningen, The Netherlands  
E-mail: [F.Takens@math.rug.nl](mailto:F.Takens@math.rug.nl)

Professor B. Teissier, Université Paris 7  
Institut Mathématique de Jussieu, UMR 7586 du CNRS  
Équipe "Géométrie et Dynamique", 175 rue du Chevaleret  
75013 Paris, France  
E-mail: [teissier@math.jussieu.fr](mailto:teissier@math.jussieu.fr)

Springer-Verlag, Mathematics Editorial, Tiergartenstr. 17,  
69121 Heidelberg, Germany,  
Tel.: +49 (6221) 487-8410  
Fax: +49 (6221) 487-8355  
E-mail: [lnm@springer.de](mailto:lnm@springer.de)