

References

- [1] R. Anderson, and M.W. Spong, “Hybrid impedance control of robotic manipulators”, *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 1073-1080, 1987.
- [2] N. Adachi, Z.X. Peng, and S. Nakajima, “Compliant motion control of redundant manipulators”, *IEEE/RSJ Workshop on Intell. Rob. Sys.*, pp. 137-141, 1991.
- [3] J. Angeles, F. Ranjbaran, and R.V. Patel, “On the design of the kinematic structure of seven-axes redundant manipulators for maximum conditioning”, *Proc. IEEE International Conf. Robotics and Automation*, pp.494-499, 1992.
- [4] J. Angeles, “The Application of Dual Algebra to Kinematic Analysis”, in Angeles, J. and Zakhariev, E. (editors), *Computational Methods in Mechanical Systems*, Springer-Verlag, Heidelberg, vol. 161, pp. 3-31, 1998.
- [5] J. Angeles, *Fundamentals of Robotic Mechanical Systems: Theory, Methods, and Algorithms*, 2nd Edition, Springer-Verlag, New York, 2002.
- [6] J. Baillieul, “Avoiding Obstacles and resolving kinematic redundancy”, *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 1698-1704, 1986.
- [7] S. Borner, and R. B. Kelley, “A novel representation for planning 3-D collision free paths”, *IEEE Transaction on Syst., Man, and Cybernetics*, vol. 20, no. 6, pp. 1337-1351, 1990.
- [8] P. Borrel, “Contribution a la modelisation geometrique des robots manipulateurs : Application a la conception assistee par l'ordinateur”, *These d'Etat*, USTL, Montpellier, France, July 1986.

- [9] I.J. Bryson, *Software Architecture and Associated Design and Implementation Issues for Multiple-Robot Simulation and Visualization*, M.E.Sc. Thesis, University of Western Ontario, London, Ontario, 2000.
- [10] I.J. Bryson and R.V. Patel, “A modular software architecture for robotic simulation and visualization”, *31st Int. Symposium on Robotics (ISR2000)*, Montreal, Canada, May 14-17, 2000.
- [11] Y. Bu and S. Cameron, “Active motion planning and collision avoidance for redundant manipulators”, *1997 IEEE Int. Symposium on Assembly and Task Planning*, pp. 13-18, Aug. 1997.
- [12] B.W. Char, et al., *Maple V Language Reference Manual*, Springer-Verlag, New York, 1991
- [13] S.L. Chiu, “Task compatibility of manipulator postures”, *Int. Journal of Robotics Research*, vol. 7, no. 5, pp 13-21, Oct. 1988.
- [14] R. Colbaugh, H. Seraji, and K. Glass, “Obstacle avoidance of redundant robots using configuration control”, *Int. Journal of Robotics Research*, vol. 6, pp. 721-744, 1989.
- [15] Colombina, F. Didot, G. Magnani, and A. Rusconi, “External servicing testbed for automation and robotics”, *IEEE Robotics & Automation Magazine*, Mar. 1996, pp. 13-23
- [16] J.J. Craig, *Introduction to Robotics: Mechanics and Control*, 2nd Edition, Addison Wesley, 1995.
- [17] D. Dawson and Z. Qu, “Comments on impedance control with adaptation for robotic manipulators”, *IEEE Trans. on Robotics and Automation*, vol 7, no. 6, Dec. 1991.
- [18] A. De Luca, “Zero Dynamics in Robotic Systems”, in *Nonlinear Synthesis*, C. I. Byrnes and A. Kurzhanski (Eds.), Progress in Systems and Control Series, Birkhauser, Boston, MA, 1991.
- [19] R.V. Dubey, J.A. Euler, and S.M. Babcock, “ An efficient gradient projection optimization scheme for a seven-degree-of-freedom redundant robot with spherical wrist”, *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 28-36, Philadelphia, PA, 1988.
- [20] J. Duffy, “The fallacy of modern hybrid control theory that is based on “orthogonal complements” of twist and wrench spaces”, *Journal of Robotic Systems*, vol. 7, no. 2, pp. 139-144, 1990.

- [21] O. Egeland, “Task-space tracking with redundant manipulators”, *IEEE Journal of Robotics and Automation*, vol. 3, pp. 471-475, 1987.
- [22] Q.J. Ge, “An inverse design algorithm for a G2 interpolating spline motion”, in *Advances in Robot Kinematics and Computational Geometry*, J. Lenarcic and B. Ravani (eds.), Kluwer Academic Publishers, Norwell, MA, pp. 81-90, 1994
- [23] M.W. Gertz, J. Kim, and P. Khosla, “Exploiting redundancy to reduce impact force”, *IEEE/RSJ Workshop on Intell. Rob. Sys*, pp. 179-184, 1991.
- [24] K. Glass, R. Colbaugh, D. Lim, and H. Seraji, “Real-time Collision avoidance for redundant manipulators”, *IEEE Transaction on Robotics and Automation*, pp. 448-457, vol 11. no. 10, 1995.
- [25] G.H. Golub and C.F. Van Loan, *Matrix Computations*, 2nd ed., John Hopkins Univ. Press, Baltimore, 1989.
- [26] M.A. Gonzalez-Palacios, J. Angeles and F. Ranjbaran, “The kinematic synthesis of serial manipulators with a prescribed Jacobian”, *Proc. IEEE Int. Conf. Robotics Automat.*, Atlanta, Georgia, 1993, vol. 1, pp 450-455.
- [27] Y. Han, L. Liu, R. Lingarkar, N. Sinha, and M. Elbestawi, “Adaptive Control of Constrained Robotic manipulators”, *Int. Journal of Robotics Research*, vol. 7, no. 2, pp. 50-56, 1992.
- [28] T. Hasegawa and H. Terasaki, “Collision avoidance: Divide-and-conquer approach by space characterization and intermediate goals”, *IEEE Transaction on Syst., Man, and Cybernetics*, vol. 18, no. 3, pp. 337-347, 1988.
- [29] H. Hattori and K. Ohnishi, “A realization of compliant motion by decentralized control in redundant manipulators”, *Proc. IEEE/ASME Int. Conf. on Advanced Intelligent Mechatronics*, Como, Italy, pp. 799-803, 2001.
- [30] N. Hogan, “Impedance control: An approach to manipulation”, *ASME Journal of Dynamic Systems, Measurement, and Control*, vol. 107, pp. 8-15, 1985.
- [31] J.M. Hollerbach, and K.C. Suh, “Redundancy resolution for manipulators through torque optimization”, *Int. Journal of Robotics Research*, vol. 3, pp. 308-316, 1987.

- [32] P. Hsu, J. Hauser, and S. Sastry, "Dynamic Control of Redundant Manipulators", *Journal of Robotic Systems*, vol. 6, pp. 133-148, 1989.
- [33] D.G. Hunter, "An overview of the Space Station Special Purpose Dexterous Manipulator", *National Research Council Canada*, NRCC no. 28817, Issue A, 7 April 1988
- [34] H. Kazerooni., T.B. Sheridan, and P.K. Houpt, "Robust compliant motion for manipulators: Part I: The fundamental concepts of compliant motion", *IEEE Trans. on Robotics and Automation*, vol. 2, no. 2, pp. 83-92, 1986.
- [35] K. Kazerounian and Z. Wang, "Global versus local optimization in redundancy resolution of robotics manipulators", *Int. Journal of Robotics Research*, vol. 7. no. 5, pp.3-12, 1988.
- [36] P. Khosla and R.V. Volpe, "Superquadric artificial potentials for an obstacle avoidance approach", *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 1778-1784, 1988.
- [37] C.A. Klein and C.H. Hung, "Review of pseudoinverse control for use with kinematically redundant manipulators", *IEEE Trans. on Systems, Man, and Cybernetics*, vol. 13, pp. 245-250, 1983.
- [38] C.A. Klein, "Use of redundancy in design of robotic systems", *Proc. 2nd Int. Symp. Robotic Res.*, Kyoto, Japan, 1984.
- [39] Z. Lin, R.V. Patel, and C.A. Balafoutis, "Augmented impedance control: An approach to impact reduction for kinematically redundant manipulators", *Journal of Robotic Systems*, vol. 12, pp. 301-313, 1995.
- [40] G.J. Liu and A.A. Goldenberg, "Robust hybrid impedance control of robot manipulators", *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 287-292, 1991.
- [41] W.S. Lu, and Q.H. Meng, "Impedance control with adaptation for robotic manipulators", *IEEE Trans. on Robotics and Automation*, vol 7, no. 3, June 1991.
- [42] J.Y.S. Luh, M.W. Walker, and R.P.C. Paul, "Resolved-acceleration of mechanical manipulators", *IEEE Transaction on Automatic Control*, vol. AC-25, no. 3, pp. 468-474, June 1980.

- [43] A.A. Maciejewski and C.A. Klein, "The singular value decomposition: Computation and application to robotics", *Int. Journal of Robotics Research*, vol. 8, no. 6, Dec. 1989.
- [44] *Matlab External Interface Guide for UNIX Workstation*, The Math-Works Inc., 1992.
- [45] N.H. McClamroch and D. Wang, "Feedback stablization and tracking in constrained robots", *IEEE Trans. on Automatic Control*, vol. 33, no. 5, pp. 419-426, 1988.
- [46] J.K. Mills, "Hybrid Control: A constrained motion perspective", *Journal of Robotic Systems*, vol. 8, N0. 2, pp. 135-158, 1991.
- [47] Y. Nakamura and H. Hanafusa, "Inverse kinematic solutions with singularity robustness for manipulator control", *ASME Journal of Dynamic Systems, Measurment, and Control*, vol. 108, pp.163-171, 1986.
- [48] Y. Nakamura and H. Hanafusa, "Optimal redundancy control of robot manipulators", *Int. Journal of Robotics Research*, vol. 6, no. 1, pp. 32-42, 1987.
- [49] K.S. Narendra and A.M. Annaswamy, *Stable Adaptive Systems*, Prentice Hall, Englewood cliffs, NJ, 1989.
- [50] B. Nemec and L. Zlajpah, "Force control of redundant robots in unstructured environments", *IEEE Trans. on Industrial Electronics*, vol. 49, no. 1, pp. 233-240, 2002.
- [51] W.S. Newman and M.E. Dohring, "Augmented impedance control: An approach to compliant control of kinematically redundant manipulators", *Proc. IEEE International Conf. Robotics and Automation*, pp. 30-35, 1991.
- [52] G. Niemeyer and J.J. Slotine, "Performance in adaptive manipulator control", *Int. Journal of Robotics Research*, vol. 10, no. 2, April 1991.
- [53] Y. Oh, W.K. Chung, Y. Youm, and I.H. Suh, "Motion/force decomposition of redundant manipulators and its application to hybrid impedance control", *Proc. IEEE Int. Conf. on Robotics and Automation*, Leuven, Belgium, pp. 1441-1446, 1998.
- [54] R. Ortega and M. Spong, "Adaptive motion control of rigid robots: A tutorial." In *Proc. IEEE conf. on Decision and Control.*, Austin, Texas, 1988.

- [55] R.P.C. Paul, *Robot Manipulators*, MIT Press, Cambridge, MA, pp. 28-35, 1981.
- [56] M. Raibert and J.J. Craig, "Hybrid position-force control of manipulators", *ASME Journal of Dynamic Systems, Measurement, and Control*, vol. 102, pp. 126-133, 1981.
- [57] F. Ranjbaran, J. Angeles, M.A. Gonzalez-Palacios, and R.V. Patel , "The mechanical design of a seven-axes manipulator with kinematic isotropy", *Journal of Robotics and Intelligent Systems*, vol. 13, pp. 1-21, 1995.
- [58] *REACT in IRIX 5.3*, Technical Report, Silicon Graphics Inc., Dec. 1994.
- [59] N . Sadegh, and R. Horowitz, "Stability analysis of an adaptive controller for robotic manipulator", in *Proc. IEEE Int. Conf. Robotics and Automation*.
- [60] K.J. Salisbury, "Active stiffness control of manipulators in Cartesian coordinates", *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 95-100, 1980.
- [61] L. Sciavicco and B. Siciliano, "A solution algorithm to the inverse kinematic problem of redundant manipulators", *IEEE Journal of Robotics and Automation*, vol. 4, pp. 403-410, 1988.
- [62] L. Sciavicco and B. Siciliano, "An algorithm for reachable workspace for 2R and 3R planar pair mechanical arms", *Proc. IEEE Int. Conf. Robotics and Automation*, vol. 1, pp 628-629, Philadelphia, PA,1988.
- [63] H. Seraji, "Configuration control of redundant manipulators: Theory and implementation", *IEEE Transactions on Robotics and Automation*, vol. 5, pp. 472-490, 1989.
- [64] H. Seraji and R. Colbaugh, "Improved Configuration Control for redundant robots", *Journal of Robotic Systems*, vol. 7, no. 6, pp. 897-928, 1990.
- [65] H. Seraji and R. Colbaugh, "Singularity-robustness and task prioritization in configuration control of redundant robots", *29th IEEE Conf. on Decision and Control*, pp. 3089-3095,1990.
- [66] H. Seraji, "Task options for redundancy resolution using configuration control", *30th IEEE Conf. on Decision and Control*, pp. 2793-2798, 1991.

- [67] H. Seraji, D. Lim, and R. Steele, “Experiments in contact control”, *Journal of Robotic Systems*, vol. 13, no. 2, pp. 53 - 73, 1996.
- [68] H. Seraji, R. Steele, and R. Ivlev, “Sensor-based collision avoidance: Theory and experiments”, *Journal of Robotic Systems*, vol. 13, no. 9, pp. 571-586, 1996.
- [69] H. Seraji and R. Steele, “Nonlinear contact control for space station dexterous arms”, *Proc. IEEE Int. Conf. on Robotics and Automation*, Leuven, Belgium, pp. 899-906, 1998.
- [70] H. Seraji and B. Bon, “Real-time collision avoidance for position-controlled manipulators”, *IEEE Trans. on Robot. and Automat.*, vol. 15, no. 4, pp. 670-677, 1999.
- [71] F. Shadpey, C. Tessier, R.V. Patel, and A. Robins, “A trajectory planning and obstacle avoidance system for kinematically redundant manipulators”, *CASI Conference on Astronautics*, Ottawa, Nov. 1994.
- [72] F. Shadpey, R.V. Patel, C. Balafoutis, and C. Tessier, “Compliant Motion Control and Redundancy Resolution for Kinematically Redundant Manipulators”, *American Control Conference*, Seattle, WA, June 1995.
- [73] F. Shadpey and R.V. Patel, “Compliant motion control with self-motion Stabilization for kinematically redundant manipulators”, *Third IASTED Int. Conf. on Robotics and Manufacturing*, Cancun, Mexico, June 1995.
- [74] F. Shadpey and R.V. Patel, “Adaptive Compliant Motion Control of Kinematically Redundant Manipulators”, *IEEE Conf. on Decision and Control*, Dec. 1995.
- [75] F. Shadpey, C. Tessier, R.V. Patel, B. Langlois, and A. Robins, “A trajectory planning and object avoidance system for kinematically redundant manipulators: An experimental evaluation”, *AAS/AIAA American Astrodynamics Conference*, Aug. 1995, Halifax, Canada.
- [76] F. Shadpey, F. Ranjbaran, R.V. Patel, and J. Angeles, “A compact cylinder-cylinder collision avoidance scheme for redundant manipulators”, *Sixth Int. Symp. on Robotics and Manufacturing (ISRAM)*, Montpellier, France, May, 1996.

- [77] F. Shadpey, M. Noorhosseini, I. Bryson, and R.V. Patel, “An integrated robotic development environment for task planning and obstacle Avoidance”, *Third ASME Conf. on Eng. System Design & Analysis*, Montpellier, France, July 1996.
- [78] F. Shadpey and R.V. Patel, “Robot Dynamic Modelling (RDM) Software: User’s Guide”, Concordia University, Montreal, Canada, Feb. 1997.
- [79] K. Shoemake, “Animating rotation with quaternion curves”, *ACM Siggraph*, vol. 19, no. 3, pp. 245-254, 1985.
- [80] P.R. Sinha and A.A. Goldenberg, “A unified theory for hybrid control of manipulators”, *Proc. IFAC 12th World Congress*, Sydney, Australia, 1993.
- [81] J.J. Slotine and W. Li, “On the Adaptive Control of Robot Manipulators”, *Int. Journal of Robotics Research*, vol. 6, no. 3, pp. 49-59, 1987.
- [82] J.J. Slotine, and W. Li, *Applied Nonlinear Control*, Prentice Hall, Englewood cliffs, NJ, 1991.
- [83] D.B. Stewart, R.A. Volpe, and P.K. Khosla, “Integration of Real-Time Software Module for Reconfigurable Sensor-Based Control Systems”, *Proc. IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS ‘92)*, Raleigh, North Carolina, pp. 325-332, 1992.
- [84] K.C. Suh and J.M. Hollerbach, “Local versus global torque optimization of redundant manipulators”, *Proc. IEEE Int. Conf. on Robotics and Automation*, pp. 619-624, 1987.
- [85] M. Tandirci, J. Angeles, and F. Ranjbaran, “The characteristic point and characteristic length of robotic manipulators”, *22nd ASME Biennial Mechanics Conference*, Sep. 13-16, Scottsdale, AZ, vol. 45, pp. 203-208, 1992.
- [86] C.-P. Teng and J. Angeles, “A sequential-quadratic programming algorithm using orthogonal decomposition with Gershgorin stabilization”, *ASME J. Mechanical Design*, vol. 123, Dec. 2001, pp. 501-509.
- [87] C. Tessier et al., *Trajectory Planning and Object Avoidance (STEAR 5) - Phase II*, Final Report, vol. 1, DSS Canada, Contract no. 9F006-2-0107/01-SW , 1995.

- [88] T.D. Tuttle and W.P Seering, “A nonlinear model of a harmonic drive gear transmission”, *IEEE Trans. Rob. and Aut.*, vol. 12, no., 3, June 1996.
- [89] R.S. Varga, *Matrix Iterative Analysis*, Springer-Verlag, New York, 2000.
- [90] G.R., Veldkamp, “On the use of dual numbers, vectors and matrices in instantaneous, spatial kinematics”, *Mechanism and Machine Theory*, vol. 11, pp. 141-156, 1976.
- [91] I.D. Walker, “The use of kinematic redundancy in reducing impact and contact effects in manipulation”, *Proc. IEEE International Conf. Robotics and Automation*, pp. 434-439, 1990.
- [92] C.W. Wampler, “Manipulator inverse kinematic solution based on vector formulation and damped least-squares methods”, *IEEE Trans. on Systems, Man, and Cybernetics*, vol. 16, no. 1. pp. 93-101, 1986.
- [93] D.S. Watkins, *Fundamentals of Matrix Computations*, 2nd Edition, John Wiley & Sons, New York, 2002.
- [94] D.E. Whitney, “Historical perspective and state of the art in robot force control”, *Int. Journal of Robotics Research*, vol. 6, no. 1, Dec. 1987.
- [95] A.T. Yang and F. Freudenstein “Application of dual-number quaternion algebra to the analysis of spatial mechanisms”, *Trans. ASME J. Appl. Mech.*, pp. 300-308, 1964.
- [96] T. Yoshikawa, “Dynamic hybrid position/force control of robot manipulators”, *IEEE Journal of Robotics and Automation*, vol. 3, no. 5, pp. 386-392, 1987.
- [97] T. Yoshikawa, “Analysis and control of robot manipulators with redundancy”, *Rob. Res., 1st Int. Symp.*, MIT Press, pp. 735-747, 1984.

Index

AAHIC 108
accessible volume 21
ACTA 92, 102
Adaptive Augmented Hybrid Impedance Control. See AAHIC
additional task
 force controlled 100
additional tasks 7
 analytic expressions 20
 impact force 7
 inertia control 7
 joint limiting 7
 obstacle avoidance 7
 posture control 7
 posture optimization 31
AHIC 3, 31, 80
 3-DOF planar arm 94
 adaptive 108
 computed torque algorithm 92
 inner-loop design 94, 104
 outer-loop design 92, 102
 robustness 113
 self-motion 91
 self-motion control 119
 self-motion stabilization 102
 simulation study 130
 singularity robustness
 formulation 90
 task priority formulation 90
augmented Cartesian target
acceleration 92
Augmented Cartesian Target

Acceleration. See ACTA
Augmented Cartesian Target trajectory 102
Augmented Hybrid Impedance Control. See AHIC

Canadarm-2 1, 7
Cartesian Target Acceleration. See CTA
CFC. See contact force control
characteristic length 60
collision avoidance 4
 moving spherical object 71
 primitive-based 37
 self-motion stabilization 107
 stationary and moving obstacles 28, 61, 62
 stationary spherical objects 71
collision detection 35
 cylinder-cylinder 38
 cylinder-sphere 49
 sphere-sphere 50
compliant control
 adaptive/robust 2
compliant motion control 2, 89
Configuration Control 15
configuration control
 acceleration level 91
constrained dynamics 81
constrained motion approach 81
constrained optimization problem 17

- contact force control 2
- control
 - augmented hybrid impedance 80
 - compliant motion 85
 - force 79
 - force and compliant motion 80
 - hybrid impedance 2, 80
 - hybrid position-force 2, 79
 - impedance 2, 79, 86
 - position 1
 - robust HIC 2, 80
 - stiffness 2
- critical direction 38
- critical distance 28, 38, 49, 50
- critical distances 35
- critical point 38
- CTA 93
- damped least-squares 13, 14, 112
- degree of redundancy 9
- degree of redundancy 8
- Dextre 1
- dimensional inhomogeneity 60
- dual angle 40
- dual numbers 39
- dual vectors 39
- dynamics
 - operational-space 87
- force-controlled subspace 92
- geometric primitives 35
- Gershgorin Theorem 61
- hybrid control law 83
- inequality constraints 16
- inertia matrix
 - Cartesian 87
- internal joint motion 9
- isotropic manipulator 36
- Jacobian 8
 - augmented 12
 - extended 12
 - null space 8, 11
 - pseudo inverse 10
- JLA 20, 61, 62
- joint limit avoidance 20, 62, 95
- Joint Limit Avoidance. See JLA
- Joint Target Acceleration. See JTA
- JTA 93
- kinematic optimization 17
- Lagrange multipliers 17, 81
- line geometry 39
- manipulability ellipsoid 31
- MOCA 61
- motion
 - constrained 79
 - unconstrained 79
- MRS 70, 131, 163
- multiple-point force control 90
- obstacle avoidance 35
- On-Orbit Replaceable Unit 5
- ORU 5
- position-controlled subspace 92
- projected angle 40
- proximity sensing 35
- reachable workspace 21
- reciprocal subspaces 94
- REDIESTRO 3, 36, 51
 - inertia tensor 186
 - isotropic design 60
 - kinematics 52
 - modeling using primitives 62

- Redundancy Resolution 9
 - redundancy resolution 2, 9, 35
 - acceleration level 18, 102
 - additional tasks 61
 - approximate solution 13
 - Configuration Control 14
 - exact solution 10
 - extended Jacobian approach 12
 - global approaches 9
 - inequality constraints 23
 - instability 43
 - kinematic instability 132
 - optimization constraint 24
 - pseudo-inverse approach 11
 - task compatibility 31
 - velocity level 9
 - redundant manipulators 1
- SCA. See self collision avoidance
- screws 94
- selection matrix 84, 88
- self collision avoidance 61
- self-collision avoidance 35, 70
- Sensor Skin 35
- singular value decomposition 10
- singularity 58
- singularity robustness 58, 60
- SOCA 61
- SOI 36
- SPDM 1, 2, 7
- SSRMS 1
- static and moving obstacle avoidance 95
- subspaces
 - position and force controlled 88
- Surface of Influence 36
- task compatibility 96
- task compatibility index 32, 96
- tool orientation control 113
- tracking

Lecture Notes in Control and Information Sciences

Edited by M. Thoma and M. Morari

Further volumes of this series can be found on our homepage:
springeronline.com

Vol. 315: Herbordt, W.

Sound Capture for Human/Machine Interfaces:
Practical Aspects of Microphone Array Signal Processing
286 p. 2005 [3-540-23954-5]

Vol. 314: Gil', M.I.

Explicit Stability Conditions for Continuous Systems
193 p. 2005 [3-540-23984-7]

Vol. 313: Li, Z.; Soh, Y.; Wen, C.

Switched and Impulsive Systems
277 p. 2005 [3-540-23952-9]

Vol. 312: Henrion, D.; Garulli, A. (Eds.)

Positive Polynomials in Control
313 p. 2005 [3-540-23948-0]

Vol. 311: Lamnabhi-Lagarrigue, F.; Loría, A.;

Panteley, V. (Eds.)
Advanced Topics in Control Systems Theory
294 p. 2005 [1-85233-923-3]

Vol. 310: Janczak, A.

Identification of Nonlinear Systems Using Neural Networks and Polynomial Models
197 p. 2005 [3-540-23185-4]

Vol. 309: Kumar, V.; Leonard, N.; Morse, A.S. (Eds.)

Cooperative Control
301 p. 2005 [3-540-22861-6]

Vol. 308: Tarbouriech, S.; Abdallah, C.T.; Chiasson, J. (Eds.)

Advances in Communication Control Networks
358 p. 2005 [3-540-22819-5]

Vol. 307: Kwon, S.J.; Chung, W.K.

Perturbation Compensator based Robust Tracking Control and State Estimation of Mechanical Systems
158 p. 2004 [3-540-22077-1]

Vol. 306: Bien, Z.Z.; Stefanov, D. (Eds.)

Advances in Rehabilitation
472 p. 2004 [3-540-21986-2]

Vol. 305: Nebylov, A.

Ensuring Control Accuracy
256 p. 2004 [3-540-21876-9]

Vol. 304: Margarís, N.I.

Theory of the Non-linear Analog Phase Locked Loop
303 p. 2004 [3-540-21339-2]

Vol. 303: Mahmoud, M.S.

Resilient Control of Uncertain Dynamical Systems
278 p. 2004 [3-540-21351-1]

Vol. 302: Filatov, N.M.; Unbehauen, H.

Adaptive Dual Control: Theory and Applications
237 p. 2004 [3-540-21373-2]

Vol. 301: de Queiroz, M.; Malisoff, M.; Wolenski, P. (Eds.)

Optimal Control, Stabilization and Nonsmooth Analysis
373 p. 2004 [3-540-21330-9]

Vol. 300: Nakamura, M.; Goto, S.; Kyura, N.; Zhang, T.

Mechatronic Servo System Control
Problems in Industries and their Theoretical Solutions
212 p. 2004 [3-540-21096-2]

Vol. 299: Tarn, T.-J.; Chen, S.-B.; Zhou, C. (Eds.)

Robotic Welding, Intelligence and Automation
214 p. 2004 [3-540-20804-6]

Vol. 298: Choi, Y.; Chung, W.K.

PID Trajectory Tracking Control for Mechanical Systems
127 p. 2004 [3-540-20567-5]

Vol. 297: Damm, T.

Rational Matrix Equations in Stochastic Control
219 p. 2004 [3-540-20516-0]

Vol. 296: Matsuo, T.; Hasegawa, Y.

Realization Theory of Discrete-Time Dynamical Systems
235 p. 2003 [3-540-40675-1]

Vol. 295: Kang, W.; Xiao, M.; Borges, C. (Eds.)

New Trends in Nonlinear Dynamics and Control,
and their Applications
365 p. 2003 [3-540-10474-0]

Vol. 294: Benvenuti, L.; De Santis, A.; Farina, L. (Eds.)

Positive Systems: Theory and Applications (POSTA 2003)
414 p. 2003 [3-540-40342-6]

Vol. 293: Chen, G. and Hill, D.J.

Bifurcation Control
320 p. 2003 [3-540-40341-8]

Vol. 292: Chen, G. and Yu, X.

Chaos Control
380 p. 2003 [3-540-40405-8]

Vol. 291: Xu, J.-X. and Tan, Y.

Linear and Nonlinear Iterative Learning Control
189 p. 2003 [3-540-40173-3]

Vol. 290: Borrelli, F.

Constrained Optimal Control
of Linear and Hybrid Systems
237 p. 2003 [3-540-00257-X]

Vol. 289: Giarré, L. and Bamieh, B.

Multidisciplinary Research in Control
237 p. 2003 [3-540-00917-5]

- Vol. 288:** Taware, A. and Tao, G.
Control of Sandwich Nonlinear Systems
393 p. 2003 [3-540-44115-8]
- Vol. 287:** Mahmoud, M.M.; Jiang, J.; Zhang, Y.
Active Fault Tolerant Control Systems
239 p. 2003 [3-540-00318-5]
- Vol. 286:** Rantzer, A. and Byrnes C.I. (Eds)
Directions in Mathematical Systems Theory and Optimization
399 p. 2003 [3-540-00065-8]
- Vol. 285:** Wang, Q.-G.
Decoupling Control
373 p. 2003 [3-540-44128-X]
- Vol. 284:** Johansson, M.
Piecewise Linear Control Systems
216 p. 2003 [3-540-44124-7]
- Vol. 283:** Fielding, Ch. et al. (Eds)
Advanced Techniques for Clearance of Flight Control Laws
480 p. 2003 [3-540-44054-2]
- Vol. 282:** Schröder, J.
Modelling, State Observation and Diagnosis of Quantised Systems
368 p. 2003 [3-540-44075-5]
- Vol. 281:** Zinober A.; Owens D. (Eds)
Nonlinear and Adaptive Control
416 p. 2002 [3-540-43240-X]
- Vol. 280:** Pasik-Duncan, B. (Ed)
Stochastic Theory and Control
564 p. 2002 [3-540-43777-0]
- Vol. 279:** Engell, S.; Frehse, G.; Schnieder, E. (Eds)
Modelling, Analysis, and Design of Hybrid Systems
516 p. 2002 [3-540-43812-2]
- Vol. 278:** Chunling D. and Lihua X. (Eds)
 H_∞ Control and Filtering of Two-dimensional Systems
161 p. 2002 [3-540-43329-5]
- Vol. 277:** Sasane, A.
Hankel Norm Approximation for Infinite-Dimensional Systems
150 p. 2002 [3-540-43327-9]
- Vol. 276:** Bubnicki, Z.
Uncertain Logics, Variables and Systems
142 p. 2002 [3-540-43235-3]
- Vol. 275:** Ishii, H.; Francis, B.A.
Limited Data Rate in Control Systems with Networks
171 p. 2002 [3-540-43237-X]
- Vol. 274:** Yu, X.; Xu, J.-X. (Eds)
Variable Structure Systems: Towards the 21st Century
420 p. 2002 [3-540-42965-4]
- Vol. 273:** Colonius, F.; Grüne, L. (Eds)
Dynamics, Bifurcations, and Control
312 p. 2002 [3-540-42560-9]
- Vol. 272:** Yang, T.
Impulsive Control Theory
363 p. 2001 [3-540-42296-X]
- Vol. 271:** Rus, D.; Singh, S.
Experimental Robotics VII
585 p. 2001 [3-540-42104-1]
- Vol. 270:** Nicosia, S. et al.
RAMSETE
294 p. 2001 [3-540-42090-8]
- Vol. 269:** Niculescu, S.-I.
Delay Effects on Stability
400 p. 2001 [1-85233-291-316]
- Vol. 268:** Moheimani, S.O.R. (Ed)
Perspectives in Robust Control
390 p. 2001 [1-85233-452-5]
- Vol. 267:** Bacciotti, A.; Rosier, L.
Liapunov Functions and Stability in Control Theory
224 p. 2001 [1-85233-419-3]
- Vol. 266:** Stramigioli, S.
Modeling and IPC Control of Interactive Mechanical Systems – A Coordinate-free Approach
296 p. 2001 [1-85233-395-2]
- Vol. 265:** Ichikawa, A.; Katayama, H.
Linear Time Varying Systems and Sampled-data Systems
376 p. 2001 [1-85233-439-8]
- Vol. 264:** Baños, A.; Lamnabhi-Lagarrigue, F.; Montoya, F.J.
Advances in the Control of Nonlinear Systems
344 p. 2001 [1-85233-378-2]
- Vol. 263:** Galkowski, K.
State-space Realization of Linear 2-D Systems with Extensions to the General nD ($n > 2$) Case
248 p. 2001 [1-85233-410-X]
- Vol. 262:** Dixon, W.; Dawson, D.M.; Zergeroglu, E.; Behal, A.
Nonlinear Control of Wheeled Mobile Robots
216 p. 2001 [1-85233-414-2]
- Vol. 261:** Talebi, H.A.; Patel, R.V.; Khorasani, K.
Control of Flexible-link Manipulators Using Neural Networks
168 p. 2001 [1-85233-409-6]
- Vol. 260:** Kugi, A.
Non-linear Control Based on Physical Models
192 p. 2001 [1-85233-329-4]
- Vol. 259:** Isidori, A.; Lamnabhi-Lagarrigue, F.; Respondek, W. (Eds)
Nonlinear Control in the Year 2000 Volume 2
640 p. 2001 [1-85233-364-2]
- Vol. 258:** Isidori, A.; Lamnabhi-Lagarrigue, F.; Respondek, W. (Eds)
Nonlinear Control in the Year 2000 Volume 1
616 p. 2001 [1-85233-363-4]
- Vol. 257:** Moallem, M.; Patel, R.V.; Khorasani, K.
Flexible-link Robot Manipulators
176 p. 2001 [1-85233-333-2]