

---

## References

- [Aloimonos et al., 1988] Aloimonos, Y., Weiss, I., and Bandopadhyay, A. (1988). Active vision. *International Journal of Computer Vision (IJCV)*, 1(4):333–356.
- [Backer, 2004] Backer, G. (2004). *Modellierung visueller Aufmerksamkeit im Computer-Sehen: Ein zweistufiges Selektionsmodell für ein Aktives Sehsystem*. PhD thesis, Universität Hamburg, Germany.
- [Backer and Mertsching, 2000] Backer, G. and Mertsching, B. (2000). Integrating depth and motion into the attentional control of an active vision system. In Baratoff, G. and Neumann, H., editors, *Dynamische Perzeption. Workshop der GI-Fachgruppe 1.0.4 Bildverstehen, Ulm, November 2000*, pages 69–74. Infix.
- [Backer et al., 2001] Backer, G., Mertsching, B., and Bollmann, M. (2001). Data- and model-driven gaze control for an active-vision system. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 23(12):1415–1429.
- [Balkenius, 2000] Balkenius, C. (2000). Attention, habituation and conditioning: Towards a computational model. *Cognitive Science Quarterly*, 1(2):171–214.
- [Balkenius, 2002] Balkenius, C. (2002). Emotion and learning in context: From biology to robotics. In *IK Kursunterlagen (Interdisziplinäres Kolleg 2002, Günne, Germany)*, pages 156–174.
- [Baluja and Pomerleau, 1995] Baluja, S. and Pomerleau, D. (1995). Using the representation in a neural network’s hidden layer for task-specific focus of attention. In *Proc. of the 1995 International Joint Conference on Artificial Intelligence (IJCAI ’95)*, pages 133–141, Montreal, Canada.
- [Baluja and Pomerleau, 1997] Baluja, S. and Pomerleau, D. (1997). Expectation-based selective attention for visual monitoring and control of a robot vehicle. *Robotics and Autonomous Systems*, 22(3-4):329–344.
- [Bichot, 2001] Bichot, N. P. (2001). Attention, eye movements, and neurons: Linking physiology and behavior. In Jenkin, M. and Harris, L. R., editors, *Vision and Attention*, chapter 11. Springer Verlag.
- [Bollmann, 1999] Bollmann, M. (1999). *Entwicklung einer Aufmerksamkeitssteuerung für ein aktives Sehsystem*. PhD thesis, Universität Hamburg, Germany.
- [Bollmann et al., 1999] Bollmann, M., Hoischen, R., Jesikiewicz, M., Justkowski, C., and Mertsching, B. (1999). Playing domino: A case study for an active vision system. In Christensen, H., editor, *Computer Vision Systems*, pages 392–411. Springer.

- [Breazeal, 1999] Breazeal, C. (1999). A context-dependent attention system for a social robot. In *Proc. of the Sixteenth International Joint Conference on Artificial Intelligence (IJCAI 99)*, pages 1146–1151, Stockholm, Sweden.
- [Bundesen, 1990] Bundesen, C. (1990). A theory of visual attention. *Psychological Review*, 97:523–547.
- [Bundesen, 1998] Bundesen, C. (1998). A computational theory of visual attention. *Philosophical Transactions of the Royal Society of London, Series B*, 353:1271–1281.
- [Burt, 1980] Burt, P. J. (1980). Tree and pyramid structures for coding hexagonally sampled binary images. *Computer Graphics and Image Processing*, 14(3):802–809.
- [Carlsson et al., 1999] Carlsson, T. E., Gustafsson, J., and Nilsson, B. (1999). Development of a 3D camera. In Benton, S. A., editor, *Practical Holography XIII*, volume 3637 of *Proc. SPIE*, pages 218–224.
- [Cave, 1999] Cave, K. R. (1999). The FeatureGate model of visual selection. *Psychological Research*, 62:182–194.
- [Cave and Wolfe, 1990] Cave, K. R. and Wolfe, J. M. (1990). Modeling the role of parallel processing in visual search. *Cognitive Psychology*, 22(2):225–271.
- [Chung et al., 2002] Chung, D., Hirata, R., Mundhenk, T. N., Ng, J., Peters, R. J., Pichon, E., Tsui, A., Ventrice, T., Walther, D., Williams, P., and Itti, L. (2002). A new robotics platform for neuromorphic vision: Beobots. In Bülthoff, H. H., Lee, S.-W., Poggio, T., and Wallraven, C., editors, *Proc. 2nd Workshop on Biologically Motivated Computer Vision (BMCV '02)*, volume 2525, pages 558–566, Conference: Tübingen, Germany. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Clark and Ferrier, 1989] Clark, J. J. and Ferrier, N. J. (1989). Control of visual attention in mobile robots. In *IEEE Conference on Robotics and Automation*, pages 826–831.
- [Corbetta, 1990] Corbetta, M. (1990). Frontoparietal cortical networks for directing attention and the eye to visual locations: Identical, independent, or overlapping neural systems? *Proc. of the National Academy of Sciences of the United States of America*, 95:831–838.
- [Corbetta and Shulman, 2002] Corbetta, M. and Shulman, G. L. (2002). Control of goal-directed and stimulus-driven attention in the brain. *Nature Reviews*, 3(3):201–215.
- [Desimone and Duncan, 1995] Desimone, R. and Duncan, J. (1995). Neural mechanisms of selective visual attention. *Annual Reviews of Neuroscience*, 18:193–222.
- [Deubel and Schneider, 1996] Deubel, H. and Schneider, W. X. (1996). Saccade target selection and object recognition: Evidence for a common attentional mechanism. *Vision Research*, 36(12):1827–1837.
- [Draper and Lionelle, 2003] Draper, B. and Lionelle, A. (2003). Evaluation of selective attention under similarity transforms. In *Proc. of the International Workshop on Attention and Performance in Computer Vision (WAPCV '03)*, pages 31–38, Graz, Austria.
- [Driscoll et al., 1998] Driscoll, J. A., Peters, R. A., and Cave, K. R. (1998). A visual attention network for a humanoid robot. In *Proc. of the International Conference on Intelligent Robots and Systems (IROS '98)*, pages 1968–1974.
- [Egeth and Yantis, 1997] Egeth, H. E. and Yantis, S. (1997). Visual attention: control, representation, and time course. *Annual Review of Psychology*, 48:269–297.
- [Enoch, 1959] Enoch, J. (1959). Natural tendencies in visual search of a complex display. Visual search techniques. *NAS/NRC Publication*, 171:187–193.

- [Eriksen and James, 1986] Eriksen, C. W. and James, J. D. S. (1986). Visual attention within and around the field of focal attention: A zoom lens model. *Perception and Psychophysics*, 40:225–240.
- [Findlay and Gilchrist, 2001] Findlay, J. M. and Gilchrist, I. D. (2001). Active vision perspective. In Jenkin, M. and Harris, L. R., editors, *Vision & Attention*, chapter 5, pages 83–103. Springer Verlag.
- [Findlay and Walker, 1999] Findlay, J. M. and Walker, R. (1999). A model of saccade generation based on parallel processing and competitive inhibition. *Behavioral and Brain Sciences*, 22:661–721.
- [Foley et al., 1990] Foley, J. D., van Dam, A., Feiner, S. K., and Hughes, J. F. (1990). *Computer Graphics, Principles and Practice*. Addison-Wesley Publishing Company, 2nd edition.
- [Forsyth and Ponce, 2003] Forsyth, D. A. and Ponce, J. (2003). *Computer Vision: A Modern Approach*. Prentice Hall, Berkeley.
- [Fraundorfer and Bischof, 2003] Fraundorfer, F. and Bischof, H. (2003). Utilizing saliency operators for image matching. In *Proc. of the International Workshop on Attention and Performance in Computer Vision (WAPCV '03)*, pages 17–24, Graz, Austria.
- [Freund and Schapire, 1996] Freund, Y. and Schapire, R. E. (1996). Experiments with a new boosting algorithm. In *Machine Learning: Proc. of the 13th International Conference*, pages 148 – 156.
- [Frintrop et al., 2005a] Frintrop, S., Backer, G., and Rome, E. (2005a). Goal-directed search with a top-down modulated computational attention system. In *Proc. of the Annual meeting of the German Association for Pattern Recognition (Jahrestagung der Deutschen Arbeitsgemeinschaft für Mustererkennung) DAGM 2005*, Lecture Notes in Computer Science (LNCS), pages 117–124, Conference: Wien, Austria. Springer.
- [Frintrop et al., 2005b] Frintrop, S., Backer, G., and Rome, E. (2005b). Selecting what is important: Training visual attention. In *Proc. of the 28th German Conference on Artificial Intelligence (KI 2005)*, Lecture Notes in Computer Science (LNCS), pages 351–365, Conference: Koblenz, Germany. Springer.
- [Frintrop et al., 2004a] Frintrop, S., Nüchter, A., and Surmann, H. (2004a). Visual attention for object recognition in spatial 3D data. In *International Workshop on Attention and Performance in Computer Vision (WAPCV '04)*, pages 75–82, Conference: Prag, Czech Republic.
- [Frintrop et al., 2004b] Frintrop, S., Nüchter, A., Surmann, H., and Hertzberg, J. (2004b). Saliency-based object recognition in 3D data. In *Proc. of the International Conference on Intelligent Robots and Systems (IROS '04)*, pages 2167 – 2172, Conference: Sendai, Japan.
- [Frintrop et al., 2003a] Frintrop, S., Rome, E., Nüchter, A., and Surmann, H. (2003a). Applying attentional mechanisms to bi-modal 3D laser data. In *International Workshop on Attention and Performance in Computer Vision (WAPCV '03)*, pages 25–30, Conference: Graz, Austria.
- [Frintrop et al., 2003b] Frintrop, S., Rome, E., Nüchter, A., and Surmann, H. (2003b). An attentive, multi-modal laser "eye". In Crowley, J., Piater, J., Vincze, M., and Paletta, L., editors, *Proc. of 3rd International Conference on Computer Vision Systems (ICVS '03)*, pages 202–211, Conference: Graz, Austria. Springer, Berlin, LNCS 2626.

- [Frintrop et al., 2005c] Frintrop, S., Rome, E., Nüchter, A., and Surmann, H. (2005c). A bimodal laser-based attention system. *Journal of Computer Vision and Image Understanding (CVIU), Special Issue on Attention and Performance in Computer Vision*, 100(1-2):124–151.
- [Fritz et al., 2004] Fritz, G., Seifert, C., and Paletta, L. (2004). Attentive object detection using an information theoretic saliency measure. In Paletta, L., Tsotsos, J. K., Rome, E., and Humphreys, G. W., editors, *Proc. of the 2nd international workshop on attention and performance in computational vision (WAPCV '04)*, pages 136–143, Conference: Prague, Czech Republic.
- [Garey and Johnson, 1979] Garey, M. and Johnson, D. S. (1979). *Computers and Intractability, A Guide to the Theory of NP-Completeness*. Freeman, San Francisco.
- [Gegenfurtner, 2003] Gegenfurtner, K. R. (2003). Cortical mechanisms of colour vision. *Nature Reviews Neuroscience*, 4:563–572.
- [Gonzales and Woods, 1992] Gonzales, R. C. and Woods, R. E. (1992). *Digital image processing*. Addison-Wesley Publishing Company, Reading, Massachusetts.
- [Gottlieb et al., 1998] Gottlieb, J. P., Kusunoki, M., and Goldberg, M. E. (1998). The representation of visual salience in monkey parietal cortex. *Nature*, 391:481–484.
- [Greenspan et al., 1994] Greenspan, H., Belongie, S., Goodman, R., Perona, P., Rakshit, S., and Anderson, C. (1994). Overcomplete steerable pyramid filters and rotation invariance. In *Proc. IEEE Computer Vision and Pattern Recognition (CVPR)*, pages 222–228, Conference: Seattle, Washington.
- [Hamker, 1998] Hamker, F. H. (1998). *Visuelle Aufmerksamkeits- und lebenslanges Lernen im Wahrnehmungs-Handlungs-Zyklus*. PhD thesis, TU Ilmenau, Germany.
- [Hamker, 2000] Hamker, F. H. (2000). Distributed competition in directed attention. In Baratoff, G. and Neumann, H., editors, *Proc. in Artificial Intelligence*, volume 9, pages 39–44, Berlin. AKA, Akademische Verlagsgesellschaft.
- [Hamker, 2004] Hamker, F. H. (2004). Modeling attention: From computational neuroscience to computer vision. In Paletta, L., Tsotsos, J. K., Rome, E., and Humphreys, G. W., editors, *Proc. of the 2nd International Workshop on Attention and Performance in Computational Vision (WAPCV '04)*, pages 59–66, Conference: Prague, Czech Republic.
- [Hamker, 2005] Hamker, F. H. (2005). The emergence of attention by population-based inference and its role in distributed processing and cognitive control of vision. *Journal of Computer Vision and Image Understanding (CVIU), Special Issue on Attention and Performance*, 100(1-2):64–106.
- [Heidemann et al., 2004] Heidemann, G., Rae, R., Bekel, H., Bax, I., and Ritter, H. (2004). Integrating context-free and context-dependent attentional mechanisms for gestural object reference. *Machine Vision and Applications*, 16(1):64–73.
- [Heinke and Humphreys, 2004] Heinke, D. and Humphreys, G. W. (2004). Computational models of visual selective attention. A review. In Houghton, G., editor, *Connectionist models in psychology*, pages 273 – 312. Psychology Press.
- [Heinke et al., 2002] Heinke, D., Humphreys, G. W., and diVirgilio, G. (2002). Modeling visual search experiments: Selective attention for identification model (SAIM). *Neurocomputing*, 44:817–822.
- [Hennig, 2004] Hennig, M. (2004). Integrierte Kommunikationsplattform zur Beobachtung und Steuerung von (teil-)autonomen mobilen Robotern. Diplomarbeit, Fraunhofer Institut für Autonome Intelligente Systeme / Technische Universität Dresden, Dresden.

- [Hermes and Winter, 2003] Hermes, T. and Winter, A. (2003). A short trip from pixels to objects. In *Course material to the Interdisciplinary College 2003: Applications, Brains, Computers*, pages 71–90. Günne, Germany.
- [Humphreys and Müller, 1993] Humphreys, G. W. and Müller, H. J. (1993). Search via recursive rejection (SERR): A connectionist model of visual search. *Cognitive Psychology*, 25:43–110.
- [Hunt, 1991] Hunt, R. W. G. (1991). *Measuring colour*. Ellis Horwood Limited, Chichester, West Sussex, England.
- [Itti, 2002] Itti, L. (2002). Real-time high-performance attention focusing in outdoors color video streams. In Rogowitz, B. and Pappas, T. N., editors, *Proc. SPIE Human Vision and Electronic Imaging IV (HVEI '02)*, pages 235–243.
- [Itti, 2003] Itti, L. (2003). The Beobot platform for embedded real-time neuromorphic vision. In Dietterich, T. G., Becker, S., and Ghahramani, Z., editors, *Advances in Neural Information Processing Systems, Vol. 15, Hardware Demo Track*. MIT Press, Cambridge, MA.
- [Itti and Koch, 2001a] Itti, L. and Koch, C. (2001a). Computational modeling of visual attention. *Nature Reviews Neuroscience*, 2(3):194–203.
- [Itti and Koch, 2001b] Itti, L. and Koch, C. (2001b). Feature combination strategies for saliency-based visual attention systems. *Journal of Electronic Imaging*, 10(1):161–169.
- [Itti et al., 1998] Itti, L., Koch, C., and Niebur, E. (1998). A model of saliency-based visual attention for rapid scene analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 20(11):1254–1259.
- [James, 1890] James, W. (1890). *The Principles of Psychology*. Dover Publications, New York.
- [Johansson et al., 2001] Johansson, R., Westling, G., Backstrom, A., and Flanagan, J. (2001). Eye-hand coordination in object manipulation. *The Journal of Neuroscience*, 21(17):6917–6932.
- [Jonides, 1981] Jonides, J. (1981). Voluntary versus automatic control over the mind's eye movements. In Long, A. D., editor, *Attention and Performance IX*, pages 187–203. Lawrence Erlbaum Associates, Hillsdale, NJ.
- [Jonides and Gleitman, 1972] Jonides, J. and Gleitman, H. (1972). A conceptual category effect in visual search: 0 as a letter or digit. *Perception & Psychophysics*, 12:457–460.
- [Kaiser, 1996] Kaiser, P. K. (1996). *The Joy of Visual Perception*. Online Book, <http://www.yorku.ca/eye/thejoy.htm>.
- [Kandel et al., 1996] Kandel, E. R., Schwartz, J. H., and Jessell, T. M., editors (1996). *Essentials of Neural Science and Behavior*. McGraw-Hill/Appleton & Lange.
- [Kastner and Ungerleider, 2001] Kastner, S. and Ungerleider, L. G. (2001). The neural basis of biased competition in human visual cortex. *Neuropsychologia*, 39:1263–1276.
- [Koch and Ullman, 1985] Koch, C. and Ullman, S. (1985). Shifts in selective visual attention: towards the underlying neural circuitry. *Human Neurobiology*, 4(4):219–227.
- [Kröse and Julesz, 1989] Kröse, B. and Julesz, B. (1989). The control and speed of shifts of attention. *Vision Research*, 29(11):1607–1619.

- [Lee et al., 2003] Lee, K., Buxton, H., and Feng, J. (2003). Selective attention for cue-guided search using a spiking neural network. In *Proc. of the International Workshop on Attention and Performance in Computer Vision (WAPCV '03)*, pages 55–62, Graz, Austria.
- [Lennie et al., 1990] Lennie, P., Krauskopf, J., and Sclar, G. (1990). Chromatic mechanisms in striate cortex of macaque. *Journal of Neuroscience*, 10:649–669.
- [Levin, 1996] Levin, D. (1996). Classifying faces by race: the structure of face categories. *Journal of Experimental Psychology: Learning, Memory, & Recognition*, 22:1364–1382.
- [Lienhart and Maydt, 2002] Lienhart, R. and Maydt, J. (2002). An Extended Set of Haar-like Features for Rapid Object Detection. In *Proc. of the IEEE Conf. on Image Processing (ICIP '02)*, pages 155–162, New York, USA.
- [Livingstone and Hubel, 1987] Livingstone, M. S. and Hubel, D. H. (1987). Psychophysical evidence for separate channels for the perception of form, color, movement, and depth. *Journal of Neuroscience*, 7(11):3416–3468.
- [Logan, 1996] Logan, G. D. (1996). The CODE theory of visual attention: an integration of space-based and object-based attention. *Psychological Review*, 103:603–649.
- [Lowe, 2004] Lowe, D. G. (2004). Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision (IJCV)*, 60(2):91–110.
- [Maki et al., 1996] Maki, A., Nordlund, P., and Eklundh, J.-O. (1996). A computational model of depth-based attention. In *Proc. of International Conference on Pattern Recognition (ICPR '96)*, volume 7472, page 734.
- [Maki et al., 2000] Maki, A., Nordlund, P., and Eklundh, J.-O. (2000). Attentional scene segmentation: Integrating depth and motion. *Computer Vision and Image Understanding (CVIU)*, 78(3):351–373.
- [Mannan et al., 1997] Mannan, S. K., Ruddock, K. H., and Wooding, D. (1997). Fixation sequences made during visual examination of briefly presented 2D images. *Spatial Vision*, 11(2):157–178.
- [Maunsell, 1995] Maunsell, J. H. R. (1995). The brain’s visual world: representation of visual targets in cerebral cortex. *Science*, 270:764–769.
- [Mazer and Gallant, 2003] Mazer, J. A. and Gallant, J. L. (2003). Goal-related activity in V4 during free viewing visual search. Evidence for a ventral stream visual salience map. *Neuron*, 40(6):1241–50.
- [Mertsching et al., 1999] Mertsching, B., Bollmann, M., Hoischen, R., and Schmalz, S. (1999). The neural active vision system NAVIS. In Jähne, B., Haussecke, H., and Geissler, P., editors, *Handbook of Computer Vision and Applications*, volume 3, pages 543–568. Academic Press.
- [Miau and Itti, 2001] Miau, F. and Itti, L. (2001). A neural model combining attentional orienting to object recognition: Preliminary explorations on the interplay between where and what. In *Proc. IEEE Engineering in Medicine and Biology Society (EMBS)*, pages 789–792.
- [Miau et al., 2001] Miau, F., Papageorgiou, C., and Itti, L. (2001). Neuromorphic algorithms for computer vision and attention. In *Proc. SPIE 46 Annual International Symposium on Optical Science and Technology*, volume 4479, pages 12–23.
- [Milanese, 1993] Milanese, R. (1993). *Detecting Salient Regions in an Image: From Biological Evidence to Computer Implementation*. PhD thesis, University of Geneva, Switzerland.



- [Milanese et al., 1994] Milanese, R., Wechsler, H., Gil, S., Bost, J., and Pun, T. (1994). Integration of bottom-up and top-down cues for visual attention using non-linear relaxation. In *Proc. of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR '94)*, pages 781–785.
- [Mitri et al., 2005] Mitri, S., Frintrap, S., Pervözl, K., Surmann, H., and Nüchter, A. (2005). Robust object detection at regions of interest with an application in ball recognition. In *IEEE 2005 Proc. of the International Conference on Robotics and Automation (ICRA '05)*, pages 126–131, Conference: Barcelona, Spain.
- [Mitri et al., 2004] Mitri, S., Pervözl, K., Nüchter, A., and Surmann, H. (2004). Fast color-independent ball detection for mobile autonomous robots. In *Proc. of IEEE Mechatronics & Robotics (Mechrob '04)*, pages 900–905, Conference: Aachen, Germany.
- [Mozer, 1987] Mozer, M. C. (1987). Early parallel processing in reading: a connectionist approach. In Coltheart, M., editor, *Attention and performance XII: The psychology of reading*, pages 83–104. Hove, UK: Lawrence Erlbaum Associated Ltd.
- [Nakayama and Silverman, 1986] Nakayama, K. and Silverman, G. H. (1986). Serial and parallel processing of visual feature conjunctions. *Nature*, 320:264–265.
- [Navalpakkam and Itti, 2002] Navalpakkam, V. and Itti, L. (2002). A goal oriented attention guidance model. In Bühlhoff, H. H., Lee, S.-W., Poggio, T., and Wallraven, C., editors, *Proc. 2nd Workshop on Biologically Motivated Computer Vision (BMCV '02)*, volume 2525, pages 453–461, Conference: Tübingen, Germany. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Navalpakkam and Itti, 2003] Navalpakkam, V. and Itti, L. (2003). Sharing resources: Buy attention, get object recognition. In *Proc. of the International Workshop on Attention and Performance in Computer Vision (WAPCV '03)*, pages 73–79, Graz, Austria.
- [Navalpakkam et al., 2004] Navalpakkam, V., Rebesco, J., and Itti, L. (2004). Modeling the influence of knowledge of the target and distractors on visual search. *Journal of Vision*, 4(8):690.
- [Navalpakkam et al., 2005] Navalpakkam, V., Rebesco, J., and Itti, L. (2005). Modeling the influence of task on attention. *Vision Research*, 45(2):205–231.
- [Neisser, 1967] Neisser, U. (1967). *Cognitive Psychology*. Appleton-Century-Crofts, New York.
- [Nickerson et al., 1998] Nickerson, S. B., Jasiobedzki, P., Wilkes, D., Jenkin, M., Milios, E., Tsotsos, J. K., Jepson, A., and Bains, O. N. (1998). The ARK project: Autonomous mobile robots for known industrial environments. *Robotics and Autonomous Systems*, 25(1-2):83–104.
- [Nothdurft, 1993] Nothdurft, H. C. (1993). The role of features in preattentive vision: Comparison of orientation, motion and color cues. *Vision Research*, 33:1937–1958.
- [Nüchter et al., 2005] Nüchter, A., Lingemann, K., Hertzberg, J., and Surmann, H. (2005). Accurate object localization in 3D laser range scans. In *Proceedings of the 12th International Conference on Advanced Robotics (ICAR '05)*, pages 665–672.
- [Nüchter et al., 2004] Nüchter, A., Surmann, H., and Hertzberg, J. (2004). Automatic Classification of Objects in 3D Laser Range Scans. In *Proc. 8th Conference on Intelligent Autonomous Systems (IAS '04)*, pages 963–970, Amsterdam, The Netherlands. IOS Press.

- [Oliva et al., 2003] Oliva, A., Torralba, A., Castelano, M. S., and Henderson, J. M. (2003). Top-down control of visual attention in object detection. In *International Conference on Image Processing (ICIP)*, pages 253–256, Conference: Barcelona, Spain.
- [Olshausen et al., 1993] Olshausen, B., Anderson, C., and van Essen, D. (1993). A neurobiological model of visual attention and invariant pattern recognition based on dynamic routing of information. *Journal of Neuroscience*, 13(11):4700–4719.
- [OpenCV, 2004] OpenCV (2004). OpenCV: Intel Open Source Computer Vision Library. Version: beta 4. <http://www.intel.com/research/mrl/research/opencv/>.
- [Ouerhani, 2003] Ouerhani, N. (2003). *Visual Attention: From Bio-Inspired Modeling to Real-Time Implementation*. PhD thesis, Institut de Microtechnique Université de Neuchâtel, Switzerland.
- [Ouerhani et al., 2002] Ouerhani, N., Archip, N., Hügli, H., and Erard, P. J. (2002). A color image segmentation method based on seeded region growing and visual attention. *Int. Journal of Image Processing and Communication*, 8(1):3–11.
- [Ouerhani et al., 2001] Ouerhani, N., Bracamonte, J., Hügli, H., Ansorge, M., and Pellandini, F. (2001). Adaptive color image compression based on visual attention. In *Proc. of the International Conference of Image Analysis and Processing (ICIAP '01)*, pages 416–421. IEEE Computer Society Press.
- [Ouerhani and Hügli, 2000] Ouerhani, N. and Hügli, H. (2000). Computing visual attention from scene depth. In *Proc. of the 15th International Conference on Pattern Recognition (ICPR 2000)*, volume 1, pages 375–378. IEEE Computer Society Press.
- [Ouerhani and Hügli, 2003a] Ouerhani, N. and Hügli, H. (2003a). MAPS: multi-scale attention-based presegmentation of color images. In *4th International Conference on Scale-Space Theories in Computer Vision*, volume 2695, pages 537–549. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Ouerhani and Hügli, 2003b] Ouerhani, N. and Hügli, H. (2003b). A model of dynamic visual attention for object tracking in natural image sequences. In *International Conference on Artificial and Natural Neural Network (IWANN)*, volume 2686, pages 702–709. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Ouerhani and Hügli, 2003c] Ouerhani, N. and Hügli, H. (2003c). Real time visual attention on a massively parallel SIMD architecture. *International Journal of Real-time Imaging, Elsevier Computer Science*, 9(3):189–196.
- [Ouerhani and Hügli, 2004] Ouerhani, N. and Hügli, H. (2004). AttentiRobot: a visual attention-based landmark selection approach for mobile robot navigation. In Paletta, L., Tsotsos, J. K., Rome, E., and Humphreys, G. W., editors, *Proc. of the 2nd international workshop on attention and performance in computational vision (WAPCV '04)*, pages 83–89, Conference: Prague, Czech Republic.
- [Ouerhani et al., 2004] Ouerhani, N., von Wartburg, R., Hügli, H., and Müri, R. (2004). Empirical validation of the saliency-based model of visual attention. *Electronic Letters on Computer Vision and Image Analysis*, 3(1):13–24.
- [Palmer, 1999] Palmer, S. E. (1999). *Vision Science, Photons to Phenomenology*. The MIT Press, Cambridge, MA.
- [Papageorgiou et al., 1998] Papageorgiou, C., Oren, M., and Poggio, T. (1998). A general framework for object detection. In *Proc. of the 6th International Conference on Computer Vision (ICCV '98)*, pages 555–562, Conference: Bombay, India.



- [Parkhurst et al., 2002] Parkhurst, D., Law, K., and Niebur, E. (2002). Modeling the role of salience in the allocation of overt visual attention. *Vision Research*, 42(1):107–123.
- [Pashler, 1997] Pashler, H. (1997). *The Psychology of Attention*. MIT Press, Cambridge, MA.
- [Pervölz et al., 2004] Pervölz, K., Nüchter, A., Surmann, H., and Hertzberg, J. (2004). Automatic reconstruction of colored 3D models. In *Proc. of Robotik 2004*, pages 215–222, Munich, Germany. VDI-Berichte 1841.
- [Pessoa and Exel, 1999] Pessoa, L. and Exel, S. (1999). Attentional strategies for object recognition. In Mira, J. and Saez-Andres, J., editors, *Proc. of the International Work-Conference on Artificial and Natural Neural Networks (IWANN '99)*, volume 1606 of *Lecture Notes in Computer Science (LNCS)*, pages 850–859, Alicante, Spain. Springer.
- [Phaf et al., 1990] Phaf, R. H., van der Heijden, A. H. C., and Hudson, P. T. W. (1990). SLAM: A connectionist model for attention in visual selection tasks. *Cognitive Psychology*, 22:273–341.
- [Phillips, 1994] Phillips, D. (1994). *Image Processing in C: Analyzing and Enhancing Digital Images*. R & D Publications, Inc. Lawrence, Kansas.
- [Posner, 1980] Posner, M. I. (1980). Orienting of attention. *Quarterly Journal of Experimental Psychology*, 32:3–25.
- [Posner and Petersen, 1990] Posner, M. I. and Petersen, S. E. (1990). The attentional system of the human brain. *Annual Review of Neuroscience*, 13:25–42.
- [Postma, 1994] Postma, E. (1994). *SCAN: A Neural Model of Covert Attention*. PhD thesis, Rijksuniversiteit Limburg, Wageningen.
- [Rae, 2000] Rae, R. (2000). *Gestikbasierte Mensch-Maschine-Kommunikation auf der Grundlage visueller Aufmerksamkeit und Adaptivität*. PhD thesis, Technische Fakultät der Universität Bielefeld, Germany.
- [Ramström and Christensen, 2002] Ramström, O. and Christensen, H. I. (2002). Visual attention using game theory. In Bühlhoff, H. H., Lee, S.-W., Poggio, T., and Wallraven, C., editors, *Proc. 2nd Workshop on Biologically Motivated Computer Vision (BMCV '02)*, volume 2525, pages 462–471, Conference: Tübingen, Germany. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Ramström and Christensen, 2004] Ramström, O. and Christensen, H. I. (2004). Object based visual attention: Searching for objects defined by size. In Paletta, L., Tsotsos, J. K., Rome, E., and Humphreys, G. W., editors, *Proc. of the 2nd International Workshop on Attention and Performance in Computational Vision (WAPCV '04)*, pages 9–16, Conference: Prague, Czech Republic.
- [Rao et al., 2002] Rao, R., Zelinsky, G., Hayhoe, M., and Ballard, D. (2002). Eye movements in iconic visual search. *Vision Research*, 42:1447–1463.
- [Remington and Pierce, 1984] Remington, R. and Pierce, L. (1984). Moving attention: evidence for time-invariant shifts of visual selective attention. *Perception & Psychophysics*, 35(4):393–399.
- [Rensink, 2000] Rensink, R. A. (2000). The dynamic representation of scenes. *Visual Cognition*, 7:17–42.
- [Rensink, 2002] Rensink, R. A. (2002). Internal vs. external information in visual perception. In *Proc. of the Second International Symposium on Smart Graphics*, pages 63–70, Hawthorne, NY, USA.
- [Rensink et al., 1997] Rensink, R. A., O'Regan, J. K., and Clark, J. J. (1997). To see or not to see: The need for attention to perceive changes in scenes. *Psychological Science*, 8:368–373.

- [Riesenhuber and Poggio, 1999] Riesenhuber, M. and Poggio, T. (1999). Hierarchical models of object recognition in cortex. *Nature Neuroscience*, 2(11):1019–1025.
- [Sabra, 1989] Sabra, A. I. (1989). *The Optics of Ibn Al-Haytham*. The Warburg Institute, University of London.
- [Salah et al., 2002] Salah, A., Alpaydin, E., and Akrun, L. (2002). A selective attention based method for visual pattern recognition with application to handwritten digit recognition and face recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence (PAMI)*, 24(3):420–425.
- [Scheier and Egner, 1997] Scheier, C. and Egner, S. (1997). Visual attention in a mobile robot. In *Proc. of the IEEE International Symposium on Industrial Electronics*, pages 48–53.
- [Schmid et al., 2000] Schmid, C., Mohr, R., and Bauckhage, C. (2000). Evaluation of interest point detectors. *International Journal of Computer Vision (IJCV)*, 37(2):151–172.
- [Sequeira et al., 1999] Sequeira, V., Ng, K., Wolfart, E., Goncalves, J., and Hogg, D. (1999). Automated 3D reconstruction of interiors with multiple scan-views. In *Proc. of SPIE, Electronic Imaging '99, The Society for Imaging Science and Technology /SPIE's 11th Annual Symposium*, pages 106–117, Conference: San Jose, CA, USA.
- [Simons and Levin, 1997] Simons, D. J. and Levin, D. T. (1997). Change blindness. *Trends in Cognitive Sciences*, 1:261–267.
- [Simons and Levin, 1998] Simons, D. J. and Levin, D. T. (1998). Failure to detect changes to people in a real-world interaction. *Psychonomic Bulletin & Review*, 5:644–649.
- [Styles, 1997] Styles, E. A. (1997). *The Psychology of Attention*. Psychology Press Ltd, East Sussex, UK.
- [Sun and Fisher, 2003] Sun, Y. and Fisher, R. (2003). Object-based visual attention for computer vision. *Artificial Intelligence*, 146(1):77–123.
- [Surmann et al., 2001] Surmann, H., Lingemann, K., Nüchter, A., and Hertzberg, J. (2001). A 3D laser range finder for autonomous mobile robots. In *Proc. 32nd International Symposium on Robotics (ISR 2001)*, pages 153–158, Seoul, South Korea.
- [Tanimoto and Pavlidis, 1975] Tanimoto, S. and Pavlidis, T. (1975). A hierarchical data structure for image processing. *Computer Graphics and Image Processing*, 4:104–119.
- [Theeuwes, 2004] Theeuwes, J. (2004). Top-down search strategies cannot override attentional capture. *Psychonomic Bulletin & Review*, 11:65–70.
- [Torralba, 2003] Torralba, A. (2003). Modeling global scene factors in attention. *Journal of Optical Society of America A. Special Issue on Bayesian and Statistical Approaches to Vision*, 20(7):1407–1418.
- [Treisman, 1993] Treisman, A. M. (1993). The perception of features and objects. In Baddeley, A. and Weiskrantz, L., editors, *Attention: Selection, awareness, and control*, pages 5–35. Clarendon Press, Oxford.
- [Treisman and Gelade, 1980] Treisman, A. M. and Gelade, G. (1980). A feature integration theory of attention. *Cognitive Psychology*, 12:97–136.
- [Treisman and Gormican, 1988] Treisman, A. M. and Gormican, S. (1988). Feature analysis in early vision: Evidence from search asymmetries. *Psychological Review*, 95(1):15–48.

- [Treptow and Zell, 2004] Treptow, A. and Zell, A. (2004). Real-time object tracking for soccer-robots without color information. *Robotics and Autonomous Systems*, 48(1):41–48.
- [Tsotsos, 1990] Tsotsos, J. K. (1990). Analyzing vision at the complexity level. *Behavioral and Brain Sciences*, 13(3):423–445.
- [Tsotsos, 1993] Tsotsos, J. K. (1993). An inhibitory beam for attentional selection. In Harris, L. R. and Jenkin, M., editors, *Spatial Vision in Humans and Robots*, pages 313–331. Cambridge University Press.
- [Tsotsos, 2001] Tsotsos, J. K. (2001). Complexity, vision, and attention. In Jenkin, M. and Harris, L. R., editors, *Vision and Attention*, chapter 6. Springer Verlag.
- [Tsotsos et al., 1995] Tsotsos, J. K., Culhane, S. M., Wai, W. Y. K., Lai, Y., Davis, N., and Nuflo, F. (1995). Modeling visual attention via selective tuning. *Artificial Intelligence*, 78(1-2):507–545.
- [Tsotsos et al., 2005] Tsotsos, J. K., Liu, Y., Martinez-Trujillo, J. C., Pomplun, M., Simine, E., and Zhou, K. (to appear 2005). Attending to visual motion. *Journal of Computer Vision and Image Understanding (CVIU), Special Issue on Attention and Performance*.
- [Tsotsos et al., 1998] Tsotsos, J. K., Verghese, G., Stevenson, S., Black, M., Metaxas, D., Culhane, S., Dickinson, S., Jenkin, M., Jepson, A., Milios, E., Nuflo, F., Ye, Y., and Mann, R. (1998). PLAYBOT: A visually-guided robot to assist physically disabled children in play. *Image and Vision Computing 16, Special Issue on Vision for the Disabled*, pages 275–292.
- [Ungerleider and Mishkin, 1982] Ungerleider, L. and Mishkin, M. (1982). Two cortical visual systems. In Ingle, D., Goodale, M., and Mansfield, R., editors, *Analysis of visual behavior*, pages 549–586. MIT Press.
- [URL, 01] URL (01). Kyle Cave: Visual Perception and Cognition. <http://www.ecs.soton.ac.uk/~kc/py202/attention.htm>.
- [URL, 02] URL (02). Jacob L. Driesen: Neuropsychology, Medical Psychology, and Neuroscience Website. <http://www.driesen.com>.
- [URL, 03] URL (03). Color Vision and Art. <http://webexhibits.org/colorart/ganglion.html>.
- [URL, 04] URL (04). Philosophy and cognitive science. <http://philosophy.hku.hk/courses/cogsci/ncc.php>.
- [URL, 05] URL (05). iLab at the University of Southern California. <http://ilab.usc.edu/>.
- [URL, 06] URL (06). iLab Neuromorphic Vision C++ Toolkit Screenshots. <http://ilab.usc.edu/toolkit/screenshots.shtml>.
- [URL, 07] URL (07). iLab Image Databases. <http://ilab.usc.edu/imgdbs/>.
- [URL, 08] URL (08). Molecular Expressions. <http://micro.magnet.fsu.edu/primer/java/digitalimaging/processing/-kernelmaskoperation/>.
- [URL, 09] URL (09). The MathWorks. <http://www.mathworks.com/access/-helpdesk/help/toolbox/images/colorcube.jpg>.
- [URL, 10] URL (10). Color Model Museum. <http://www.colorcube.com/articles/models/model.htm>.
- [URL, 11] URL (11). Apple developer connection. [http://developer.apple.com/documentation/GraphicsImaging/Conceptual/-ManagingColorSync/IntroCSpaces/chapter\\_15\\_section\\_4.html](http://developer.apple.com/documentation/GraphicsImaging/Conceptual/-ManagingColorSync/IntroCSpaces/chapter_15_section_4.html).
- [URL, 12] URL (12). SAP Design Guild. [http://www.sapdesignguild.org/resources/glossary\\_color/index1.html](http://www.sapdesignguild.org/resources/glossary_color/index1.html).

- [URL, 13] URL (13). David G. Lowe: Demo Software: SIFT Keypoint Detector. <http://www.cs.ubc.ca/~lowe/keypoints/>.
- [URL, 14] URL (14). Solid-State Time-of-Flight Range Camera. [http://www.csem.ch/detailed/p\\_531\\_3d\\_cam.htm](http://www.csem.ch/detailed/p_531_3d_cam.htm).
- [URL, 15] URL (15). The PMD camera. <http://www.pmdtec.com/>.
- [URL, 16] URL (16). Robot World Cup Soccer Games and Conferences. <http://www.robocup.org>.
- [URL, 17] URL (17). Système d'Evaluation du Taux d'Actualisation de données topo-geographiques par Teledetection Spatiale. <http://www.sic.rma.ac.be/Projects/ETATS/content.html>.
- [van der Willigen and von Campenhausen, 2002] van der Willigen, R. F. and von Campenhausen, M. (2002). Audio-oculomotor transformation. In Bülthoff, H. H., Lee, S.-W., Poggio, T. A., and Wallraven, C., editors, *Biologically Motivated Computer Vision*, Second International Workshop, BMCV, Tübingen, Germany. Springer.
- [van Oeffelen and Vos, 1982] van Oeffelen, M. P. and Vos, P. G. (1982). Configurational effects on the enumeration of dots: counting by groups. *Memory & Cognition*, 10:396–404.
- [Vickery et al., 2005] Vickery, T. J., King, L.-W., and Jiang, Y. (2005). Setting up the target template in visual search. *Journal of Vision*, 5(1):81–92. doi:10.1167/5.1.8.
- [Vijayakumar et al., 2001] Vijayakumar, S., Conradt, J., Shibata, T., and Schaal, S. (2001). Overt visual attention for a humanoid robot. In *Proc. International Conference on Intelligence in Robotics and Autonomous Systems (IROS 2001)*, pages 2332–2337, Hawaii.
- [Viola and Jones, 2001] Viola, P. and Jones, M. J. (2001). Robust Real-time Object Detection. In *Proc. 2nd Int'l Workshop on Statistical and Computational Theories of Vision – Modeling, Learning, Computing and Sampling*, Conference: Vancouver, Canada.
- [Viola and Jones, 2004] Viola, P. and Jones, M. J. (2004). Robust real-time face detection. *International Journal of Computer Vision (IJCV)*, 57(2):137–154.
- [Walther et al., 2002] Walther, D., Itti, L., Riesenhuber, M., Poggio, T., and Koch, C. (2002). Attentional selection for object recognition — a gentle way. In Bülthoff, H. H., Lee, S.-W., Poggio, T., and Wallraven, C., editors, *Proc. 2nd Workshop on Biologically Motivated Computer Vision (BMCV '02)*, Tübingen, Germany, volume 2525, pages 472–479, Conference: Tübingen, Germany. Springer Verlag, Lecture Notes in Computer Science (LNCS).
- [Walther et al., 2004] Walther, D., Rutishauser, U., Koch, C., and Perona, P. (2004). On the usefulness of attention for object recognition. In Paletta, L., Tsotsos, J. K., Rome, E., and Humphreys, G. W., editors, *Proc. of the 2nd international workshop on attention and performance in computational vision (WAPCV '04)*, pages 96–103, Conference: Prague, Czech Republic.
- [Walther et al., 2005] Walther, D., Rutishauser, U., Koch, C., and Perona, P. (2005). Selective visual attention enables learning and recognition of multiple objects in cluttered scenes. *Computer Vision and Image Understanding*, 100(1-2):41–63.
- [Wang et al., 1994] Wang, Q., Cavanagh, P., and Green, M. (1994). Familiarity and pop-out in visual search. *Perception & Psychophysics*, 56:495–500.

- [Watanabe and Shimojo, 2005] Watanabe, K. and Shimojo, S. (2005). Crossmodal attention in event perception. In Itti, L., Rees, G., and Tsotsos, J., editors, *Neurobiology of Attention*, chapter 89, pages 538–546. Elsevier Academic Press.
- [Wolfe, 1994] Wolfe, J. M. (1994). Guided search 2.0: A revised model of visual search. *Psychonomic Bulletin and Review*, 1(2):202–238.
- [Wolfe, 1998a] Wolfe, J. M. (1998a). Visual search. In Pashler, H., editor, *Attention*, pages 13–74. Hove, U.K.: Psychology Press.
- [Wolfe, 1998b] Wolfe, J. M. (1998b). What can 1,000,000 trials tell us about visual search? *Psychological Science*, 9(1):33–39.
- [Wolfe, 2001a] Wolfe, J. M. (2001a). Asymmetries in visual search: An introduction. *Perception & Psychophysics*, 63(3):381–389.
- [Wolfe, 2001b] Wolfe, J. M. (2001b). Guided search 4.0: A guided search model that does not require memory for rejected distractors. *Journal of Vision, Abstracts of the 2001 VSS Meeting*, 1(3):349a.
- [Wolfe et al., 1989] Wolfe, J. M., Cave, K., and Franzel, S. (1989). Guided search: An alternative to the feature integration model for visual search. *Journal of Experimental Psychology: Human Perception and Performance*, 15:419–433.
- [Wolfe and Gancarz, 1996] Wolfe, J. M. and Gancarz, G. (1996). Guided search 3.0: Basic and clinical applications of vision science. Dordrecht, Netherlands: Kluwer Academic. 189–192.
- [Wolfe et al., 2004] Wolfe, J. M., Horowitz, T., Kenner, N., Hyle, M., and Vasan, N. (2004). How fast can you change your mind? The speed of top-down guidance in visual search. *Vision Research*, 44:1411–1426.
- [Zeki, 1993] Zeki, S. (1993). *A Vision of the Brain*. Cambridge, MA: Blackwell Scientific.

---

# Index

- 3D laser scanner, 131
- Ada Boost Algorithm, 152, 195
- Attention
  - bottom-up, 9, 30
  - covert, 8
  - neurobiology of, 15, 22
  - overt, 8
  - selective, 7, 8
  - top-down, 9, 30, 47
- Attentional capture, 10, 87, 98
- Attentive Classification, 149, 157
- Average hit number, 94
  
- Basic features of human perception, 13
- BILAS, 129, 134
- Bottom-up attention, 9, 30
  
- CARTs, 152, 195
- Cascade, 152, 196
- Center-surround mechanism, 28, 36, 58
- Change blindness, 8
- Classifier, 151
  - Viola-Jones, 151
- Color opponency, 17
- Color spaces, 188
- Conjunction search, 13
- Connectionist models, 44, 47
- Conspicuity maps, 36, 67
- Convolution, 181
- Cortex
  - extrastriate, 19
  - primary visual, 15, 19
  
- Covert attention, 8
- Cuing experiments, 9
  
- Digital filters, 181
- Distractors, 12
- Dorsal stream, 20
- Dynamic routing circuit, 26
  
- Early selection, late selection debate, 8
- Excitation map, 95
- Extrastriate cortex, 19
  
- Feature
  - basic f. of perception, 13
  - choice of features, 45
  - dimension, 25, 57
  - F. Integration Theory (FIT), 23
  - maps, 24, 28, 34, 36, 57
  - search, 12
  - type, 25, 57
- Filter-based models, 35, 47
- Focus of attention (FOA), 68
- Fovea centralis, 17
  
- Gabor filter, 61, 185
- Gaussian Pyramid, 58, 187
- Guided Search Model, 25
  
- Hit number, 94
- Human visual system, 15
  
- Illumination variations, 115
- Image pyramid, 57, 186
- Inhibition map, 95
- Inhibition of return (IOR), 35, 68



- Inhibitory beam, 44
- Integral images, 152, 193
- Kurt3D, 131
- LAB color space, 62
- Laser scanner, 131
- Linear Filtering, 181
- Master map of location, 24
- Most salient region (MSR), 68, 88
- Neural network models, *see* Connectionist models
- Neurobiology of attention, 15, 22
- Neuromorphic Vision Toolkit, 37
  - comparison with, 77, 122
- NVT, *see* Neuromorphic Vision Toolkit
- Object files, 24
- Object recognition, 49, 150
- Off-center cells, 17
- Off-on contrasts, 18
- On-center cells, 17
- On-off contrasts, 18
- OpenCV, 181
- Overt attention, 8
- Parallel search, 12
- Pathway
  - what P., 20
  - where P., 20
- Pop-out effect, 12
- Primary visual cortex (V1), 15, 19
- Primary visual pathway, 15
- Reaction time, 11
- Region growing, 68
- Region of interest (ROI), 88
- RoboCup, 167
- Saccades, 9
- Saliency map, 22, 29, 34, 36, 68
- Search
  - asymmetries, 14, 77
  - conjunction, 13
  - feature, 12
  - parallel, 12
  - serial, 12
  - visual, 11
- Selective attention, 7, 8
- Selective tuning model, 44
- Self-test, 94
  - hit number, 94
- Serial search, 12
- SIFT Keypoint Detector, 154
- Spotlight, 26
- Suitability test, 94
- Top-down attention, 9, 30, 47, 95, 114
- Top-down map, 95
- Transformations, 78, 115
- Uniqueness weight, 64
- V1 (primary visual cortex), 15, 19
- Ventral stream, 20
- Viola-Jones classifier, 151
- Visual Search, 11
- VOCUS, 55
- What pathway, 20
- Where pathway, 20
- Winner-Take-All network (WTA), 34
- Zoom lens model, 26