

Subject Index

- Abiotic stress 22, 110, 130, 136, 159, 207, 242, 274
Abscisic acid (ABA) 222
Acidity 136
Adaptability 275
Adaptive traits 2
Adzuki bean 54, 69
After-cooking blackening 210
Agrobacterium 44, 104, 141, 243
– *A. tumefaciens* 44, 85
Agronomic traits 61, 165, 168, 188, 207, 250
Agrotis 151
Alectra vogelii 53
Allele-specific associated primer (ASAP) 103
Allelic bridges 252, 253
Allopolyploid 237, 252, 280
Allotetraploid 149, 153, 224, 279, 284, 288
Allozyme 163
Alternaria leaf spot 135
Amaranthus 154
– *A. hypochondriacus* 155
Amino acid 52, 71, 92, 134, 153, 159
Amitermes sp. 273
Amplified fragment length polymorphism (AFLP) 37, 50,
54, 96, 152, 166, 181, 212, 239, 277
Anchor marker 12
Androgenesis 208
Aneuploidy 181
Angular leaf spot 5
Anthocyanin 221
Anthracnose 4, 5, 100, 273, 276, 289
Antinutritional factors 71, 160
Aphanomyces euteiches 36, 39, 41, 43
Aphanomyces root rot 35
Aphid 62
Aphis cracivorra 54, 61
Apion spp. 136
Aquilegia 272
Arabidopsis 73, 272
– *A. thaliana* 45, 73, 130, 169, 170, 242, 263
Arachis hypogaea 159, 162
Arcelin 6, 19
Armyworm 151
Ascochyta blight 36, 39, 42, 93, 100, 110, 115, 128
Ascochyta lentis 93
Ascochyta pisi 36, 43
Ascorbic acid 71
Ash content 196
Asparagus bean 51
Aspidiella hartii 273
Association mapping 44, 188, 228, 244
Atriplex
– *A. hortensis* 150, 151
– *A. joaquiniana* 151
– *A. serenana* 151
Autopolyploid 177, 181, 237, 252, 277
Azuki bean 56, 78

Backcross population 6, 127, 166
Bacterial artificial chromosome (BAC) 142, 155, 198
– clone 227, 228
– contig 81, 228, 260
– library 12, 44, 81, 103, 104, 155, 198, 243, 260, 263
– pool 228, 260
Bacterial blight 4, 5, 17
Bacterial brown spot 18
Bacterial leaf spot 135
Baked bean 3
Banche crenata 39
Banding
– C-banding 73, 110, 156
Bean common mosaic necrosis virus (BCMNV) 4
Bean common mosaic virus (BCMV) 4
Bean fly 74
Bean golden mosaic virus (BGMV) 5
Bean golden yellow mosaic virus (BGYMV) 5
Bean leaf roll virus (BLRV) 35, 93
Bean weevil 4, 20
Bermisia tabaci 82, 136
Beta vulgaris 153
Beta-glucuronidase (GUS) 242
Bin concept 226
Biochemical marker 95
Biological evolution 205
Biomass 35
Biomass yield 125
Biotic stress 22, 110, 130, 159, 207, 242, 274
Biparental mapping population 241
Biparental population 4
Bixa orellana 159
Blackeye cowpea mosaic virus (BICMV) 57, 60
Blackeye pea 51
Blackgram 54, 69, 83
Blackleg 220
Blister beetle 135
Boron deficiency 94
Botanical origin 70

- Botrytis cinerea* 35, 93
Brix 192
Broad spectrum resistance 227
Broad spectrum blight resistance 220
Bruchid 74, 79, 80
Bulked segregant analysis (BSA) 15, 82, 100, 127, 166, 251, 256, 289
- Cajanus*
– *C. acutifolius* 134
– *C. albicans* 134
– *C. cajan* 133
– *C. cajanifolius* 134
– *C. geonsis* 134
– *C. heynei* 134
– *C. kerstingii* 134
– *C. lanceolatus* 134
– *C. latisepalus* 134
– *C. lineatus* 134
– *C. mollis* 134
– *C. platycarpus* 134
– *C. reticulatus* 134
– – *var. grandifolius* 134
– *C. rugosus* 134
– *C. scarabaeoides* 134
– – *var. pendunculatus* 134
– *C. sericeus* 134
– *C. trinervius* 134
– *C. volubilis* 134
Callosobruchus 74, 79, 136
– *C. chinensis* 80
– *C. maculatus* 59, 6180
– *C. phaseoli* 80
CaMV35S promoter 242
Candidate resistance gene 58
Candidate-gene 19, 113, 192, 221, 227, 230, 241, 262, 292
Cane grub 180
Canning quality 19
 β -carotene 238, 259
Cassava bacterial blight 258
Cassava mosaic disease (CMD) 250
Cellulose 159
Center of origin 70, 110, 123, 151, 177, 249
– major 249
– minor 249
– primary 109
Centric fusion 183
Cercospora canescens 74
Cercospora leaf spot 74, 135
Chenopodium 148, 149
– *C. album* 148, 149
– *C. ambrosioides* 149
– *C. aristatum* 149
– *C. berlandieri*
– *C. bonus-henricus* 149
– *C. botrys* 149
– *C. bushianum* 149
– *C. capitatum* 149
– *C. ficifolium* 149
– *C. foliosum* 149
– *C. giganteum* 148, 149
– *C. glaucum* 149
– *C. hybridum* 149
– *C. murale* 149
– *C. neomexicanum* 149
– *C. pallidicaule* 148, 149
– *C. petiolare* 149
– *C. polyspermum* 149
– *C. quinoa* 147, 149
– *C. rubrum* 149
– *C. schraderianum* 149
– *C. strictum* 149
– *C. vulvaria* 149
Chickasaw pea 69
Chickling pea 123
Chikasono pea 69
Chip-color 223
Chiroko 69
Chloroplast (cp) genome 73, 207
Chromosomal rearrangement 35, 79, 91, 183
Chromosome sorting 45
Chromosome walking 260
Chymotrypsin inhibitor 134, 159
Cicer 99, 141
– *C. anatolicum* 110
– *C. arietinum* 109
– *C. bijugum* 110
– *C. canariensis* 110
– *C. cuneatum* 110
– *C. echinospermum* 110
– *C. flexuosum* 110
– *C. judaicum* 110
– *C. macracanthum* 110
– *C. microphyllum* 110
– *C. multijugum* 110
– *C. nuristanicum* 110
– *C. oxyodon* 110
– *C. pinnatifidum* 110
– *C. reticulatum* 109, 110
– *C. songaricum* 110
– *C. yamashitae* 110
Citrus 169
Clavigralla spp. 135
– *Clavigralla tomentosiscollis* 62
Cleaved amplified polymorphic sequence (CAPS) 99, 103, 113, 130, 216, 240
Clover yellow vein virus 35
Cluster analysis 129
Colchicine 150
Cold sweetening 223

- Colinearity 45, 113, 170, 183
 Collar rot 135
Colletotrichum 276
 - *C. lindemuthianum* 4
 - *C. truncatum* 93
 Colorado potato beetle (CPB) 217
 Combining ability 210, 260
 Common root rot 43
 Comparative consensus map 142
 Comparative genetic map 157
 Comparative mapping 45, 79, 111, 127, 142, 183, 263
 Composite interval mapping (CIM) 39, 101, 115, 128
 Composite map 263
 Consensus linkage map 182
 Consensus map 38, 99
 Conserved DNA sequence 113
 Conserved linkage block 79
 Core mapping population 12
 Core population 12
 Cotyledon color 35, 45, 95
 Cowpea 74
 Cowpea aphid 54, 61
 Cowpea mosaic virus (CPMV) 58, 60
 Cowpea weevil 59, 61
Crioceris livida 273
 Cross-pollination 163
 Crude protein 159
Cryptomeria japonica 169
 Cucumber mosaic cucumovirus 62
 Cultivated germplasm 2
 Cutworms 151
 Cyanide 250
 Cyst nematode 135, 210
 Cysteine 52, 71
 Cytometry 178
 Cytoplasmic male sterility (CMS) 136
 Cytotype 178

 Database 91
 Defence-related (DR) gene 113
 Dehydrin 60
 Deletion 73
 Deletions/duplications 79
 Diameter 192
 Digestibility 35
 Dihaploid 208
Dioscorea 271
 - *D. alata* 271
 - *D. bulbifera* 271
 - *D. cayenensis* 271
 - *D. dumetorum* 271
 - *D. esculenta* 271
 - *D. Hamilton* 271
 - *D. liebrechtsiana* 271
 - *D. opposita* 271
 - *D. persimilis* 271
 - *D. praezensilis* 271
 - *D. rotundata* 271
 - *D. tokoro* 277
 - *D. trifida* 271
 Diploid 27, 112, 124, 148, 207, 211, 250, 252
 Disease incidence 34
 Disease resistance 250
 Disease severity score 283
 Distance matrix analysis 138
 Distorted segregation 226
 Diversity analysis 95
 DNA amplification fingerprinting (DAF) 57, 239
 DNA fingerprinting 140
 DNA microarrays 171, 262
 DNA profiling 165
 Dormancy 221, 274
 Doubled haploid (DH) 167
 - population 97
 Domestication 1, 33, 70, 91, 123, 161, 166, 206
 Double simplex marker 225
 Downy mildew 35, 129, 151, 157
 Drought 4, 111, 124, 130, 134, 136, 163, 178, 238, 250, 272, 274
 - long term 52
 - non-stressed (NS) yield 19
 - resistance 21
 - stressed (DS) yield 19
 - susceptibility 74
 Dry bean 3, 5
 Dry matter 210, 250, 257
 Dry root rot 135
Dunbaria spp. 134
 Duplex marker 224
 Duplication 73

 Early bulking 257
 Ecogeographical origin 207
 ECOTILLING 244
 Ecotypes 151
 Electrophoretic mobility 212
 Embryo rescue 135
 Embryogenesis 141
Empoasca
 - *Empoasca kerri* 136
 - *Empoasca kraemeri* 4
 Endosperm balance number (EBN) 208
 Endosperm instability 208
 Epistasis 221, 251
Erianthus 178
Erisema spp. 134
Erwinia carotovora ssp. *atroseptica* 217, 220
Erysiphe polygoni 5, 81, 93
Etiella zinkenella 135
Euphorbia 249

- Eurysacca melanocampta* 151
Euzopherodes vapidella 273
Exelastis atomosa 135
Express breeding 259
Expressed sequence tag (EST) 37, 99, 142, 153, 191, 240, 262, 292
- F₂ population 6, 43, 97, 126, 127, 152, 166, 169
FAOSTAT Database 110
Farmer-participatory selection 275
Feltia 151
Fermentation 71
Feulgen densitometry 137
Fiber content 196
Field resistance 219, 278
Fiji disease 180
Fine-scale map 228
First-generation genetic linkage map 211
First-generation map 76, 112, 181
Flavonoid 150
Flavor 35
Flemingia spp. 134
Flooding 178
Flow cytometry 137, 284
Fluorescent in situ hybridization (FISH) 3, 45, 99, 156
Foliage yield 250
Food security 293
Framework map 36
Frost 94
– tolerance 148
Functional genomics 45, 117, 242, 244, 262
– resources 230
Fusarium 210
– *F. durum* 135
– *F. lentis* 93
– *F. oxysporum* 60, 110, 118
– *F. phaseoli* 18
– *F. Tracheiphilum* 61
Fusarium root rot 18, 35
Fusarium solani 36
Fusarium vascular wilt 100
Fusarium wilt 18, 35, 58, 61, 110, 115, 118, 135
- Gametic selection 76
Gangrene 210
Gemini virus 5, 82
GenBank 129, 153, 213, 243
Gene cloning 129
Gene diversity 111
Gene expression 45, 104, 171, 230, 243
Gene flow 292
Gene function 104, 129, 198
Gene mapping 37, 79, 127, 197
Gene order 211, 221
Gene pool 2, 4, 70, 111, 164, 180, 220, 259
– American gene pool 2, 21
– Andean gene pool 2
– primary gene pool 134
– secondary gene pool 70, 135
– tertiary gene pool 70, 134, 135
Gene pyramiding 289, 291
Gene silencing 104, 230
Gene-specific sequence 45
Gene symbol 36
Genetic architecture 169, 210
Genetic background 221, 230, 276, 290
Genetic base 208, 293
Genetic distance 36, 112, 291
Genetic diversity 1, 12, 44, 50, 92, 110, 129, 137, 147, 163, 165, 168, 200, 208, 211, 239, 253
Genetic engineering 131, 140, 198
Genetic erosion 148
Genetic identity 168
Genetic length 252
Genetic linkage map 5, 36, 57, 74, 78, 126, 152, 166, 168, 279
Genetic linkage mapping 140, 164, 210, 277
Genetic male sterility 136, 141
Genetic manipulation 199
Genetic map 36, 56, 61, 99, 126, 137, 181, 240, 252
Genetic mapping 38, 111, 230, 277
Genetic polymorphism 111
Genetic potential 110
Genetic relationship 138
Genetic resources 92, 157
Genetic stock 6
Genetic transformation 59, 140
Genetic variability 94, 163, 165
Genetic variation 36, 55, 110, 170, 180, 188
– cryptic 257
Genetically modified crop 200
Genetically modified organism (GMO) 85
Genome A 238
Genome analysis 137
Genome B 238
Genome coverage 76, 100, 212, 282, 284
genome database 263
Genome length 253
Genome mapping 95, 96
Genome rearrangement 79
Genome size 73, 78, 96, 156, 178, 271
Genomic clone 83, 252
Genomic distribution 156
Genomic diversity 156
Genomic in situ hybridization (GISH) 177
Genomic interval 217
Genomic library 129, 153
Genomic location 85
Genomic region 81, 279

- Genomic resource 227
 Genomic sequence 142
 Genomic site 140
 Genotypic diversity 292
 Geographic distribution 206
 Geographical origin 109, 125
 Germplasm 2, 35, 44, 54, 62, 70, 110, 137, 141, 148, 164, 200, 208, 211, 221, 228, 239, 244, 251
 – collection 274
 – evaluation 125
 Glandular trichome 220
Globodera rostochiensis 217
 Globulin 154
Glycine 74
 – *G. max* 49
 Golden potato cyst nematode 217
 Goldengram 69
Gossypium 51
 Grain quality 136
 Grain yield 39, 41, 125, 151
 Grasspea 123
 Greengram 69
 Groundnut 162
 Growth habit 1, 34, 95

 Haemagglutinin 71, 92
 Halo blight 5
 Haploid 73, 149, 153, 168
 Haplotype 229
 Hard-seededness 74, 80, 83
 Harvest index 257
Helianthus 169
 – *H. annuus* 74
Helicoverpa armigera 135, 136
 Herbicide 59
 – herbicide Basta 59
 Heritability 54, 180, 210, 259
Heteroligus spp. 273
Hevea 169
 – *H. brasiliensis* 249
 Hexaploid 124, 148, 156, 207, 216, 237, 277
 High-density genetic linkage map 22, 153, 276
 High-resolution map 81
 High-resolution mapping 260
 Hybrid genome 112

 In situ hybridization 110
 Inbred backcross population 39
 Inbred-backcross line 21
 Incompatibility 136
 Integeneric hybrid 177
 Integrated genetic map 228
 Integrated linkage map 1
 Intergeneric hybrid 178
 Inter-simple sequence repeat (ISSR) 96, 166, 239

 Interspecific backcross (BC) 211
 Interspecific hybrid 211
 Interspecific hybridization 110, 150, 180
 Intersubspecific population 100
 Interval mapping 170, 226, 282
 Intrageneric hybridization 150
 Intraspecific hybridization 161, 165
 Intraspecific linkage map 113, 115
 Introduction 207
 Introgression 211
Ipomoea 237
 – *I. batatas* 237
 – – *var. apiculata* 238
 – – *var. batatas* 238
 – *I. cordatoriloba* 238
 – *I. cynanchifolia* 238
 – *I. grandifolia* 238
 – *I. launosa* 238
 – *I. littoralis* 238
 – *I. nil* 238
 – *I. ramosissima* 238
 – *I. setosa* 238
 – *I. tabascanana* 237, 238
 – *I. tenuissima* 238
 – *I. trifida* 237
 – *I. triloba* 237, 238
 – *I. umbraticola* 238
 – *I. xlecantha* 238
 Iron deficiency 94
 Isozyme 1, 6, 36, 55, 56, 92, 95, 126, 134, 151, 164, 212, 252, 277

 Jassid 136
 JoinMap 224, 253, 278, 283
 Jungli bean 69

 Karyotype 34, 37, 73, 111, 124, 137, 252
 Khesari 123
 Kidney bean 4. 21
 Kinase gene 113
 KNOX gene 293
 Kosambi function 252
 Kruskal Wallis analysis 170, 258

 Lablab bean 74
Lablab purpureus 74, 76
 Landrace 4, 54, 92, 147, 159, 160, 207, 228, 253, 283
 Late blight 210, 216
Lathyrus 123
 – *L. cicera* 123
 – *L. hirsutus* 123
 – *L. latifolius* 123
 – *L. ochrus* 123
 – *L. odoratus* 123
 – *L. sativus* 123

- *L. tingitanus* 123
- Leaf beetle 273
- Leaf chlorosis 5
- Leaf hopper 4, 54
- Leaf rust 198
- Leaf scald 180
- Lectin 6
- Legume pod borer 135
- Lens* 141, 169
 - *L. culinaris* 91
 - - *ssp. culinaris* 91
 - - *ssp. odemensis* 91
 - - *ssp. orientalis* 91, 92
 - - *ssp. tomentosus* 91
 - *L. ervoides* 91
 - *L. lamottei* 91
 - *L. montbretii* 91
 - *L. tomentosus* 91
- Leucine 92
- Leucine-rich repeat (LRR) 113, 229, 242
- Linkage conservation 170
- Linkage disequilibrium (LD) 166, 200, 228, 244
- Linkage group 36, 37
- Linkage mapping 5
- Lodging 34
 - lodging resistance 39, 94
- Long bean 51
- Long terminal repeat (LTR) 73, 242
- Lotus 99, 141
 - L. japonicus* 45
- Luster 74
- Lycopersicum* 169
- Lygus hesperus* 62
- Lysine 71, 92

- Macrophomina phaseolina* 17
- Maize 3, 51
- Manihot esculenta* 51, 249
- Map colocalization 19
- Map unit 284
- Map-based cloning 38, 44, 118, 129, 156, 157, 197, 198, 226, 230, 257, 284
- MapManager 39, 128
- MAPMARKER version 2.0 252, 290
- MAPMARKER/EXP3.0. 241
- MapQTL version 3.0 284
- MapQTL version 4.0 282
- Marker abundance 153
- Marker density 37, 252
- Marker-assisted backcrossing 20
- Marker-assisted breeding 44, 129, 197, 257, 259, 276, 292
- Marker-assisted selection (MAS) 1, 20, 36, 53, 59, 62, 82, 102, 127, 151, 155, 170, 210, 223, 239, 258, 289
- Marker-assisted trait mapping 100
- Marker-assisted trait selection 129

- Maruca pod borer 59
- Maruca testulalis* 59
- Maruca vitrata* 135
- Mash 69
- Mat bean 69
- Maturity 39, 41, 94
- Maturity period 274
- Mealybug 273
- Medicago* 99, 103, 141, 170, 171
 - *M. truncatula* 45, 103, 130, 169
 - *M. sativa* 63
 - *M. tornata* 169
- Melanagromyza* sp. 135
 - *Melanagromyza obtuse* 135, 136
- Melilotus 141
- Meloidogyne*
 - *M. chitwoodii* 217
 - *M. incognita* 60, 61
- Mendelian segregation 76, 210
- Methionine 52
- Microarray 45, 130, 230
- Microsatellite 36, 54, 78, 99, 140, 142, 152, 198, 213, 239, 240, 277
- Miscanthus* 178
 - *M. floridus* 177
- Model species 63
- Molecular linkage map 277
- Molecular-function map 222
- Moong 29
- Morphological diversity 150
- Morphological marker 95
- Mosaic 180
- Moth bean 69
- mt-genome 73
- Multi-allelic marker 224
- Multiple interval mapping (MIM) 115
- Multiple podding 35
- Mungbean 54, 69
- Mungbean yellow mosaic virus (MYMV) 74, 82
- Mutagenesis 243
- Mycosphaerella* blight 35
 - Mycosphaerella pinodes* 35, 36, 39, 128
- Mylabris* spp. 135
- Myllocerus* spp. 136

- Near isogenic line (NIL) 15, 167, 223
- Neurotoxin 125
- Nezara viridula* 62, 135
- Nobilisation 177
- Nonorthology 293
- Nucleotide-binding site (NBS) 113

- Octoploid 277
- Oligosaccharide 71, 92
- Oregon pea* 69

- Organogenesis 141
Orobanche crenata 42, 43
 Orphan crop 63
 Orthologous gene 83, 104
Oryza 169
 – *O. sativa* 69
 Outcrossing 92, 95, 123, 137
 β -N-oxalyl-L- α , β -diaminopropanoic acid (ODAP) 125
- Paracentric inversion 211
 Paralogous gene 198
 Parsimony analysis 138
 Pathogen defence response 219
 Pea enation mosaic virus (PEMV) 35, 93
 Pea seed-borne mosaic virus (PSbMV) 35, 93
 Pearl millet 51
 Pea 33
 – Austrian winter 34
 – blonde 35
 – dry 33
 – fresh 33
 – mushy 33
 – snap 33
 – winter 34
Pennisetum americanum 159
Pennisetum glaucum 51
Peronospora farinose 151
Peronospora lentis 93
Petunia 221, 272
Phaeoisariopsis griseola 5
 Phaseolin 18
Phaseolus 70, 133
 – *P. acutifolius* 4
 – *P. coccineus* 4
 – *P. vulgaris* 1, 2, 33, 49, 74, 163
Phenacoccus spp. 273
 Phenotype-based breeding 231
 Phenotypic resistance 283
 Phenotypic variation 101, 128, 193, 283, 284
 Philipessa bean 69
Phoma medicaginis 36
 Phoma stem canker 135
 Photoperiod 133, 161, 249, 272
Phyllobius spp. 136
 Phyllotaxy 271
 Phylogenetic origin 111
 Phylogenetic relationship 139, 151, 165, 238, 200
 Phylogenetic studies 140
 Phylogenetic tree 271
 Physical map 99, 156, 170, 226, 228, 263
 Physical mapping 45, 178, 228, 230
 Phytophthora blight 135
Phytophthora
 – *P. drechsleri* 135
 – *P. infestans* 227
- Pigeonpea sterility mosaic virus (PPSMV) 135
 Pineapple disease 180
Pisum 34, 99, 141
 – *P. fulvum* 34
 – *P. sativum* 33, 34
 – *P. satium*
 – *ssp. arvense* 34
 – *ssp. elatius* 34
 – *ssp. hortense* 34
 – *ssp. humile* 34
 – *ssp. sativum* 34
 Plant
 – architecture 257, 274
 – habit 34
 – height 34, 39, 60
 – type 34
 Pleiotropic effect 219
 Pleiotropy 5, 251
 Plume moth 135
 Pod borer 135, 141
 Pod bug 62
 Pod dehiscence 94
 Pod fly 135
 Pod number 60
 Pod sucking bugs 62, 135
 Polarimetry 196
 Pollination
 – open 274
 – self 84
 Polygenic resistance 219
 Polygenic traits 230
 Polymerase chain reaction (PCR) 12, 78, 96, 181, 212, 239, 253
 – bidirectional 240
 – long-range 227
 – single-directional 239
 Polyphenol oxidase 220
 Polyploid 177, 181, 207, 224, 275
 Positional cloning 12
 Postzygotic selection 76
 Potato cyst nematode 216
 Potato virus A 217
 Potato virus X 217
 Potato virus Y 217
 Potyvirus 273, 278
 Prebreeding 209, 230
 Primary gene pool 70
Prionocryptes spp. 273
 Protein 41
 – content 35, 153
 – quality 74
 – quantity 74
Prunus 169
Pseudomonas syringae 227
 – pv. *phaseolicola* 5

- *pv. pisi* 35
- Pseudotestcross 277
- Puccinia melanocephala* 198
- Pyramiding 111

- Q-Gene 3.06 284
- QTL-cartographer 39
- Quality 74
- Quantitative resistance 219
- Quantitative trait loci (QTL) 1, 38, 61, 62, 82, 100, 115, 128, 165, 167, 169, 188, 210, 222, 241, 251, 257, 275, 276
- Quinoa moth 151

- R genes 217
- Race-nonspecific resistance 292
- Race-specific resistance 227
- Raffinose 71
- Random amplified polymorphic DNA (RAPD) 4, 37, 54, 74, 96, 126, 134, 151, 166, 181, 239, 252, 277
- Ratoon stunting 180
- Ratooning ability 179
- Reciprocal BC populations 220
- Recombinant inbred line (RIL) 38, 118, 166, 167, 223
 - population 8, 57, 81, 157
- Recurrent selection 210, 275
- Red bean 69
- Red rot 180
- Regulatory gene 221
- Repetitive DNA 137
- Resistance gene analogue (RGA) 8, 37, 60, 96, 113, 169, 191
- Resistance-gene cluster 217
- Resistance-gene hotspot 217
- Restriction enzyme 73
- Restriction fragment length polymorphism (RFLP) 6, 37, 54, 74, 113, 134, 140, 181, 211, 252
- Retrotransposon 55, 140
- Rhizoctonia* 210
- Rhizoctonia* root rot 6
- Rhyncosia* spp. 134
- Rice bean 69
- Ricinus comunis* 249
- Riptortus dentipes* 62
- Root
 - adventitious 249
 - storage 249
 - tuberous 249
- Root rot 36
- Root yield 257
- Root-knot nematode 57, 58, 60, 61, 135, 217
- Rust 4, 5, 6, 93, 135, 190

- Saccharum*
 - *S. barberi* 177
 - *S. edule* 177
- *S. officinarum* 176
- *S. robustum* 176
- *S. spicalum* 176
- *S. spontaneum* 176
- Salinity 130, 136, 163
- Salt tolerance 94
- Saponins 150, 151
- Saturated integrated linkage map 8
- Scab 210
- Scale insect 273
- Sclerotinia sclerotiorum* 4, 35
- Sclerotinia* white mold 35
- Second-generation map 113, 181, 224, 226
- Seed color 35, 42, 74
- Seed dormancy 1
- Seed protein 12, 20, 52, 92
 - profile 134
- Seed quality 74
- Seed shape 35
- Seed size 1, 35, 74
- Seed storage protein 153
- Seed weevil 19
- Seed weight 39, 41, 60, 80, 82, 126
- Seed yield 35
- Seedling vigour 126
- Segmental allotetraploid 249
- Segregation 168, 210, 237, 275, 277
 - distortion 76, 86, 97, 111, 169, 212, 226
 - simultaneous 36
 - skewed 169
- Selective genotyping 289
- Self-fertility 150
- Self-incompatibility 208, 212, 220, 224, 237
- Sequence characterized amplified region (SCAR) 8, 100, 103, 129
- Sequence tagged microsatellite site (STMS) 37, 112, 169
- Sequence tagged site (STS) 12, 102, 262
- Sequence-specific amplification polymorphism (SSAP) 242
- Shatter resistance 35
- Shoot apical meristem (SAM) 271
- Shoot yield 257
- Simple sequence repeat (SSR) 12, 54, 78, 96, 137, 140, 152, 165, 181, 198, 213, 239, 253, 292
- Simplex heterozygotes* 283
- Simplex marker 224
- Simulated annealing 225
- Single nucleotide polymorphism (SNP) 78, 99, 155, 199, 239, 262
- single-copy DNA 73
- Single-dose marker (SDM) 277
- Single-dose restriction fragment (SDRF) 252
- Single-marker regression analysis 289
- Single-seed descent 8, 38, 167
- Smut 180, 189
- Snake bean 51

- Snap bean 3, 8, 50
Solanum 206
 – *S. ajanhuiri* 206
 – *S. berthaultii* 217
 – *S. bulbocastanum* 217
 – *S. chaucha* 206
 – *S. curtilobum* 206
 – *S. demissum* 217, 227
 – *S. juzepczukii* 206
 – *S. phureja* 206, 217
 – *S. pinnatisectum* 217
 – *S. spegazzinii* 219
 – *S. stenotomum* 206
 – *S. tuberosum* 206
 – – *ssp. andigena* 206
 – – *ssp. tuberosum* 206
 – *S. vernei* 219
 Somatic embryogenesis 141
Sorghum 51
 – *bicolor* 51
 Southern bean mosaic virus (SBMV) 58, 60
 Soybean 74
 Specific polymorphic locus amplification test (SPLAT) 103
 Spodoptera 151
 Spotted caterpillar 135
 sprouting 74
 Stachyose 71
 Stalk juice 196
 Stalk length 192
 Stalk number 196
 Stalk weight 196
 Stem blight 17
 Stem canker 135
 Stemphylium blight 93
Stemphylium botrysum 93
 Sterility mosaic (SMD) 135
Striga gesnerioides 53, 58, 60
 Structural genetics 230
 Structural genomics 230
 Sugar beet 153
 Sugar content 194, 223
 Sugar yield 193
 Superoxide dismutase (SOD) 243
Synchytrium endobioticum 217
 Synteny 45, 141, 183

 Taxonomic reorganization 79
 Taxonomy 91, 95, 148, 206
 Temperature stress 94
 Tepary bean 4
 Termites 273
 Testa color 80, 84
 TetraMap software 291
 Tetraploid 124, 148, 237, 250, 275, 277, 284
 Tetraploid breeding line 291
 Tetrasomic inheritance 211, 224
 Texture layer 80
 TILLING 244
 Total protein 52
 Trait selection 95
 Transcription 118
 Transgene 85, 141, 243
 Transgenesis 227
 Transgenic 104, 129, 242
 – mungbean 85
 – pigeonpea 141
 – plant 141
 – tobacco 242
 Translocation 34, 37, 45, 79, 111, 183
 Transposable element 212, 242
 Transposon 55
 Trifolium 141
 Triploid 250
 Triterpenoid 151
 Trypsin 134
 Trypsin inhibitor 71, 92, 159
 Tryptophan 52
 Tuber beetles 273
 Tuber development 272
 Tuber moth 273
 Tuber quality traits 210
 Tuber shape 220
 Tuber skin color 221
 Tuber soft rot 220
 Tuber traits 216
 Tuberization 209

 Ultra-high-density (UHD) map 226
 Urdbean 69
 Urid 69
Uromyces appendiculatus 4
Uromyces viciae-fabae 93
Ustilago scitaminea 189

 Vascular wilt 93
 Vegetative propagation 243
 Verbascose 71
Verticillium 229
 – *V. alboatrum* 229
 – *V. dahliae* 229
Vicia 91, 141
 – *V. faba* 73, 139
Vigna 50, 54, 70
 – *V. acantifolia* 55
 – *V. adenantha* 55
 – *V. ambacensis* 56, 55
 – *V. angularis* 54, 55
 – *V. caracalla* 55
 – *V. luteola* 55, 56
 – *V. mungo* 54, 55, 82

- *V. oblongifolia* 56
- *V. radiata* 49, 54, 55, 69, 160
- - *ssp. sublobata* 69
- *V. reticulata* 55
- *V. rhomboidia* 162
- *V. subterranean* 15, 54, 55, 59, 161
- *V. triphylla* 55
- *V. umbellate* 55
- *V. unguiculata* 49, 56, 74, 161
- *V. vexillata* 55, 56, 162
- Vigor 274

- Wart fungus 217
- Water logging 93, 136
- Water use efficiency 93, 165
- Water yam 290
- Weevil 135
- White fly 136
- White mold 4, 17
- Whitefly 82

- Wide hybridization 136
- Wild accession 162
- Wild bean 1
- Wild gene pool 135
- Wild germplasm 2
- Wild progenitor 96
- Wild relative 136
- Winter hardiness 33, 94
- Witches broom 135

- Xanthomonas compestris* 113

- Yam mosaic virus (YMV) 273, 276
- Yam zone 272
- Yardlong beans 50, 51
- Yield stability 293

- Zabrotes subfasciatus* 4, 20
- Zea mays* 3, 51
- Zygotic selection 76