

Index

- AFM-applied electric field, 346
 - alloys, 56
 - antiferroelectric, 13
 - applications, 20
 - atomic force microscopy, 22
 - Aurivillius phase, 15

 - BaAl₂O₄, 17
 - BaTiO₃, 10, 12, 50, 55, 364, 365
 - Berry connection, 43
 - Berry phase, 2, 6, 31, 42, 43, 45, 61, 62
 - finite-difference representation, 44
 - Bi₂WO₆, 15
 - Bi₄Ti₃O₁₂, 15
 - BiFeO₃, 14
 - Bloch
 - functions, 58
 - orbitals, 63
 - states, 50, 51
 - theorem, 41, 57
 - wavefunctions, 31
 - boracite, 17
 - Born effective charge, 6
 - boundary condition, 42, 306
 - electrical boundary condition, 306
 - mechanical boundary condition, 306
 - branch choice, 45–48, 50, 53, 59, 60
 - Brillouin zone, 31, 44–46

 - CaTiO₃, 8, 10
 - centers, 33
 - polarization, 33
 - centrosymmetric structure, 39
 - charge, 33
 - Born, 36, 54–56
 - dynamical, 36, 41, 54
 - electronic, 33
 - induced, 33
 - induced polarization, 33
 - interface, 59, 60
 - ionic, 49
 - periodic, 34
 - polarization, 41, 51
 - surface, 34, 59, 60
 - transport, 52
- charge disproportionation, 19
 - charge-density wave, 19
 - charge-ordering phenomenon, 19
 - Clausius–Mossotti model, 32–34, 37
 - CM, 51
 - coefficient, 363
 - absent, 363
 - corresponding, 368
 - elastic, 363–365
 - electric compliance, 363
 - electrostrictive, 363–365, 367
 - free-energy, 368
 - Landau free-energy, 363
 - Landau–Devonshire, 363, 364, 367
 - piezoelectric, 363
 - coercive field, 321–323
 - conductivity, 64
 - correlation length, 306
 - correlation volume, 306
 - crystal structure, 6
 - current, 37, 43, 56
 - adiabatic, 40, 47, 52
 - macroscopic, 39
 - transient, 37, 40
- dead layer, 307, 308, 319
 - density matrix, 58
 - density-functional theory, 62
 - Kohn–Sham, 42, 53, 62
 - Depolarization effects, 96

- depolarization field, 19, 309, 312, 317, 319, 321–324
- description
 - Landau free-energy, 369
- dielectric tensor, 33, 41
- dipolar interactions, 357
- disordered elastic systems, 340, 351
 - commensurate pinning potential, 348
 - creep, 343, 347, 353
 - critical field E_c , 352, 353
 - elastic objects pinned by periodic or disorder potentials, 341
 - Larkin length L_c , 351
 - random-bond, 342, 343, 357, 358
 - random-field, 343, 357
- disordered systems, 61
- displacive and order–disorder transitions, 88
- domain wall, 59
- dynamical exponent μ , 344, 347, 356, 359
- DyScO₃, 12

- effective domain-wall
 - dimensionality d_{eff} , 354, 357, 359
- effective screening length, 309, 317
- electric, 41
- electric field, 54, 57, 58, 62
 - applied, 57
 - exchange-correlation, 62
 - finite, 57, 58
 - force induced by, 54
 - macroscopic, 57
- electronic ferroelectric, 19
- electrostatic boundary condition, 308, 326
- epitaxial strain, 12
- extrapolation length, 306, 307, 317

- ferroelectric, 1
 - electronic, 19
 - improper, 7, 18
 - incipient, 12
- ferroelectric domain walls, 339, 340, 343, 355
 - creep, 349
 - critical nucleus, 347, 349, 350, 353
 - domain wall
 - velocity $v(r)$, 346, 347
- field
 - depolarizing, 41
- field-effect, 22
- films, 19
- first-principles study, 7

- Gd₂(MoO₄)₃, 17
- GdFeO₃, 12
- global, 45
- growth, 249, 250, 253
 - alkaline-earth oxide, 253
 - perovskite, 254, 255

- heater, 222
 - laser heater, 225
 - radiative heater, 223
 - resistive block heater, 223
- Hohenberg–Kohn theorem, 62
- hysteresis, 2
 - artifacts, 4
 - Sawyer–Tower circuit, 3
- hysteresis cycle, 39
- hysteresis loop, 39

- improper ferroelectric, 7, 18
- incipient ferroelectric, 12
- inhomogeneous effects, 102
- insulator, 63
- ionic model, 49

- KNbO₃, 48–50, 53, 55
- KNO₃, 18
- KTaO₃, 12

- Landau theory, 7, 11
- Landau–Devonshire, 363
 - potential, 364
 - potential coefficient, 365, 368
- Landau–Devonshire theory, 74
 - Coupling to Strain, 79
 - First-Order Transition, 76
 - Second-Order Transition, 75
- Landau–Ginzburg theory, 84
 - Boundary Effects, 92
 - bulk ferroelectric, 84
 - extrapolation length, 95
 - Levanyuk–Ginzburg criterion, 71, 86
- latent heat, 7
- lattice dynamics, 55
- Li₂Ge₇O₁₅, 17

- LiNaGe₄O₉, 17
 LiNbO₃, 10, 14, 368, 369
 LiTaO₃, 368, 369
 localization, 63
 LuFe₂O₄, 18, 19
 Lyddane–Sachs–Teller relation, 7
- memories, 21
 MEMS, 20
 metals, 63
 misfit epitaxial strain, 100
 Mn₃TeO₆, 17
 molecular beam epitaxy, 220, 244, 245, 247
 morphotropic phase boundary (MPB), 13
 multiferroic, 105
- nanoparticle, 20, 327
 nanorod, 329
 nanostructures, 21
 nanotube, 329
 nanowire, 329
 nanowire/nanorod, 329
 neutron scattering, 7
- optical pyrometry, 226
 optical spectroscopy, 7
 oxide on semiconductor, 279
 silicide, 285
 SrTiO₃, 281
 oxygen vacancy, 307, 308
- Pb₅Ge₃O₁₁, 17
 Pb(Sr_{1/2}Nb_{1/2})O₃ (PSN), 13
 Pb(Sr_{1/2}Ta_{1/2})O₃ (PST), 13
 PbMg_{1/3}Nb_{2/3}O₃ (PMN), 13
 PbTiO₃, 11, 12, 38, 56, 368
 PbZn_{1/3}Nb_{2/3}O₃ (PZN), 13
 PbZr_{1-x}Ti_xO₃ (PZT), 13, 364, 366, 368
 PbZrO₃, 13
 permittivity, 36, 37, 41
 perovskite, 38, 48, 53–55, 60
 perovskite oxide, 8
 perturbation theory, 42, 43
 phase, 40
 mod 2π, 46
 twist, 47
- phase transition, 6
 piezoelectric tensor, 36, 41, 55
 proper, 56
 piezoelectricity, 36, 37, 41, 55
 piezoelectrics, 12, 13, 20
 polarization, 1, 6, 11, 15, 31
 absolute, 32
 Berry-phase, 41, 50, 51, 54, 58, 59, 62
 bulk, 34, 35
 change, 47, 56
 differences, 32, 38
 effective, 40, 43, 44, 50
 electronic, 33, 58, 61
 formal, 40, 44, 47–50
 induced, 40
 ionic, 44, 47
 local, 62
 longitudinal, 62
 macroscopic, 31, 32, 35, 37, 41, 54, 61, 63
 many-body, 61
 microscopic, 35
 modern theory, 35, 38, 41, 47, 54
 modern theory of, 31, 32, 43, 47, 53, 63
 multivalued, 50
 quantum, 46, 48, 50, 57
 quantum of, 31, 47, 51, 60
 reversal, 38, 39
 spontaneous, 35, 38–41, 43, 48, 50, 53, 56
 time-averaged, 54
 transverse, 62
- polydomain, 321–324
 pressure, 12, 18
 pulsed laser deposition, 220, 222, 227, 228
 ablation, 232
 ablation plume, 235
 presputtering, 242
 pressure, 221
 pulsed ablation laser, 228
 target, 230
- pyroelectric coefficient, 36
 pyroelectrics, 20
- Quantum critical fluctuations, 105
 quantum fluctuation, 12

- $R_3Sb_5O_{12}$, 17
 relaxor, 14
 RHEED, 246, 247, 256, 281–283, 285
 roughness exponent ζ , 343, 354, 356, 359
 Ruddlesden–Popper (RP) family, 16
 Screening, 72
 silicon, 33, 34
 size effects, 19
 soft-mode theory, 7
 solid solution, 8, 12
 sputtering, 220, 222, 238, 241, 242
 cooling, 243
 insulator, 239
 magnetron, 242
 off-axis sputtering, 241
 presputtering, 242
 pressure, 221
 process gas, 240
 reactive sputtering, 244
 RF, 240
 target, 230, 238
 $Sr_{0.8}Bi_{2.2}Ta_2O_9$, 369
 $SrBi_2Nb_2O_9$, 369
 $SrBi_2Ta_2O_9$, 15
 $SrTiO_3$, 10, 12, 364–367
 strain, 6
 internal, 56
 macroscopic, 56
 structural frustration, 10
 substrate, 257
 gallate, 266
 $KTaO_3$, 266
 $LaAlO_3$, 264
 LSAT, 266
 MgO , 266
 scandates, 266
 $SrTiO_3$, 259–262
 table, 265
 superlattice, 220, 271, 273, 324–326
 $BaTiO_3/SrTiO_3$, 274
 $BaTiO_3/SrTiO_3/CaTiO_3$, 274
 electrostatics, 274
 ferroelectric/ferroelectric, 277
 interfacial charge state, 277
 $KNbO_3/KTaO_3$, 275
 multiferroic, 276
 $PbTiO_3/PbZrO_3$, 275
 $PbTiO_3/SrTiO_3$, 274, 275
 strain, 271
 tricolor, 275
 X-ray diffraction pattern, 277
 superparaelectric limit, 305
 superparamagnetic limit, 305
 surface, 36, 55
 switching, 2
 symmetry, 48, 50, 54
 cubic, 50
 temperature, 36
 thermoelectric effect, 23
 thin film, 310, 322
 tolerance factor, 10
 tolerance ratio, 11
 tungsten bronze, 17
 twist operator, 61
 Wannier center, 50–52
 Wannier function, 6, 50, 63, 64
 wurtzite-structure insulator, 6
 X-ray, 7
 X-ray diffraction, 310, 311, 318, 319, 321–323, 325
 X-ray photoelectron diffraction, 310, 314, 318, 319
 YFe_2O_4 , 19
 $YMnO_3$, 18
 Zener tunneling, 57, 58

Topics in Applied Physics

- 88 **Optical Nanotechnologies**
The Manipulation of Surface and Local Plasmons
By J. Tominaga and D. P. Tsai (Eds.) 2003, 168 Figs. XII, 212 pages
- 89 **Solid-State Mid-Infrared Laser Sources**
By I. T. Sorokina and K. L. Vodopyanov (Eds.) 2003, 263 Figs. XVI, 557 pages
- 90 **Single Quantum Dots**
Fundamentals, Applications, and New Concepts
By P. Michler (Ed.) 2003, 181 Figs. XII, 352 pages
- 91 **Vortex Electronics and SQUIDS**
By T. Kobayashi, H. Hayakawa, M. Tonouchi (Eds.) 2003, 259 Figs. XII, 302 pages
- 92 **Ultrafast Dynamical Processes in Semiconductors**
By K.-T. Tsen (Ed.) 2004, 190 Figs. XI, 400 pages
- 93 **Ferroelectric Random Access Memories**
Fundamentals and Applications
By H. Ishiwara, M. Okuyama, Y. Arimoto (Eds.) 2004, Approx. 200 Figs. XIV, 288 pages
- 94 **Silicon Photonics**
By L. Pavesi, D.J. Lockwood (Eds.) 2004, 262 Figs. XVI, 397 pages
- 95 **Few-Cycle Laser Pulse Generation and Its Applications**
By Franz X. Kärtner (Ed.) 2004, 209 Figs. XIV, 448 pages
- 96 **Femtosecond Technology for Technical and Medical Applications**
By F. Dausinger, F. Lichtner, H. Lubatschowski (Eds.) 2004, 224 Figs. XIII 326 pages
- 97 **Terahertz Optoelectronics**
By K. Sakai (Ed.) 2005, 270 Figs. XIII, 387 pages
- 98 **Ferroelectric Thin Films**
Basic Properties and Device Physics for Memory Applications
By M. Okuyama, Y. Ishibashi (Eds.) 2005, 172 Figs. XIII, 244 pages
- 99 **Cryogenic Particle Detection**
By Ch. Enss (Ed.) 2005, 238 Figs. XVI, 509 pages
- 100 **Carbon**
The Future Material for Advanced Technology Applications
By G. Messina, S. Santangelo (Eds.) 2006, 245 Figs. XXII, 529 pages
- 101 **Spin Dynamics in Confined Magnetic Structures III**
By B. Hillebrands, A. Thiaville (Eds.) 2006, 164 Figs. XIV, 345 pages
- 102 **Quantum Computation and Information**
From Theory to Experiment
By H. Imai, M. Hayashi (Eds.) 2006, 49 Figs. XV, 281 pages
- 103 **Surface-Enhanced Raman Scattering**
Physics and Applications
By K. Kneipp, M. Moskovits, H. Kneipp (Eds.) 2006, 221 Figs. XVIII, 464 pages
- 104 **Theory of Defects in Semiconductors**
By D. A. Drabold, S. K. Estreicher (Eds.) 2007, 60 Figs. XIII, 297 pages
- 105 **Physics of Ferroelectrics**
A Modern Perspective
By K. Rabe, Ch. H. Ahn, J.-M. Triscone (Eds.) 2007, 129 Figs. XII, 390 pages