

References

- ABB (2001) Catalogue: *Special Components for Pulsed Power Applications*. ABB Semiconductors AG, Lenzburg, Switzerland
- Achenbach J, Hemann J, Ziegler F (1970) Separation at the interface of a circular inclusion and the surrounding medium under an incident compression wave. *Trans. ASME, J. Appl. Mech. E* 37: 298–304
- Akiyama H. (2000) Streamer discharges in liquids and their applications. *IEEE Trans. Dielectr. Electr. Insulat.* 7(5): 646–653
- Akiyama H, Katsuki S, Namihira T, Ishibashi K, Kiyosaki N (2001) Production of large volume discharges in water and their industrial applications. In: Reinovsky R, Newton M (eds.) *Proc. 28th IEEE Int. Conf. on Plasma Science and 13th IEEE Int. Pulsed Power Conf.*, 17–22 June 2001, Las Vegas, pp. 150–153
- Andres U (1989) Parameters of disintegration of rock by electrical pulses. *Powder Technol.* 58: 265–269
- Arad R, Tsigitkin K, Maron Y, Fruchtman A, Huba JD (2003) Observation of faster-than-diffusion magnetic field penetration into a plasma. *Phys. of Plasmas* 10(1): 112–125
- Artsimowitsch LA, Sagdejew RS (1983) *Plasmaphysik für Physiker*. Teubner, Stuttgart
- Badent R (1996) *Modell der elektronendominanten Streamerentladung in Isolieröl*. PhD thesis, University of Karlsruhe
- Bailey J, Carlson A, Morrison R (1990) Visible spectroscopy measurements in the PBFA II ion diode. *Rev. Sci. Instrum.* 61(10): 3075–3080
- Bailey JE, Filuk AB, Carson AL, Johnson DJ, Lake P, McGuire EJ, Mehlhorn TA, Pointon TA, Renk TJ, Stygar WA, Maron Y (1995) Measurements of acceleration gap dynamics in a 20-TW applied-magnetic-field ion diode. *Phys. Rev. Lett.* 74: 1771–1774
- Baranchikov EI, Gordeev AV, Korolev VD, Smirnov VP (1978) Magnetic self-insulation of electron beams in vacuum lines. *Sov. Phys. JETP* 48(6): 1058–1068
- Bardotti G, Bertotti B, Gianolio L (1964) Magnetic configuration of a cylinder with infinite conductivity. *J. Math. Phys.* 5: 1387–1390
- Barlow RE, Proscan F (1975) *Statistical Theory of Reliability and Life Testing*. Holt, Rinehart and Winston, New York
- Baron M, Matthews A (1961) Diffraction of a pressure wave by a cylindrical cavity in an elastic medium. *Trans. ASME, J. Appl. Mech. E* 28: 347–354

- Beams (1975) *Proc. Int. Topical Conf. on Electron Beam Research and Technology*, Albuquerque, NM, 3–6 November 1975, SAND76-5122
- Beams (1977) *Proc. 2nd Int. Topical Conf. on High Power Electron and Ion Beam Research and Technology*, Cornell University, Ithaca, NY, 3–5 October 1977
- Becker R, Sauter F (1964) *Theorie der Elektrizität*. Teubner, Stuttgart
- Beebe SJ, Fox PM, Rec LJ, Somers K, Stark RH, Schoenbach KH (2002) Nanosecond pulsed electric (nsPEF) effects on cells and tissues: apoptosis induction and tumor growth inhibition. *IEEE Trans. Plasma Sci.* 30: 286–292
- Benda H, Spenke E (1967) Reverse recovery processes in silicon power rectifiers. *Proc. IEEE* 55(8): 1331–1354
- Beroual A (1993) Electronic and gaseous processes in the prebreakdown phenomena of dielectric liquids. *J. Appl. Phys.* 73(9): 4528–4533
- Birdsall CK, Bridges WB (1961) Space-charge instabilities in electron diodes and plasma converters. *J. Appl. Phys.* 32 (12): 2611
- Birdsall CK, Langdon AB (1991) *Plasma Physics via Computer Simulation*. Hilger, Bristol
- Bluhm H (2004) Aufschluss und Abtötung biologischer Zellen mit Hilfe starker gepulster elektrischer Felder. Frühjahrstagung der Deutschen Physikalischen Gesellschaft, Kiel, 08-11. März 2004
- Bluhm H, Hoppé P (1999) Perspectives of high power pulse generators for the boron neutron capture therapy (BNCT) of tumors. In: Stalling C, Kirbie H (eds.) *Proc. 12th IEEE Int. Pulsed Power Conf.*, Monterey, CA, Vol. 1, pp. 502–505
- Bluhm H, Böhnel K, Buth L, Hoppé P, Karow HU, Klumpp A, Rusch D, Scherer T, Schülken H, Singer J (1985) Experiments on KFK's light-ion accelerator KALIF. In: Turchi PJ, Rose MF (eds.) *Proc. 5th IEEE Int. Pulsed Power Conf.*, Arlington, VA, pp. 114–117
- Bluhm H, Hoppé P, Laqua H, Rusch D (1992) Production and investigation of TW proton beams from an annular diode using strong radial magnetic insulation fields and a preformed anode plasma source. *Proc. IEEE* 80: 995–1009
- Bluhm H, Hoppé P, Bachmann H, Bauer W, Baumung K, Buth L, Laqua H, Ludmirski A, Rusch D, Stoltz O, Yoo S (1994) Stability and operating characteristics of the applied B proton extraction diode on KALIF. In: Rix W, White R (eds.) *10th Int. Conf. on High Power Particle Beams*, San Diego. NTIS, Springfield, VA, pp. 77–82
- Bluhm H, Schultheiß C, Frey W, Gusbeth C, Sack M, Strässner R (2004) Industrial scale treatment of biological cells with pulsed electric fields. In: Kirkici H (ed.) *Conf. Record of the 26th Int. Power Modulator Conf. and 2004 High-Voltage Workshop*, San Francisco, pp. 8–14
- Blumlein AD (1941) Improvements in or relating to apparatus for generating electrical impulses. UK Patent 589127
- Bodner SE, Colombant DG, Schmitt AJ, Klapisch M (2000) High gain direct drive target design for laser fusion. *Phys. Plasmas* 7: 2298–2301

- Boebinger G, Lacerda A, Fisk Z, Gor'kov LP, Schrieffer JR (eds.) (2002) *Physical Phenomena at High Magnetic Fields IV. Proc. 4th Conf.*, 19–25 October 2002, Santa Fe, NM. World Scientific, Singapore
- Bogdankevich L, Rukhadze A (1971) Stability of relativistic electron beams in a plasma and the problem of critical currents. *Sov. Phys. Uspekhi* 14(2): 163–179
- Bogdankevich L, Zhelyazkov I, Rukhadze A (1970) Limiting currents in relativistic electron beams. *Sov. Phys. JETP* 30(1): 174–176
- Borda JC (1766) Sur l'écoulement des fluids par les orifices des vases. *Mém. Acad. Roy. Sciences, Année 1766*: 579–607
- Bouattou B, Lowell J (1988) Contact charging and small-scale charge migration in polymers. *J. Phys. D: Appl. Phys.* 21: 1787–1795
- Bouzrara H, Vorobiev E (2000) Beet juice extraction by pressing and pulsed electric fields. *Int. Sugar J.* 102(1216): 194–200
- Bouzrara H, Vorobiev E (2001) Nicht-thermisches Pressen und Auswaschen von frischen Zuckerrübenschnitzeln kombiniert mit der Anwendung eines pulsierenden elektrischen Feldes. *Zuckerindustrie* 126: 463–466
- Braginskii SI (1958) Theory of the development of a spark channel. *Sov. Phys. JETP* 34(7): 1068–1074
- Buescher ES, Schoenbach KH (2003) Effects of submicrosecond, high intensity pulsed electric fields on living cells – intracellular electromanipulation. *IEEE Trans. Dielectr. Electr. Insulat.* 10(5): 788–794
- Buneman O, Levy RH, Linson LM (1966) Stability of crossed-field electron beams. *J. Appl. Phys.* 37: 3203–3222
- Burkin V, Makarov P, Semkin B, Shubin B (1975) Pressure field around a spark in a solid dielectric. *Sov. Phys. Techn. Phys.* 20(11): 1490–1492
- Campbell NA (2000) *Biologie*. Spektrum Akademischer Verlag, Heidelberg
- Christiansen J, Hartmann W (1990) The pseudospark. In: Schaefer G, Kristiansen M, Guenther A (eds.) *Gas Discharge Closing Switches*. Plenum, New York, pp. 509–520
- Coleman AJ, Saunders JE (1993) A review of the physical properties and biological effects of the high amplitude acoustic fields used in extracorporeal lithotripsy. *Ultrasonics* 31(2):75–89
- Cooke CM (1998) Personal communication
- Cooperstein G (2002) Status of particle beam and pulsed power research in US. In: Mehlhorn TA, Sweeney MA (eds.) *Proc. 14th Int. Conf. on High-Power Particle Beams*, 23–28 June 2002, Albuquerque, NM, pp. 3–8
- Cooperstein G, Boller JR, Commisso RJ, Hinshelwood D, Mosher D, Ottinger PF, Schumer JW, Stephanakis SJ, Swanekamp SB, Weber BV, Young F (2001) Theoretical modeling and experimental characterization of a rod-pinch diode. *Phys. Plasmas* 8: 4618–4636
- Creedon JM (1975) Relativistic Brillouin flow in the high n/g diode. *J. Appl. Phys.* 46(7): 2946–2955

- Cuneo ME (1999) The effect of electrode contamination, cleaning and conditioning on high-energy pulsed-power device performance. *IEEE Trans. Dielectr. Electr. Insulat.* 6(4): 469–485
- Cuneo ME, Menge PR, Hanson DL, Fowler WE, Bernard ME, Ziska GR, Filuk AB, Pointon TD, Vesey RA, Welch DR, Bailey JE, Desjarlais MP, Lockner TR, Mehlhorn TA, Slutz SA, Stark MA (1997) Results of vacuum cleaning techniques on the performance of LiF field-threshold ion sources on extraction applied-B ion diodes at 1–10 TW. *IEEE Trans. Plasma Sci.* 25(2): 229–251
- Dekker AJ (1964) *Solid State Physics*. Macmillan, London
- Desjarlais M (1989) Theory of applied-B ion diodes. *Phys. Fluids B* 1(8): 1709–1720
- Dev SB, Hofmann GA (1994) Electrochemotherapy – a novel method of cancer treatment. *Cancer Treat. Rev.* 20(1): 105–115
- Devins JC, Rząd SJ, Schwabe RJ (1981) Breakdown and prebreakdown phenomena in liquids. *J. Appl. Phys.* 52(7): 4531–4545
- DiCapua MS (1980) Magnetic insulation. *IEEE Trans. Plasma Sci.* 11(3): 205–215
- Doevenspeck H (1962) Über die Beeinflussung von Zellen und Zellverbänden durch elektrostatische Impulse. *Arch. Lebensmittelhygiene* 13(3): 68–69
- Doran AA (1968) The development of a Townsend discharge in N₂ up to breakdown investigated by image converter, intensifier, and photomultiplier techniques. *Z. Phys.* 208: 427–440
- Driga MD, Pratap SB, Walls AW, Kitzmiller JR (2001) The self-excitation process in electrical rotating machines operating in pulsed power regime. *IEEE Trans. Magn.* 37(1): 295–300
- DuVillaret L, Riolland S, Coutaz JL (2002) Electro-optic sensors for electric field measurements. I. Theoretical comparison among different modulation techniques. *J. Opt. Soc. Am. B* 19(11): 2692–2703
- Ebert H (ed.) (1976) *Physikalisches Taschenbuch*. Vieweg, Braunschweig
- Ekdahl C (2001) Modern accelerators for radiography. In: Reinovsky R, Newton M (eds.) *Proc. 28th IEEE Int. Conf. on Plasma Science and 13th IEEE Int. Pulsed Power Conf.*, 17–22 June 2001, Las Vegas, pp. 29–34
- Engelko A, Bluhm H (2004) Optimal design of semiconductor opening switches for use in the inductive stage of high power pulse generators. *J. Appl. Phys.* 95(10): 5828–5836
- Engelko V, Kusnetsov V, Viazmenova G, Müller G, Bluhm H (2000) Influence of electrons reflected from a target on the operation of triode-type electron sources. *J. Appl. Phys.* 88(7): 3879–3888
- Engelko V, Müller G, Bluhm H (2001a) Influence of particle fluxes from target on characteristics of intense electron beams. *Vacuum* 62: 97–103
- Engelko V, Yatsenko B, Müller G, Bluhm H (2001b) Pulsed electron beam facility (GESA) for surface treatment of materials. *Vacuum* 62: 211–216
- Fitch RA (1964) Novel principle of transient high-voltage generation. *Proc. IEE* 111(4): 849–854
- Fowler RH, Nordheim L (1928) Electron emission in intense electric fields. *Proc. Roy. Soc. (London)* 119A(781): 173–181

- Frank K, Rath W (1990) The triggered pseudospark discharge. In: Schaefer G, Kristiansen M, Guenther A (eds.) *Gas Discharge Closing Switches*. Plenum, New York, pp. 521–530
- Frank K, Christiansen J, Hartmann W (1991) Triggerbare Hochleistungsschalter. *Physik in unserer Zeit* 22(4): 156–164
- Friedman M, Swanekamp S, Obenschain S, Chan Y, Ludeking L, Smithe D (2000) Stability of large area electron beam diodes. *Appl. Phys. Lett.* 77: 1053–1055
- Fueki K, Feng DF, Kevan L (1972) A semiempirical estimate of the scattering cross-section and mobility of excess electrons in liquid hydrocarbons. *Chem. Phys. Lett.* 13: 616–618
- Gerlach W (1979) *Thyristoren*. Springer, Berlin, Heidelberg
- Glasoe GN, Lebacqz JV (1948) *Pulse Generators*. MIT Radiation Laboratory Series Vol. 5, McGraw-Hill, New York
- Goldfarb V, Budny R, Dunton A, Shneerson G, Krivosheev S, Adamian Y (1997) Removal of surface layer of concrete by a pulse-periodical discharge. In: Cooperstein C, Vitkovitsky I (eds.) *Proc. 11th IEEE Int. Pulsed Power Conf.*, 29 June–2 July 1997, Baltimore, pp. 1078–1084
- Goldstein SA, Lee R (1975) The ion induced pinch and enhancement of ion current by pinched electron and ion flow in relativistic diodes. *Phys. Rev. Lett.* 35: 1079–1082
- Granatstein VL, Alexeff I (1987) *High Power Microwave Sources*. Artech House, Boston
- Greenly JB, Appartaim RK, Olson JC, Brisette L (1994) Extraction ion diode studies for optimised performance: divergence, ion species and parasitic load. In: Rix W, White R (eds.) *10th Int. Conf. on High Power Particle Beams*, San Diego. NTIS, Springfield, VA, pp. 398–401
- Greenly JB, Appartaim RK, Olson JC (1996) Anode plasma dynamics in an extraction applied-*B* ion diode: effects on divergence, ion species and parasitic load. In: Jungwirth K, Ullschmied J (eds.) *11th Int. Conf. on High Power Particle Beams*, Prague, Tiskárna ‘K’ Ltd, Prague, pp. 111–114
- Grekhov I, Mesyats G (1999). Physical basis for high power semiconductor nanosecond opening switches. In: Stalling C, Kirbie H (eds.) *12th IEEE Int. Pulsed Power Conf.*, Monterey, CA, pp. 1158–1161
- Guenther AH (ed.) (1987) *Opening Switches. Advances in Pulsed Power Technology*. Plenum, New York
- Guillemin EA (1944) *A Historical Account of the Development and a Design Procedure for Pulse Forming Networks*. Radiation Laboratory Report No. 43, Massachusetts Institute of Technology, Cambridge, USA
- Guz IS (1974) Interaction between stress waves and a growing crack. *J. Appl. Mech. Tech. Phys.* 15: 726–730
- Halbritter J (1985) On contamination on electrode surfaces and electric field limitations. *IEEE Trans. Electr. Insulat.* 20: 671
- Halbritter J (1986) Dynamical enhanced electron emission and discharges at contaminated surfaces. *Appl. Phys. A (Solids Surf.)* 39: 49–57

- Hanson DL, Cuneo ME, McKay PF, Maenchen JE, Coats RS, Poukey JW, Rosenthal SE, Fowler WE, Wenger DF, Bernard MA, Chavez JR, Stearns WF (1992) Operation of a high impedance applied-*B* extraction ion diode on the SABRE positive polarity linear induction accelerator. In: Mosher D, Cooperstein G (eds.) *9th Int. Conf. on High Power Particle Beams*, Washington, DC. NTIS, Springfield, VA, pp. 781–787
- Harjes HC, Penn KJ, Reed KW, McClenahan CR, Laderach GE, Wavrik RW, Adcock J, Butler M, Mann GA, Martinez L, Morgan FA, Weber GJ, Neau EL (1991) Status of the repetitive high energy pulsed power project. In: Prestwich K, White R (eds.) *Proc. 8th IEEE Int. Pulsed Power Conf.*, San Diego, pp. 543–548
- Hegeler F (2003) Personal communication
- Hegeler F, Myers MC, Friedman M, Sethian JD, Swanekamp SB, Rose DV, Welch DR (2002) Efficient electron beam deposition for repetitively pulsed krypton fluoride lasers. In: Mehlhorn TA, Sweeney MA (eds.) *Proc. 14th Int. Conf. on High-Power Particle Beams*, 23–28 June 2002, Albuquerque, NM, pp. 357–360
- Herlach F, Kennedy JE (1973) The dynamics of imploding liners in magnetic flux compression experiments. *J. Phys. D: Appl. Phys.* 6: 661–676
- Herlach F, Ortenberg M (1996) Pulsed magnets for strong and ultrastrong fields. *IEEE Trans. Magn.* 32(4): 2438–2443
- Herlach F, Li L, Harrison N, Bockstal L (1996) Approaching 100 T with wire wound coils. *IEEE Trans. Magn.* 32(4): 2507–2510
- Hilmert H, Schmidt WF (1991) Electron detachment from negative ions of sulfur hexafluoride – swarm experiments. *J. Phys. D: Appl. Phys.* 24: 915–921
- Hülsheger H, Poter J, Niemann E (1983) Electric field effects on bacteria and yeast cells. *Radiat. Environ. Biophys.* 22: 149–162
- Humphreys D, Penn K, Cap J, Adams R, Seamen J, Turman B (1985). Rimfire: a six megavolt laser-triggered gas-filled switch for PBFA II. In: Rose MF, Turchi PJ (eds.) *5th IEEE Int. Pulsed Power Conf.*, Arlington, VA, pp. 262–265
- Humphries S (1990) *Charged Particle Beams*. Wiley, New York
- Humphries S (1980) Intense pulsed ion beams for fusion applications. *Nucl. Fusion* 20: 1549–1612
- Ieda M (1984) Electrical conduction and carrier traps in polymeric materials. *IEEE Trans. Electr. Insulat.* EI-19(3): 162–178
- Illy S, Kuntz M, Westermann T (1994) Investigations on the vacuum current in the magnetic insulated Karlsruhe light ion facility high-energy linear induction accelerator (KALIF-HELIA). *Phys. Plasmas* 1(8):2748–2761
- Johnson D, Kuswa G, Farnsworth A, Quintenz J, Leeper R, Burns E, Humphries S (1979) Production of 0.5-TW proton pulses with a spherical focusing magnetically insulated diode. *Phys. Rev. Lett.* 42(9): 610–613
- Jones HM, Kunhardt EE (1994) Pulsed dielectric breakdown of pressurized water and salt solutions. *J. Appl. Phys.* 77(2): 795–805
- Jones HM, Kunhardt EE (1995a). Ionic sheath formation in water and aqueous solutions and its influence on pulsed dielectric breakdown. In: Baker W, Cooperstein G (eds.) *10th IEEE Int. Pulsed Power Conf.*, 3–6 July 1995, Albuquerque, NM, pp. 580–585

- Jones HM, Kunhardt EE (1995b) Pre-breakdown currents in water and aqueous solutions and their influence on pulsed dielectric breakdown. *J. Appl. Phys.* 78(5): 3308–3314
- Jonscher AK, Lacoste R (1984) On a cumulative model of dielectric breakdown in solids. *IEEE Trans. Electr. Insulat.* EI-19(6): 567–577
- Joshi R, Schoenbach K (2000) Electroporation dynamics in biological cells subjected to ultrafast electrical pulses: a numerical simulation study. *Phys. Rev. E* 62(1): 1025–1033
- Kanel GI, Razorenov SV, Utkin AV (1996) Spallation of solids under shock wave loading. In: Davison L, Grady DE, Shahinpoor M (eds.) *High Pressure Shock Compression of Solids II*, Springer, Berlin, Heidelberg, pp. 1–24
- Kanel GI, Baumung K, Bluhm H, Fortov VE (1998) Possible applications of the ion beams technique for investigations in the field of equation of state. *Nucl. Instrum. Methods A* 415: 509–516
- Kasuya K, Kishi Y, Kamiya T, Funatsu M (1991) Low microdivergence medium-mass ion beam produced from a N₂O cryogenic diode. *Laser Part. Beams* 19: 309–316
- Katschinski U (1994) *Optisch aktivierte Galliumarsenidschalter für die Erzeugung von Hochleistungsimpulsen*. PhD thesis, University of Braunschweig, VDI, Düsseldorf
- Keinigs RK, Atchison WL, Anderson WE, Barlsch RR, Faehl RJ, Flower-Maudlin EC, Hammersberg JE, Holtkamp DB, Jones ME, Kyrala G, Lindemuth JR, Oro DM, Parker JV, Preston DL, Reinovsky RE, Rodriguez G, Scudder DW, Shehey PT, Shlachter JS, Stokes J, Taylor AJ, Tonks DL, Turchi PJ, Chandler E (2001) Material science experiments on the Atlas facility. In: Reinovsky R, Newton M (eds.) *Proc. 28th IEEE Int. Conf. on Plasma Science and 13th IEEE Int. Pulsed Power Conf.*, 17–22 June 2001, Las Vegas, pp. 356–360
- Kind D (1958) Die Aufbaufläche bei Stoßspannungsbeanspruchung technischer Elektrodenanordnungen in Luft. *Elektrotech. Z.* 79(3): 65–69
- Kindersberger J (1986) *The Statistical Time-Lag to Discharge Inception in SF₆*. PhD thesis, Technical University of Munich
- Kingsep AS, Chukbar KV, Yankov VV (1990) Electron magnetohydrodynamics. In: Kadomtsev BB (ed.) *Rev. Plasma Phys.* 16: 243–288, Consultants Bureau, New York
- Knoepfel H (1970) *Pulsed High Magnetic Fields*. North-Holland, Amsterdam
- Kolb AC, Strickland BE (1995) Dual use power supply development. *AIP Conf. Proc.* 25(1): 91–101
- Korolev YD, Mesyats GA (1998) *Physics of Pulsed Breakdown in Gases*. URO-Press, Yekaterinburg
- Krasik YE, Dunaevsky A, Felsteiner J (2001) Intense electron emission from carbon fiber cathodes. *Eur. Phys. J. D* 15(3): 345–348
- Küchler A (1996) *Hochspannungstechnik*. VDI, Düsseldorf
- Küchler A, Schwab A (1987) Räumlich ausgedehnte Sensoren für transiente elektromagnetische Felder. *Arch. Elektrotechnik* 70: 341–347

- Kunhardt EE, Tzeng Y (1988) Development of an electron avalanche and its transition into streamers. *Phys. Rev. A* 38: 1410–1421
- Küpfmüller K, Kohn G (2000) *Theoretische Elektrotechnik und Elektronik: Eine Einführung*. Springer, Berlin, Heidelberg
- Kurets VI, Tarakanovskii EN, Filatov GP (1995) Electric pulse resistance of liquid nitrogen and rubber. *Russ. Phys. J.* 38: 455–457
- Lafferty JM (1980) *Vacuum Arcs, Theory and Application*. Wiley, New York
- Landau LD, Lifschitz EM (1981) *Klassische Feldtheorie*. Akademie-Verlag, Berlin
- Laqua H, Bluhm H, Buth L, Hoppé P (1995) Properties of the non-equilibrium plasma from a pulsed sliding discharge in a hydrogen gas layer desorbed from a metal hydride film. *J. Appl. Phys.* 77(11): 5545–5552
- Latham RV (1981) *High Voltage Vacuum Insulation: The Physical Basis*. Academic Press, London
- Legler W (1955) Zur Statistik der Elektronenlawinen. *Z. Phys.* 140(1): 221–240
- Legler W (1961) Die Statistik der Elektronenlawinen in elektronegativen Gasen bei hohen Feldstärken und bei großer Gasverstärkung. *Z. Naturforsch.* 16a: 253–261
- Lemke RW, Slutz SA (1995) A full mode set electromagnetic stability analysis of magnetically insulated ion diodes. *Phys. Plasmas* 2(2): 549–556
- L'Epplattenier P, Bavay M, Lalle B (2001) On numerical modelization and optimization of flux compression experiments. In: Reinovsky R, Newton M (eds.) *Proc. 28th IEEE Int. Conf. on Plasma Science and 13th IEEE Int. Pulsed Power Conf.*, 17–22 June 2001, Las Vegas, pp. 665–668
- Lewis TJ (1984) The role of electrodes in conduction and breakdown phenomena in solid dielectrics. *IEEE Trans. Electr. Insulat.* EI-19(3): 210–216
- Lewis TJ (1985) Electronic processes in dielectric liquids under incipient breakdown stress. *IEEE Trans. Electr. Insulat.* EI-20(2): 123–132
- Lewis TJ (1987) An overview of electronic processes leading to dielectric breakdown of liquids. In: Kunhardt EE, Christophoru LG, Luessen LH (eds.) *The Liquid State and Its Electrical Properties*. Plenum, New York, pp. 431–453
- Lewis TJ (1989) A simple general model for charge transfer in polymers. *Faraday Discuss. Chem. Soc.* 88: 189–201
- Lewis TJ (1990) Charge transport, charge injection and breakdown in polymeric insulators. *J. Phys. D: Appl. Phys.* 23: 1469–1478
- Lewis TJ (1993). The basic processes of conduction in dielectric liquids. 11th Int. Conf. on Conduction and Breakdown in Dielectric Liquids, Baden-Dattwil, Switzerland, pp. 32–41
- Lewis TJ (1994a) Basic electrical processes in dielectric liquids. *IEEE Trans. Dielectr. Electr. Insulat.* 1(4): 630–643
- Lewis TJ (1994b) Nanometric dielectrics. *IEEE Trans. Dielectr. Electr. Insulat.* 1(4): 812–825
- Lewis TJ (1994c) Liquid motion induced by electrocapillary action at solid metal-liquid interfaces. *J. Colloid Interface Sci.* 162: 381–389

- Lewis TJ (1996). New electro-mechanical concepts of the primary mechanism of electrical breakdown in liquids. *12th Int. Conf. on Conduction and Breakdown in Dielectric Liquids*, Rome, pp. 273–278
- Lewis TJ (1998) A new model for the primary process of electrical breakdown in liquids. *IEEE Trans. Dielectr. Electr. Insulat.* 5(3): 306–315
- Lewis TJ (2002) Polyethylene under electrical stress. *IEEE Trans. Dielectr. Electr. Insulat.* 9(5): 717–729
- Lewis TJ, Bowen PJ (1984) Electronic processes in biopolymer systems. *IEEE Trans. Electr. Insulat. EI-19*(3): 254–256
- Lewis IA, Wells FH (1959) *Millimicrosecond Pulse Techniques*. Pergamon, London
- Licht V, Bluhm H (2000) A sensitive dispersion interferometer with high temporal resolution for electron density measurements. *Rev. Sci. Instrum.* 71: 2710–2715
- Licht V, Bluhm H, Hoppé P, Yoo SJ (1998) Time dependent field and particle density measurements in the acceleration gap of a high power ion diode. In: Markovits M, Shiloh J (eds.) *12th Int. Conf. on High Power Particle Beams*. Haifa, Israel, pp. 203–207
- Lisitsyn I, Inoue H, Katsuki S, Akiyama H, Nishizawa I (1999) Drilling and demolition of rocks by pulsed power. In: Stalling C, Kirbie H (eds.) *Proc. 12th IEEE Int. Pulsed Power Conf.*, Monterey, CA, 27–30 June 1999, pp. 169–172
- Llewellyn-Jones F (1957) *Ionisation and Breakdown in Gases*. Methuen, London
- Lockner TR, Slutz S, Poukey JW, Stygar WA (1993) Theoretical and experimental studies of the 2-stage ion diode. In: Prestwich K, Baker W (eds.) *9th IEEE Int. Pulsed Power Conf.*, Albuquerque, NM, pp. 714–717
- Lockner T, Slutz S, Johnson DJ, Desjarlais M, Poukey J (1994) Results of the first 2-stage diode experiments on PBFALL. In: Rix W, White R (eds.) *10th Int. Conf. on High-Power Particle Beams*, San Diego. NTIS, Springfield, VA, pp. 61–64
- Lokhandwalla M, Bradford S (2000) Fracture mechanics model of stone comminution in ESWL and implications for tissue damage. *Phys. Med. Biol.* 45:1923–1940
- Loubriel GM, Zutavern FJ, Baca AG, Hjalmarson HP, Helgeson WD, O'Malley MW (1995) Photoconductive semiconductor switches for firing sets and electro-optic modulators. In: Baker W, Cooperstein G (eds.) *Proc. 10th IEEE Int. Pulsed Power Conf.*, Albuquerque, NM, pp. 354–359
- Loubriel GM, Zutavern FJ, Baca AG, Hjalmarson HP, Plut TA, Helgeson WD, O'Malley MW, Ruebush MH, Brown DJ (1997) Photoconductive semiconductor switches. *IEEE Trans. Plasma Sci.* 25(2): 124–130
- Lupton WH, Ford RD, Jenkins D, Vitkovitsky IM (1981) Homopolar generator concept for versatile pulsed output. In: Martin TH, Guenther AH (eds.) *3rd IEEE Int. Pulsed Power Conf.*, Albuquerque, NM, pp. 122–125
- Lyubutin SK, Mesyats GA, Rukin SN, Slovikovskii BG, Turov AM (1996) New solid state opening switches for repetitive pulsed power technology. In: Ullschmied J, Jungwirth K (eds.) *11th Int. Conf. on High-Power Particle Beams*, Prague, pp. 135–138

- Maenchen JE, Hahn K, Kincy M, Kitterman D, Lucero R, Menge PR, Molina J, Olson C, Rovang DC, Fulton RD, Carlson R, Smith J, Martinson D, Droemer D, Gignac R, Helvin T, Ormand E, Wilkins F, Welch DR, Oliver BV, Rose DV, Bailey V, Corcoran P, Johnson DL, Smith JD, Wiedenheimer D, Cooperstein G, Commisso R, Mosher D, Stephanakis S, Schumer J, Swanekamp S, Young F, Goldsack TJ, Cooper GM, Pearce AG, Phillips MA, Sinclair MA, Thomas KJ, Williamson M, Cordova S, Woodring R, Schamiloglu E (2002) Intense electron sources for flash radiography. In: Mehlhorn TA, Sweeney MA (eds.) *Proc. 14th Int. Conf. on High-Power Particle Beams*, 23–28 June 2002, Albuquerque, NM, pp. 117–122
- Malewski R (1968) New device for current measurement in exploding wire circuits. *Rev. Sci. Instrum.* 39: 90–94
- Maret G, Dransfeld K (1985) Biomolecules and polymers in high steady magnetic fields. In: Herlach F, Dransfeld K (eds.) *Strong and Ultrastrong Magnetic Fields and Their Applications*. Topics in Applied Physics, Vol. 57, Springer, Berlin, Heidelberg, pp. 143–204
- Maron Y, Sarid E, Nahshoni E, Zahavi O (1989) Time-dependent spectroscopic observation of the magnetic field in a high-power-diode plasma. *Phys. Rev. A* 39(11): 5856–5862
- Maron Y, Arad R, Weingarten A, Tsigutkin K, Ralchenko YV, Osin D, Chakrabarti N, Commisso RJ, Weber BV (2002) Interaction of rapid magnetic fields with plasmas and implications to pulsed-power systems. In: Kirbie H, Goebel D (eds.) *25th Int. Power Modulator Symp. and 2002 High-Voltage Workshop*, Hollywood, pp. 17–22
- Martin TH, Guenther AH, Kristiansen M (1996) *J.C. Martin, on Pulsed Power*. Plenum, New York
- Martynyuk P, Sher E (1974) Elastic-wave diffraction by a finite crack under antiplane strain conditions. *J. Appl. Mech. Techn. Phys.* 13: 406–410
- Marx E (1923) Verfahren zur Schlagprüfung von Isolatoren und anderen elektrischen Vorrichtungen. German Patent 455933
- Marx E (1924) Versuche über die Prüfung von Isolatoren mit Spannungsstößen. *Elektrotech. Z.* 25: 652–654
- Meek JM, Craggs JD (1978) *Electrical Breakdown of Gases*. Wiley, New York
- Mehlhorn TA, Bailey JE, Chandler GA, Coats RS, Cuneo ME, Derzon MS, Desjarlais MP, Dukart RJ, Filuk AB, Hail TA, Ives HC, Johnson DJ, Leeper RJ, Lockner TR, Mendel CW, Menge PR, Mix LP, Moats AR, Moore WB, Pointon TD, Poukey JW, Quintenz JP, Rosenthal SE, Rovang D, Ruiz CL, Slutz SA, Stygar WA, Wenger DF (1994) Progress in lithium beam power, divergence, and intensity at Sandia National Laboratories. In: Rix W, White R (eds.) *10th Int. Conf. on High-Power Particle Beams*, San Diego. NTIS, Springfield, VA, pp. 53–60
- Mendel CW, Rosenthal SE (1995) Modelling magnetically insulated devices using flow impedance. *Phys. Plasmas* 2: 1332–1342
- Mendel CW, Rosenthal SE (1996) Dynamic modelling of magnetically insulated transmission line systems. *Phys. Plasmas* 3: 4207–4219

- Mendel CW, Seidel DB, Rosenthal SE (1983) A simple theory of magnetic insulation from basic physical considerations. *Laser Part. Beams* 1(3): 311–320
- Mesyats GA (1998) *Explosive Electron Emission*. URO-Press, Ekaterinburg
- Milton O (1972) Pulsed flashover of insulators in vacuum. *IEEE Trans. Electr. Insul.* 7:9–15
- Miura N, Herlach F (1985). Strong and ultrastrong magnetic fields. In: Herlach F, Dransfeld K (eds.) *Strong and Ultrastrong Magnetic Fields and Their Applications*. Topics in Applied Physics, Vol. 57, Springer, Berlin, Heidelberg, pp. 278–297
- Miyamoto S, Yasuike K, Imasaki K, Yamanaka C, Nakai S (1992) Intense light ion beam divergence in single and two-stage diode. In: König D (ed.) *15th Int. Symp. on Discharges and Electrical Insulation in Vacuum*, Darmstadt, Germany. VDE-Verlag, Berlin, pp. 711–715
- Moses GA, Kulcinski GL, Bruggink D, Engelstad R, Lovell E, McFarlane J, Musicki Z, Petersen R, Stanislavsky I, Wittenberg L, Kessler G, Von Möllendorff U, Stein E, Smith I, Corcoran P, Nichimoto H, Fockler J, Cook D, Olson R (1989). Overview of the LIBRA light ion beam fusion conceptual design. *Fusion Technol.* 15: 756–765
- Müller G, Schumacher G, Zimmermann F (2000) Investigation on oxygen controlled liquid lead corrosion of surface treated steels. *J. Nucl. Mater.* 278:85–95
- Müller G, Engelko V, Bluhm H, An V, Kuznetsov V, Viazmenova G (2002a) Precision of intense electron beams transported in vacuum by applied magnetic field. In: Mehlhorn TA, Sweeney MA (eds.) *Proc. 14th Int. Conf. on High-Power Particle Beams*, Albuquerque, NM, 23–28 June 2002, pp. 337–340
- Müller G, Engelko V, Bluhm H, Heinzel A, Schumacher G, Strauss D, Weisenburger A, Zimmermann F, Shulov V, Notchovnaia N (2002b) Application of pulsed electron beams for improvement of material surface properties. In: Mehlhorn TA, Sweeney MA (eds.) *Proc. 14th Int. Conf. on High-Power Particle Beams*, Albuquerque, NM, 23–28 June 2002, pp. 325–328
- Müller G, Heinzel A, Schumacher G, Weisenburger A (2003) Control of oxygen concentration in liquid lead and lead–bismuth. *J. Nucl. Mater.* 321: 256–262
- Müller G, Engelko V, Weisenburger A, Heinzel A (2005) Surface alloying by pulsed intense electron beams. *Vacuum* 77:469–474
- Nation J (1979) High-power electron and ion beam generation. *Part. Accel.* 10: 1–30
- Neu J, Krassowska W (1999) Asymptotic model of electroporation. *Phys. Rev. E* 59(3): 3471–3482
- Ottinger PF, Young FC, Stephanakis SJ, Rose DV, Neri JM, Weber BV, Myers MC, Hinshelwood D, Mosher D, Olson CL, Welch DR (2000) Self-pinch transport of an intense proton beam. *Phys. Plasmas* 7(1): 346–358
- Pao YH, Mow C (1963) Scattering of plane compressional waves by a spherical obstacle. *J. Appl. Phys.* 34(3): 493–499
- Papoulis A (1968) *Systems and Transforms with Applications in Optics*. McGraw-Hill, New York

- Pareira NR (1983) Electron backscatter and impedance in one-dimensional space-charge limited diodes. *J. Appl. Phys.* 54(11): 6307–6310
- Paschen F (1889) Über die zum Funkenübergang in Luft, Wasserstoff und Kohlensäure bei verschiedenen Drucken erforderliche Potentialdifferenz. *Ann. Phys. Chem.* 37: 69–96
- Pfeiffer W (1971) Der Spannungszusammenbruch an Funkenstrecken in komprimierten Gasen. *Z. Angew. Phys.* 32(4): 265–273
- Poukey JW, Bergeron KD (1978) Space-charge effects in long coaxial vacuum transmission lines. *Phys. Lett.* 32(1): 8–10
- Quintenz J, Seidel D, Kiefer M, Pointon T, Coats R, Rosenthal S, Mehlhorn T, Desjarlais M, Krall N (1994) Simulation codes for light-ion diode modelling. *Laser Part. Beams* 12(2): 283–324
- Rabussay D, Dev NB, Fewell J, Smith LC, Widera G, Zhang L (2003) Enhancement of therapeutic drug and DNA delivery into cells by electroporation. *J. Phys. D: Appl. Phys.* 36: 348–363
- Raether H (1964) *Electron Avalanches and Breakdown in Gases*. Butterworths, London
- Ramirez JJ, Hasti DE, Corley JP, Poukey JW, Prestwich KR, Genuario RD, Nishimoto HN, Fockler JJ, Smith ID, Champney PD, Nielsen KE, Schlitt LG, Spence PW (1985) The four stage HELIA experiment. In: Rose MF, Turchi PJ (eds.) *Proc. 5th IEEE Int. Pulsed Power Conf.*, 10–12 June 1985, Arlington, VA, pp. 143–146
- Ramirez JJ, Prestwich KR, Alexander JA, Corley JP, Denison GJ, Huddle CW, Johnson DL, Pate RC, Weber GJ, Bugess EL, Hamil RA, Poukey JW, Sanford TW, Seamons LO, Zawadzka GA, Smith ID, Spence PW, Schlitt LG (1988) Hermes III – A 16 TW short pulse gamma ray simulator. In: Bauer W, Schmidt W (eds.) *Proc. 7th Int. Conf. on High-Power Particle Beams*, Karlsruhe, Germany, 4–8 July 1988, pp. 148–157
- Redi M, Hopfield JJ (1980) Theory of thermal and photo-assisted electron tunnelling. *J. Chem. Phys.* 72(12): 6651–6660
- Reinovsky RE, Smith DL, Baker WL, Degnan JH, Henderson RP, Kohn RJ, Kloc DA, Foderick NF (1982) Inductive store pulse compression system for driving high speed plasma implosions. *IEEE Trans. Plasma Sci.* 10: 73–81
- Reinovsky RE, Levi PS, Welby JM (1985) An economical, 2 stage flux compression generator system. In: Rose MF, Turchi PJ (eds.) *Proc. 5th IEEE Int. Pulsed Power Conf.*, 10–12 June 1985, Arlington, VA, pp. 216–219
- Rogowski W, Steinhaus W (1912) Die Messung der magnetischen Spannung. (Messung des Linienintegrals der magnetischen Feldstärke). *Arch. Elektrotechnik* 1(4): 141–150
- Rompe R, Weizel W (1944) Über das Toeplersche Funkengesetz. *Z. Phys.* 122: 9–12
- Rose DV, Ottinger PF, Welch DR, Oliver BV, Olson CL (1999) Numerical simulations of self-pinch transport of intense ion beams in low-pressure gases. *Phys. Plasmas* 6(10): 4094–4103

- Rukin SN, Kotov YA, Mesyats GA, Filatov AL, Lyubutin SK, Alichkin YA, Darznez SA, Telnov VA, Slovikovskii BG, Timoshenkov SP, Bushlyakov AI, Turov AM (1996) Pulsed power accelerator technology based on solid-state semiconductor opening switches. In: Jungwirth K, Ullschmied J (eds.) *Proc. 11th Int. Conf. on High Power Particle Beams*, Prague, 10-14 June 1996, pp. 33-36
- Rusch D (1991) Handbuch zum Programm LEITER. Numerische Simulation pulstechnischer Netzwerke, Forschungszentrum Karlsruhe, unpublished
- Sale A, Hamilton W (1967) Effects of high electric fields on microorganisms – I. Killing of bacteria and yeasts. *Biochem. Biophys. Acta* 148: 781-788
- Santos JC, Taplamacioglu CM, Hidaka K (2000) Pockels high-voltage measurement system. *IEEE Trans. Power Delivery* 15(1): 8-13
- Sarjeant WJ, MacDougall FW (1997) Capacitors for high power electronics. In: Cooperstein G, Vitkovitsky I (eds.) *Proc. 11th IEEE Int. Pulsed Power Conf.*, Baltimore, MD, pp. 603-609
- Schiweck H, Clarke M (2001) In: *Ullmann's Encyclopedia of Industrial Chemistry*, 6th edn, 2001 Electronic Release. Wiley-VCH, Weinheim
- Schoenbach K, Kristiansen M, Schaefer G (1984) A review of opening switch technology for inductive energy storage. *Proc. IEEE* 72(8): 1019-1040
- Schoenbach KH, Peterkin FE, Alden RW, Beebe SJ (1997) The effect of pulsed electric fields on biological cells: experiments and applications. *IEEE Trans. Plasma Sci.* 25(2): 284-292
- Schoenbach KH, Beebe SJ, Buescher ES (2001) Intracellular effect of ultrashort pulses. *Bioelectromagnetics* 22: 440-448
- Schultheiss C, Sträßner R, Bluhm H, Stemmermann P (1998) Concrete recycling and scraping by electrodynamic fragmentation. In: Bluhm H (ed.) *Physics of Intense Light Ion Beams. Production of High Energy Density in Matter, and Pulsed Power Applications*, Annual Report 1996/97, Karlsruhe, FZKA-Report 6205
- Schultheiss C, Bluhm H, Mayer H, Kern M, Michelberger T, Witte G (2002) Processing of sugar beets with pulsed electric fields. *IEEE Trans. Plasma Sci.* 30(4): 1547-1551
- Schumann D, Müller RA (2001) Verfahren zur Gewinnung von Polyhydroxyalkanoaten (PHA) oder deren Copolymeren. German Patent DE 100 13514 C2
- Schwab AJ (1981) *Hochspannungsmesstechnik*. Springer, Berlin, Heidelberg
- Sethian JD, Hegeler F, Myers M, Friedman M, Obenschain S, Lehmborg R, Guilian J, Kepple P, Swanekamp S, Smith I, Weidenheimer D, Morton D, Schlitt L, Smilgys R, Searles S (2001) The Electra KrF laser program. In: Reinovsky R, Newton M (eds.) *Proc. 28th IEEE Int. Conf. on Plasma Science and 13th IEEE Int. Pulsed Power Conf.*, 17-22 June 2001, Las Vegas, pp. 232-236
- Sher E (1974) Investigation of the dynamics of the development of cracks by the method of photoelasticity. *J. Appl. Mech. Techn. Phys.* 16(6): 858-864
- Shpitalnik R, Weingarten A, Gomberoff K, Krasik Y, Maron Y (1998) Observations of two-dimensional magnetic field evolution in a plasma opening switch. *Phys. Plasmas* 5(3): 792-798

- Sjomkin BW, Ussow AF, Kurets VI (1995) *The Principles of Electric Impulse Destruction of Materials*. Russian Academy of Sciences, Kola Science Centre (in Russian)
- Skotheim TA (1986) *Handbook of Conducting Polymers*. Dekker, New York
- Slenes KM, Winsor P, Scholz T, Hudis M (2001) Pulse power capability of high energy density capacitors based on a new dielectric material. *IEEE Trans. Magn.* 37(1): 324–327
- Slutz SA (1993) Ion emission from anode foils during multistage acceleration of intense ion beams. *Phys. Fluids B* 5(1): 209–215
- Slutz SA, Desjarlais MP (1990) Theory of multistage intense ion beam acceleration. *J. Appl. Phys.* 67(11): 6705–6717
- Slutz SA, Poukey JW, Pointon TD (1994) Simulations of magnetically insulated multistage ion diodes. *Phys. Plasmas* 1(6): 2072–2081
- Smith ID (1980) A novel voltage multiplication scheme using transmission lines. Report, AWRE Aldermaston, unpublished
- Sommerfeld A (1950) *Vorlesungen über Theoretische Physik*. Akademische Verlagsgesellschaft, Leipzig
- Spielman RB, Stygar WA, Seamen JF, Long F, Ives H, Garcia R, Wagoner T, Struve KW, Mostrom M, Smith I, Spence P, Corcoran P (1997) Pulsed power performance of PBFA Z. In: Cooperstein C, Vitkovitsky I (eds.) *Proc. 11th IEEE Int. Pulsed Power Conf.*, 29 June–2 July 1997, Baltimore, pp. 709–714
- Stokes JL, Bartsch RR, Cochrane JC, Chrien RE, Forman PJ, Looney LD, Tabaka LJ, Veaser LR, Marshall BR, Broste WB, Warthen BJ (1995) Precision current measurements on Pegasus II using Faraday rotation. In: Baker W, Cooperstein G (eds.) *Proc. 10th IEEE Int. Pulsed Power Conf.*, Albuquerque, NM, pp. 378–385
- Strauss D, Müller G, Schuhmacher G, Engelko V, Stamm W, Clemens D, Quadakkers WJ (2001) Oxide scale growth on MCrAlY bond coatings after pulsed electron beam treatment. *Surf. Coat. Technol.* 135: 196–201
- Sunka P (2001) Pulse electrical discharges in water and their applications. *Phys. Plasmas* 8(5): 2587–2594
- Sunka P, Babicky V, Clupek M (1999) Generation of chemically active species by electrical discharges in water. *Plasma Sources Sci. Technol.* 8: 258–265
- Takahashi Y (1977) Koronaentladungen in flüssigem Stickstoff. *Bull. Facul. Sci. Eng., Chuo Univ.* 20: 247–255
- Takahashi Y, Ohtsuka K (1975) Corona discharges and bubbling in liquid nitrogen. *J. Phys. D* 8: 165–169
- Teissier J, Rols M (1994) Manipulation of cell cytoskeleton affects the lifetime of cell membrane electropermeabilization. *Ann. N.Y. Acad. Sci.* 720: 98–110
- Toepler M (1924) Stoßspannung, Übersschlag und Durchschlag bei Isolatoren. *Elektrotechn. Z.* 45: 1045–1050
- Toepler M (1927) Zur Bestimmung der Funkenkonstante. *Arch. Elektrotechn.* 18: 549–562

- Toney MF, Howard JN, Richer J, Borges GL, Gordon JG, Melroy OR, Wiesler DG, Yee D, Sorensen LB (1994) Voltage-dependent ordering of water molecules at an electrode–electrolyte interface. *Nature* 368: 444–446
- Turman BN, Martin TH, Neau EL, Humphreys DR, Bloomquist DD, Cook DL, Goldstein SA, Schneider LX, McDaniel DH, Wilson JM, Hamil RA, Barr GW, VanDevender JP (1985) PBFA II, A 100 TW pulsed power driver for the inertial confinement fusion program. In: Turchi PJ, Rose MF (eds.) *Proc. 5th IEEE Int. Pulsed Power Conf.*, Arlington, VA, pp. 155–161
- Urban J (2002) *Spektroskopische und elektrische Charakterisierung des Entladeverhaltens von Pseudofunken-Schaltssystemen*. PhD thesis, University of Erlangen
- VanDevender JP (1976) Short pulse electrical breakdown strength of H₂O. In: Burkes TR, Kristiansen M (eds.) *1st IEEE Int. Pulsed Power Conf.*, Lubbock, TX, pp. IIIE3.1–IIIE3.5
- VanDevender JP, Bluhm H (1993) Light ion accelerators for ICF. In: Velarde G, Ronen Y, Martinez-Val JM (eds.) *Nuclear Fusion by Inertial Confinement*, CRC Press, Boca Raton, pp. 455–484
- Vasilevskii MA, Roife IM, Engelko VI (1980) Impedance of a diode with a multispikes explosive-emission cathode. *Sov. Phys. Tech. Phys.* 25(11): 1380–1382
- Vasilevskii MA, Roife IM, Engelko VI (1981) Operating characteristics of explosive-emission multipoint cathodes with microsecond pulse length. *Sov. Phys. Tech. Phys.* 26(6): 671–678
- Vasilevskii MA, Roife IM, Engelko VI, Yankin EG (1986) Dynamics of plasma generated by a multitip explosive-emission cathode. *Sov. Phys. Tech. Phys.* 31(3): 284–287
- Vasilevskii MA, Engelko VI, Yankin EG (1988) The influence of emitter density and anode process on the time of operation of a diode with multitip explosive emission cathodes. *Sov. Phys. Tech. Phys.* 33(9): 1060–1066
- Vesey RA, Pointon TD, Cuneo ME, Mehlhorn TA, Bailey JE, Johnson DJ, Stygar WA (1999) Electron–anode interactions in particle-in-cell simulations of applied-*B* ion diodes. *Phys. Plasmas* 6(8): 3369–3387
- Volodarskaya SG, Guz' IS, Kumkin IA, Finkel VM (1975) An investigation into the interaction of a stress wave with a stationary macrocrack in elastic–plastic and quasibrittle materials. *J. Appl. Mech. Tech. Phys.* 13: 432–437
- Walker J, Surman S, Jass J (2000) *Industrial Biofouling – Detection, Prevention and Control*. Wiley, Chichester
- Wang MY, DiCapua MS (1980) Operating point of long magnetically insulated vacuum transmission lines. *J. Appl. Phys.* 51(11): 5610–5614
- Weaver J (1994) Molecular basis for cell membrane electroporation. *Ann. N.Y. Acad. Sci.* 720: 141–152
- Weaver J, Chizmadzhev Y (1996) Theory of electroporation: a review. *Bioelectrochem. Bioenerget.* 41: 135–160
- Weizel W, Rompe R (1947) Theorie des elektrischen Funkens. *Ann. Physik* 6(1): 285–300

Welch DR, Olson CL (1996) Self-pinched transport for ion-driven inertial confinement fusion. *Fusion Eng. Design* 32–33: 477–483

Welch DR, Cuneo ME, Olson CL, Mehlhorn TA (1996) Gas breakdown effects in the generation and transport of light ion beams for fusion. *Phys. Plasmas* 3: 2113–2121

Yoo S (1997) *Spektroskopische Messungen im Anodenplasma einer fremdmagnetisch isolierten Hochleistungs-Ionendiode*. PhD thesis, University of Karlsruhe, FZKA-Report 5976

Yoxas G (1978) Fusion power with particle beams. *Sci. Am.* 239: 50–61

Zeller HR, Pfluger P, Bernasconi J (1984) High-mobility states and dielectric breakdown in polymeric dielectrics. *IEEE Trans. Electr. Insulat.* EI-19(3): 200–204

Zinov'ev N, Semkin B (1978) Energy balance for a spark in a solid dielectric. *Sov. Phys. Tech. Phys.* 23(3): 369–370

Index

- adding of
 - power 193
 - voltage
 - inductive isolation 195
 - transit time-isolation 193
- ADS 264
- ATLAS 254
- avalanche initiation, probability 21

- B*-dot loop 215
- bacterial decontamination 236
- beam current, maximum transportable 258
- beam divergence 273
- beam transport, self-pinchd 277
- biofouling 237
- biological cell, equivalent circuit 229
- Blumlein line 197
- breakdown
 - in liquids
 - electronic energy states 28
 - resonance tunnelling 29
 - in solids 41
 - cumulative model 49
 - experimental 44
 - intrinsic breakdown strength 44
 - metal contact 47
 - polymers 45
- breakdown strength
 - dynamic 283
 - inhomogeneous field 15
 - liquid nitrogen 301
 - SF₆ 13

- capacitive sensor 212
- capacitive voltage divider 213
- capacitor
 - complex impedance 59
 - lumped circuit 55
 - metallized film 62
- capacitor lifetime 61
 - voltage rating 62
 - voltage reversal 61
- cascade circuit 188
- cell lysis 236
- cells, short pulse effects 237
- charging unit 184
 - resistor limited 184
 - resonant 184
 - series-resonant converter 186
 - switch mode 185
- Child–Langmuir law 260
- circuit simulation, LEITER 152
- closing switches 83
- composite material, mechanisms of separation 287
- concrete reutilisation 292
- concrete separation into components, process water conductivity 299
- conversion efficiency, mechanical to magnetic energy 250
- corrosion in liquid Pb/Bi 265
- cross-section for reaction 8
- crowbar switch 69
- cumulative pulse line 198
- current shunt 218
- current-viewing resistors 218

- destruction selectivity 286
- diagnostics, electrical 211
- dielectric polarisation 59
- distribution function, velocity 9
- double layer 32

- efficiency of fragmentation 285
- ELECTRA 266

- electric breakdown, statistics 50
- electric field sensor 211
- electric strength, general 7
- electro-optic sensor 222
 - Kerr effect 222
 - Pockels effect 222
- electrodynamical fragmentation
 - economic considerations 304
 - elastoplastic materials 301
 - generator parameters 288
 - milling of materials 300
 - productivity 294
 - removal of surface layers 297
 - spark channel resistance 290
- electrodynamical treatment
 - incineration ash 295
- electron diode 259
 - current limitation 259
- electron field emission 159
 - dielectric inclusions 160
 - metallic surfaces 159
- electron sources 258
 - carbon fibre 259
 - plasma 259
- electronegative gas 13
- electroporation 231
 - plant cells 232
 - raw-material production 238
- emission centres 19
- energy dissipation 58
- energy storage
 - capacitive 3, 55
 - inductive 3
 - mechanical 2, 76
- energy transfer stage 70
- exponential line 190

- Faraday effect monitor 220
- field enhancement factor 15
- field sensors 211
- flux compression 248
 - by high current 256
 - cylindrical scheme 252
 - cylindrical shells 252
 - explosive cascade system 255
 - turnaround condition 252
- flux diffusion speed 250
- flywheel 76
- Fowler–Nordheim equation 18, 159

- FRANKA 294

- gas switches 83
- generator scheme 2
- GESA 261
- Gouy–Chapman layer 31
- Guillemin network 149

- HELIA 195, 271
- Helmholtz layer 31
- HERMES III 207
- hibachi 266
- high magnetic fields 239
 - effects 239
- hollow cathode 98
- homopolar generator 76
- Hugoniot relations 248

- IGBT 112
- ignitor 100
- ignitron 100
- imploding liner 254
- inductive energy storage 73
- inductive loop 214
- inductive pulse compression 74
 - power multiplication 76
 - voltage multiplication 76
- inertial-confinement fusion 257
- inertial-fusion energy 265, 270
- insulating interface 157
- intense beams, self-fields 257
- interface, breakdown strength 158
- ionisation coefficient 9

- KALIF 203
- KEA 233
- KrF laser 265
 - electron-beam-pumped 266
- krytron 102

- ladder networks 145
 - LC* chain 146
- laminar electron flow 167
- LC* Marx generator 69
- light-ion accelerator
 - injector diode 271
 - multistage 274
 - post-accelerating gap 275
- light-ion diode

- current enhancement 273
- diocotron instability 273
- magnetic insulation 272
- light-ion driver for IFE 271
- light-ion source 276
- liquids
 - effective electron mobility 30
 - hole transport 31
 - region of low density 30
- lithotripsy
 - pressure waveform 280
 - shock wave 279
- loss angle 58

- magnetic energy analyser 223
- magnetic-field limitations 240
- magnetic-field pressure, dynamic containment 244
- magnetic-field sensor 211
- magnetic field strength
 - destructive systems 246
 - mechanical limitations 243
 - thermal limitations 245
- magnetic-flux skin depth 251
- magnetic insulation 161
- magnetic pulse compression 208
- magnetic stress 243
- magnetic switch 116
 - hysteresis loop 116
- magnetoexplosive generators 254
- magneto-optic sensor 220
- magneto-resistance 239
- Marx generator 63
 - bipolar 64
 - capacitive coupling 67
 - self-discharge 65
 - stray capacitance 66
 - triggering 66
 - unipolar 63
- material destruction by electric discharges 284
- material surface modification
 - cooling rates 260
 - electron beam 260
 - oxidation protection 263
- mean free path, definition 9
- membrane
 - charging time 228
 - field enhancement 228
- membrane polarisation 228
- Metglass 117
- multichannel spark gaps 95

- neutralisation
 - charge 258
 - current 258

- opening switches 119
 - counter-pulse 122
 - fuse 120
 - mechanical interrupter 121
 - plasma 123
 - plasma flow 127
 - semiconductor 127
 - DSDR 131
 - SOS 133
 - superconducting 123
- optical absorption depth in semiconductors 114

- particle beams 257
- Paschen law 11
- PBFA 2 204
- peaking circuit 69
- PIC code 163
- polyethylene 46
- pore formation 229
 - free energy 229
- prepulse suppression 204
- production of sugar 232
- pseudospark switch 98
 - virtual anode 98
- pulsed breakdown
 - area-time relationship 22
 - avalanche build-up time 21
 - liquids 27
 - liquids, bulk processes 27
 - liquids, electrocapillarity 35
 - liquids, electrode processes 31
 - liquids, empirical formulae 39
 - liquids, practical considerations 38
 - statistical delay time 18
 - water 38
- pulsed electric discharge, in solids 281
- pulsed magnetic fields 238
- pulsed-power applications, categories

- radiation therapy, BNC 270
- radiographic source 267
- radiography, point-projection 267
- Raether 16
- RHEPP 208
- rise time 94
- Rogowski coil 215
 - compensated 217
- self-magnetic insulation 161
 - analytic models 165
 - critical current 167
 - energy transfer 177
 - minimum current 172
 - non-stationary 174
 - sheath current 171
 - total current 170
 - wall current 171
 - wave propagation velocity 178
- semiconductor closing switches 104
 - optically activated 113
- shockwave generation 280
- shunt, coaxial 219
- single-turn coil 246
- solenoidal coil 240
- SOS-based generators 209
- spallation 288
- spark formation
 - Braginskii model 24
 - current-time relationship 26
 - Rompe-Weizel model 24
 - Toepler model 23
- spark gap 85
 - laser-triggered 92
 - multistage 94
 - overvoltage triggering 85
 - plasma triggering 87
- streamer breakdown
 - in gases 17
 - in liquids 34
 - anode initiation 37
 - cathode initiation 35
- superalloy coatings 262
- surface alloying 264
- thermal-barrier coating 263
- thyatron 96
 - thermionic cathode 97
- thyristor 104
 - conducting state 106
 - doping profile 104
 - forward blocking 105
 - GTO 109
 - photon triggering 109
 - reverse blocking 104
 - spiral gate 110
- time jitter 95
- Townsend condition 11
- transformation lines 188
- transformers 179
 - droop 182
 - equivalent-circuit model 181
 - step pulse response 182
- transmission line 135
 - circuit element 142
 - losses 140
 - pulse formation 144
 - terminations and junctions 138
- trigatron switch 87
- triggered vacuum gap 103
- turbine blades 262
- Verdet constant 220
- Vitrovac 117
- voltage monitor
 - capacitive 212
 - vacuum 224
- water switch 203
- Weibull statistics 51
- X-ray dose 270
- X-ray radiography 267
- X-ray sources
 - magnetically immersed diode 269
 - paraxial diode 268
 - pinched-beam 268
 - rod pinch 269
- Z-Machine 205
- Z-pinch 207