

Index

- ab initio calculation, 163, 164
- absorbance, 9
- absorption, 56
 - coefficient, 250, 338
 - cross-section, 73
 - length, 57, 61, 73, 344
- acoustic echo, 340, 341, 350, 353
 - width, 340
- acoustic generation, 338, 341
- acoustic microscopy, 291
- acoustic modes, 50, 151, 315
 - in nanoparticle, 311
- acoustic pulse, 340, 341, 352
- acoustic strain, 339–342
 - gradient, 350
 - potential, 322, 325
- acoustic transient, 338, 339
 - optical detection, 349, 353
- acoustic wave, 245, 251, 260
 - longitudinal, 339
- acousto-optical modulator, 251, 355
- active sample, 255
- ADI method, 87
- AFAM, 196
- albedo, 57, 73
- AlN ceramic, 273, 274
- antenna, 72, 131
- arc lamp, 251
- artifacts in thermal images, 220, 221
- atomic force microscope, 188, 191, 194, 301
 - adhesive forces, 193
 - cantilever, 188, 192
 - contact forces, 193
 - contact mode, 192
 - DMT model, 193
 - heat detection, 201, 204
 - JKR model, 193
 - Maugis model, 193
 - non-contact mode, 192
 - operating principle, 192
 - tapping mode, 192
- atomic force microscopy, 303
- attenuation, 11
- Au–Pd thermocouple, 206
- Au–Pt thermocouple, 205
- ballistic transport, 5, 7, 27, 28, 30, 33, 42, 46, 47, 60, 65, 67, 200, 217
 - in gas, 142, 149
 - in insulating crystal, 149, 153
- band gap, 46, 250
 - temperature dependence, 253
- band-to-band recombination, 250
- Beer–Lambert law, 11, 57, 69, 146, 247
- Bessel function, 248, 260
- bimetallic tip, 207
- biological imaging, 195, 269
- Biot number, 224, 346, 349
- black body, 8, 82, 125, 127, 251, 290, 298
- Bloch state, 41–44
- Boltzmann constant, 18
- Boltzmann equation, 3, 5, 19, 20, 43, 45, 52, 60, 77, 321, 324, 326, 327
 - dimensionless, 21
 - electron gas, 311
 - linear response, 24
 - perturbation theory, 24
- Boltzmann law, 215
- Bose–Einstein distribution, 8, 52, 77, 79, 149, 151, 316
- boundary conditions, 39, 81, 87, 90, 165, 247, 293, 294, 339, 342, 343
 - free surface, 172

- periodic, 39, 165, 166, 168, 172, 177, 247
- Bravais lattice, 41
- Brenner interaction potential, 171
- Brillouin zone, 41–43, 45, 151, 152, 167, 177, 312, 315
 - L* point, 313
- bulk wave, 260

- canonical quantisation, 49
- canonical system, 159
- carbon nanotube, 171
- CASM, 229
- CCD camera, 257, 258, 269, 276
 - frame rate, 258
 - readout noise, 258
 - well depth, 258
- chemical potential, 46
 - gradient, 199
- chopper, 251, 355
- cloud, 11, 57
- cluster, 316, 317, 326, 330
 - collective excitation, 332
 - size, 328, 332
- coherence length, 10, 70, 78
- coherent detection, 261
 - broad band, 263
- collective oscillation, 126, 318
- collision time, 22, 26
- collisional regime, 22, 25, 30, 42, 45, 46, 217
- collisions, 19
 - binary, 143
 - phonon, 80, 81, 149, 152, 176
 - probability distribution, 146, 147
- compression wave, 195
- computation time, 142, 162, 163, 172
- conductance
 - electrical, 66
 - quantised, 46
 - quantum, 47
 - Sharvin, 47
- conduction
 - characteristic length, 2
 - characteristic time, 2
 - electrical, 41
 - electron, 311, 312
 - harmonic regime, 4
 - in dielectric materials, 175
 - in fluids, 5, 7
 - in solids, 1, 5
 - in thin film, 153
- conduction band, 38
 - isotropic parabolic, 313, 314, 319–321
 - noble metals, 312, 313
 - Rosei model, 320
- conductive flux, 17, 25, 217
 - in ballistic regime, 27, 28
- contact potential, 202
- continuity equation, 41
- continuum model, 143
- convection, 5, 7, 29, 214
 - characteristic time, 6
- convective transfer, 29, 225
- converging thermal wave method, 246
- copper, 312
- current density, 42, 71, 109, 114
- cylindrical geometry, 248, 292, 297

- data storage, 303, 304
- de Broglie, L., 186
- Debye frequency, 151
- Debye model, 77, 80, 81, 315, 323, 325
- Debye temperature, 80, 324
- defect, 159, 189
 - detection, 276–278
 - subsurface, 197
- density of states
 - electromagnetic, 126
 - electron, 39, 41, 319
 - phonon, 50, 151
- diamond scheme, 94, 101
- diamond tip, 205
- dielectric constant, 9, 110, 118, 120, 126, 311, 317, 320, 341, 349
 - gradient, 350
 - imaginary part, 317
 - noble metals, 317
 - real part, 317, 320, 327
- diffraction limit, 184, 251
- diffusion approximation, 63, 66
- diffusion coefficient, 60, 64, 67, 68, 158
- diffusion equation, 1, 60, 185, 342, 345, 347
 - P_1 approximation, 61, 64
 - semiconductor, 250
 - short-time limit, 3
- diffusion length, 296, 297

- diffusive
 - flux, 17
 - medium, 11
 - transport, 5, 30, 60, 63, 65–67, 82, 104, 217, 243, 245
- dipole
 - approximation, 118
 - electric, 9, 72, 114
 - moment, 50, 117
 - radiation, 114, 116
- dipole–dipole interaction, 120
- discrete ordinate method, 78, 88, 102
 - cylindrical coordinates, 96, 97
 - quadrature, 89, 90, 93
- dispersion forces, 164
- dispersion relation, 39, 45, 126, 127, 168, 176–178
 - conduction electrons, 313
 - phonon, 48, 151, 315, 316, 323
 - sinusoidal, 323
- distribution function, 15, 16, 26
 - dynamical equation, 19, 32
 - equilibrium, 18, 31
- Drude model, 253, 317, 318
- dynamic cantilever, 207

- Earth’s crust, 329
- Ehrenfest theorem, 43, 44
- Einstein model, 324
- elasticity tensor, 338
- electro-optical modulator, 355
- electromagnetic potential, 113, 114
- electron, 38, 47
 - as point particle, 43
 - Bragg reflection, 45
 - conduction, 344
 - density of states, 39, 41, 319
 - diffusion, 344, 345
 - diffusivity, 250
 - distribution, 311, 314
 - dynamics, 43, 45
 - effective mass, 44, 313
 - energy spectrum, 38
 - gas, 47, 242, 311, 325, 344, 360
 - in periodic potential, 41
 - localised, 40
 - mean free path, 344
 - non-interacting, 38, 40
 - probability density, 41
 - semi-classical description, 43, 45
 - specific heat capacity, 324
 - spin, 38
 - temperature, 311, 313, 324
 - thermalisation, 311, 321, 324, 325, 327
 - wave function, 38, 186
- electron beam lithography, 206
- electron–hole pair, 250
- electron–lattice interaction, 321, 328
- electron–phonon interaction, 253, 311, 332, 344
 - in bulk, 322, 324
 - in nanoparticle, 326, 328
- electron–surface collisions, 318
- electronic band structure, 312, 314
 - in bulk metal, 312, 313
 - in nanoparticle, 314
- electronic speckle pattern interferometry, 271, 273
- emissivity, 8, 127–129
- energy conservation, 62, 112, 137, 139, 146, 174
- energy density, 112, 113, 121, 124, 125
- equilibrium molecular dynamics, 169, 171, 172
- evanescent wave, 124, 126, 127, 130, 185, 194, 245, 298, 299
- exciton, 314
- extinction, 57
 - coefficient, 57
 - cross-section, 73
 - length, 57, 73
- extrapolation distance, 67

- Fabry–Perot cavity, 261
- femtosecond laser, 311, 337, 338, 347
 - excitation, 318
 - probe, 320
- femtosecond pump–probe method, 318, 321, 337, 360
 - time resolution, 318
- Fermi fluid, 314
- Fermi level, 46, 47, 191, 253, 313, 314, 317, 319, 320
- Fermi surface, 312, 313
- Fermi–Dirac distribution, 38, 42, 45–47, 314
- fermion, 38

- Fick's law, 63
- field-effect transistor, 202, 213, 214, 230, 231
- flash method, 246
- fluctuation–dissipation theorem, 70, 71, 117, 119, 122, 131, 171
- fluorescence imaging, 195
- force modulation microscope, 196
resolution, 196
- Fourier law, 1, 3, 4, 22, 24, 25, 30, 60, 63, 66, 153, 247
for phonons, 82
modified, 3, 5, 105
- Fourier number, 2, 4
- Fourier transform, 43, 48, 71, 110, 111, 118, 177, 357
- free particles, 19
- Fresnel
reflection factor, 10, 125, 129, 131
transmission factor, 123
- gas laser, 251
- Gauss–Seidel method, 87
- Gaussian thermostat, 175
- Gear algorithm, 161, 162
- geometric optics, 7, 9, 187
- gold, 312
dielectric constant, 327
nanoparticle, 349
reflectance variation, 326
- goniometry, 268
- grain boundary, 210, 230
thermal resistance, 274
- grand canonical system, 159
- Green function, 72, 119, 121–123, 128
- Green–Kubo relation, 171
- grey medium, 86, 104
- group velocity, 40, 41, 44, 51, 150, 151, 176–178
- guarded hot plate, 172
- Hankel transformation, 248, 293, 294
- harmonic oscillator, 49, 138, 168, 178
- heat equation, 1, 60, 242, 247, 248, 293
hyperbolic, 103–105
- heat flux, 17, 137, 143, 145, 150, 171–175, 194, 198, 243, 244, 348
detection, 197
in opaque film, 342
in SThM, 203, 214, 215
Monte Carlo simulation, 139, 142
tip–surface, 147, 149, 215
- heat pulse, 244
spread, 245
- Heisenberg uncertainty principle, 184
- Helmholtz equation, 4, 86, 87, 111
- Henyey–Greenstein phase function, 73
- Hertz contact theory, 193, 300
- HNEMD, 170, 174, 175
- hot spot, 197, 202, 213, 216, 274, 326
detection, 230, 276, 280
- hybrid microscopy, 188, 193, 289, 304
detection methods, 292
resolution, 295
- hydrodynamic velocity, 17
- impact parameter, 146
- impulse response, 144, 145
- incompressibility modulus, 339
- induction forces, 164
- integrated circuit, 230, 241, 255, 257, 275, 276
diffused resistance, 275
interconnects, 280, 281
SThEM image, 303
thermophysical properties, 281, 283
- integration algorithm, 162
- interaction time, 152
- interband transition, 317, 318
threshold, 313, 320
- interconnects, 254, 280, 281
- interferometric signal, 252, 268
- interferometry, 252, 260, 273, 291, 292, 296, 297, 350, 354–356
calibration, 268
detector array, 269, 273
differential detection, 268, 356
heterodyne, 261, 263
homodyne, 264, 266
intermediate frequency, 261
phase imaging, 269, 273
sensitivity, 356
single detector, 267, 268
speckle, 271, 273
- internal energy, 17, 26, 86
phonon gas, 79
- intradband transition, 317–319, 321, 322
- investigation depth, 219, 220, 295

- isobaric–isothermal system, 159
- isothermal cell technique, 150
- Johnson noise, 199
- Joule heating, 212, 214, 215, 225, 241, 242, 275, 276, 279, 298, 301
- Kapitza resistance, 347
- kinetic theory of gases, 15, 176
- Kirchhoff's law, 9
- Knudsen number, 21, 22, 64, 143
- Lamb wave, 260
- Laplace transform, 342, 343, 345, 348
- laser diode, 251, 255
 - imaging, 277, 278
- lattice parameter, 43, 44, 313
- Legendre polynomials, 61, 63, 73, 83, 84
- Lennard–Jones potential, 177, 178
- light sources, 250, 251, 353
 - modulated, 250
- light–matter interaction, 316
- Liouville theorem, 45
- local equilibrium distribution, 20
- local thermodynamic equilibrium, 23, 25, 52, 58, 150, 170
- longitudinal acoustic wave, 185
- Lorentz force law, 110
- LPCVD, 206
- M-SThAM, 298, 301
- Mach–Zender interferometer, 262, 354
- Marschak model, 87, 88
- matrix temperature, 327
- Matthiessen rule, 152
- Maxwell equations, 70, 72, 109, 110
 - plane waves, 112
- Maxwell–Boltzmann distribution, 18, 31, 45, 140, 166, 167, 170
- mean free path, 7, 19, 22, 26, 60
 - electron, 344
 - molecular, 139, 143, 147, 148, 200
 - phonon, 5, 52, 80, 150
- mechanical stress, 339
- MEMS, 278, 279
 - temperature map, 280
- Michelson interferometer, 264, 266
 - active stabilisation, 265
 - imaging, 269
 - instrumental profile, 266
- microcanonical system, 159, 171
- microelectronics, 303
- microphone detection, 289, 292
- microthermocouple, 289, 292
- Mie phase function, 73
- Mie theory, 318
- Millipede, 304
- mirage effect, 290, 292
- mode-locked laser, 251
- modulation function, 358
- molecular dynamics simulation, 135, 149, 157, 178
 - energy distribution, 167, 168
 - initial state, 165
 - physical units, 159, 160
- molecular flux, 143–145
- momentum conservation, 139, 146
- Monte Carlo method, 101, 135, 154
 - carrier trajectory, 139
 - energy carrier, 139
- Moore's law, 303, 304
- multigrid algorithm, 87
- multiple scattering regime, 60, 61, 65, 67
- nanofabrication, 303, 304
- nanointender, 189
- nanometrology, 303
- nanoparticle, 10, 72, 311, 341, 350, 353
 - breathing mode, 329–332
 - cooling, 337, 347, 349
 - electron–phonon interaction, 326, 328
 - electronic band structure, 314
 - glass, 120, 121
 - gold, 349
 - metallic, 311, 314, 317, 318, 347, 349
 - optical response, 317, 318
 - polarisation, 318
 - semiconductor, 314
 - size dispersion, 331
 - thermal emission, 117, 120
 - vibrational modes, 316, 328, 332
- nanoscale SONAR, 341
- nanowire, 208
- Navier–Stokes equation, 22, 142, 329
- near-field microscopy, 183, 196
 - hybrid, 289, 304

- optical, 194, 195
 - resolution, 183, 188, 195
- NFOT, 297
- NHNEMD, 169, 172, 174
- noble metals, 312, 314, 344
 - band structure, 313
 - conduction band, 312, 313
 - dielectric constant, 317
 - interband transition threshold, 313
 - lattice structure, 312
 - optical response, 316, 317
 - unit cell, 315
 - valence bands, 312
- non-destructive evaluation, 297, 341
- non-radiative recombination, 250
- non-radiative transfer, 10
- normal variables, 48
- Nusselt number, 6

- Ohm's law, 42, 63, 66
- opaque film, 337–339, 341, 347
 - reflectance, 350, 353, 355
 - surface displacement, 343
 - temperature gradient, 341, 343
- optical ammeter, 275, 276
- optical excitation, 241, 246, 251
 - semiconductor, 250
- optical fibre, 291, 297, 299, 353
- optical modes, 50, 151
- optical penetration length, 337, 340, 350, 352, 360
- optical rectification, 201
- optical stethoscope, 194
- optical transitions, 316
- optoelectronics, 187, 230

- P_1 method, 78, 83, 88, 102, 103
- passivation layer, 253, 282
- passive sample, 255
- Pauli exclusion principle, 317
- Peltier effect, 242, 275–277
- Peltier module, 255
- permeability, 110
- permittivity, 251
 - temperature dependence, 252
 - wavelength dependence, 253
- phase function, 58, 62, 72, 74
 - angular dependence, 72
 - constant, 73
 - Henryey–Greenstein, 73
 - Mie, 73
 - normalisation, 58
 - Rayleigh, 73
- phase transformation, 159
- phonon, 11, 47, 53, 60, 77, 78, 167, 168, 250, 253
 - acoustic, 50, 151, 315, 322
 - as plane wave, 177
 - collisions, 80, 81, 149, 152, 176
 - decay, 52
 - definition, 49
 - density of states, 50, 151
 - diffusive transport, 82
 - dispersion relation, 48, 151, 315, 316, 323
 - energy, 50
 - flux, 138, 149
 - gas, 344
 - heat transfer, 175, 177
 - intensity, 79
 - mean free path, 5, 52, 80, 150
 - number, 169
 - optical, 50, 126, 151
 - radiative transfer equation, 80, 83, 102
 - random walk, 150, 153
 - reflection, 82, 87
 - relaxation time, 5
 - thermal conductivity, 176
- phonon–defect interaction, 176
- photoelastic coefficient, 341, 350, 353
- photolithography, 195, 206
- photoluminescence, 251
- photon noise, 257, 258, 269
- photothermal
 - absorption spectroscopy, 199
 - coefficient, 350, 353
 - detection, 299
 - effect, 290
 - excitation model, 293, 297
 - methods, 241, 246, 337, 359
 - microscopy, 297
- photothermoelastic microscopy, 297, 303
- picosecond acoustics, 341
- Planck distribution, 58, 167, 168, 176
- plane wave expansion, 111, 112
- Pockels cell, 251

- point particle mechanics, 139
- Poisson ratio, 193, 294
- polar crystal, 11
- polarimetry, 267, 268
- polarisability, 117–119
- polymer blend, 229
- potential barrier, 191
- potential energy, 158, 163, 165
 - cutoff, 166
 - two-body, 163
- power spectral density, 71
- Poynting vector, 56, 112, 113, 126, 128
- probability distribution, 139, 140, 145
 - collisions, 146, 147
 - uniform, 140
- probe beam, 256, 257, 261, 262, 264, 274, 291, 311, 318, 337, 353, 359
 - characteristics, 350
 - frequency, 320
 - grazing incidence, 290
- profilometry, 268
- PSTM, 194
- pump beam, 241, 247, 256, 274, 311, 318, 322, 324, 337, 342, 353, 359
 - modulation, 354
- pump pulse train, 356, 359
- pump–probe delay, 311, 318, 328, 337, 353
- pyroelectric sensor, 289, 292

- Q-switch laser, 250
- quantum confinement effects, 314
- quantum well, 195

- radiation, 7, 11
 - characteristic length, 9
 - characteristic time, 9
 - dipole, 10
 - thermal, 11
- radiative energy balance, 59
- radiative flux, 8, 60, 86, 89, 121, 126–128, 130
 - vector, 56, 62, 63
- radiative transfer
 - between two nanoparticles, 118, 120
 - between two planes, 128, 131
 - coefficient, 130, 131
 - near-field, 10, 11, 72, 109, 131, 216
 - tip–sample, 215, 216
- radiative transfer equation, 55, 60, 78, 136
 - phonon, 80, 83, 102
- radiometric detection, 290, 292
- Raman spectroscopy, 251, 331
- random walk, 139, 141, 144–146
 - phonon, 150, 153
- rarefied gas regime, 7, 22, 27
- ray effect, 92, 101
- Rayleigh criterion, 184, 186, 295
- Rayleigh number, 29
- Rayleigh phase function, 73
- Rayleigh wave, 245, 260
- reciprocal lattice, 312
- reciprocal space, 40, 42–44, 50, 110, 167
- reciprocity theorem, 9
- recombination lifetime, 250
- reference beam, 262, 264
- reflectance, 128, 129, 252, 268, 299, 338, 351, 360
 - detection, 354
 - map, 279, 280
 - opaque film, 350, 353
 - relative variation, 257, 280, 290, 298, 326, 352, 354, 355, 357
 - time dependence, 352
- reflection coefficient, 67, 68, 250, 251, 351
 - acoustic, 340
 - complex, 252, 268
 - relative variation, 268
 - temperature dependence, 252, 253, 290
 - wavelength dependence, 253
- reflectometric signal, 252, 268
- reflectometry, 252, 259
 - calibration, 253, 255, 281
 - detector array, 257, 259
 - single detector, 255, 257
- refractive index, 11, 58, 110, 184, 349, 351
 - complex, 10, 251, 350
 - gradient, 350
 - grating, 251
 - variable, 290
 - wavelength dependence, 253
- relaxation time, 176–179
 - resistive, 346
 - thermal, 349

- relaxation time model, 20, 46, 52, 77, 80
- resistive relaxation time, 346
- Rosei band structure, 320
- Rosseland approximation, 65, 83
- Sagnac interferometer, 354, 356, 359
 - stability, 356
- scanning acoustic microscopy, 187, 188, 195, 196
- scanning electron microscope, 185, 187
- scanning thermal microscopy, 183, 232, 289, 297
 - AFM type, 202
 - prospects, 303
 - resolution, 206–208, 218, 220
- scanning thermal profiler, 197
- scanning thermoelastic microscope, 302, 303
- scanning tunneling microscope, 188, 190, 191, 301, 302
 - heat detection, 197, 201
- scattering, 57, 58
 - anisotropic, 58
 - cross-section, 22, 73, 118
 - differential cross-section, 20
 - electron–phonon, 322, 323
 - isotropic, 58
 - length, 57, 61, 73
 - power, 57
 - solid angle, 20
- Schrödinger equation, 38, 41
- SCPM, 199
- semi-transparent medium, 10
- semiconducting superlattice, 347
- Shannon sampling theorem, 259
- shear wave, 195
- silicon nitride tip, 205, 207
- silver, 312
 - acoustic phonons, 315
 - band structure, 312
 - dielectric constant, 327
 - nanosphere, 331
- single-beam photothermal microscope, 256, 273
- single-molecule detection, 195
- SJEM, 207, 301
- skin depth, 10, 185, 244
- SLAM, 196
- Slater determinant, 38
- SMM, 196
- smoke, 57
- S_N quadrature, 90
- SNOM, 194, 289, 297
 - shear-force method, 298, 300
- source–drain leakage, 277, 278
- Sparrow criterion, 295
- specific heat capacity, 185
 - electron, 324
 - lattice, 324
 - opaque film, 338
- specific intensity, 8, 55, 56, 59, 63, 69, 109
 - ballistic, 69
 - equilibrium, 8, 58
 - isotropic, 56, 61
- speckle interferometry, 271, 273
- spectral correlation function, 71
- spectroscopy, 195
- statistical physics, 139, 158
- Stefan law, 290
- step scheme, 94, 101
- stick-and-slip, 221
- stochastic process, 139
- STOM, 194, 195
- stress tensor, 338
- super-resolution, 289, 295–297
- surface displacement, 251, 252, 260, 291, 294, 341, 342
 - amplitude, 263, 264
 - detection, 266
 - due to echo, 340, 341
 - equation of propagation, 339
 - field, 242, 245, 273, 276, 294
 - in-plane, 272
 - measurement, 260
 - opaque film, 343, 355
 - out-of-plane, 271, 294, 296, 297
 - transfer function, 245
- surface photovoltage, 201
- surface plasmon, 11, 126, 131, 318, 330, 353
- surface reconstruction, 159
- surface tension, 193
- SWEAT, 280
- telegraph equation, 64
- temperature, 18

- autocorrelation function, 170, 171
- decomposition, 247
- field, 242, 245, 252, 273, 276, 280, 294–296, 342
- gradient, 25, 170–172, 214, 224, 242, 301, 338, 340, 341, 343, 350, 360
- lattice, 316, 325
- local, 23, 26, 52, 58, 81, 170, 171
- mapping, 278–280
- matrix, 327
- on short scales, 26
- sensitivity, 199, 203–205, 207
- step response, 244
- transfer function, 244
- thermal
 - barrier, 274
 - conductivity, 25, 52, 53, 68, 69, 154, 158, 169, 175, 176, 185, 199, 201, 208, 213, 223, 226, 228, 327, 345, 347
 - diffusion length, 186
 - diffusivity, 185, 199, 227, 228, 231, 256, 273, 274, 281, 295, 342, 345, 347, 352, 360
 - emission, 58, 70, 72, 117, 127
 - excitation, 241, 245
 - expansion, 200, 201, 207, 291, 301, 303
 - radiation, 11, 89, 125, 131
 - relaxation time, 349
 - resistance, 273, 274, 279, 337, 345, 347, 360
 - stress, 338, 339
 - transient, 349, 353
- thermal probe, 202–204, 209
 - TopoMetrix, 210, 211
- thermal wave, 241, 244, 246, 260, 289
 - detection, 251, 273
 - generation, 241, 251
 - surface, 245
- thermoacoustic
 - method, 289, 291
 - wave, 299
- thermocouple tip, 197, 199, 200, 202–204, 206, 215
- thermodeformation, 291, 292, 301
- thermodynamic equilibrium, 8, 17, 18, 125, 171
- thermoelastic amplitude imaging, 296, 297
- thermoelastic equations, 294
- thermoelastic microscopy, 293, 297, 303
 - lateral resolution, 302
 - resolution, 295
- thermoelastic wave, 245, 246
 - detection, 251, 273
 - generation, 241, 251
 - interference, 275, 276
- thermoelasticity, 200, 289, 291
- thermoelectric
 - excitation, 241, 242, 246
 - probe, 297, 301
- thermomechanical
 - anisotropy, 297
 - method, 291, 302
 - read and write, 304
- thermoplastic holography, 269, 271
- thermoreflectance
 - coefficient, 252, 281, 282
 - imaging, 278, 279
 - measurement, 253, 255, 281
- thermoreflectance microscope, 259
 - heterodyne operation, 259
 - homodyne operation, 258
- thermorestrictive tip, 203, 204, 207, 209, 210
- thermoreistor, 203, 207
- thin film, 210, 229, 283, 311, 341
 - cooling, 348
 - gold, 326, 327
 - non-destructive evaluation, 341
 - opaque, 341, 347, 350, 353, 355
 - silver, 327
 - thermal conductivity, 347
- Thomson effect, 215, 242
- time-resolved optical methods, 311, 330, 332
- topographic imaging, 201, 206, 214
- topography–temperature survey, 193, 198, 199, 203
- TopoMetrix, 208, 209, 232
 - AC regime, 227, 228, 230
 - active modes, 212
 - constant current mode, 212, 214, 230, 232
 - constant temperature mode, 212, 214, 216, 222, 230

- contact transfer, 217, 218
- DC regime, 222, 226, 230
- error sources, 221
- investigation depth, 219, 220
- passive mode, 212
- temperature contrast mode, 212
- thermal conductivity contrast mode, 212
- thermal image contrast, 213, 222
- thermal measurements, 211, 213
- thermal probe, 210, 211
- thermal signal, 213, 215, 222
- tip resolution, 218, 220
- tip-sample heat transfer, 215, 218
- transfer function, 144
 - surface displacement, 245
 - temperature, 244
- transient thermal grating, 246
- transmissivity, 66
- transmittance, 355, 357, 360
- transport length, 63, 66, 68
- tungsten-nickel thermocouple, 197
- tunnel
 - current, 191, 200
 - effect, 190, 195
 - junction, 190
 - resistance, 199
- tunneling thermometer, 199
- two-temperature model, 311, 324, 325, 327
- UFM, 196
- umklapp interaction, 152
- van der Waals force, 10, 120, 183, 191, 192
- van Hove singularity, 41
- Verlet algorithm, 160
- vibrational modes, 47, 48, 50, 167, 175, 177, 311, 315, 316
 - nanoparticle, 316
 - nanosphere, 328, 332
 - spheroidal, 329
 - torsional, 329
- viscosity, 158
- wave equation, 110, 248
 - 1D, 184
- wave packet, 40, 43, 44
- wave-particle duality, 185
- Wien law, 216
- Wollaston wire, 203, 207, 210
 - as heat sink, 214, 224
- work function, 202
- Young's modulus, 185, 193
- Youngdahl stress functions, 294