
Subject Index

- Aarhus STM VII 216
AC imaging techniques VI 135
acoustic microscopy V 278
acrylate VII 330
action spectroscopy VI 56
active
 cantilever V 1, V 2
 corrosion VII 290
 phase VII 214
 regions VII 288
 sites VII 197, VII 198, VII 207, VII 212
activity VII 207
actuation VII 99–101, VII 108
 phase V 15
 piezoelectric VII 99, VII 100, VII 109
 thermal VII 99
adhesion VI 288, VI 292, VI 294, VI 296,
 VI 297, VI 312, VI 313, VI 315–317,
 VI 320, VII 41, VII 46, VII 47,
 VII 52–56, VII 58, VII 60, VII 62,
 VII 65, VII 67, VII 68, VII 70, V 267
 hysteresis V 282
 molecule VI 170
 strength VII 310
adhesive VII 303–305, VII 307, VII 308,
 VII 310, VII 320, VII 329–331,
 VII 333–335, VII 342
 contact VI 175
 layer VI 67
adrenaline VII 281
adsorbate structure VII 216
adsorbates VII 199
adsorption VI 184, VII 233, VII 235,
 VII 236, VII 242, VII 248
adsorption of proteins VI 185, VII 233,
 VII 234
adsorption structure VII 214
advancing and receding contact angles
 (contact angle hysteresis) VII 1,
 VII 37
 advancing contact angle VII 2
 affinity imaging VI 196
 AFM-SECM V 231
 AFM-SECM probes V 236
 AFM-SECM tip-integrated biosensors
 V 252
 Ag VII 211
 Ag surfaces VI 93
 aging VII 303, VII 327–329, VII 331,
 VII 337, VII 340, VII 342
 AgNi VII 213
 Al VII 288
 Al₂O₃ VI 39
 alkaline phosphatase VII 275
 alkanethiols VI 70
 alkanethiols on a Au(100) VI 78
 alloys VII 290
 amine VII 304, VII 320–323, VII 325,
 VII 327, VII 343
 aminosilanes VI 140
 amperometric
 biosensors V 249
 electrodes VII 261
 enzyme sensor VII 288
 glucose sensor V 250
 amphiphile/protein VII 228, VII 232–235
 amplitude V 99
 amplitude density V 59
 amplitude modulation (AM) VI 135, V 75
 amplitude vs. distance curve V 84
 analog actuation V 13
 analog amplification V 18
 analog signal processing V 10, V 11
 analog-to-digital converter (ADC) V 12
 analytical functions VII 269
 angle VII 11
 anharmonic coupling VI 52
 anharmonicity VI 53
 anisotropy V 128, V 138
 antibody VII 275

- antiplasticization VII 321, VII 322
applied normal load V 187, V 217
approach curve VI 186, VII 269
array VII 83, VII 84, VII 91, VII 99,
VII 104, VII 107, VII 108
array detector V 56, V 57, V 61
atom species VI 249
atomic force microscopy (AFM) VI 101–
106, VI 108, VI 110, VI 112, VI 113,
VI 117–119, VI 121–123, VI 125,
VI 131, VI 182, VI 247, V 149,
V 154–156, V 158–164, V 166–168,
V 175, V 185–187, V 193, V 194,
V 196, V 215, V 216
tip-integrated biosensors V 249
ATP V 252
ATP synthase V 257
Au(111) VII 201
surface VI 68
Au/Ni alloy VII 217
Au/Ni surface alloy VII 217
Au/Ni(111) VII 217, VII 219
surface alloy VII 216, VII 218
azimuthal polarization VI 268–272

batch microfabrication V 239, V 241
bi-potentiostat VI 66
bias voltage VII 199
bifunctional AFM-SECM tip V 244
bimorph effect V 9
Binnig VII 77
biochemical activity VII 266
biochips VII 275
biological interaction VI 175
biomolecule VI 49
bionanotechnology VI 159
biosensors VII 225, VII 226, VII 236,
VII 243, VII 245, VII 247–250
bond-breaking selectivity VII 211
bonding configuration VI 43
bottom-up fabrication VI 128, VII 137
boundary condition VII 269, V 155, V 162,
V 169, V 170, V 172, V 173, V 178,
V 180, V 185
boundary element method (BEM) V 234
bright brim VII 203
Brillouin scattering V 288
brim VII 202
brim state VII 203–206
Brownian motion V 69
buffered aqueous solutions VII 266
butanethiol SAMs VI 79

C₂H₄ VII 207
C₄H₇S– VII 204
C₄H₄S VII 203
C–H stretching mode VI 41
C–S bond cleavage VII 204
cadherins VI 170
calibration procedure VI 187
cantilever VI 131, VI 183, V 3, V 62, V 99
cantilever shape V 54
cantilever-shaped nanoelectrodes V 236
capacitance sensors VII 142
capillary neck VI 136
capillary or gravitational waves VII 12
capillary waves VII 12, VII 19
carbon nanotube VI 313, VII 135, V 238,
V 307
charge distribution VII 180
chirality VII 136
CNT-based NEMS VII 146
CNTs VII 135, VII 136
composite VI 288, VI 290
direct growth VII 139
external field alignment VII 139
fabrication VII 137
failure mode VII 156
feedback-controlled nanocantilevers
VII 153
helicity VII 136
manipulation VII 138
memory VII 146
multi-walled VII 136, VII 147, VII 150,
VII 178
nanorelay VII 152
nanotweezer VII 147
oscillator VII 158
purification VII 137
random dispersion VII 137
rotational motor VII 150
self-assembly VII 139
single-walled VII 136, VII 146, VII 177
synthesis VII 137
carbon-fiber composite VI 312
carbon-fiber microelectrodes VII 281
cartilage VII 288
catalysis VII 197, VII 198, VII 200, VII 207,
VII 214
catalyst stability VII 216
catalytic turnover number VII 270
catalytically active edge VII 202
catechol amines VII 281

- cell membrane VI 106, VI 112, VI 117,
VI 121, VI 122
- cellular system VII 278
- characteristic equation V 169, V 170,
V 172, V 173, V 213–215
- charge-transfer V 313
- chemical
 identification VI 31
 microsensor VII 261, VII 263
 reactions on surfaces VII 199
 sensitivity VII 290
- chemical force microscopy (CFM) VI 158
- chemisorbed organic molecular assembly
VI 69
- chemisorption VI 69
- chips VII 276
- chloroplasts VII 280
- chromaffin cells VII 281
- chromatin VI 152
- cis-but-2-ene-thiolates VII 204
- CMOS-based V 3
- CNT-AFM-SECM probe V 239
- CO VII 218, VII 219
- coalescence VII 330, VII 337, VII 339,
VII 340, VII 342
- coating VII 303, VII 304, VII 320, VII 328
- coherent anti-Stokes near-field Raman
imaging V 324
- coherent anti-Stokes Raman scattering
(CARS) VI 279, VI 280, V 289
- combinatorial methods VII 291
- combined AFM-SECM measurement
V 244
- combined scanning electrochemical/optical
microscopy V 246
- combined SPM-SECM probe V 228
- combined technique V 254
- CoMoS VII 200, VII 205, VII 206
- compartmentalized surface VII 275
- complementary metal oxide semiconductor
(CMOS) V 1
- composite VI 293
- composite and homogeneous interfaces
VII 2
- composite interface VII 8–12, VII 15–19,
VII 22, VII 23, VII 26, VII 37, VII 38
- composite liquid–solid–air interface VII 26
- composite material VII 290
- composite solid–liquid–air interface VII 2,
VII 8, VII 11, VII 20, VII 28, VII 29,
VII 38
- concentration cell VII 271
- constant force imaging VI 134
- constant height imaging VI 134
- constant-current VII 199
- constant-current imaging VII 278
- constant-distance SECM V 252
- constant-force mode V 14
- contact angle VI 307, VI 308, VI 310,
VI 311, VII 1–8, VII 10, VII 11, VII 13,
VII 17–20, VII 23, VII 26–31, VII 34,
VII 35, VII 37, VII 38, VII 239, VII 248
- contact angle hysteresis VII 1–3, VII 7,
VII 8, VII 11, VII 19, VII 29, VII 31,
VII 38
- contact angle θ VII 20
- contact area VII 308–310, VII 314, VII 315,
VII 324, VII 326, VII 332, VII 333,
VII 336, VII 337, VII 343
- contact mechanics V 271, V 272
 Burnham–Colton–Pollock theory V 271
 Derjaguin–Muller–Popov V 271
 Hertz theory V 271
 Johnson–Kendall–Roberts V 271
 Maugis V 271
 Sneddon V 271
- contact mode VII 306, V 127, V 132
- contact resonance V 127, V 128
- contact resonance frequency V 153, V 159,
V 163, V 170, V 171, V 177, V 181,
V 185, V 186, V 213–215, V 217
- contact stiffness VII 307, VII 309, VII 314,
VII 324, V 124, V 127, V 128, V 274,
V 277
 lateral contact stiffness V 275, V 276
 normal contact stiffness V 275–277
- continuum mechanics VII 176
- conventional IETS VI 36
- corrosion VII 288, V 257
- counterion correlation force VI 139
- coupled torsional-bending analysis V 163,
V 177, V 214
- covalent binding VI 184, VI 185
- Cravilier method VI 67
- crosslink density VII 321, VII 322
- current-distance curve V 246
- cyclic voltammetry VII 290
- cyclic voltammogram VII 269
- Damköhler number VII 325
- dangling bond orbital VI 250
- decanethiol VI 76

- deep RIE VII 96
defect structure VI 71
deformation potential VI 44
degrees of freedom (DOF) V 151, V 154,
V 162, V 188, V 190, V 193, V 197,
V 200, V 207
dehydrogenation VI 55, VII 207, VII 210,
VII 213
density functional theory VII 202, VII 204
dental fillings VII 290
dentinal hypersensitivity VII 286
dentine VII 284, V 53
depth of focus V 53
desorption VI 49
(FM) detection VI 247
detection sensitivity V 54, V 56, V 64, V 66
DFT VII 202, VII 206, VII 210
diamine VII 320, VII 321
diaminodiphenylsulfone (DDS) VII 320,
VII 322, VII 325, VII 326
diamond VII 129
dielectrophoresis VII 139
difference signal V 60
diffusion VII 81, VII 85, VII 86, VII 91,
VII 284
diffusion layer VII 271, VII 273
diffusion-limited current according VII 269
diffusion-limited current at an UME
VII 264
diffusional flux VII 286
digital signal processing V 13
digital simulation VII 262
diglycidyl ether of bisphenol A (DGEBA)
VII 320–322, VII 325, VII 326
dimensionless normalized units VII 264
dip-pen nanolithography (DPN) VI 158,
VII 79–87, VII 89, VII 100, VII 102,
VII 103, VII 105, VII 109, VII 111,
VII 118, VII 127, VII 140
dipole scattering VI 34
direct or indirect protein immobilization
VI 185
disc-shaped integrated nanoelectrodes
V 242
displacement conversion mechanism V 24
dissociation VII 207, VII 210
dissolution V 246
DMD VII 351, VII 352, VII 358–360,
VII 362
DNA VI 125, VI 147, VII 83, VII 98,
VII 105–107, VII 276, VII 277
condensation VI 150
dynamic VI 153
gyrase VI 151
structure, interactions and dynamics
VI 143
donor and acceptor compartment VII 284
Doppler V 108
DPPC V 92
drag-out VI 297, VI 298, VI 304–306,
VI 312, VI 314
DRIE VII 97
drift VI 302, VI 303, VI 316, VI 317
driving forces VI 1, VI 2, VI 5, VI 6, VI 28
driving frequency V 154, V 167, V 176,
V 177, V 179, V 181, V 184, V 185,
V 187, V 199
drugs VI 149
dsDNA VI 147
dual electrode probe VII 281
dual-electrodes VII 278
dynamic contact angle VII 8
dynamic force microscopy (DFM) VI 101,
VI 103, VI 106, V 75, V 97, V 99,
V 108, V 110
dynamic force spectroscopy VI 195
dynamic friction force VII 310
dynamic measurement mode V 62
dynamic mode V 15, V 149, V 156, V 164,
V 187, V 216
dynamic range V 59
dynamic strength of the *LFA 1/ICAM 1*
complex VI 200
EC-AFM-SECM V 258
ECSTM-SECM V 232
ECSTM-SECM probes V 235
edge state VII 202, VII 203
edge structure VII 201
eigenvalue V 149, V 153, V 154, V 169,
V 173, V 174, V 190, V 192
eigenvector V 154, V 192
elastic force VII 153, VII 182
elastic modulus V 276
shear modulus V 277
Young's modulus V 276, V 277
elasticity VII 182, V 267, V 281
elastomer VII 308, VII 316, VII 330,
VII 331
electro-pen nanolithography VII 80
electrocatalytical reactions VII 291
electrochemical epitaxial growth VI 67

- electrochemical etching V 235
electrochemical scanning tunneling
 microscopy (ECSTM) VII 261
electrochemical STM (EC-STM) VI 66
electroless plating VI 261
electrolyte solution VII 261
electromotive force VII 141
electron beam lithography (EBL) VII 323,
 V 241
electron mediator VII 266, VII 269
electron source VI 32
electron tunneling VII 142, VII 143
 tunneling current VII 154
electronic structure VI 1, VI 4, VI 23, VI 25,
 VI 27, VI 28
electroosmosis VII 284
electrophoresis VII 152
electrophoretic paint V 237
electrostatic (i.e. present in ionic bonds)
 actuation VII 140, VII 141, VII 188
 attraction VI 176
 double-layer force (F_{dl}) VI 177
 force VII 138, VII 141, VII 147, VII 153,
 VII 179, VII 182
 microscanner V 39
empty orbital VI 250
endothelial cells VII 281
energy dissipation VI 253, V 150, V 164,
 V 165, V 167, V 168, V 195, V 198,
 V 208, V 216
enzyme VII 235, VII 236, VII 248, VII 272
enzyme label VII 275
EPN VII 81, VII 94
epoxy VII 304, VII 305, VII 317,
 VII 320–327, VII 329, VII 342, VII 343
 interphase VII 323, VII 326
equipartition theorem VII 310, V 67
ethiol VII 237, VII 238, VII 251
ethylene VII 207–209, VII 212
EXAFS VII 206
experimental setup VII 262
extraction of an excess amount of gold atoms
 VI 72

Fabry–Perot interferometry V 102, V 103
fano-shaped feature VI 47
Faradaic current VII 261
feedback V 116, V 123, V 126
feedback mode VII 264, VII 265, VII 272,
 VII 277, VII 291, VII 293
feedback-controlled VII 153

ferrocenes VII 268
fiber composite VI 291
fiber–polymer composite VI 295
fiber-based V 237
field-enhancement V 319
finite element (FE) V 154, V 162, V 163,
 V 187–190, V 201, V 205, V 216
finite element method (FEM) V 25, V 26
flame annealing VI 67
flame-melting method VI 67
flexural V 116, V 118
fluctuation-dissipation theorem VII 311
focal length V 53
focused ion beam (FIB) VI 262, V 28, V 34,
 V 36, V 41
focused ion beam (FIB) milling V 241
focused ion beam (FIB)-assisted fabrication
 V 241
focused ion beam (FIB)-assisted processing
 V 241
focused ion beam (FIB)-milled bifunctional
 probe V 260
focused spot V 53, V 63, V 67
 diameter V 62, V 66
 position V 66
force between isolated proteins VI 194
force curve VI 182, V 60
force gradient V 99
force histogram VI 189
force modulation microscopy (FMM)
 VII 307, VII 309, VII 323
force sensors V 4
force spectroscopy VI 102, VI 110, VI 113,
 VI 114, VI 116, VI 117, VI 119, VI 120,
 V 54
force–distance curve VII 307, VII 332,
 VII 335, VII 340, VII 342, V 46, V 59,
 V 273, V 274
force-indentation curve V 273
force-spectroscopy mode VI 182
fountain probe VII 84
Fourier series V 80
fracture VI 294, VI 295, VI 304, VI 305,
 VI 316, VI 317
frame electrode V 242
frame electrode structures V 242
free radicals VII 283
frequency modulation (FM) VI 135
frequency shift V 106, V 107, V 149,
 V 158, V 168, V 170, V 171, V 216
frequency spectrum V 62

- friction *VII* 305–307, *VII* 309–311, *VII* 315, *VII* 331, *VII* 333, *VII* 334, *VII* 337, *VII* 361, *VII* 363
- friction force *V* 216, *V* 282
- friction force map *V* 203
- friction force microscopy (FFM) *VII* 307, *V* 149, *V* 154, *V* 156, *V* 158, *V* 160, *V* 162, *V* 163, *V* 185, *V* 200, *V* 202–205, *V* 207, *V* 208, *V* 216
- fuel cells *VII* 290
- functional group *VI* 48
- galactosidase *VII* 271
- gap mode *VI* 265
- 2D gas phase *VI* 73
- gas purification *VII* 215
- Gaussian beam *V* 53
- Gaussian optic *V* 52
- GC *VII* 291
- GC mode *VII* 272, *VII* 288, *VII* 293
- gecko feet *VII* 40–42, *VII* 48, *VII* 49, *VII* 52, *VII* 56, *VII* 70, *VII* 71
- gene-therapy application *VI* 150
- generation-collection mode *VII* 263
- glass sheath *VII* 264
- glass slide *VI* 67
- glass transition temperature *VII* 312, *VII* 320, *VII* 321, *VII* 327
- glucose oxidase *V* 247
- glucose transport *V* 252
- GLV *VII* 356
- glycoprotein *VI* 167
- gold nanoparticles *VII* 276
- gold thin film *VI* 67
- governing equation *V* 172, *V* 175, *V* 178
- graphite *VI* 1, *VI* 2, *VI* 4–9, *VI* 11–14, *VI* 16, *VI* 18–21, *VI* 23, *VI* 24, *VI* 26–28
- grating *V* 41
- grating light valve *VII* 356
- guanine *VII* 277
- guard cells *VII* 280
- H₂S *VII* 201
- harmonic oscillator *V* 63
- harmonics *V* 140
- HDN *VII* 200
- HDS *VII* 200
- HDS catalysts *VII* 201
- head-to-head molecular arrangement *VI* 73
- heights of DNA *VI* 136
- HeLa cells *VII* 280
- heptadecane *VI* 80
- Hertz-plus-offset model *V* 83
- heterodyne laser Doppler interferometry *V* 103
- heterodyne laser interferometry *V* 103
- heterogeneous *VII* 197
- catalysis *VII* 207, *VII* 220
- chemical reactions *VII* 260
- kinetics *VII* 290
- reaction rates *VII* 265
- reactions *VII* 293
- hexadecane *VI* 80
- hierarchy *VII* 42, *VII* 47, *VII* 67, *VII* 68, *VII* 70, *VII* 71
- high aspect ratio silicon (HARS) tips *V* 240
- high-frequency dynamic force microscopy *V* 97
- high-pressure *VII* 215
- high-pressure cell *VII* 215
- high-pressure STM *VII* 214
- higher frequency *V* 99
- higher-order vibration *V* 62
- highly oriented pyrolytic graphite (HOPG) *VI* 138, *VI* 144, *V* 154, *V* 165, *V* 195, *V* 203
- hindered rotation mode *VI* 42
- hindered translational mode *VI* 42
- homogeneous (solid–liquid) and composite (solid–liquid–air) *VII* 4
- homogeneous and composite interfaces *VII* 2, *VII* 3
- homogeneous interface *VII* 5, *VII* 10, *VII* 11, *VII* 15–19
- homogeneous solid–liquid interface *VII* 2, *VII* 5, *VII* 9, *VII* 11–13, *VII* 15
- Hooke's law *VI* 131
- hopping *VI* 51
- HOR *VII* 291
- horseradish peroxidase (HRP) *VII* 275, *V* 247
- HR-EELS *VI* 38
- human bladder cell line *VI* 199
- human breast cells *VII* 283
- humidity *VII* 303, *VII* 328, *VII* 331, *VII* 334, *VII* 335
- hybrid SICM-NSOM *V* 253
- hydration
- force *VI* 175
- repulsion *VI* 178
- STM *VI* 145
- hydrodenitrogenation *VII* 200

- hydrodesulfurization VII 200, VII 205
hydrogen VII 197
hydrogen-oxidation reaction VII 290
hydrogenation reaction VII 204
hydrophilic VII 2, VII 3, VII 11, VII 19,
VII 35, VII 38
 surface VII 1
hydrophilicity VII 335
hydrophobic VI 176, VII 2, VII 3, VII 11,
VII 31, VII 35, VII 37, VII 38, VII 228,
VII 232, VII 237, VII 238, VII 240,
VII 249, VII 251
hydrophobic force VI 180
hydrophobic/hydrophilic VII 1
hydrophobicity VII 1, VII 2, VII 35, VII 37,
VII 248
hydrostatic pressure VII 284
hydrotreating VII 200, VII 207
hysteresis V 39, V 43, V 46, V 49, V 84
- imaging enzyme activity V 246
immobilization VII 226, VII 227,
VII 243–248, VII 252, VII 253
immobilization of DNA VI 139
immunoassay VII 272, VII 275
immunoglobulin VI 169
immunoglobulin superfamily VI 172
immunosensors VII 245, VII 248
iMoD VII 355, VII 356
impact scattering VI 34
in situ characterization VII 215
in situ STM observations of the SA process
VI 75
in situ studies VII 216
in situ surface-characterization VII 215
inclined ICP-RIE V 34
inclusions VII 289
individual
 carbon fiber VI 304
 carbon nanotube VI 295, VI 296, VI 300,
VI 311, VI 316
 MWCNT VI 289, VI 290, VI 300, VI 316
 nanotube VI 289, VI 300, VI 306, VI 314
 nanotube pull-out VI 302
 nanotube–polymer VI 305
 nanotube–polymer composite VI 300
 SWCNT VI 315
 tubule VI 306
inelastic process VI 38
insulating, semiconducting and conducting
 samples VII 260
insulation of the tip VI 66
integral membrane protein VI 167
integrate UME into SFM tips VII 293
integrated actuation V 8
integrated AFM V 2
integrated AFM-SECM probe V 244
integrated detection V 1
integrated microbiosensor V 250
integrated nanoelectrode V 260
integrins VI 171
intensity noise V 55
interaction regime V 86
interatomic force V 163, V 204
intercalators VI 149
intercellular adhesion molecule-1 (*ICAM 1*)
VI 200
interdiffusion VII 327, VII 330, VII 339,
VII 340, VII 342
interface VI 1, VI 5, VI 7, VI 9, VI 11,
VI 13, VI 14, VI 18–21, VI 23, VI 26,
VI 28
interfacial reactivity VII 293
interfacial strength VI 295–298, VI 304,
VI 305, VI 311–314, VI 320
interferometry VII 140, VII 142
intermittent contact mode VII 306, VII 307,
VII 329, VII 337, VII 342
internal metabolism VII 283
interphase VII 304, VII 314, VII 327,
VII 342
ion-selective electrodes VII 272, VII 290
ion-selective microsensor V 252
iontophoresis current VII 284
iontophoretic transport VII 284
IP VII 305, VII 312, VII 314–317, VII 320,
VII 323–327, VII 329, VII 342
irradiance distribution V 54, V 60
isolated enzymes VII 266
- kinetics VII 272, VII 294
kink site VII 207
- ladder VI 55
Langevin equation VII 311
Langmuir adsorption curve VII 209
Langmuir–Blodgett VII 227–229,
VII 231–233, VII 252
laser diode V 52
lateral V 99
 bending V 149, V 150, V 153, V 154,
V 156, V 159, V 160, V 162, V 177–181,

- V 185–187, V 192, V 194, V 197–200,
 V 202, V 207, V 211, V 216
 bending stiffness V 184
 contact stiffness V 153, V 165, V 166,
 V 176, V 214
 contact stiffness and viscosity V 181
 contact stiffness/viscosity V 162, V 214,
 V 216
 contact viscosity V 153, V 176
 excitation (LE) mode V 149, V 152,
 V 154, V 156, V 159, V 160, V 162,
 V 163, V 177, V 179–182, V 184–189,
 V 199, V 200, V 214, V 216
 force microscopy (LFM) VII 77, VII 306,
 VII 307, VII 331, VII 333, VII 334,
 V 108
 resolution VII 262, VII 265, VII 293
 latex VII 330, VII 331, VII 337, VII 339
 layer-by-layer growth VI 87
 leukocyte function associated antigen-1
 (LFA 1) VI 200
 LIGA microstructure V 245
 line scan V 20
 line tension VI 307
 linearity V 59
 liquid–gas interfaces VII 260
 liquid–liquid interfaces VII 260, VII 283
 living cell V 253
 loading rate dependence VI 194
 local density of state VII 199, VII 202,
 VII 216
 localized electron state VII 202
 lock-in-amplifier VI 40
 long-range interaction VI 175
 Lorenz force VII 141
 lubricant VII 334, VII 335

 magnetic force V 138
 magnetic microbeads VII 267
 magnetomotive VII 142
 magnetomotive actuation VII 141
 Lorenz force VII 141
 magnetomotive detection VII 142
 manipulation VI 49
 mapping VI 48
 Mars–Van Krevelen mechanism VII 216
 mass transport VII 284
 materials gap VII 198
 mechanical bias effect (MBE) VII 317–319,
 VII 329, VII 343
 mechanical shear forces VII 278

 mediator VII 264, VII 279
 membrane proteins VI 103–105, VI 117,
 VI 119
 meniscus VI 307, VI 308, VI 310, VI 311,
 VII 82, VII 83, VII 85–89, VII 98
 16-mercaptohexanoic acid (MHA) VII 82,
 VII 85, VII 102–104, VII 127, VII 128
 mercaptotrimethoxysilane VI 67
 metabolic regulation of bacteria VII 283
 metabolites VII 266
 metal oxide cluster VI 84
 metal–insulator–metal VI 36
 metal-coated optical fiber V 257
 metal-complex monolayer VI 84
 metallic implants VII 290
 metallized AFM tips V 239
 mica VI 67, VI 138
 Michaelis–Menten constants VII 270
 micro-Raman V 299
 microbeads VII 275
 microcavities VII 278
 microcomposite VI 313
 microcontact printing VII 139
 microelectromechanical systems (MEMS)
 VII 135, VII 303, VII 349, VII 351,
 VII 352, VII 355, VII 357, VII 360,
 VII 363, V 1
 optical switch VII 353, VII 354
 microfabrication V 239
 microfluidic VII 84, VII 88
 microfluidic probes VII 86
 micropatterned surfaces VII 275
 micropipette VII 107
 3D microstage V 29
 microstructured electrochemical cells
 VII 275
 miniaturized biosensors VII 273, V 250
 Mo edge VII 202, VII 205, VII 206
 modal analysis V 169, V 171, V 172
 mode shape V 63, V 64, V 173, V 174
 model catalysts VII 198
 model systems VI 1, VI 2, VI 4, VI 18,
 VI 19, VI 25, VI 27, VI 28, VII 214
 modeling NEMS VII 165
 analytical solutions VII 184
 bridging scale method VII 170
 concurrent multiscale modeling VII 167
 continuum mechanics VII 176
 coupling methods VII 172
 elasticity VII 182
 finite-kinematics regime VII 187

- governing equations VII 182
MAAD VII 168
molecular dynamics VII 165
multiscale modeling VII 166
quasi-continuum method VII 170
small-deformation regime VII 186
modify surfaces VII 275
modulated lateral force microscopy (M-LFM)
VII 305–307, VII 309, VII 310,
VII 331–336
modulated nanoindentation V 273, V 274
MOEMS VII 349–351, VII 354–358,
VII 360, VII 361, VII 363
molecular
assemblies of inorganic molecules VI 84
assembly of alkanes VI 80
biology VI 128
combing VI 147, VI 158
crystals V 309
device VI 1, VI 2, VI 4, VI 5, VI 19,
VI 23, VI 27, VI 28
force VI 102, VI 110, VI 117
c(2 × 8) molecular lattice with a 1 × 4 Au
missing row VI 79
motor VI 151
recognition VI 102, VI 103, VI 110,
VI 117, VI 118, VI 120
recognition force microscopy (MRFM)
VI 158
molecule-to-molecule VI 54
monolayer VI 1, VI 2, VI 4–12, VI 14,
VI 17–19, VI 21, VI 23–28
monomolecular layer V 246
MoS₂ VII 200–202, VII 205, VII 206
motion equation V 161, V 166, V 189–193,
V 197, V 199, V 205
multilayer VI 94
multiplier-accumulator architecture V 14
multiwalled nanotube V 239
n-butyl ester of abietic acid (nBEAA)
VII 331
N-glycans VI 168
nanocomposite VI 288, VI 320
nanoelectromechanical systems VII 135,
VII 136, VII 146, VII 152, VII 153,
VII 160, VII 163
nanofountain probe (NFP) VII 80,
VII 85–88, VII 90–95, VII 97, VII 98,
VII 100, VII 102–109
fabrication VII 90, VII 92, VII 94–96
nanoindentation VII 304, VII 305, VII 312,
VII 317, VII 326, VII 328, VII 329,
VII 331, VII 342, VII 343
nanomanipulation VII 138, VII 155
nanopipette VII 80, VII 84, VII 89, VII 105,
V 237
nanorelay VII 152, VII 154
nanoscratch VII 315, VII 328
nanotechnology VI 127
nanotube V 131, V 238
nanotube composite VI 291, VI 296, VI 313
nanotube–polymer VI 314
nanotube–polymer composite VI 288,
VI 290, VI 291, VI 296
nanotweezer VII 147
nanowire VII 136, VII 160
read-only memory VII 161
resonator VII 160
near-field Raman spectroscopy V 288,
V 299
near-field ultrasonic methods V 278
acoustic force atomic microscopy V 278,
V 279, V 281
heterodyne force microscopy V 278,
V 280
scanning local acceleration microscopy
V 278, V 279, V 281
scanning microdeformation microscopy
V 278
ultrasonic force microscopy V 278,
V 280, V 282
negative differential resistance VI 93
negative ion resonance VI 35
Ni VII 288
Ni carbonyl VII 218, VII 220
Ni(111) VII 207, VII 209, VII 211, VII 219
Ni(211) VII 211
nitric oxide VII 281
NO microsensor V 253
nodules VII 304
noise V 7, V 55
noradrenaline VII 281
normal mode VI 52
normal vibration mode V 63
NSOM VI 257, VI 258
NSOM-SECM V 237
NSOM-SICM V 234
numerical differentiation VI 40
O-glycans VI 168
offset compensation V 11, V 18

- optical beam deflection V 52
optical detection noise V 55
optical detection sensitivity V 54, V 65
optical lever VI 132, V 52
optical near-field interaction V 233
optical readout V 1
optical switch VII 350, VII 353–355
organic molecule VI 49
(111)-oriented VI 67
ORR VII 291
oscillator VII 158
osteoclasts VII 282
Ostwald ripening VI 72
oxide layer VII 288
oxidoreductase VII 269, V 247
oxygen VII 279
 consumption VII 280
 production VII 280
 reduction VII 290
 transport cartilage VII 284
oxygen-reduction catalysts VII 291
oxygen-reduction reaction VII 290
- parallel scanning V 19
parameter analysis V 176, V 180, V 181
partial differential equation VII 269
parylene C V 242
passive cantilever V 1
passive layer VII 290
passive regions VII 288
Pd layer VI 87
PECVD V 242
PEP-nBEAA VII 331
pH change V 255
phase angle V 149, V 153, V 155, V 158,
 V 159, V 163, V 167, V 168, V 174,
 V 176, V 214, V 216
phase separation VII 220
phase shift V 162, V 175–177, V 181–183,
 V 196, V 214, V 217
photodiode V 52
photoelectrochemical microscopy V 257
photoemission spectroscopy VII 215
photosynthetic oxygen production VII 279
photothermal excitation V 105
physisorbed VI 1, VI 4–6, VI 8
physisorbed assemblies of organic molecules
 VI 70
physisorption VI 137
piezoelectric detection VII 142
piezoelectricity V 2
piezoresistive detection VII 142, VII 144
piezoresistive stress sensor V 5
piezoresistive/piezoelectric V 1
piezoresistor V 2
pitting corrosion VII 288, VII 290
plant lectin VI 173
plasma membrane VI 166
plasma membrane oligosaccharides VI 199
plasmon VI 261
point-mass model V 161–163, V 166,
 V 170, V 216
pointing noise V 55
Poisson statistics V 56
Poisson's ratio V 128
polarization modulation infrared reflection
 absorption spectroscopy VII 215
poly(ethylene glycol) (PEG) VI 101, VI 112
poly(ethylenepropylene) (PEP) VII 331–
 333, VII 335, VII 336
poly(phenylenesulfide) (PPS) VII 313,
 VII 314
poly(vinylpyrrolidone) (PVP) VII 326,
 VII 327
polyester VII 328
polymer composite VI 314
polymer–matrix composites (PMCs)
 VII 303, VII 314, VII 320, VII 328
polymorphism VI 71
polyoxometalates VI 92
polystyrene composite VI 313
position-sensitive photodetector V 52
potentiometric electrodes VII 261
potentiometric pH sensor V 257
potentiometric sensor VII 290
(bi)potentiostat VII 263
power spectral density (PSD) VII 310,
 VII 311, VII 340
pressure gap VII 198, VII 214, VII 215,
 VII 218, VII 220, VII 221
pressure gradient VII 288
pressure-sensitive adhesives (PSAs)
 VII 303, VII 305, VII 329–331, VII 337,
 VII 340
probe fabrication V 234
proportional damping V 190, V 194, V 198
prostate cell line VI 198
protein VI 166, VII 233–235, VII 243–247,
 VII 249, VII 250, VII 252, VII 276
protein unfolding VI 117–119, VI 122
protein/amphiphile VII 245
protoblasts VII 280

- protruding cells VII 280
pseudomorphic Pd layer VI 89
PSMA antigen VI 198
pull-in voltage VII 153
pull-off force $F_{\text{pull-off}}$ VI 188, VII 308, VII 336
pull-out VI 294, VI 295, VI 298, VI 300, VI 304–306, VI 312, VI 314, VI 316, VI 317
pure torsional analysis V 153, V 163, V 171, V 180, V 181, V 184, V 185, V 198, V 214, V 216, V 217
pyrroloquinoline quinone (PQQ)-dependent glucose dehydrogenase VII 266
- Q* factor V 100
Q-control V 75
quadraplex DNA VI 147
quality factor (*Q*) VI 135, VII 135, VII 163, V 151, V 158, V 166, V 168, V 176, V 194
quantum limit VII 165
quasireversible redox couple VII 264
- radial breathing mode V 287
radial polarization VI 268–273
Raman spectroscopy V 288, V 289
random access memory VII 146, VII 154
Rayleigh range V 53
reaction order VI 50
reaction pathway VII 210
reactivity measurements VII 213
read-only memory VII 161
real *z*-stage V 27
real-time imaging VI 153
real-time single-molecule enzymology VI 158
receding contact angle VII 2
recognition VII 225, VII 243, VII 248, VII 250
recognition image VI 120–122
reconstructed Au(111) surface VI 68
reconstruction VI 68
reference electrode VI 66
reinforcement VI 288, VI 290–292, VI 294, VI 295, VI 315, VI 317, VI 320
reliability VII 350, VII 358, VII 360, VII 362
repulsive electrostatic force VI 175
repulsive force VI 177
resistance VII 119–125
resonance amplitude V 15
resonance frequency V 15, V 32, V 49, V 63, V 149, V 153, V 155, V 156, V 158–160, V 167–170, V 172, V 176–180, V 185, V 186, V 215, V 216
resonant Raman scattering V 287
resonant tunneling VI 37
resonator VII 160
 ultrahigh frequency resonators VII 135
resorption of bone VII 282
retract curve VI 186
Richard Feynman VI 127
RNA polymerase VI 151
roll-off angle VII 2
rotational motion VI 56
rotational motor VII 150
roughness V 272, V 283
rubber VII 321, VII 330, VII 331
- S edge VII 206
S–H groups VII 204
SA of metal-complex molecules VI 85
salt bridge VI 139
SAM VII 85
sample-generation/tip-collection mode VII 271
scan direction V 156, V 203, V 208, V 212, V 213, V 217
scan velocity V 90
scanning electrochemical microscopy (SECM) VII 260
scanning electrochemical-scanning chemiluminescence microscopy V 249
scanning image V 19, V 20
scanning near-field optical microscopy V 287
scanning near-field optical microscopy technique V 288
scanning surface confocal microscopy (SSCM) V 254
scanning tunneling microscope
 tunneling current VII 77
scanning tunneling microscopy (STM)
 VI 1–14, VI 16–28, VI 65, VI 144, VII 77, VII 198, VII 199, VII 215, VII 220, V 287
 movies VII 218
scanning tunneling spectroscopy (STS)
 VI 4, VI 14, VI 25, VII 200
SECM V 230, V 231
SECM-fluorescence imaging V 255

- SECM-induced pH change V 257
 SECM/PEM V 257
 selectins VI 195
 selectivity VII 207, VII 210, VII 211,
 VII 213
 self-assembled monolayer (SAM) VI 65,
 VII 81, VII 227
 self-assembly VI 1, VI 2, VI 4–6, VI 8,
 VI 10, VI 11, VI 13, VI 14, VI 21, VI 23,
 VI 25, VI 27, VI 28, VI 65, VI 128,
 VII 139
 sensitivity VII 271, VII 294, V 7
 sensor-actuator crosstalk (SAC) V 9
 sensors VII 78, VII 108
 biological sensors VII 135
 chemical sensors VII 135
 force sensors VII 135
 separation work VI 193
 SERS VI 258, VI 260–264, VI 274, VI 275,
 VI 282
 seta VII 47, VII 48, VII 55–58, VII 60,
 VII 70
 setae VII 42, VII 44, VII 46, VII 47, VII 49,
 VII 54, VII 56, VII 57, VII 63, VII 70,
 VII 73
 shape resonance VI 35
 shear force microscopy (ShFM) VI 158
 shear forces VII 293
 shear stiffness VII 305, VII 306, VII 309,
 VII 310, VII 333, VII 336
 shear strength VI 294, VI 295, VI 304,
 VI 306, VI 312, VI 313, VI 317, VI 319
 shear stress VI 293–295
 shear yield strength VI 312
 shear yield stress VI 294
 shear-force based SECM V 231
 shear-force distance control VII 281
 shear-force mode V 252
 shear-force-based system VII 281
 short-range force VI 175
 shot noise V 55
 SICM V 232
 SICM micropipette V 253
 SICM/patch-clamp study V 261
 signal-to-noise ratio V 54, V 57
 silicon VII 290
 silicotungstic acid (STA) VI 93
 simple z-stage V 25
 single
 carbon fiber VI 312
 crystal VI 67
 engineering VI 295
 molecule VI 31
 molecules V 314
 MWCNT VI 289
 nanotube VI 296, VI 298, VI 305, VI 309,
 VI 312, VI 320
 nanotube composite VI 302
 tube VI 296
 single-chip AFM V 16
 single-chip CMOS AFM V 16
 single-crystal VII 198
 single-crystal surfaces VII 207, VII 216,
 VII 220
 single-fiber VI 293–296
 composite VI 295
 pull-out VI 294, VI 295
 single-molecule fluorescence spectroscopy
 (SECM-SMFS) V 255
 single-walled nanotube V 239
 site-selective chemistry VI 54
 skin VII 284
 small cantilevers V 56
 smart adhesion VII 40, VII 41, VII 70
 solid–liquid interface VI 65, VII 293
 spatial eigenvalue V 63
 spectroscopy VII 242, VII 248, VII 249
 spring constant VI 132, V 3, V 100
 spring constant calibration V 69
 ssDNA VI 147
 static AFM mode V 156, V 200
 static contact angle VII 5, VII 6, VII 27,
 VII 35
 statistical approach using a Poisson
 distribution VI 192
 steady-state diffusion-limited current
 VII 269
 steam reforming VII 217, VII 220
 steel VII 288, VII 289
 step edge VII 207–211, VII 218
 steric force VI 179
 stick-slip VII 310, VII 331–335, V 151,
 V 200, V 210–213
 stiction VII 358, VII 360, VII 363
 stiction/friction VII 358
 stiffness VII 89, VII 92, VII 94, VII 111,
 VII 116, VII 122
 STM-pH measurement V 257
 stomatal complexes VII 280
 strained silicon VI 258, VI 260, VI 272–274
 streptavidin-coated magnetic microbeads
 VII 267

- stress V 307
stress transfer VI 288, VI 293, VI 294,
VI 315
structural molecular biology VI 159
structure of SAMs VI 78
structure sensitivity VII 207
substituted alkanes VI 6, VI 8, VI 9, VI 23
substrate-generation/tip-collection mode
VII 263
sulfur vacancies VII 205
sum frequency generation VII 215
supercoiling VI 147
superhydrophobic VII 1, VII 2, VII 4,
VII 19, VII 23, VII 31, VII 37, VII 38
superhydrophobicity VII 2, VII 3, VII 19
superoxide anion VII 283
surface VI 1–5, VI 7–11, VI 16, VI 24,
VI 25, VI 27
catalysis VII 221
chemistry VII 221
modifications VII 293
stress VI 253
surface-directed condensation VI 151
surface-enhanced and tip-enhanced near-field
Raman spectroscopy V 314
surface-enhanced Raman scattering V 287
surface-science approach VII 198, VII 214,
VII 216, VII 220
surfactant VII 331, VII 337, VII 340
SW 480 VII 280
SWCNT composite VI 315
SWCNT-polymer composite VI 315
SWCNT-polyurethane acrylate (PUA)
composite VI 315
SWCNT-PUA composite VI 315
SWNT VI 267, VI 268
synthetic track-etched membrane V 244
- Ta VII 288
tack VII 330, VII 331, VII 342
tackifier VII 330, VII 331, VII 333, VII 335
tapping VII 306, VII 337–339, V 123,
V 124, V 126
tapping mode VI 135, V 62, V 75, V 149,
V 154, V 156, V 192
temporary negative ion VI 44
tensile
strain VI 315
strength VI 289, VI 290, VI 294
stress VI 293
TERS VI 258–262, VI 268–274
Tersoff–Hamann VII 199, VII 203
thermal actuation V 9
thermal noise V 66
thermodynamical equilibrium VII 214
thermomechanical noise VII 305, VII 310,
VII 342
thiol VII 238, VII 240–243, VII 247,
VII 254
thiolate VII 236
thiophene VII 203–205
Ti VII 288
time-lapse imaging VI 153
tip and surface functionalization VI 184
tip eccentricity V 149, V 150, V 163, V 197,
V 199, V 200, V 216
tip-sample force V 159, V 162
tip-sample interaction V 82, V 149–152,
V 155, V 156, V 158–170, V 173–177,
V 179, V 181, V 183, V 185, V 186,
V 188, V 190, V 192, V 193, V 195,
V 197–199, V 208, V 214, V 216, V 219
tip-enhanced near-field Raman spectroscopy
V 305
tip-enhanced Raman scattering V 287
tip-enhancement V 305
tip-generation/substrate collection mode
VII 263
tip-generation/substrate collection mode
(TG/SC) VII 291
tip-pressurized effect VI 275, VI 283
tip-surface distance V 162, V 205
titanium VII 290
top-down fabrication VI 128, VII 137
topographic map V 149, V 163, V 201,
V 203, V 205, V 207, V 208, V 210–213,
V 216
topographical signal VI 134
topography V 155, V 156, V 158–160,
V 202–205, V 210, V 212, V 213, V 216
torsion V 149–151, V 153, V 154, V 156,
V 159, V 162, V 175, V 177–181,
V 183–185, V 192, V 194, V 197–200,
V 203, V 207, V 211, V 216
torsional resonance (TR) V 112, V 113,
V 149
torsional resonance (TR) mode V 113,
V 116, V 121, V 150, V 152, V 154,
V 156, V 159, V 162, V 163, V 171,
V 176, V 178–182, V 184–187, V 189,
V 196, V 197, V 199, V 200, V 214,
V 216

- total internal reflection fluorescence
 microscopy (TIRFM) VI 159
- transmission electron microscope VII 215
- transmission electron microscopy VII 198
- transverse dynamic force microscopy (TDFM)
 VI 158
- trial-and-error VII 200
- triple-stranded DNA VI 147
- tumor cells VII 283
- tuning fork VII 278
- tunneling VII 199
- tunneling current VI 66
- turnover frequency VII 207
- two-component catalysts VII 216
- two-segment detector V 59
- UHV VII 214
- ultrahigh vacuum VII 198
- ultramicroelectrodes (UME) VII 261
- ultramicrotomy VII 312
- ultranano-crystalline diamond (UNCD)
 VII 110–118, VII 120, VII 122–125,
 VII 127, VII 128
 fabrication VII 112–114
- unbinding force VI 188, VI 197
- unbinding probability VI 197
- universal filter V 13
- universal sensitivity function V 66
- upper detection limit V 61
- vacancy islands (VIs) of the gold surface
 VI 72
- vacuum evaporation VI 67
- vacuum level VI 32
- van der Waals VI 176, VI 307, VI 312,
 VI 313
 attraction VI 175
 energy VII 176
 Lennard-Jones potential VII 176
 force VI 179, VI 300, VI 304, VI 306,
 VI 307, VI 314, VII 136, VII 138,
 VII 162, VII 182, VII 185, VII 189, V 82
 Lennard-Jones potential VII 178
- vertical bending V 149, V 150, V 153,
 V 156, V 158, V 159, V 163, V 168,
 V 192, V 194, V 195, V 197, V 202,
 V 213, V 216
- vibration amplitude V 62
- vibration mode V 62, V 64, V 66
- vibrational mode VI 33
- viscoelasticity VII 306, VII 307
- vitro-fertilized bovine embryos VII 280
- wear VII 80, VII 109, VII 110, VII 117,
 VII 358, VII 361, VII 363
- wetting VI 306, VII 1–3, VII 7, VII 8,
 VII 29, VII 31, VII 37, VII 38
- wetting angle VI 306, VI 310, VI 311
- Wheatstone bridge V 6, V 7
- white noise V 56
- X-ray absorption spectroscopy VII 215
- X-ray diffraction spectroscopy VII 215
- Young's modulus VI 289–291, VI 293