

REFERENCES

- Birman, M.Sh. (1956), On the theory of self-adjoint extensions of positive definite operators, *Math. Sbornik* 38, 431-450 (Russian).
- Chernoff, P.R. (1970), Semigroup product formulas and addition of unbounded operators, *Bull. Amer. Math. Soc.* 76, 395-398.
- Chernoff, P.R. (1972a), Perturbation of dissipative operators with relative bound one, *Proc. Amer. Math. Soc.* 33, 72-74.
- Chernoff, P.R. (1972b), Some remarks on quasi-analytic vectors, *Trans. Amer. Math. Soc.* 167, 105-113.
- Chernoff, P.R. (1973), Essential self-adjointness of powers of generators of hyperbolic equations, *J. Functional Anal.* 12, 401-414.
- Chernoff, P.R. (1974), Product Formulas, Nonlinear Semigroups and Addition of Unbounded Operators, *Mem. Amer. Math. Soc.* # 140, Amer. Math. Soc., Providence, R.I..
- Davies, E.B. (1973), Properties of the Green's functions of some Schrödinger operators, *J. London Math. Soc.* (2), 7, 483-491.
- Deny, J. (1950), Les potentiels d'énergie finie, *Acta Math.* 82, 107-183.
- Devinatz, A. (1973), The deficiency index problem for ordinary self-adjoint differential operators, *Bull. Amer. Math. Soc.* 79, 1109-1127.
- Dunford, N. and J.T. Schwartz (1963), *Linear Operators, Part II*, Interscience, New York.
- Everitt, W.N. and M. Giertz (1972), Some inequalities associated with certain ordinary differential operators, *Math. Z.* 126, 308-326.
- Everitt, W.N. and M. Giertz (1973), Inequalities and separation for certain partial differential expressions, preprint, Dept. of Math., Royal Inst. of Technology, Stockholm.

- Faris, W. (1972a), Invariant cones and uniqueness of the ground state for fermion systems, *J. Mathematical Phys.* 13, 1285-1290.
- Faris, W. (1972b), Quadratic forms and essential self-adjointness, *Helv. Phys. Acta* 45, 1074-1088.
- Faris, W. (1973), Essential self-adjointness of operators in ordered Hilbert space, *Commun. Math. Phys.* 30, 23-34.
- Faris, W. and R. Lavine (1974), Commutators and self-adjointness of Hamiltonian operators, *Commun. Math. Phys.* 35, 39-48.
- Friedman, C.N. (1972), Perturbations of the Schrödinger equation by potentials with small support, *J. Functional Anal.* 10, 346-360.
- Glazman, I.M. (1965), *Direct Methods of Qualitative Spectral Analysis of Singular Differential Operators*, Israel Program for Scientific Translations, Jerusalem.
- Glimm, J. and A. Jaffe (1969), Singular perturbations of self-adjoint operators, *Commun. Pure Appl. Math.* 22, 401-414.
- Glimm, J. and A. Jaffe (1971), Quantum field theory models, in: *Statistical Mechanics and Quantum Field Theory - Les Houches 1970*, ed. by C. DeWitt and R. Stora, Gordon and Breach, N.Y.
- Glimm, J. and A. Jaffe (1972a), Boson quantum field models, in: *Mathematics of Contemporary Physics*, ed. by R. Streater, Academic Press, New York.
- Glimm, J. and A. Jaffe (1972b), The $\lambda\phi_2^4$ quantum field theory without cutoffs, IV. Perturbations of the Hamiltonian, *J. Mathematical Phys.* 13, 1568-1584.
- Goldstein, J.A. (1972), Some counterexamples involving self-adjoint operators, *Rocky Mtn. J. Math.* 2, 143-149.
- Gross, L. (1972), Existence and uniqueness of physical ground states, *J. Functional Anal.* 10, 52-108.
- Gross, L. (), Logarithmic Sobolev inequalities, *Amer. J. Math.*
- Gross, L. (), Analytic vectors for representations of the canonical commutation relations and non-degeneracy of ground states, *J. Functional Anal.*
- Goodman, R. (1969), Analytic domination by fractional powers of a positive operator, *J. Functional Anal.* 3, 246-264.

- Gustafson, K. and P. Rejto (1973), Some essentially self-adjoint Dirac operators with spherically symmetric potentials, Israel J. Math. 14, 63-75.
- Hellwig, G. (1967), Differential Operators of Mathematical Physics, Addison-Wesley, Reading, Mass..
- Hoegh-Krohn, R. (1971), A general class of quantum fields without cutoff in two space-time dimensions, Commun. Math. Phys. 21, 244-255.
- Jörgens, K. and J. Weidmann (1973), Spectral Properties of Hamiltonian Operators, Springer, Berlin.
- Kalf, H. (1973), Self-adjointness for strongly singular potentials with a $-|x|^{-2}$ fall-off at infinity, Math. Z. 133, 249-255.
- Kalf, H. and J. Walter (1972), Strongly singular potentials and essential self-adjointness of singular elliptic operators in $C_0^\infty(\mathbb{R}^n \setminus \{0\})$, J. Functional Anal. 10, 114-130.
- Kalf, H. and J. Walter (1973), Note on a paper of Simon on essentially self-adjoint Schrödinger operators with singular potentials, Arch. Rat. Mech. Anal. 52, 258-260.
- Kato, T. (1966), Perturbation Theory for Linear Operators, Springer, New York.
- Kato, T. (1972), Schrödinger operators with singular potentials, Israel J. Math. 13, 135-148.
- Kato, T. (1973), A remark to the preceding paper by Chernoff, J. Functional Anal. 12, 415-417.
- Kato, T. (1974), A second look at the essential self-adjointness of the Schrödinger operators, in Physical Reality and Mathematical Description, edited by C.P. Enz and J. Mehra, Reidel, Dordrecht, Holland.
- Konrady, J. (1971), Almost positive perturbations of positive self-adjoint operators, Commun. Math. Phys. 22, 295-300.
- Krein, M.G. (1947), The theory of self-adjoint extensions of semi-bounded Hermitian operators and its applications I, Math. Sbornik 20, 431-495, II, Math. Sbornik 21, 365-404 (Russian).

- Masson, D. and W.K. McClary (1972), Classes of C^∞ vectors and essential self-adjointness, J. Functional Anal. 10, 19-32.
- McBryan, O.A. (1973), Local generators for the Lorentz group in the $P(\phi)_2$ model, Nuovo Cimento 18A, 654-662.
- McBryan, O.A. (), Self-adjointness of relatively bounded quadratic forms and operators, preprint Dept. of Math., Univ. of Toronto.
- McIntosh, A. (1970a), Bilinear forms in Hilbert space, J. Math. Mech. 19, 1027-1045.
- McIntosh, A. (1970b), Hermitian bilinear forms which are not semi-bounded, Bull. Amer. Math. Soc. 76, 732-737.
- McIntosh, A. (1972), On the comparability of $A^{\frac{1}{2}}$ and $A^{*\frac{1}{2}}$, Proc. Amer. Math. Soc. 32, 430-434.
- Nelson, E. (1959), Analytic vectors, Ann. Math. 70, 572-615.
- Nelson, E. (1964), Feynman integrals and the Schrödinger equation, J. Mathematical Phys. 5, 332-343.
- Nelson, E. (1966), A quartic interaction in two dimensions, in: Mathematical Theory of Elementary Particles, ed. by R. Goodman and I.E. Segal, M.I.T. Press, Cambridge.
- Nelson, E. (1969), Topics in Dynamics I : Flows, Princeton Univ. Press, Princeton, N.J..
- Nelson, E. (1972), Time-ordered operator products of sharp-time quadratic forms, J. Functional Anal. 11, 211-219.
- Nelson, E. (1973), The free Markoff field, J. Functional Anal. 12, 211-227.
- Nelson, E. and W.F. Stinespring (1959), Representation of elliptic operators in an enveloping algebra, Amer. J. Math. 81, 547-560.
- Nussbaum, A.E. (1965), Quasi-analytic vectors, Arkiv för Matematik 6, 179-191.
- Nussbaum, A.E. (1969), A note on quasi-analytic vectors, Studia Math. 33, 305-309.
- Okazawa, N. (1971), A perturbation theorem for linear contraction semigroups on reflexive Banach spaces, Proc. Japan Acad. 47, suppl. II, 947-949.

- Okazawa, N. (1973), Perturbations of linear m -accretive operators, Proc. Amer. Math. Soc. 37, 169-174.
- Parrott, S. (1969), Uniqueness of the Hamiltonian in quantum field theories, Commun. Math. Phys. 13, 68-72.
- Protter, M.H. and H.F. Weinberger (1967), Maximum Principles in Differential Equations, Prentice Hall, Englewood Cliffs.
- Radin, C. (), Some remarks on the evolution of a Schrödinger particle in an attractive $1/r^2$ potential, preprint, Dept. of Math., Rockefeller Univ., New York.
- Rosen, L. (1970), A $\lambda\phi^{2n}$ field theory without cutoffs, Commun. Math. Phys. 16, 157-183.
- Schechter, M. (1971), Spectra of Partial Differential Operators, North-Holland, Amsterdam.
- Schechter, M. (1972), Hamiltonians for singular potentials, Indiana Univ. Math. J. 22, 483-503.
- Schmincke, U.-W. (1972), Essential self-adjointness of a Schrödinger operator with strongly singular potential, Math. Z. 124, 47-50.
- Schmincke, U.-W. (1973), A spectral gap theorem for Dirac operators with central field, Math. Z. 131, 351-356.
- Schonbek, T.P. (1973), Notes to a paper by C.N. Friedman, J. Functional Anal. 14, 281-294.
- Schwartz, L. (1966), Théorie des Distributions, Hermann, Paris.
- Segal, I. (1970), Construction of non-linear local quantum processes: I, Ann. Math. 92, 462-481.
- Segal, I. (1971), Construction of non-linear local quantum processes: II, Invent. Math. 14, 211-241.
- Semenov, Yu.A. (1972), On the Lie-Trotter theorems in L_p -spaces, preprint, Inst. Theoretical Phys., Acad. Sci. Ukrainian SSR, Kiev.
- Simon, B. (1971a), Quantum Mechanics for Hamiltonians Defined as Quadratic Forms, Princeton Univ. Press, Princeton, N.J..
- Simon, B. (1971b), The theory of semi-analytic vectors: A new proof of a theorem of Masson and McClary, Indiana Univ. Math. J. 20, 1145-1151.

- Simon, B. (1971c), Determination of eigenvalues by divergent perturbation series, *Adv. Math.* 7, 240-253.
- Simon, B. (1972), Topics in functional analysis, in *Mathematics of Contemporary Physics*, edited by R.F. Streater, Academic Press, London.
- Simon, B. (1973a), Essential self-adjointness of Schrödinger operators with positive potentials, *Math. Ann.* 201, 211-220.
- Simon, B. (1973b), Essential self-adjointness of Schrödinger operators with singular potentials, *Arch. Rat. Mech. Anal.* 52, 44-48.
- Simon, B. (1973c), Schrödinger operators with singular magnetic vector potentials, *Math. Z.* 131, 361-370.
- Simon, B. (1973d), Quadratic forms and Klausner's phenomenon: A remark on very singular perturbations, *J. Functional Anal.* 14, 295-298.
- Simon, B. (1973e), Ergodic semigroups of positivity preserving self-adjoint operators, *J. Functional Anal.* 12, 335-339.
- Simon, B. and R. Hoegh-Krohn (1972), Hypercontractive semigroups and two dimensional self-coupled Bose fields, *J. Funct. Anal.* 9, 121-180.
- Sloan, A.D. (), Analytic domination with quadratic form type estimates and non-degeneracy of ground states in quantum field theory, *Trans. A.M.S.*
- Sloan, A.D. (), Analytic domination by fractional powers with linear estimates, preprint, Math.Dept., Georgia Inst. Tech., Atlanta
- Stein, E.M. (1970), *Singular Integrals and Differentiability Properties of Functions*, Princeton Univ. Press, Princeton, N.J..
- Stein, E.M. and G. Weiss (1971), *Introduction to Fourier Analysis on Euclidean Spaces*, Princeton Univ. Press, Princeton, N.J..
- Velo, G. and A. Wightman (eds.) (1973), *Constructive Quantum Field Theory*, Springer, Berlin.
- Wüst, R. (1971), Generalizations of Rellich's theorem on perturbation of (essentially) self-adjoint operators, *Math. Z.* 119, 276-280.

- Wüst, R. (1972), Holomorphic operator families and stability of self-adjointness, Math. Z. 125, 349-358.
- Wüst, R. (1973), A convergence theorem for self-adjoint operators applicable to Dirac operators with cutoff potentials, Math. Z. 131, 339-349.
- Yakimov, Ya.M. (1974), On a criterion of essential self-adjointness of operators, preprint, Inst. Theoretical Phys., Acad. Sci. Ukrainian SSR, Kiev.