

Concluding Remarks

1. Discussion of the Methodology of the Approach

Though the design of man-computer interfaces is becoming more and more important there are relatively few research results in this area. With the project presented here we hope to advance the discussion within computer science.

Our technological know-how and the methods of computer science have proved to be helpful. However, we had problems to actually include the human side in dp-system design. They were of substantial and methodical nature: We had to find out, what the main characteristics of a computer user are, and we were in doubt with what methods we could work in this field.

We finally chose to study man and computer by different means. We described the human side by factors which influence the user's behaviour. On the other hand we developed general design concepts basing on the deterministic properties of the computer.

Both components meet at the interface, which we formally described by nets. We represented the agency 'computer' by refined nets and automata, whereas the agency 'user' was not further formalized.

For the development of design recommendations for a man-computer interface we chose a deductive approach: From the rather general user factors we deduced design guidelines for a user-oriented interface. This approach seems appropriate out of two different reasons:

1. Because of the rapid progress of the computer technology computer science needs general methods in order to adapt design quickly enough to the continuously changing reality.

Empirical studies alone cannot be sufficient to develop design criteria: they need too much time to achieve their results and they can only deal with those technologies already implemented. Therefore a deductive approach which leads to immediate results can be more appropriate than an empirical one.

2. On the other side, the main user characteristics do not change that rapidly, if at all. In the long run we consider empirical studies in this area necessary. They can help to develop a basis on which an optimal adaptation of computer technologies to individual human needs can be achieved.

It should be obvious that the design of man-computer interfaces should be done in close cooperation between computer scientists and social scientists. Both of these disciplines have a part in this task according to their specific know-how and methods.

Being computer scientists, we could only give a first and rather ideal contribution to the component 'user'. It nevertheless formed a basis on which we came to results for improved interface design.

2. A New Taylorism?

Our approach has been to apply different methods and means of description to man and computer. Another possibility is that of taking the same way to examine both, man and computer, within a common model.

One of these latter approaches is based on the idea that both man and computer are information processing systems ((see NEWELL/SIMON 72; CARBONELL 69; MILLS 74; MILLER/GALANTER/PRIBRAM 70)): "Regard men and machines as equal status components for system operations with equal requirements for development, state-of-art projections, and improvement, according to their own characteristics." ((MILLS 74, p. 5))

This leads MILLS to the conclusion: "A system depends on its components. The architecture of a system specifies the types of men and machines required, as well as how they are to interact as a system operation, i.e., the selection and arrangement of the system components, as well as detailed instructions for their behaviour." ((loc.cit.))

But he admits: "It is much more difficult to predict human performance than a machine performance. Sometimes the human fails to live up to a requirement." ((loc.cit., p. 4))

Though such approaches might lead to partially meaningful results, we think that in general they do no justice to users at a man-computer interface. The behaviour of men is too complex to be totally represented by formal models nor to be exactly planned ahead of time. "Common sense cannot be automated, no matter how much chess playing can." ((HOLT 74))

The information processing approach tries to formalize human intellectual and psychical processes. KIRSCH remarks that the human cognitive information processing system thereby is seen as a pure instrumental mechanism to control and regulate the interior and exterior behaviour of men ((KIRSCH 73, p. 563)). This reminds of taylorism and scientific management; supporters of these schools tried to rationalize physical processes in the industrial production. But when applying their results to real life situations they found negative impacts which questioned their first success in many cases.

The same is to be feared for the above mentioned theory of men as information processing systems, as one can see in the discussion of management- and information systems ((see KIRSCH 73)).

To counter the problem of a "taylorism at a high scientific level" ((see KIRSCH 73, p. 563)) we have to develop an image of man as a complex, social being: Man should be free to become emancipated in a technical environment. This opinion aims at a humanization of computer applications, that means, a strategy against taylorism in the design of man-computer interfaces, but for a widening of the present room for the user's

behaviour and decision making ((see TIETZE 74, p. 311)). Our report tries to contribute to this special aspect.

3. Problems of the Acceptance of the Results

Of what use are the results of this report? As we mentioned before, there are very few research projects on the design of man-computer interfaces with an emphasis on the human side of the system. Therefore this report is only a beginning and cannot present final design criteria.

If you look at the reported results - especially those of part III - you might consider them as rather trivial. Most of the recommendations can be found elsewhere, too. Also most of the dialog techniques in part II are known. But only in recent time these concepts have been linked together.

Like STELLMACHER ((in STELLMACHER 76, p. 383)) we think that our "catalogue of design criteria consists partly of obvious things. The more it is astonishing to see that most of these criteria are not at all met in existing systems or only in a small amount." Many query languages might look different if their designers had had a list of design criteria as we presented in part III of this report.




This shows one of the main problems in this area: Designers do not have the appropriate awareness nor the knowledge which is necessary to do user-oriented interface design. Therefore the corresponding topics (human requirements, human engineering ...) must be included in the curricula for system designers, computer scientists etc. All people involved in system design are to be made responsible for their product and it is necessary that they are aware of this. Additionally they must know which technological options they have.

User-friendliness is a typical concept relying on so-called "soft facts": it cannot be precisely defined and quantified. Therefore it will always tend to be displaced by so-called "hard facts" (technological and economical 'necessities').

Supporters of arguments basing on soft facts need a much more powerful position in the design process to get their suggestions accepted. ((see KIRSCH 73, p. 565))

Thus concepts for user-friendliness cannot be enforced in general. But there is a growing awareness of their necessity.

"Increasingly there is an intellectual recognition of the fact that all systems are man-machine systems and that if the human part of the system is not performing effectively then it is unlikely that the technical part of the system will be efficient either." ((MUMFORD 71, p. 918))



REFERENCES

- ALTSHULER/PLAGMAN 74 *G. Altshuler, B. Plagman*
User/System Interface within the Context
of an Integrated Corporate Data Base
in: AFIPS Conference Proceedings Vol.43
National Computer Conference 1974
pp. 27-33
- BAACKE 73 *D. Baacke*
Kommunikation und Kompetenz
München: Juventa 1973, 408 pages
- BARTHEL 75 *T. Barthel*
Untersuchungen über eine ideale Benutzer-
sprache für juristische Dokumentations-
systeme
Diploma thesis at the Institut für
Informatik, Universität Hamburg
Nov. 1975, 178 pages
- BARTHEL/ROCHOLL 78 *T. Barthel, A. Rocholl*
Benutzersprachen von Dialogretrieval-
systemen
in: Kupka, I. (Ed.): Techniken des
Dialogs
München: Hanser 1978
pp. 115-131
- BEETZ 73 *J. Beetz*
Flexible Dialoggestaltung bei inter-
aktiven Programmen
in: IBM-Nachrichten Vol.23(1973) No.216
July 1973, pp. 719-722

- BELL/GOLD 72 *C.G.Bell, M.M.Gold*
An Introduction to the Structure of
Time-Shared Computers
in: J.T.Tou (Ed.): Advances in Infor-
mation Systems Sciences Vol.4(1972)
pp. 161-272
- BENNETT 72 *J.L.Bennett*
The User Interface in Interactive Systems
in: C.A.Cuadra (Ed.): Annual Review of
Information Science and Technology ?
Washington D.C.: Americ. Soc. for Inf.Sci.
1972, pp. 159-196
- BLASER 76 *A.Blaser*
Trends in der interaktiven Rechner-
benutzung
in: IBM-Nachrichten Vol.26(1976) No.230
Apr.1976, pp. 94-99
- BLASER/SCHAUER 77 *A.Blaser, U.Schauer*
Interactive Programming and Problem
Solving Systems for Application
Specialists without DP-Training
in: I.Kupka (Ed.): Techniken des Dialogs
München: Hanser 1977, pp. 55-71
- BLASER/SCHMUTZ 75 *A.Blaser, H.Schmutz*
Data Base Research: A Survey
IBM Germany, Heidelberg Scientific Center
TR 75.10.009, 1975, 91 pages
- BUSCH 76 *K.Busch*
Probleme der Ergonomie bei der Anwendung
von Sichtanzeigegeräten im Bank- und
Versicherungswesen
Presented on EURO-FIET (Fachgruppen-
sitzung der Versicherungs- und Sozial-
versicherungsangestellten), Paris 1976

CAKIR/SCHMUDE 78

A.Cakir, L. von Schmude
Anpassung von Bildschirmarbeitsplätzen
an die physische und psychische
Funktionsweise des Menschen
Institut für Arbeitswissenschaften an
der TU Berlin
Schriftenreihe 'Humanisierung des Arbeits-
lebens' des Bundesministeriums für Arbeit
und Sozialordnung, Bonn
 1978, 455 pages

CARBONELL 69

J.R. Carbonell
On Man-Computer Interaction: A Model
and Some Related Issues
in: IEEE Trans. on System Science and
Cybernetics Vol.SSC-5(1969) No.1
 Jan.1969, pp. 16-26

CARLSON/SUTTON 74

E.D. Carlson, J.A. Sutton
A Case Study of Non-Programmer Inter-
active Problem Solving
IBM Research Report San José Ca.
 RJ 1382, 1974, 76 pages

CHERITON 76

D.R. Cheriton
Man-Machine Interface Design for Time-
Sharing Systems
in: Proceedings of the ACM Annual Conf.
 1976, pp. 362-366

CODD 76

E.F. Codd
Seven Steps to RENDEZVOUS with the
Casual User
in: Tsichritzis, Chamberlin, Taylor (Eds.)
Tutorial on DB-Languages and Systems,
San Francisco Ca.
 1976, pp. 38-58

- CODD/DATE 74 *E.F.Codd, C.J.Date*
Interactive Support for Non-Programmers:
the Relational and Network Approaches
IBM Research Report San José Ca.
RJ 1400, 1974, 28 pages
- CORRELL 71 *W.Correll*
Lernen und Verhalten
Frankfurt: Fischer 1971
- DEHNING/MAASS 77 *W.Dehning, S.Maaß*
Kommunikative Aspekte der Mensch-
Computer-Interaktion
Universität Hamburg IFI-HH-M-43
1977, 61 pages
- DOERING 77 *D.Doering*
Die Verarbeitung unterbestimmter Größen
im Dialog
Diploma thesis at the Institut für
Informatik, Universität Hamburg
1977, 126 pages
- DOHERTY/THOMPSON/
BOIES 73 *W.J.Doherty, C.H.Thompson, S.J.Boies*
An Analysis of Interactive System Usage
with Respect to Software, Linguistic,
and Scheduling Attributes
in: SEAS Leuven Session Report
Sept. 1973, pp. 146-158
- DOLOTTA 70 *T.A.Dolotta*
Functional Specifications for Type-
writer-Like Time-Sharing Terminals
in: Computing Surveys Vol.2(1970)
pp. 5-31
- DOLOTTA et al. 76 *T.A.Dolotta, M.I.Bernstein, R.S.Dickson*
Jr., N.A.France, B.A.Rosenblatt,
D.M.Smith, T.B.Steel Jr.
Data Processing in 1980-1985
New York: John Wiley & Sons 1976,
191 pages

- DZIDA et al. 77 *W.Dzida, S.Herda, W.D.Itzfeldt,
H.Schubert*
*Zur Benutzerfreundlichkeit von Dialogsystemen - Ergebnisse einer Umfrage
Gesellschaft für Mathematik und Datenverarbeitung Bonn, Institut für Software-Technologie, Report No. 35*
April 1977, 78 pages
- DZIDA et al. 78 *W.Dzida, S.Herda, W.D.Itzfeld*
Factors of User-Perceived Quality of Interactive Systems
Gesellschaft für Mathematik und Datenverarbeitung Bonn, Institut für Software-Technologie, Report No.40
Jan. 1978, 60 pages
- EASON 76 *K.D.Eason*
*Understanding the Naive Computer User in: The Computer Journal Vol.19(1976)
No.1, pp. 3-7*
- EASON/DAMODARAN/
STEWART 75 *K.D.Eason, L.Damodaran, T.F.M.Stewart*
Interface Problems in Man-Computer Interaction
in: Proceedings of the IFIP Conference on Human Choice and Computers
Amsterdam: North-Holland 1975
pp. 91-105
- ENGEL/GRANDA 75 *St.E.Engel, R.E.Granda*
Guidelines for Man/Display Interfaces
IBM Poughkeepsie Laboratory
TR 00.2720, Dec. 1975, 42 pages
- FREEDMAN 72 *A.L.F.Freedman*
Man-Machine Interaction as a Fundamental Aspect of Overall System Design
in: Proceedings of a Conference on Computer Systems and Technology, IERE
1972, pp. 339-344

- FRIEDLÄNDER 78 *E.C.Friedländer*
Untersuchungen von Datensicherungsverfahren im Hinblick auf den Datenschutz
Diploma thesis at the Institut für Informatik, Universität Hamburg
April 1978, 110 pages
- GAGNE 69 *R.M.Gagné*
Die Bedingungen menschlichen Lernens
Hannover: Schroedel 1969
- GEIST 74 *H.Geist*
Ein Kommunikationsabwickler zur Steuerung von Terminalsitzungen
in: ACM German Chapter Lectures I-1974
Jan. 1974, pp. 30-38
- GENRICH/RICHTER 74 *H.J.Genrich, G.Richter*
DIN 66200 - ein Anfang in der Betriebs-systemnormung
in: Angewandte Informatik Vol.8(1974)
pp. 339-342
- GERNERT 76 *D.Gernert*
Benutzernahe Programmiersprachen
München: Hanser 1976, 80 pages
- GRAUS et al. 75 *W.Graus, J.Schneider, J.Schoenberger, K.-H.Weigand*
Menschliche Kommunikation in technischen Kommunikationssystemen
in: Öffentliche Verwaltung und Datenverarbeitung Vol.5(1975)
pp. 5-14
- HANSEN 71 *W.J.Hansen*
User Engineering Principles for Interactive Systems
in: AFIPS Conference Proceedings Vol.39
National Computer Conference 1971
pp. 523-532

- HEAFNER 74 *J.F. Heafner*
A Methodology for Selecting and Refining
Man-Computer Languages to Improve User's
Performance
University of Southern California
ISI/RR-77-21, 1974, 53 pages
- HEDBERG 74 *B. Hedberg*
Humanized Computers or Computerized
Humans? A Case Study of the Design and
Impact of a Realtime System in a
Commercial Bank
Berlin International Institute of
Management, Preprint Series I/74-24
Apr. 1974, 64 pages
- HEIBEY/LUTTERBECK/
TÖPEL 77 *H.-W. Heibey, B. Lutterbeck, M. Töpel*
Auswirkungen der elektronischen Daten-
verarbeitung in Organisationen
Bundesministerium für Forschung und
Technologie BMFT-FB DV 77-01
Jan. 1977, 331 pages
- HEIBEY et al. 77 *H.-W. Heibey, M. Kühn, B. Lutterbeck, M. Töpel*
Technologische Ursachen von Auswirkungen
des EDV-Einsatzes in Organisationen
Universität Hamburg, Report of the Fach-
bereich Informatik
Oct. 1977, 164 pages
- HOFFMANN 76 *H.J. Hoffmann*
Betrachtungen zum Entwurf interaktiver
Systeme
in: Proceedings of the 6th Informatik
Symposium of IBM Germany
Berlin: Springer 1976, pp. 38-91
Lecture Notes in Computer Science 49
- HOLT 74 *A.W. Holt*
Information as a System-Relative Concept
MIT, Sept. 1974, 11 pages

- JAESCHKE et al. 77 *G.Jaeschke, E.Keppel, R.Kogon, D.Kropp*
Interaktive Programmierung durch End-
benutzer
IBM Germany Heidelberg Scientific Center
TR 77.02.003, Apr. 1977, 33 pages
- JUTILA 71 *S.T.Jutila*
A User-Oriented Evaluation of a Time-
Shared Computer System
in: IEEE Trans. on Systems, Man and
Cybernetics Vol.SMC-1(1971) No.4
Oct. 1971, pp. 344-349
- KENNEDY 74 *T.C.S.Kennedy*
The Design of Interactive Procedures
for Man-Machine Communication
in: International Journal of Man-Machine-
Studies Vol.6(1974)
pp. 309-334
- KERN/SCHUMANN 70 *M.Kern, M.Schumann*
Industriearbeit und Arbeiterbewußtsein
Part I
Frankfurt, 1970
- KIRSCH 73 *W.Kirsch*
Auf dem Weg zu einem neuen Taylorismus?
in: IBM-Nachrichten Vol.23(1973) No.215
Apr. 1973, pp. 561-566
- KÜHN 78 *M.Kühn*
User-Friendliness
Unpublished Paper, 1978
- KÜHN 80 *M.Kühn*
CAD und Arbeitssituation
Informatik Fachbericht No.32
Berlin, Heidelberg, New York:
Springer 1980, 214 pages

- KUPKA 75
I. Kupka
Conversational Languages and Structured Interactive Programming
in: R. Aguilar (Ed.), Formal Languages and Programming
Amsterdam: North-Holland 1975
pp. 43-64
- KUPKA/OBERQUELLE/
 WILSING 75
I. Kupka, H. Oberquelle, N. Wilsing
An Experimental Language for Conversational Use
Universität Hamburg IFI-HH-B-18
Sept. 1975, 103 pages
- KUPKA/WILSING 75
I. Kupka, N. Wilsing
Dialogsprachen
Stuttgart: Teubner 1975, 168 pages
- LEVIN/MOORE 77
J. A. Levin, J. A. Moore
Dialogue-Games: Meta-Communication Structures for Natural Language Interaction
University of Southern California
ISI/RR-77-53, 1977
- LOCHOVSKY 77
F. H. Lochovsky
User Performance Measures for Data Base Management Systems
in: D. Tsichritzis (Ed.), A Panaché of DBMS Ideas
University of Toronto CSRG-78
1977, pp. 88-107
- LÖWE 71
H. Löwe
Einführung in die Lernpsychologie des Erwachsenenalters
Berlin: VEB Deutscher Verlag der Wissenschaften 1971, 250 pages

- MANN 75
W.C. Mann
Why Things are so Bad for the Computer-Naive User
University of Southern California
ISI/RR-75-32, 1975, 7 pages
- MANN 77
W.C. Mann
Man-Machine Communication Research: Final Report
University of Southern California
ISI/RR-77-57, Feb. 1977, 21 pages
- MANN et al. 75
W.C. Mann, J.A. Moore, J.A. Levin, J.H. Carlisle
Observation Methods for Human Dialogue
University of Southern California
ISI/RR-75-33, 1975, 85 pages
- MARTIN 72
J.T. Martin
The Interaction of Man-Machine Dialogue and Network Design
in: Infotech State of Art Report No.10 on Interactive Systems
Maidenhead, Berkshire: Infotech 1972
pp. 205-221
- MARTIN 73
J. Martin
Design of Man-Computer Dialogue
Englewood Cliffs N.J.: Prentice Hall
1973, 559 pages
- MARTIN/CARLISLE/
TREU 73
T.H. Martin, J. Carlisle, S. Treu
The User Interface for Interactive Bibliographic Searching: An Analysis of the Attributes of Nineteen Information Scientists
in: Journal of the American Society for Information Science March/April 1973
pp. 142-147

- MILLER 69 *R.B.Miller*
Archetypes in Man-Computer Problem Solving
in: IEEE Trans. on Man-Machine-Systems
Vol.MMS-10(1969)
pp. 219-241
- MILLER 71 *R.B.Miller*
Human Ease of Use Criteria and their Tradeoffs
IBM Poughkeepsie Laboratory
TR 00.2185, 1971, 16 pages
- MILLER/GALANTER/
PRIBRAM 70 *G.A.Miller, E.Galanter, K.H.Pribram*
Plans and the Structure of Behavior
London: Holt, Rinehart & Winston 1970
226 pages
- MILLER/THOMAS 76 *L.A.Miller, J.C.Thomas*
Behavioral Issues in the Use of Interactive Systems
in: Proceedings of the 6th Informatik Symposium of IBM Germany on Interactive Systems
Berlin: Springer 1976, pp. 193-215
Lecture Notes in Computer Science 49
and: IBM Research Center Yorktown Height N.Y. RC6326, 49 pages
- MILLS 74 *H.D.Mills*
On the Development of Systems of Men and Machines
in: Programming Methodology, 4th International Symposium, Sept. 1974
Berlin: Springer 1975, pp. 1-10
Lecture Notes in Computer Science 23

- MOORE/MANN/LEVIN 77 *J.A. Moore, W.C. Mann, J.A. Levin*
A Goal-Oriented Model of Natural
Language Interaction
University of Southern California
ISI/RR-77-52, 1977, 56 pages
- MORTON et al. 77 *J. Morton, J. Clark, P. Barnard, J. Long*
Components of Incompatibility in Man-
Computer Interactions
Cambridge 1977, 15 pages
- MUMFORD 71 *E. Mumford*
A Comprehensive Method for Handling the
Human Problems of Computer Introduction
in: Information Processing 71
Amsterdam: North-Holland 1971
pp. 918-923
- NEWELL/SIMON 72 *A. Newell, H.A. Simon*
Human Problem Solving
Englewood Cliffs N.J.: Prentice Hall 1972
920 pages
- NEWMAN 72 *W.C. Newman*
Languages for Describing Interaction
in: W. Händler, J. Weizenbaum (Eds.)
Display Use for Man-Machine Dialog
München: Hanser 1972
pp. 19-32
- NICKERSON 69 *R.S. Nickerson*
Man-Computer Interaction: A Challenge
for Human Factors Research
in: IEEE Trans. on Man-Machine-Systems
Vol. MMS-10(1969), Dec. 1969, pp. 164-180

- OBERQUELLE 75 *H. Oberquelle*
Dialogsysteme aus der Sicht des
Benutzers - Grundlagen für eine trans-
parente Beschreibung und Begriffsbildung
Universität Hamburg IFI-HH-M-12/75
March 1975, 13 pages
- OBERQUELLE 76 *H. Oberquelle*
Grundbegriffe zur Beschreibung von
Dialogen und dialogfähigen Systemen
Universität Hamburg IFI-HH-B-28/76
Sept. 1976, 60 pages
- OSKARSSON 75 *Ö. Oskarsson*
About Design of Conversation Interfaces
for Non-Expert Users
Uppsala University Datalogilaboratoriet
Jan. 1975, 6 pages
- PALME 75 *J. Palme*
Interactive Software for Humans
Swedish National Defense Institute
Stockholm FOA 1 REPORT C10029-M3(E5)
1975, 57 pages
- PARNAS 69 *D.L. Parnas*
On the Use of Transition Diagrams in
the Design of a User Interface for an
Interactive Computer System
in: Proceedings of the 24th ACM National
Conference 1969
pp. 379-385
- PECK/PECK 74 *S.J. Peck, P.L. Peck*
Human Engineering of Data Base Systems
in: Database Design and Implementation
Usbridge: Online Sept. 1974
- PETRI 62 *C.A. Petri*
Kommunikation mit Automaten
Dissertation an der Universität Bonn
1962, 128 pages

- PETRI 73 *C.A.Petri*
Concepts of Net Theory
in: Proceedings of a Symposium on
Mathematical Foundations of Computer
Science, High Tatras 1973
pp. 137-146
- PETRI 75 *C.A.Petri*
Interpretations of Net Theory
Gesellschaft für Mathematik und Daten-
verarbeitung Bonn, Institut für Soft-
ware Technologie Interner Bericht 75-07
1975, 34 pages
- PETRI 76 *C.A.Petri*
Kommunikationsdisziplinen
Gesellschaft für Mathematik und Daten-
verarbeitung Bonn, Institut für Soft-
ware Technologie Interner Bericht 76-1
March 1976, 20 pages
- RADL 77 *G.W.Radl*
Psychische Beanspruchung am Bildschirm-
arbeitsplatz
Technischer Überwachungsverein Rhein-
land Köln
Proc. Intertext 77, pp. 125-183
- REISNER/BOYCE/
CHAMBERLIN 75 *P.Reisner, R.F.Boyce, D.D.Chamberlin*
Human Factors Evaluation of Two Data
Base Query Languages - SQUARE and SEQUEL
in: AFIPS Conference Proceedings Vol.44
National Computer Conference 1975
pp. 447-452
- SKOWRONEK 69 *H.Skowronek*
Lernen und Lernfähigkeit
München: Juventa 1969

- SOKOLOVSKY 78 *Z.Sokolovsky*
Bemerkungen zur Benutzeradäquanz form-
tierter Datenbanksysteme
in: ONLINE-ADL-Nachrichten 1978
No. 1-2, pp. 57-60
- STELLMACHER 76 *I.Stellmacher*
Gestaltung benutzerfreundlicher
Abfragesprachen
in: Angewandte Informatik 1976
No.9, pp. 383-391
- STERLING 74 *T.D.Sterling*
Guidelines for Humanizing Computerized
Information Systems: A Report from
Stanley House
in: Communications of the ACM Vol.17(1977)
No.11, Nov. 1977, pp. 609-613
- THOMAS/GOULD 75 *J.G.Thomas, J.D.Gould*
A Psychological Study of Query by Example
in: AFIPS Conference Proceedings Vol.44
National Computer Conference 1975
pp. 439-445
- TIETZE 74 *B.Tietze*
Humanisierung der Arbeitswelt: theo-
retisches Programm und politische Praxis
in: Arbeit und Leistung Vol.28(1974)
No.12, pp. 309-315
- TREU 71 *S.Treu*
A Conceptual Framework for the
Searcher-System Interface
in: D.E.Walker (Ed.), Interactive
Bibliographic Search, AFIPS Pr. 1971
pp. 53-66

TREU 75

S. Treu

*Interactive Command Language Design
Based on Required Mental Work
in: International Journal of Man-Machine
Studies Vol.7(1975)
pp. 135-149*

WALTHER/O'NEIL 74

G.H. Walther, H.F. O'Neil Jr.

*On-Line User-Computer Interface - the
Effects of Interface Flexibility,
Terminal Type and Experience on Perform-
ance
in: AFIPS Conference Proceedings Vol.43
National Computer Conference 1974
pp. 379-384*

WERSIG 73

G. Wersig

*Zur Systematik der Benutzerforschung
in: Nachrichten für Dokumentation
Vol.24(1973) No.1, pp. 10-14*

ZEMANEK 72

H. Zemanek

*Informale und formale Beschreibung
in: IBM-Nachrichten Vol.22(1972)
No.211 pp. 175-179
No.212 pp. 279-283*

INDEX

| | |
|---|------------------------------------|
| <i>action</i> | 45, 51, 53, 55, 63, 64, 67, 77, 78 |
| <i>active system (see: conversational system)</i> | |
| <i>activity</i> | 55, 65, 77 |
| <i>adaption</i> | 1, 33, 86, 109 |
| <i>agency</i> | 48, 51 |
| <i>alphanumeric dialog</i> | 44, 86 |
| <i>application background of the user</i> | 17ff, 90 |
| <i>application-oriented end user</i> | 86, 89 |
| <i>application programmer</i> | 12f, 85 |
| <i>application system</i> | 8, 38, 56, 61, 83, 85 |
| <i>axiom about commitment</i> | 36 |
| <i>axiom about economy</i> | 36 |
| <i>axiom about predictability</i> | 36 |
| <i>axiom about relations</i> | 36 |
| | |
| <i>basic concept of the man-computer interface</i> | 101 |
| <i>basic model of dialog</i> | 45, 47 |
| <i>basic state</i> | 62 |
| <i>basic structure (level I)</i> | 45, 53, 63ff, 74 |
| | |
| <i>casual user</i> | 12 |
| <i>channel</i> | 48 |
| <i>channel agency nets</i> | 48ff, 84, 115 |
| <i>clerical user</i> | 19 |
| <i>cognitive theory</i> | 38 |
| <i>command (dialog type 17)</i> | 66, 77, 106 |
| <i>communication</i> | 8, 27, 35ff, 88 |
| <i>communication axioms</i> | 35ff, 112 |
| <i>communication function</i> | 61, 103 |
| <i>computation function</i> | 60 |
| <i>concretisation (see as well: dialog type, dialog method)</i> | 78ff, 107ff |
| | |
| <i>control functions</i> | 60, 102 |
| <i>conversation system</i> | 43, 45, 48, 105 |
| | |
| <i>database administrator</i> | 85 |
| <i>database component</i> | 56f, 62, 85 |

| | |
|-------------------------------------|-----------------------------------|
| <i>database function</i> | 58,102 |
| <i>database window</i> | 104 |
| <i>database-specific dialog</i> | 45,56ff |
| <i>data protection</i> | 114 |
| <i>data security</i> | 114 |
| <i>definition function</i> | 58 |
| <i>design philosophy</i> | 88 |
| <i>dialog component</i> | 56f |
| <i>dialog concepts</i> | 2,7 |
| <i>dialog contents</i> | 55ff,101ff |
| <i>dialog flexibility</i> | 25,95,99f,109f |
| <i>dialog handler</i> | 56,62,84,111 |
| <i>dialog initiator</i> | 43,48,86 |
| <i>dialog medium</i> | 71f |
| <i>dialog method</i> | 52,54,61,81 |
| <i>abstract -</i> | 54 |
| <i>concrete -</i> | 54 |
| <i>dialog modes</i> | 44f,51f,61,74,78,88,101,105ff,109 |
| <i>dialog organization function</i> | 60,102 |
| <i>dialog participant</i> | 50f |
| <i>dialog past</i> | 60,61 |
| <i>accumulated -</i> | 61 |
| <i>dialog responder</i> | 43,48 |
| <i>dialog section</i> | 58,62 |
| <i>dialog sequence</i> | 51f,58,61,81 |
| <i>dialog state</i> | 45,61f |
| <i>dialog step</i> | 45,51f,53ff,61,63,74,78,81 |
| <i>dialog type</i> | 45,52ff,61,66,81,104f,109f |
| <i>abstract -</i> | 53f,74ff,105ff |
| <i>concrete -</i> | 53f,78ff,107ff |
| <i>display</i> | 73 |
| <i>dp-background of the user</i> | 17f,89 |
| <i>dp-education</i> | 18f,20,85,87 |
| <i>dp-experience</i> | 8,18f,20,31f,85,87 |
| | |
| <i>ease of learning</i> | 98,112f |
| <i>ease of use</i> | 15,96ff,100,111f |
| <i>end user</i> | 13 |
| <i>ergonomy</i> | 27,88,93 |
| <i>error tolerance</i> | 112 |

| | |
|--|----------------------|
| <i>expectations of the user</i> | 18ff |
| <i>extension function</i> | 60,103 |
| <i>flexibility of use</i> | 5f,86,91,93,102 |
| <i>form-filling</i> | 54,67 |
| <i>formal input redundancy</i> | 69,78,107 |
| <i>function</i> | 56,61,65,67,77,102ff |
| <i>general nets</i> | 47 |
| <i>help function</i> | 60,102,103ff,111 |
| <i>hierarchy of system objectives</i> | 94ff |
| <i>human needs</i> | 17f,24ff,115 |
| <i>humanization</i> | 16,23 |
| <i>impacts of computer use</i> | 1,5ff,42 |
| <i>information</i> | 60,73,103,109,111f |
| <i>general -</i> | 60,104f |
| <i>situation specific -</i> | 60,104f |
| <i>information modification</i> | 5f |
| <i>information needs</i> | 14,88 |
| <i>initiator and kind of initiative</i> | 64f,66,74 |
| <i>inner format of input</i> | 69,78,107 |
| <i>input facilities</i> | 72f |
| <i>input/output function</i> | 60,102 |
| <i>interaction</i> | 43 |
| <i>interactive system</i> | 43,86 |
| <i>instruction for output interpretation</i> | 71,78,108 |
| <i>job satisfaction</i> | 4,17,23 |
| <i>learning</i> | 8,19,29,38ff,88,113 |
| <i>learning principles</i> | 39ff,112 |
| <i>levels of abstraction</i> | 45,49,53f,63ff |
| <i>list - state automaton</i> | 62 |
| <i>manipulation function</i> | 58 |
| <i>man-computer communication</i> | 16 |

| | |
|--|------------------------|
| <i>man-computer dialog</i> | 2,8,43f,47,49,71,86,88 |
| <i>man-computer interaction</i> | 27,35,37 |
| <i>menu</i> | 53,66,67,78f,111 |
| <i>metadialog</i> | 45,57ff |
| <i>metadialog function</i> | 60,102 |
| <i>methodology</i> | 115 |
| <i>modification function</i> | 60 |
| | |
| <i>naive user</i> | 13,85,90,102 |
| <i>net</i> | 45,47ff |
| | |
| <i>objectives of the user</i> | 18,20 |
| <i>operating complexity</i> | 5f,87 |
| <i>objective -</i> | 6,87 |
| <i>subjective -</i> | 6,88 |
| <i>organizational level</i> | 48f |
| <i>outer format of input</i> | 69,78,107 |
| <i>output facilities</i> | 73 |
| <i>output syntax and format</i> | 70,78,108 |
| | |
| <i>parametric user</i> | 12,19 |
| <i>partnertactical program</i> | 37 |
| <i>pattern of user factors</i> | 16ff |
| <i>preparation function</i> | 60 |
| <i>problem solving</i> | 19,29,39,43 |
| <i>process level</i> | 49f |
| <i>process net</i> | 49f |
| <i>proposal for selection (dialog type 3)</i> | 76,78ff,106 |
| <i>pure transmission channel</i> | 48 |
| | |
| <i>quasi-natural language statement (dialog type 18)</i> | 67,77,106 |
| | |
| <i>reaction</i> | 43,45,52f,55,63,67,78 |
| <i>realization (see: technical realization)</i> | |
| <i>reason for system use</i> | 18f,32f |
| <i>reliability</i> | 99,114 |
| <i>representation (level II)</i> | 45,53,67ff,78 |
| <i>request for free response (dialog type 12)</i> | 77,106 |
| <i>request with syntax for response (dialog type 9)</i> | 76,106 |
| <i>research on job satisfaction</i> | 4 |

| | |
|-----------------------------------|--------------------------|
| search function | 58 |
| selection possibilities | 65f,67,74 |
| semantic form of output | 71,78,108 |
| semantic input properties | 70,78,108 |
| simple question (dialog type 1) | 76,106 |
| state channel | 48,51 |
| stimulus-response theory | 38 |
| storage function | 60 |
| structure | 50 |
| - of representation | 69f |
| - of contents | 70f |
| system level | 49f,51 |
| system model | 110 |
| system net | 49f,51 |
| system objectives | 9,93ff,109ff |
| system programmer | 12f,85 |
| system state | 62 |
| system-initiated/proposal | 65f |
| system-initiated/request | 65f |
| | |
| task | 55,66f,77f,86 |
| task oriented aspects | 17f,90 |
| task situation | 61 |
| task structure | 18,20,86,90,93 |
| technical realization (level III) | 45,53,71ff,99f,109ff |
| terminal | 8,72 |
| time restrictions | 18,20,34 |
| transparency | 26,33,96,100,110f |
| | |
| unambiguous task specification | 66f,74 |
| user as a human being | 16ff,24ff,87,89 |
| user behaviour | 7,8,14f,16ff,88,115 |
| user characteristics | 8,11,16ff,87,93 |
| user community | 83,85,89 |
| user factors | 8,17ff,84 |
| user in face of the system | 16f,31ff,83 |
| user needs | 2,3,7,14f,18,24ff,86,101 |
| user properties | 17ff,29ff |
| user requirements | 9,25,33 |
| user research | 3ff,11ff |

| | |
|---|---------------------------------------|
| <i>user skills</i> | 18,25,27ff |
| <i>user type</i> | 11,12ff,25,88 |
| <i>user's attitude towards the system</i> | 17ff,87,90 |
| <i>user-friendliness</i> | 6f,8,9,10ff,15,22ff,38,83,87ff,93,101 |
| <i>user-initiated</i> | 65f |
| <i>user-oriented objectives</i> | 8,24ff,38,94 |
| | |
| <i>vocabulary</i> | 68f,78,107f |
| | |
| <i>work conditions</i> | 5,16,23,87,93 |
| <i>world model</i> | 36 |
| | |
| <i>yes/no-question</i> | 76,78,80f |