

List of References

Armstrong, J.W.

- [1] On p -pure subgroups of the p -adic integers, Topics in Abelian Groups, 315-321 (Chicago, Illinois, 1963).
- [2] On the indecomposability of torsion-free abelian groups, Proc. Amer. Math. Soc. 16(1965), 323-325.

Arnold, D.M.

- [1] A duality for torsion free modules of finite rank over a discrete valuation ring, Proc. London Math. Soc., (3) 24 (1972), 204-216.
- [2] A duality for quotient divisible abelian groups of finite rank, Pacific J. Math., 42 (1972), 11-15.
- [3] Exterior powers and torsion free modules over discrete valuation rings, Trans. Amer. Math. Soc., 170 (1972), 471-481.
- [4] Algebraic K-theory of torsion free abelian groups, Symposia Mathematica (Academic Press, 1974), Proc. Conf. Abelian Groups, Rome, 1972, 179-193.
- [5] A class of pure subgroups of completely decomposable abelian groups, Proc. Amer. Math. Soc., 41 (1973), 37-44.
- [6] Strongly homogeneous torsion free abelian groups of finite rank, Proc. Amer. Math. Soc. 56 (1976), 67-72.
- [7] Genera and decompositions of torsion free modules, Springer-Verlag Lecture Notes #616 (1977), 197-218.
- [8] Endomorphism rings and subgroups of finite rank torsion free abelian groups, preprint

Arnold, D.M., and Lady, L.

- [1] Endomorphism rings and direct sums of torsion free abelian groups, Trans. Amer. Math. Soc., 211 (1975), 225-237.

Arnold, D.M., and Murley, C.E.

- [1] Abelian groups A , such that $\text{Hom}(A, -)$ preserves direct sums of copies of A , Pacific J. Math., 56 (1975), 7-20.

Arnold, D.M., Vinsonhaler, C., and Wickless, W.

- [1] Quasi-pure projective and injective torsion free abelian groups of rank 2, Rocky Mountain J. Math., 6 (1976), 61-70.

Arnold, D.M., O'Brien, B., and Reid, J.,

- [1] Quasi-pure projective and injective torsion free abelian groups Proc. London Math. Soc. (?) 38 (1978).

Arnold, D.M., Hunter, R., and Walker E.

- [1] Summands of direct sums of cyclic valuated groups Symposia Mathematica, [Academic Press, 1979] , Proc. Conf. Abelian Groups, Rome, 1977.

Arnold, D.M., Hunter, R., and Richman, F.

- [1] Global Azumaya theorems in additive categories, J. Pure and Appl. Algebra 16 (1980), 223-242.

Arnold, D.M., Pierce, R.S., Reid, J.D., Vinsonhaler, C., and Wickless, W.J.

- [1] Torsion free abelian groups of finite rank projective as modules over their endomorphism rings, preprint.

Arsinov, M.N

- [1] On the projective dimension of torsion-free abelian groups over the ring of its endomorphism [Russian] , Mat. Zametki 7 (1970), 117-124.

Baer, R.

- [1] Types of elements and characteristic subgroups of abelian groups Proc. London Math. Soc. 39 (1935), 481-514.
- [2] Abelian groups without elements of finite order, Duke Math. J. 3 (1937), 68-122.

Bass, H.

- [1] Algebraic K-theory, Benjamin, New York, 1968.
- [2] Torsion free and projective modules, Trans. Amer. Math. Soc. (1962), 319-327.

Beaumont, R.A., and Pierce, R.S.

- [1] Torsion-free rings, Illinois. J. Math. 5 (1961), 61-98.
- [2] Torsion free groups of rank two, Mem. Amer. Math. Soc. #38 (1961).
- [3] Subrings of algebraic number fields, Acta Sci. Math. (Szeged) 22 (1961), 202-216.

Beaumont, R.A., and Lawver, D.A.

- [1] Strongly semi-simple abelian groups, Pacific J. Math. 48 (),

Beaumont, R.A., and Wisner, R.J.

- [1] Rings with additive group which is torsion-free group of rank two, Acta Sci. Math. (Szeged) 20 (1959), 105-116.

Beaumont, R.A., and Zuckerman, H S.

- [1] A characterization of the subgroups of the additive rationals, Pacific J. Math. 1 (1951), 169-177.

Bowshell, R.A., and Schultz, P.

- [1] Unital rings whose additive endomorphisms commute, Math. Ann. 228 (1977), 197-214.

Brenner, S., and Butler, M.C.R.

- [1] Endomorphism rings of vector spaces and torsion free abelian groups, J. London Math. Soc. 40 (1965), 183-187.

Butler, M.C.R.

- [1] A class of torsion-free abelian groups of finite rank, Proc. London Math. Soc. 15 (1965), 680-698.
- [2] On locally torsion-free rings of finite rank, J. London Math. Soc. 43 (1968), 297-300.

Campbell, M. O'N.

- [1] Countable torsion-free abelian groups, Proc. London Math. Soc. 10 (1960), 1-23.

Charles, B.

- [1] Sous-groupes fonctoriels et topologies, Studies on Abelian Groups, 75-92 (Paris, 1968).

Chase, S.U.

- [1] Locally free modules and a problem of Whitehead, Illinois. J. Math. 6 (1962), 682-699.

Claborn, L.

- [1] Every abelian group is a class group, Pacific J. Math. 18 (1966), 219-222.

Cornelius E.F., Jr.

- [1] Note on quasi-decompositions of irreducible groups, Proc. Amer. Math. Soc. 26 (1970), 33-36.

Corner, A.L.S.

- [1] A note on rank and direct decompositions of torsion-free abelian groups, Proc. Cambridge Philos. Soc. 57 (1961), 230-233, and 66 (1969), 239-240.
- [2] Every countable reduced torsion-free ring is an endomorphism ring, Proc. London Math. Soc. 13 (1963), 687-710.
- [3] Endomorphism rings of torsion-free abelian groups, Proc. Conf. Theory Groups, 59-69 (New York, London, Paris, 1967).

Corner, A.L.S., and Crawley, P.

- [1] An abelian p -group without the isomorphic refinement property, Bull. Amer. Math. Soc. 74 (1968), 743-746.

Crawley, P., and Jonsson, B.

- [1] Refinements for infinite direct decompositions of algebraic systems, Pacific J. Math. 14 (1964), 797-855.

Cruddis, T.B.

- [1] On a class of torsion free abelian groups, Proc. London Math. Soc. 21 (1970), 243-276.

Douglas, A.J., and Farahat, H.K.

- [1] The homological dimension of an abelian group as a module over its ring of endomorphisms, Monatsh. Math. 69 (1965), 294-305.

Dubois, D.W.

- [1] Cohesive groups and p-adic integers, Publ. Math. Debrecen 12 (1965), 51-58.

Estes, D., and Ohm, J.

- [1] Stable range in commutative rings, J. Alg. 7 (1967), 343-362.

Friedlander, E.

- [1] Extension functions for rank-2 torsion free abelian groups, Pacific J. of Math, 58 (1975), 371-380.

Fuchs, L.

- [1] Abelian Groups. Publ. House of the Hungar. Acad. Sci., Budapest, 1958.
- [2] Recent results and problems on abelian groups, Topics in Abelian Groups, 9-40 (Chicago, Illinois, 1963).
- [3] Note on direct decompositions of torsion-free abelian groups, Comment. Math. Helv. 46 (1971), 87-91.
- [4] Some aspects of the theory of torsion-free abelian groups, Texas Tech. University Series. No. 9, 32-58 (Lubbock, 1971)
- [5] The cancellation property for modules, Lectures on Rings and Modules, Springer-Verlag Lecture Notes #246, 1970.
- [6] Infinite Abelian Groups, Vol. I, Academic Press, 1970.
- [7] Infinite Abelian Groups, Vol. II, Academic Press, 1973.

Fuchs, L. and Grabe, P.

- [1] Number of indecomposable summands in direct decompositions of torsion free abelian groups, Rend. Sem. Mat. Univ. Padova 53 (1975), 135-148.
- [2] On the cancellation of modules in direct sums over Dedekind domains, Indagationes Math. 33 (1971), 163-169.

Fuchs, L., and Loonstra, F.

- [1] On direct decompositions of torsion-free abelian groups of finite rank, Rend. Sem. Mat. Univ. Padova 44 (1970), 75-83.
- [2] On the cancellation of modules in direct sums over Dedekind domains, Indagationes Math. 33 (1971), 163-169.

Gardner, B.J.

- [1] A note on types, Bull. Austral. Math. Soc. 2 (1970), 275-276.

Goodearl, K.R.

- [1] Power cancellation of groups and modules, Pacific J. Math., 64 (1976), 387-411.

Griffith, P.

- [1] Purely indecomposable torsion-free groups, Proc. Amer. Math Soc. 18 (1967), 738-742.
- [2] Decomposition of pure subgroups of torsion free groups, Illinois J. Math. 12 (1968) 433-438.
- [3] Infinite Abelian Groups, Chicago Lectures in Mathematics (Chicago and London, 1970).

de Groot, J.

- [1] An isomorphism criterion for completely decomposable abelian groups, Math. Ann. 132 (1956), 328-332.
- [2] Indecomposable abelian groups, Proc. Ned. Akad. Wetensch. 60 (1957), 137-145.
- [3] Equivalent abelian groups, Canad. J. Math. 9 (1957), 291-297.

Hallett, J.T., and Hirsch, K.A.

- [1] Torsion-free groups having finite automorphism groups, J. Algebra 2 (1965) 287-298.
- [2] Die Konstruktion von Gruppen mit vorgeschriebenen Automorphismengruppen, J. Reine Angew. Math. 241 (1970), 32-46.

Hirsch, K.A., and Zassenhaus, H.

- [1] Finite automorphism groups of torsion-free groups, J. London Math. Soc. 41 (1966), 545-549.

Hsiang, W.C., and Hsiang, W.

- [1] Those abelian groups characterized by their completely decomposable subgroups of finite rank, Pacific J. Math. 11 (1961), 547-558.

Hungerford, T.

- [1] Algebra, Holt, Rinehart and Winston, 1974.

Hunter, R. and Richman, F.

- [1] Global Warfield groups, preprint.

Jacobinski, H.

- [1] Genera and decompositions of lattices over orders, Acta. Math. 121 (1968), 1-29.

Jesmanowicz, L.

- [1] On direct decompositions of torsion-free abelian groups, Bull. Acad. Polon. Sci. 8 (1960), 505-510.

Jonsson, B.

- [1] On direct decompositions of torsion-free abelian groups, Math. Scand. 5 (1957), 230-235.
- [2] On direct decomposition of torsion-free abelian groups, Math. Scand. 7 (1959), 361-371.

Kaplansky, I.

- [1] Infinite Abelian Groups, University of Michigan press, Ann Arbor, Michigan, 1954, 1969.
- [2] Commutative Rings, Allyn and Bacon, 1970.

Koehler, J.

- [1] Some torsion-free rank two groups, Acta. Sci. Math. Szeged 25 (1964), 186-190.
- [2] The type set of a torsion-free group of finite rank, Illinois J. Math. 9 (1965), 66-86.

Kolettis, G., Jr.

- [1] Homogeneously decomposable modules, Studies on Abelian Groups, Springer-Verlag Dunod (Paris, 1968), 223-238.
- [2] A theorem on pure submodules Canadian J. Math. 12 (1960), 438-487.

Krol, M.

- [1] The automorphism groups and endomorphism rings of torsion-free abelian groups of rank two, Dissertationes Math. 55 (Warsaw, 1967).

Lady, E.L.

- [1] Summands of finite rank torsion free abelian groups, J. Alg. 32 (1974), 51-52.
- [2] Nearly isomorphic torsion free abelian groups, J. Alg. 35 (1975), 235-238.
- [3] Almost completely decomposable torsion free abelian groups, Proc. A.M.S. 45 (1974), 41-47.

Mal'cev, A.I.

- [1] Torsion-free abelian groups of finite rank [Russian] , Mat. Sb. 4 (1938), 45-68.

Monk, G.S.

- [1] A characterization of exchange rings, Proc. Amer. Math. Soc. 35 (1972), 344-353.

Murley, C.

- [1] The classification of certain classes of torsion free abelian groups, Pac. J. Math. 40 (1972), 647-665.
- [2] Direct products and sums of torsion free abelian groups, Proc. Amer. Math. Soc. 3° (1973), 235-241.

Orsatti, A.

- [1] A class of rings which are the endomorphism rings of some torsion-free abelian groups, Ann. Scuola Norm. Sup. Pisa 23 (1969), 143-153.

Parr, J.T.

- [1] Endomorphism rings of rank two torsion-free abelian groups, J. London Math. Soc. 22 (1971), 611-632.

Pierce, R.S.

- [1] Subrings of simple algebras, Michigan Math. J. 7 (1960), 241-243.

Pufter, G.

- [1] Antinil groups, Tamkang J. of Math. 6 (1975), 105-108.

Ree, R., and Wisner, R.J.

- [1] A note on torsion-free nil groups, Proc. Amer. Math Soc. 7 (1956), 6-8.

Reid, J.D.

- [1] A note on torsion-free abelian groups of infinite rank, Proc. Amer. Math. Soc. 13 (1962), 222-225.
- [2] On quasi-decompositions of torsion-free abelian groups, Proc. Amer. Math. Soc. 13 (1962), 550-554.
- [3] On subgroups of an abelian group maximal disjoint from a given subgroup, Pacific J. Math. 13 (1963), 657-663.
- [4] On the ring of quasi-endomorphisms of a torsion-free group, Topics in Abelian Groups, 51-68 (Chicago, Illinois, 1963).
- [5] On subcommutative rings, Acta. Math. Acad. Sci. Hungar. 16 (1965), 23-26.
- [6] On rings on groups, Pacific J. Math. 52 (1974), 55-64.

Reiner, I.

- [1] Maximal Orders, Academic Press, New York, 1975.

Richman, F.

- [1] A class of rank 2 torsion free groups, Studies on Abelian Groups, (Paris, 1968), 327-333.

Roggenkamp, K.W.

- [1] Lattices over Orders II. Springer-Verlag Lecture Notes No. 142, Springer, Berlin. 1970.

Rotman, J.

- [1] Torsion-free and mixed abelian groups, Illinois J. Math. 5 (1961) 131-143.
- [2] The Grothendieck group of torsion-free abelian groups of finite rank, Proc. London Math. Soc. 13 (1963), 724-732.
- [3] Notes on Homological Algebra Van Nostrand Reinhold Mathematical Studies #26, 1970.

Schultz, P.

- [1] The endomorphism ring of the additive group of a ring, J. Aust. Math. Soc. 15 (1973), 60-69.

Swan, R.G.

- [1] Projective modules over group rings and maximal orders, Ann. of Math. (2) 76(1962), 55-61.
- [2] Algebraic K-theory, Springer-Verlag Lecture Notes No. 76, Springer, Berlin, 1968.

Swan, R.G., and Evans, E.G.

- [1] K-theory of finite groups and orders, Springer-Verlag Lecture Notes, No. 149, Springer, Berlin, 1970.

Szekeres, G.

- [1] Countable abelian groups without torsion, Duke Math. J. 15 (1948), 293-306.

Vinsonhaler, C.

- [1] Torsion free abelian groups quasi-projective over their endomorphism rings II, Pac. J. Math. 74 (1978), 261-265.
- [2] Almost quasi-pure injective abelian groups, Rocky Mountain J. Math.

Vinsonhaler, C., and Wickless, W.

- [1] Torsion free abelian groups quasi-projective over their endomorphism rings, Pac. J. Math. (2) 70 (1977), 1-9.

Walker, C.P.

- [1] Properties of Ext and quasi-splitting of abelian groups, Acta. Math. Acad. Sci. Hungar. 15 (1964), 157-160.

Walker, C.L., and Warfield, R.B. Jr.

- [1] Unique decompositions of isomorphic refinement theorems in additive categories, J. Pure and Appl. Alg. 7 (1976), 347-359.

Walker, E.A.

- [1] Quotient categories and quasi-isomorphisms of abelian groups, Proc. Colloq. Abelian Groups, (Budapest, 1964), 147-162.

Wang, J.S.P.

- [1] On completely decomposable groups, Proc. Amer. Math. Soc. 15 (1964), 184-186.

Warfield, R.B. Jr.

- [1] Homomorphisms and duality for torsion-free groups, Math. Z. 107 (1968), 189-200.
- [2] A Krull-Schmidt theorem for infinite sums of modules, Proc. Amer. Math. Soc. 22 (1969), 460-465.
- [3] An isomorphic refinement theorem for abelian groups, Pacific J. Math. 34 (1970), 237-255.
- [4] Extensions of torsion-free abelian groups of finite rank, Arch. Math. 23 (1972), 145.
- [5] Cancellation for modules and the stable range of endomorphism rings, to appear.
- [6] Exchange rings and decompositions of modules. Math. Ann. 199 (1972), 31-36.
- [7] The structure of mixed abelian groups, Abelian Group Theory, Springer-Verlag Lecture Notes #616, 1-38.

Wickless, W.J.

- [1] Abelian groups which admit only nilpotent multiplications, Pacific J. Math. 40 (1972), 251-259.

Whitney, H.

- [1] Tensor products of abelian groups, Duke Math. J. 4 (1938), 495-520.

Zariski, S.

- [1] Commutative Algebra, Van Nostrand, 1958.

Zassenhaus, H.

- [1] Orders as endomorphism rings of modules of the same rank, J. London Math. Soc. 42 (1967), 180-182.

INDEX

- algebra
 - discriminant ($\Delta_{k/F}$), 10.6
 - norm ($N_{k/F}$), 10.4
 - reduced trace ($\text{tr}_{k/F}$), 10.6
 - totally definite quaternion, 8.15
 - trace ($T_{k/F}$), 10.4
- cancellation, 8.7
 - self, 8.13
- category
 - additive, 7.1
 - idempotents split, 7.2
 - Krull-Schmidt, 7.10
 - module (M_R), 13.2
- classes of groups
 - pseudo-rigid, 6.1
 - semi-rigid, 6.1
 - torsion free, 4.2
- Corner's theorem, 2.11
- direct sum
 - categorical, 7.1
 - equivalent decompositions, 2.11
 - injections, 7.1
 - projections, 7.2
- exchange property
 - finite, 8.16
 - n, 8.16
- functor
 - $\text{hom}(H_A(G))$, 5.1
 - $\text{tensor}^A(T_A(M))$, 5.1
- field
 - of definition, 14.4
 - quadratic number, 3.3
 - splitting, 10.6
- genus
 - class, 12.2
 - summand, 12.2
- Grothendieck group
 - Jordan-Holder ($K_0(C)$), 13.1
 - Krull-Schmidt ($K_0(C)$), 13.9
- group
 - almost completely decomposable, 2.1
 - A-projective ($P(A)$, $P^\infty(A)$), 5.1
 - completely decomposable, 2.1
 - cyclic p ($Z(p^1)$), 1.3
 - divisible, 0.4
 - faithful, 5.6
 - homogeneous, 1.1
 - homogeneous separable, 5.8
 - irreducible, 15.1
 - locally E(A)-free, 5.9
 - locally A-free, 5.8
 - p-irreducible, 15.3
 - p-local, 2.12
 - p-reduced, 7.8
 - p-simple, 15.3
 - purely indecomposable, 2.9
 - Q-simple, 15.1
 - quotient divisible, 1.14
 - R(A)-locally free, 1.12
 - reduced, 0.4
 - R-, 4.4
 - strongly homogeneous, 15.7
 - strongly indecomposable, 2.2, 7.6
- height sequence ($h^A(a)$), 1.1
- ideal
 - class group ($I(S)$), 13.7
 - invertible, 11.4
 - nilpotent, 9.1
 - prime, 11.1
- indecomposable, 7.2
- Jordan-Zassenhaus theorem, 11.8
- lattice, 12.1
- localization
 - group (A_p), 1.16
 - integers (Z_p), 0.4
 - ring (S_p), 10.10
- module
 - inverse, 11.1
 - R-generator, 11.2
 - Nakayama's lemma, 9.12
 - near isomorphism, 7.12, 12.5
 - characterization, 13.6
 - near summand, 12.5
- order
 - of module ($O_\ell(M)$, $O_r(M)$), 11.1
 - maximal S-, 10.2
 - S-, 10.1
- p-height ($h_p^A(a)$), 1.1
- polynomial
 - characteristic, 10.3
 - minimum, 10.3
- p-rank, 0.3
- projective dimension ≤ 1 , 11.4
- pure subgroup ($\langle S \rangle_*$), 0.2
- quasi-equal, 7.18, 9.8
- quasi-isomorphism 1.7, 6.1, 7.7
- quasi-projection, 2.1, 7.6
- quasi-summand, 7.6
- radical
 - nil ($N(R)$), 9.1
 - Jacobson ($J(R)$), 3.3, 9.1
- rank, 0.1
- ring
 - algebraic integers, 10.8
 - center ($C(R)$), 9.6
 - Dedekind domain, 11.4
 - endomorphism ($E(A)$), 2.3
 - E-, 14.6
 - hereditary, 5.6

integral closure, 10.2
 integral element, 10.1
 local, 7.3

 matrix ($\text{Mat}_n(R)$), 9.2
 principal, 5.5
 quasi-endomorphism ($\text{QE}(A)$), 3.1
 semi-local, 7.14, 9.2
 semi-simple, 8.3
 socle
 $A\text{-}(S_A(G))$, 5.4
 $p\text{-}(T[p])$, 0.3
 $\tau\text{-}(A(\tau))$, 3.1, 4.4
 stable range
 1 in, 8.1
 2 in, 8.10
 substitution property, 8.1
 one - , 8.1
 two - , 8.10
 type, 1.1
 inner ($\text{IT}(A)$), 1.6
 non-nil, 1.4
 operations, 1.2
 outer ($\text{OT}(A)$), 1.7
 Richman ($\text{RT}(A)$), 1.8
 Wedderburn principal theorem, 14.1