

References

- [Ba] J.E. Baumgartner, A short proof of Hindman's theorem, *J. Combinatorial Theory (A)* **17** (1974), 384-386.
- [B1] V. Bergelson, Sets of recurrence of \mathbf{Z}^m -actions and properties of sets of differences in \mathbf{Z}^m , *J. London Math. Soc. (2)* **31** (1985), 295-304.
- [B2] V. Bergelson, Weakly mixing PET, *Ergodic Theory and Dynamical Systems*, **7** (1987), 337-349.
- [B3] V. Bergelson, Ergodic Ramsey Theory, *Logic and Combinatorics* (edited by S. Simpson), *Contemporary Mathematics* **65** (1987), 63-87.
- [B4] V. Bergelson, Ergodic Ramsey theory—an update, *Ergodic Theory of \mathbf{Z}^d -actions*, M. Pollicott and K. Schmidt, editors, London Mathematical Society Lecture Notes Series **228** (1996) 1-61.
- [B5] V. Bergelson, Ergodic theory and Diophantine problems, *Symbolic Dynamics and its Applications*, F. Blanchard, R. Nogueira and A. Maass, eds. Cambridge University Press. 1999.
- [BFM] V. Bergelson, H. Furstenberg and R. McCutcheon, IP-sets and polynomial recurrence, *Ergodic Theory and Dynamical Systems* **16** (1996), 963-974.
- [BH] V. Bergelson and N. Hindman, Nonmetrizable topological dynamics and Ramsey theory, *Trans. Amer. Math. Soc.* **320** (1990) 293-320.
- [BL1] V. Bergelson and A. Leibman, Polynomial extensions of van der Waerden's and Szemerédi's theorems, *Journal of AMS* **9** (1996) 725-753.
- [BL2] V. Bergelson and A. Leibman, Set polynomials and a polynomial extension of the Hales-Jewett theorem, *Ann. Math.* **150** (1999).
- [BM1] V. Bergelson and R. McCutcheon, Uniformity in the polynomial Szemerédi theorem, *Ergodic Theory of \mathbf{Z}^d -actions*, M. Pollicott and K. Schmidt, editors, London Mathematical Society Lecture Notes Series **228** (1996) 273-296.
- [BM2] V. Bergelson and R. McCutcheon, A Polynomial IP Szemerédi Theorem, *Memoirs of the AMS*. To appear.
- [BM3] V. Bergelson and R. McCutcheon, Recurrence for semigroup actions and a non-commutative Schur theorem, *Contemporary Mathematics*. **215** (1998), 205-222.
- [BPT] A. Blaszczyk, S. Plewik, and S. Turek, Topological multidimensional van der Waerden theorem, *Comment. Math. Univ. Carolin.* **30** (1989) 783-787.

- [C] C. Carathéodory, Die Homomorphieen von Somen und die Multiplikation von Inhaltsfunktionen, *Annalidella R. Scuola Normale Superiore di Pisa* (Ser. 2) **8** (1939) 105-130.
- [Ca] T. Carlson, Some unifying principles in Ramsey theory, *Discrete Math.* **68** (1988), 117-169.
- [CS] T. Carlson and S. Simpson, A dual form of Ramsey's theorem, *Adv. in Math.* **53** (1984) 265-290.
- [E] R. Ellis, *Lectures on topological dynamics*, Benjamin, New York, 1969.
- [ET] P. Erdős and P. Turán, On some sequences of integers, *J. London Math. Soc.* **11** (1936), 261-264.
- [F1] H. Furstenberg, Ergodic behavior of diagonal measures and a theorem of Szemerédi on arithmetic progressions, *J. d'Analyse Math.* **31** (1977), 204-256.
- [F2] H. Furstenberg, *Recurrence in Ergodic Theory and Combinatorial Number Theory*, Princeton University Press, 1981.
- [FK1] H. Furstenberg and Y. Katznelson, An ergodic Szemerédi theorem for commuting transformations, *J. d'Analyse Math.* **34** (1978), 275-291.
- [FK2] H. Furstenberg and Y. Katznelson, An ergodic Szemerédi theorem for IP-systems and combinatorial theory, *J. d'Analyse Math.* **45** (1985), 117-168.
- [FK3] H. Furstenberg and Y. Katznelson, Idempotents in compact semigroups and Ramsey theory, *Israel J. Math.* **68** (1990), 257-270.
- [FK4] H. Furstenberg and Y. Katznelson, A density version of the Hales-Jewett theorem, *J. d'Analyse Math.* **57** (1991), 64-119.
- [FKO] H. Furstenberg, Y. Katznelson and D. Ornstein, The ergodic theoretical proof of Szemerédi's theorem, *Bull. Amer. Math. Soc.* **7** (1982), 527-552.
- [Fol] G. Folland, *Real Analysis, Modern Techniques and Their Applications*, John Wiley and Sons, 1984.
- [For] A. Forrest, Phd. Dissertation. The Ohio State University. 1990.
- [FW] H. Furstenberg and B. Weiss, Topological dynamics and combinatorial number theory, *J. d'Analyse Math.* **34** (1978), 61-85.
- [G1] W. T. Gowers, A new proof of Szemerédi's theorem for arithmetic progressions of length four, *Geom. Funct. Anal.* **8** (1998), 529-551.
- [G2] W. T. Gowers, A new proof of Szemerédi's theorem. *Geom. Funct. Anal.* To appear.
- [GLR] R. Graham, K. Leeb, B. Rothschild, Ramsey's theorem for a class of categories, *Adv. Math.* **8** (1972), 417-433.
- [GRS] R. Graham, B. Rothschild and J. Spencer, *Ramsey Theory*, Wiley, New York, 1980.
- [HJ] A.W. Hales and R.I. Jewett, Regularity and positional games, *Trans. AMS* **106** (1963), 222-229.
- [H1] N. Hindman, Finite sums from sequences within cells of a partition of \mathbb{N} , *J. Combinatorial Theory* (Series A) **17** (1974) 1-11.

- [H2] N. Hindman, Ultrafilters and combinatorial number theory, *Number Theory Carbondale*, M. Nathanson, ed., *Lecture Notes in Math.* **751** (1979) 119-184.
- [HMS] N. Hindman, A. Maleki and D. Strauss, Central sets and their combinatorial characterization, *J. Combin. Theory Ser. A*, **74** (1996) no. 2, 188-208.
- [HM] N. Hindman and R. McCutcheon, VIP systems in partial semigroups. Under review.
- [HS] N. Hindman and D. Strauss, *Algebra in the Stone-Ćech compactification: theory and applications*, de Gruyter, Berlin, 1998.
- [KM] T. Kamae and M. Mendès France, Van der Corput's difference theorem, *Israel J. Math.* **31** (1978), 335-342.
- [KN] B. O. Koopman and J. von Neumann, Dynamical systems of continuous spectra, *Proc. Nat. Acad. Sci. U.S.A.* **18** (1932), 255-263.
- [K] I. Kriz, Large independent sets in shift-invariant graphs. Solution of Bergelson's problem, *Graphs and Combinatorics* **3** (1987), 145-158.
- [L] A. Leibman, Multiple recurrence theorem for measure preserving actions of a nilpotent group, *Geom. Funct. Anal.* **8** (1998), 853-931.
- [Lo] L. Lovász, Kneser's conjecture, chromatic number and homotopy, *J. Comb. Theory (A)* **25** (1978), 319-324.
- [M1] R. McCutcheon, Three results in recurrence, *Ergodic Theory and its Connections with Harmonic Analysis* (edited by K. Petersen and I. Salama), *London Math. Soc. Lecture Notes Series* **205**, Cambridge University Press, 1995, 349-358.
- [M2] R. McCutcheon, An infinitary version of the polynomial van der Waerden theorem. *Jour. Comb. Th. (Series A)* **86** (1999), 214-231.
- [M3] R. McCutcheon, An infinitary version of the polynomial Hales-Jewett theorem. Under review.
- [M4] R. McCutcheon, IP-sets, polynomials and multiple recurrence. Ph.D. dissertation, The Ohio State University, 1995.
- [M] K. Milliken, Ramsey's Theorem with sums or unions, *J. Combinatorial Theory (Series A)* **18** (1975), 276-290.
- [P] K. Petersen, *Ergodic Theory*, Cambridge Univ. Press, Cambridge, 1981.
- [RS] F. Riesz and B. Szőkefalvi-Nagy, *Functional Analysis*, Dover Publications, 1990.
- [R] W. A. Rokhlin, Selected topics from the metric theory of dynamical systems, *Amer. Math. Soc. Transl.* **2**, **49** (1966) 171-209.
- [Ra] S. P. Radziszowski, Small Ramsey numbers, *The Electronic Journal of Combinatorics*, **1** (1994), DS1.
- [Ram] F. Ramsey, On a problem of formal logic, *Proc. London Math. Soc.* (2) **30** (1930), 264-286.
- [Ro] K. Roth, Sur quelques ensembles d'entiers, *C.R. Acad. Sci. Paris* **234** (1952), 388-390.

- [Rud] D. Rudolph, *Fundamentals of Measurable Dynamics. Ergodic Theory on Lebesgue Spaces*, Oxford Science Publications, 1990.
- [Rus] Rusza, Difference sets and the Bohr topology. Preprint.
- [S] Schur, Über die Kongruenz $x^m + y^m \equiv z^m \pmod{p}$. *Jahresbericht der Deutschen Math.-Ver.* **25** (1916), 114-117.
- [Sá] A. Sárközy, On difference sets of integers III, *Acta. Math. Acad. Sci. Hungar.*, **31** (1978) 125-149.
- [Sz1] E. Szemerédi, On sets of integers containing no four elements in arithmetic progression, *Acta Math. Acad. Sci. Hungar.* **20** (1969), 89-104.
- [Sz2] E. Szemerédi, On sets of integers containing no k elements in arithmetic progression, *Acta Arith.* **27** (1975), 199-245.
- [T] A. Taylor, A canonical partition relation for finite subsets of ω , *J. Combinatorial Theory (Series A)* **21** (1976), 137-146.
- [vdW] B. L. van der Waerden, Beweis einer Baudetschen Vermutung, *Nieuw Arch. Wisk.* **15** (1927) 212-216.
- [Z] R. J. Zimmer, Extensions of ergodic actions and generalized discrete spectrum, *Ill. J. Math.* **20** (1976), 555-588.

List of Symbols

$\|\cdot\|_u$, 93
 Λ_k , 26
 \oplus , 96
 $\mathcal{A} \otimes \mathcal{A}$, 112
 $f \otimes f$, 112
 $C(X)$, 93
 $\bar{d}()$, $\underline{d}()$, $d^*()$, d_* , 84
D-lim, 112
 $Ef()$, $E(f|\mathcal{B})$, 120
 \mathcal{F} , 22
 $\mathcal{F}()$, 32
 \mathcal{F}_\emptyset , 44
 \mathcal{F}_m , 27
 $(\mathcal{F}^{(1)})_{<}^m$, 48-49
 $FU()$, $FU_\emptyset()$, 30
 \mathcal{G}_N , 68
 \mathcal{H}_c , \mathcal{H}_{wm} , 116
 $\mathbf{H} * \phi$, 124
IP-lim, 48, 49
 $L(\{N+1, \dots, M\})$, 75
 $\mathcal{L}(V, U)$, 94
 $L^2(X, \mathcal{A}, \mu)$, $L^2_{\mathbb{C}}(X, \mathcal{A}, \mu)$, 111
 $\mathcal{M}^{(2)}$, $\mathcal{M}_N^{(2)}$, 71
 $\mathcal{M}^{(l,k)}$, $\mathcal{M}_N^{(l,k)}$, 71
 M^\perp , 96
 $\mu \times_Y \mu$, 122
 \mathcal{W}_k , 51
 \mathbf{Z}_k , \mathbf{Z}_k^∞ , 21
 $\mathbf{Z}^{k \times \infty}$, 23

Index

- ϵ -net, 6
- σ -algebra, 78
- σ -field, 78
- \mathcal{F} -sequence, 22
- \mathcal{M} -ring, 73
- $\mathcal{M}^{(l,k)}$ -ring, 74
- $\mathcal{M}^{(2)}$ -system, 71
- $\{k_\alpha\}$ -almost periodic, 129
- n -variable word, 28
- n -coloring, 8
- n -subword, 57
- $L^2(X, \mathcal{A}, \mu)$, 95
- \mathbf{Z}_k van der Waerden theorem, 21
- affine image, 8
- affine line, 21
- algebra, 78
- automorphism, 81
- Baire category theorem, 7
- Baker's transformation, 82
- Banach space, 93
- Baumgartner, 54
- Bergelson-Leibman coloring theorem, 33
- Borel sets, 78
- bounded linear operator, 94
- Carlson's theorem, 59
- Carlson-Simpson theorem, 50, 54
- Cauchy sequence, 6
- central set, 63
- chain, 7
- chromatically intersective, 90
- collectionwise left thick, 63
- collectionwise left piecewise syndetic, 63
- combinatorial line, 26
- combinatorial n -space, 28
- compact coloring, 48
- compact extension, 137
- compact left topological semigroup, 44
- compact space, 6
- compact operator, 116
- compact system, 114
- complete measure, 78
- complete space, 6
- conditional expectation, 120
- conditional product system, 122
- continuous function, 6
- convergence in density, 112
- coordinate coefficients, 33
- decomposition of measures, 120
- density intersectivity, 90
- density regular family, 85
- disjoint shift, 68
- dominated convergence theorem, 83
- double recurrence theorem, 117
- dynamical system, 9,12
- eigenfunction, 112
- eigenvalue, 112
- Erdős-Turán conjecture, 3
- Ergodic Ramsey Theory, 3
- ergodic system, 111
- factor, 119
- Fatou's Lemma, 83
- field, 78
- first category set, 7
- FP-tree, 64

- Furstenberg correspondence, 87
- Furstenberg structure
 - theorem, 137
- Gallai's theorem, 11
- generalized Schur theorem, 42
- Graham-Leeb-Rothschild
 - theorem, 57
- Hales-Jewett theorem, 26
- Hausdorff space, 44
- Hilbert space, 95
- Hilbert space splitting, 116
- Hindman's theorem, 2, 45
- homeomorphism, 6
- homomorphism, 81
- ideal, 50
- idempotent, 45
- infinite van der Waerden
 - theorem, 53
- integral, 82
- invertible transformation, 6, 81
- IP Roth theorem, 128
- IP Szemerédi theorem, 128
- IP-convergence, 48
- IP-ring, 44
- IP-sequence, 22
- IP-set, 2, 22
- IP-system, 22
- IP van der Waerden theorem, 23
- isomorphism, 81, 119
- Kneser's conjecture, 91
- large set, 54
- leading term, 30
- Lebesgue measure, 81
- Lebesgue system, 119
- left piecewise syndetic, 63
- left shift-invariant family, 65
- left syndetic, 63
- left thick, 63
- Lovász, 91
- lower (Banach) density, 84
- linear operator, 94
- maximal distal factor, 138
- mean ergodic theorem, 98, 99
- measurable extension, 137
- measurable fibers, 120
- measurable map, 81
- measure space, 78
- metric space, 5
- Milliken-Taylor theorem, 49
- minimal ideal, 50
- minimal idempotent, 51
- minimal set-polynomial, 34
- minimal system, 12-13, 24
- monotone convergence
 - theorem, 82
- norm, norm topology, 93
- operator norm, 94
- orthocomplement, 96
- orthogonal projection, 97
- orthogonality, 96
- outer measure, 79
- partial order, 7
- partition regular family, 47
- piecewise syndetic set, 47
- PET-induction, 19, 31, 33, 145
- pointwise ergodic theorem, 120
- polynomial Hales-Jewett
 - theorem, 33
- polynomial Szemerédi
 - theorem, 145
- polynomial van der Waerden
 - theorem, 16
- premeasure, 79
- probability space, 78
- product topology, 6
- PSZ property, 149
- Pythagorean theorem, 96
- Ramsey theory, 8, 40
- Ramsey's theorem, 1
- rational spectrum, 101
- recurrent k -block, 10
- regular system, 119
- relatively compact function, 123
- residual set, 7
- reverse correspondence principle, 89
- rigid function, 106
- Roth's theorem, 3, 117, 121
- Sárközy's theorem, 100
- Schur's theorem, 2, 42
- Schwarz inequality, 94

self-adjoint operator, 97
separable space
set of measure theoretic recurrence, 90
set of topological recurrence, 90
set-monomial, 33
set-polynomial, 33
simple eigenvalue, 112
simple function, 82
simplex, 27
special family of set-polynomials, 37
square summable kernel, 116
strong mixing, 113
strongly central, 71
strongly partition regular, 69
strongly piecewise syndetic, 68
strongly syndetic, 68
subbasis (for topology), 6
syndetic set, 15
SZ property, 141
Szemerédi's theorem, 3, 136
thick set, 47
topological dynamics, 8
topological correspondence principle, 86
topological recurrence, 8, 11
topological space, 5
total boundedness, 6
transfinite induction, 141
triangle inequality, 93
uniform mean ergodic theorem, 138
uniform norm, 93
uniformly continuous function, 6
uniformly recurrent point, 15
unitary operator, 97
upper (Banach) density, 84
van der Corput lemma, 100, 113, 125, 139
van der Waerden's theorem, 1, 7
variable word, 26
VIP-system, 29
weak mixing, 112
weak mixing extension, 137
weak mixing of higher orders, 113
weak topology
Zorn's lemma, 6