

Subject Index

- Abel transform 160, 207
- Aberrations 115, 130, 242
- Absolute fringe order 47
- Absorption 17
- Ac fringe modulation 119
- Acceleration 296
- Accelerometer 316
- Acceptance band 165
- Acousto-optic modulator 77, 90, 97, 98, 102, 114, 116, 175
- Adaptive thresholds 174
- Additive
 - moiré 246
 - noise 163
- Adhesive bonding 205
- ADP crystals 304
- Aerodynamics 207
- Aircraft components 2
- Air turbulence 21, 22, 104, 107, 126–128, 130, 131, 137, 138
- Airy function 84, 87, 90
- Algebraic operations 154
- Aliasing 117, 140
- Alignment 142
- Aluminium
 - beam 242, 243
 - plate 104, 215, 216, 243, 247, 281, 282, 285
- Amplifier 115
- Amplitude
 - hologram 14, 22, 25
 - modulation 302
 - spectrum 185, 189, 191
 - transmittance 9, 15, 22, 24, 230, 256
- Analog-to-digital converter 114, 136
- Angular selectivity 15, 18, 24
- Annular lens 315
- Antisymmetric matrix 34, 36
- Aperture
 - function 83, 84, 220
 - masks 100
- Arcs 196, 197
- Array processor 128, 142, 144, 145
- Asymptotes 217
- Asymptotic approximation 310
- Auto-correlation 83–85, 92, 219, 220
- Auxiliary fringes 221, 224–228, 282
- Average windowing 154
- Back-projection filter 208
- Band limited function 154
- Band-pass filter 184–186, 193, 195, 200, 315
- Beam weakening 256
- Beat 239, 261, 264, 280
- Beat frequency 77, 102, 175
- Bending moment 238
- Bessel
 - fringes 39, 40
 - function 15, 65–68, 157, 294, 309
- Bezier polynomial 174
- Bias 304, 308
 - modulation 68–70, 144
- Bilinear
 - interpolation 170, 174
 - mapping 172
 - transformation 170–173
- Binary filtering 174
- Biological objects 336
- Biomechanics 3
- Birefringent plate 175
- Bleach 25
- Blind hole 247, 281, 285
- Boundary
 - element method 153, 206
 - layers 160, 208
- Bragg condition 15, 16, 18, 25
- Brazed cooling panels 165
- BSO 27
- Cameras 139–141
- Cantilever
 - beam 162
 - plate 69, 70
- Car body 316

- Carbonfiber
 - composite 233
 - reinforced plastic 183
- Carré algorithm 125, 128, 132, 133–135, 146, 180
- Carrier fringes 184, 185, 217, 218, 229, 246, 249, 250, 252, 259–262, 264, 265, 283, 284
- Cavity losses 19
- CCD 38, 60, 66, 95, 127, 153, 177, 209
- CCIR 139
- Cellular automata 197
- Characteristic function 66, 294–299, 301–303
- Chopping 299
- Circular
 - carrier 217
 - frequency 86
 - plate 250
- Clock rates 139
- Coherence 19
- Coherence length 19, 20
- Coherent imaging 83, 84
- Color coded 307
- Comparative
 - holographic moiré 280–282
 - holography 213, 274–288
- Computer
 - aided evaluation 152, 155, 173, 233, 285, 308, 315
 - simulations 153, 163, 164
 - tomography 207, 208
- Concentration analysis 207
- Concentrations 160
- Concrete shrinkage 3
- Conjugate
 - image 7, 10
 - reference 167, 277
 - wave holography 222, 232–233
- Connectivity 170
- Continuation 161
- Continuity 170, 195
- Contour sensitivity 121, 122, 215, 223, 231, 242, 243, 249–251, 254, 257–259, 261, 262, 265, 267, 269, 271–273
- Contouring 121, 122, 254–274
 - plane orientation 255, 257, 259, 266, 267, 269, 274
- Contrast
 - reversal 87
 - stretching 154
- Controlled phase 259
- Convex quadrangle 170
- Convolution integral 83
- Correlation cell 85
- Corresponding points 213, 275, 276
- Cosinusoidal fringes 39–41, 66, 67, 69, 156, 160, 306
- Coupled-wave theory 16
- Coupling 18
- Crack 2, 181, 201, 206, 207
- Cross reconstructions 79, 82, 90, 91
- Cross talk 88–90, 98
- Crystal growth 2
- Curvature 238, 243–249
- Curve fitting 201
- Cut-off frequency 140, 186, 191, 200
- Cylindrical carrier 217

- Dark field background 302
- Data
 - frame 114, 127, 128
 - image 64, 65
 - reduction 165
 - storage 65
- Dc intensity 127
- Dc term 184, 185, 192
- Debonds 183
- Debrazes 165
- Decorrelation 81, 89–94, 104, 163, 218–220, 229, 311
- Defects 2, 164, 165, 201–203, 205, 206, 221, 247, 248, 275, 279, 281, 282, 285, 286, 288
- Degree of correlation 87, 283
- Delocalization 88, 219, 220, 264
- Demodulation algorithm 196, 197
- Density function 208
- Dentistry 3
- Depth of modulation 283, 284
- Derivation direction 242, 243
- De-rotator 312
- Detector
 - area 85, 92, 93
 - array 102, 103, 111, 117–119, 134, 147
 - bandwidth 177
 - dynamic range 120
 - element 114, 117–119
 - function 85
 - nonlinearities 126, 130, 131, 134–136
 - saturation level 120, 183
 - shot noise 138
 - signal quantization 130, 131, 136–137
 - size 84
 - thermal noise 138
- Determinant 168
- Development of holography 7, 8
- Diametral compression 233

- Difference
 - displacement 213, 275–281, 285, 287
 - hologram 278
 - holography 277–279
 - shape 275, 279
- Diffraction
 - efficiency 15–18, 25, 27
 - order 249–251
- Digital image processing 153–155
- Digitizer 153
- Dirac function 84
- Displacement
 - measurement 31, 39, 41–53, 59, 151, 214–236
 - observed 51, 52
 - vector 29, 41, 47, 49, 57, 86, 99–103, 110, 158, 214, 239, 275, 278
- Displacement derivatives 104, 204, 236, 254
 - in-plane 204, 246, 252–254
 - out-of-plane 166, 204, 238–243, 246, 250
- Distance modulo 2π 196
- Distortions 155, 163, 200
- Double diffraction 253
- Double exposure 28, 29, 56, 60, 66, 67, 75, 78, 82, 88, 95, 96, 98, 102, 107, 155, 156, 169, 177, 218, 221, 238, 255, 277, 299–301, 308, 309
- Double pulse holography 82, 95, 97, 99–101, 107, 299, 312, 315
- Drift 201, 296, 298
- DSPI 143
- Dyadic 245
- Dynamic
 - evaluation 167
 - load 39, 40, 59, 60, 64–70
 - range 18, 191

- Earthquake engineering 316
- Edge lit 315
- Elastic ribbon 161
- Elastomechanics 204
- Electronic
 - fringe interpolation 75, 77, 79, 82
 - holography 51, 59–71, 142–144
 - noise 163
 - phase measurement 75–82
- Electro-optic
 - holography 51, 59, 60, 142–144, 195
 - modulator 114
- Embryonic behaviour 2, 215
- Emulsion shrinkage 25
- Envelope 283
- Equidistant planes 254
- Error 44, 45, 50, 68, 88–95, 104, 131, 200
 - sensitivity 126
 - sources 130–138
 - vector 46
- ESPI 143, 195, 209, 314, 315
- Expert systems 165, 209
- External fixation 230
- Extinction ratio 90

- False images 24
- Feature extraction 155
- FFT algorithm 175, 185, 189
- Fiber reinforced concrete 236
- Finite element
 - method 70–72, 153, 205, 206
 - model verification 3, 152, 205, 288
- Fizeau fringes 193
- Flaw 2, 164, 165, 201–203, 205, 206, 221, 247, 248, 275, 279, 281, 282, 285, 286, 288
- Flexural
 - deformation 236
 - moments 251
 - rigidity 251
- Flow visualization 159, 207
- Flute vibrations 316
- Fluttering vibrations 312
- Focal spot 20
- Four-fold correlation 84
- Four-wave interferometer 145, 258, 263
- Fourier
 - series 131, 297
 - transform 81, 83, 155, 220, 184–193, 197, 199–201, 208
- Fracture
 - mechanics 3, 206
 - toughness 207
- Frame grabbers 111, 139–141, 315
- Frequency
 - shift 175
 - translation 302, 310
- Friction 206
- Fringe
 - clarity 283, 284
 - control 220, 221, 224, 281
 - counting 48, 152, 173
 - formation 86–88, 155–164, 219, 263, 264, 270
 - interpolation 54, 79, 88
 - localization 31, 54, 167, 219, 221, 224–229, 252, 260, 264, 269, 280, 297
 - locus function 40, 41, 43, 46–49, 52, 56, 61, 63, 64, 66, 67, 169
 - locus planes 54
 - numbering 174

- Fringe (*contd.*)
 order known 41–47
 order unknown 41, 47–51
 orientation 166, 229
 parallax 52
 shift 48, 50
 shifting in vibration 306–311
 skeletonizing 155, 173–175, 195, 197, 199, 200
 tensor 57
 tracking 173, 174
 vector 54, 57, 58, 81, 166, 169, 252
 visibility 19, 21, 76, 77, 81, 84, 87, 88, 89, 94, 97, 110, 112–114, 118, 123–125, 127, 137, 163, 218–221, 227, 228, 252, 259, 262, 265, 267, 272, 282–284, 308, 311
- Frost resistance 2
- Gain
 adjustment 134
 profile 19
- Gaussian intensity profile 20, 163
- Generalized phase shifting 122, 193
- Generation of auxiliary fringes 224–226
- Geometric
 operations 154
 sensor aberrations 154
- Glass-plate shearing 241, 242
- Global operations 154
- Gradient operator 57, 174
- Gravity 152
- Gray-level windowing 285
- Gray-levels 99, 101, 153, 173, 174, 187, 191, 285
- Ground vibrations 316
- Hadamard condition 168
- Halfplanes 188, 189, 191, 192
- Halo 10, 24
- Harmonic vibrations 294
- Heat transfer 3, 159, 205, 207
- Hermitean distribution 185
- Heterodyne 76, 77, 88, 90, 91, 93, 95, 102, 104, 106, 109, 175, 177, 184, 185, 199–201, 315
- High byte image 66
- High spatial density 71
- Highpass filtering 154
- High-speed shutter 110
- Histogram 155
- Holodiagram 30
- Holoendoscope 315
- Hologram
 amplitude 14, 22, 25
 diffusely reflecting objects 18
 imaging 7
 multiply exposed 18
 phase 14, 22, 24, 25
 recording 38, 39
 rotation 224, 227, 260, 312
 translation 225, 227, 260, 264
 types 14–18
 volume reflection 14, 15
 volume transmission 14, 16, 17
- Holographic
 addition 303, 305
 moiré 145–147, 222–229, 233–236, 238–243, 252, 255, 258–267, 282, 285, 286, 288
 numerical analysis 40, 41, 47, 57
 subtraction 305
- Holography development 7, 8
- Homologous rays 213, 219, 225, 226, 228, 263, 267, 270
- Honeycomb structure 183
- Hooke's law 205
- Host computer 67, 71
- Hybrid evaluation 206
- Identity matrix 35
- Ill-conditioned matrix 168
- Image
 coding 155
 compression 155
 derotation 311, 312
 enhancement 186, 195
 frame 66
 hologram 11, 225, 230, 260, 270
 restoration 155
- Imaging parameters 229–230
- Immersion
 method 254, 257, 258, 279
 tank 215
- Impulse
 loading 152
 response 83, 84
- In-plane displacements 84, 93, 100, 110, 145, 146, 204, 221–236
- Integer-part function 234
- Integrating bucket 76
- Integration period 114
- Intensity modulation 118–120
- Interactivity etalon 20
- Interferogram evaluation 164–173
- Interferometric readout 39
- Interlaced signals 139
- Intermodulation 24

- Interpretation
 - multiple hologram 41, 51–53
 - single hologram 41–51
- Inverse
 - Abel transform 207
 - Fourier transform 185, 186, 208
 - Radon transform 208
- Isolated points 174
- Isolation table 138
- Isotropic bodies 205
- Iterative process 205, 206, 309

- J-integral 207

- Lame-Navier equations 207
- Large objects 216
- Laser
 - beam expansion 20–21
 - irradiance modulation 303
 - safety 22
 - triangulation 169
- Lateral magnification 12
- Least-square error 47, 52
- Least-squares technique 77, 113, 114, 125, 129, 166–168, 178, 201, 252, 298
- Light sources 19–21
- Line integral 207
- Linear
 - carrier 161, 217, 218
 - filtering 154
 - ramping 115
 - recording 9
- Liquid gate 25
- Loading
 - intensities 152
 - types 152
- Local operations 154
- Logarithmic gray scale 191
- Longitudinal
 - modes 19, 20
 - shift 256
- Look-up table 64, 68, 144, 145
- Loudspeaker 152, 314
- Low byte image 66
- Lowpass filtering 154, 155, 173, 195

- Mach-Zehnder interferometer 159
- Magnification change 256
- Many component motion 300
- Marginal pixels 187
- Mass transfer 208
- Master
 - hologram 277, 278
 - piece 275, 277–281, 285
 - wave 277
- Matric product 35, 37, 57
- Matrix
 - evaluation 168
 - rank 168
 - transformations 33–37, 54, 57, 58
 - transpose 37, 46, 47
- Measurement errors 44–46, 50, 68, 88–95, 104, 131, 200
- Mechanical loading 152
- Michelson interferometer 96, 184, 185
- Mirror concentrators 316
- Misalignment 79, 88, 89, 93, 277
- Mode shapes 66, 314
- Modulated
 - diffraction grating 249–254
 - pattern formation 282–284
- Modulation
 - aspect factor 264
 - depth 303, 309
 - parameter 16, 17
 - transfer function 23
- Moiré 145, 146, 169, 222, 233, 234, 240, 241, 245–248, 252, 259, 261, 264, 265, 267, 269, 280, 282, 283
- Moiré fringe quality 283, 284
- Moments 251
- Monobath 25
- Motion compensation 220, 221
- Moving surfaces 152
- Multidimensional signals 153
- Multiple
 - exposure holography 18, 98, 99
 - holograms 41, 51–53, 252
 - modes 296, 298, 300
 - sources contouring 258, 268–274
- Multiplexing 100, 300
- Multiplicative
 - moiré 252
 - noise 163
- Multiprocessor networks 209
- Mutual intensity 87, 91, 94
- Mutual interference 59

- Nearest neighbour interpolation 171
- Neural network 164, 165, 209
- Nodes 65, 196, 197, 294
- Non-collinear directions 51, 52
- Noncoplanar
 - directions 41, 54, 170
 - sensitivity vectors 43
- Non-corresponding points 276, 277
- Non-destructive
 - inspection 248, 275, 288

- Non-destructive (*contd.*)
 - testing 2, 3, 5, 151, 164, 274, 275, 288
- Non-interlaced signals 139, 141
- Non-invasive 151
- Non-linear
 - filtering 154
 - phase shifter errors 132, 133
 - recording 24, 89, 90
 - response 187
 - vibrations 294
- Non-oscillatory 310
- Non-overlapping reconstructions 91–94
- Nonseparable motions 296–298
- Non-singular matrix 43
- Normal projection 33, 35, 37
- Normalized errors 131, 132
- Number of speckles 85, 86, 91, 93
- Numerical analysis holography 40, 41, 47, 59
- Nyquist
 - limit 116, 140
 - sampling theorem 117, 118

- Object-tilt contouring 266, 267
- Oblique
 - planes 274
 - projection 33, 35, 37
- Observed displacement vector 51, 52
- Off-axis
 - hologram 9–11
 - reference beam 8, 11
- Offset angle 10
- Optical
 - delay line 100, 107
 - filtering 229, 249, 252, 253
 - power 85, 86, 91
 - slicing 274
 - subtraction 259
- Orthogonally polarized beams 96, 115
- Orthoscopic image 10
- Oscillating mirror 167
- Outliers 180, 181
- Out-of-plane displacements 110, 121, 145, 146, 166, 204, 214–217, 238
- Overlapping reconstructions 88, 90, 94, 102

- Parallax 51
- Parallel procedure 309
- Partial spectra 184
- Pass band 188, 189
- Path-dependent demodulation 196
- Path-independent demodulation 196–198
- Pattern segmentation 155

- Peak-to-valley phase error 132–135
- Performance evaluation 264–266
- Perspective
 - correction 58, 170–173
 - distortion 154, 166, 170–173
 - variation 54, 57, 100, 204, 205
- Phase
 - ambiguities 116, 217
 - balance 271
 - demodulation 195–197, 200, 267, 268, 271
 - difference amplification 218, 264
 - error 89–95, 101, 104, 131–138, 196, 200
 - hologram 14, 22, 24, 25
 - lock 195
 - management 255, 260–262, 264, 265, 267
 - measurement algorithms (2 + 1) frames 126
 - measurement algorithms (N + 1) frames 126
 - measurement algorithms five frames 124, 128, 132, 133–136, 179
 - measurement algorithms four frames 123, 132, 133–136, 179
 - measurement algorithms seven frames 126, 135
 - measurement algorithms three frames 122, 132, 133–135, 138, 179, 235
 - measurement Carré 125, 128, 132, 133–135, 146, 180
 - measurement random phase shifts 127–128
 - measurement scanning phase shifts 127–128
 - measurement spatial 109, 184, 185
 - measurement synchronous detection 125
 - measurement temporal 109, 112, 122, 175
 - modulation 15, 24, 66, 115, 116, 195, 303–305, 309, 315
 - modulo 2π 68, 77, 114, 128, 143, 144, 180–182, 186, 191, 193, 195, 200, 234–236, 247, 248
 - modulo π 68, 114
 - neutralization 269–271
 - objects 95
 - organization 255
 - reallocation 271
 - sampling 154, 177–183, 199–201, 203
 - saturation 267
 - unwrapping 116, 140, 143, 144, 147, 161, 183, 195, 197
- Phase shift 59–61, 76, 90, 95–97, 100, 109, 112–115, 119, 122–129, 132, 137, 141, 144, 180–183, 192–194, 246, 306–310
- shift histogram skewness 128
- shift histogram spread 128
- shift holographic moiré 145–147, 233–236, 238, 285–288

- shift ramping 141
- shift speckle interferometry 143
- shift spread 128
- shifted comparative holography 285–288
- Phase shifter
 - calibration 128–129, 136
 - errors 124, 126, 130–133
- Phase shifters 111, 114, 115
- Phasemeter 77, 102, 175
- Phasor
 - bias 66
 - sum 297
- Photo-conductive sensors 153
- Photodetectors 78, 91, 175
- Photographic emulsions 25
- Photomultiplier tube 102
- Photorefractive crystals 26–28, 201, 313
- Photosensitive medium 38
- Photothermoplastics 25, 28
- Phototransistors 153
- Picture element 59, 76
- Piecewise approximation 174
- Piezo-electric transducer 96, 115, 235, 177, 195
- Pinhole 20, 21
- Pipeline processor 66
- Pixels 66, 68, 95, 128, 139, 141, 153, 154, 166, 170, 171, 173, 174, 187, 191, 195, 200, 235
- Plasma diagnostics 3, 159, 207
- Plastic zone 207
- Plate aspect ratio 68
- Pockels cell 22, 90, 97, 100
- Point operations 154
- Point-symmetric 185
- Poisson's ratio 217, 251
- Polarization 13, 21, 142
- Polarizing beam splitter 115
- Position vectors 38, 56, 238, 244, 256, 267
- Positive image 11
- Precision 77, 78, 86, 88, 103, 104, 106, 130, 199–201, 248
- Pressure
 - chamber 152, 279
 - loading 152
 - vessels 104, 165, 203
- Principle values 173
- Projection matrices 33, 37, 41, 51, 52, 58, 59
- Propagation vectors 29, 38, 100, 214, 215, 238, 244, 255, 259, 269
- Prototype conception 288
- Pseudocolor 236, 237
- Pseudoscopic image 10
- Pulse width 306
- Pulsed
 - holography 22, 79, 82, 90, 97, 201, 300, 311
 - laser 22, 110
- Pupil plane decorrelation 218–220, 229, 267
- Q parameter 17, 18
- Q switch 22, 97, 98, 100, 101, 107
- Quadrangle 170
- Quadratic errors 178
- Quantization 130, 131, 136–137, 153, 187
- Quarter-wave plate 116
- Quasi real-time 312–315
- Quasi-heterodyne 76, 77, 95, 107
- Radially symmetric refractive index 160, 207
- Radii of curvature illumination perspective 58
- Radii of curvature observation perspective 58
- Radon transform 208
- Random phase shifts 127–128
- Random vibrations 306
- Real image 10
- Real-time 27, 28, 59, 64, 66, 71, 76, 109, 143, 155–157, 178, 181, 191, 199, 229, 238, 255, 258, 266, 269, 270, 273–275, 281, 295, 296, 299, 304, 306, 308, 309, 313, 315
- Reconstructed
 - image 12–14
 - reference wave 222, 230, 231
- Recording
 - materials 24–27
 - medium 22–24
- Reeds 3
- Reference
 - rotation 225, 260, 312
 - scanning 167
- Reflection hologram 11, 28, 221
- Refractionless limit 208
- Refractive index change 14, 16, 17, 151, 155, 159, 160, 207, 208, 258
- Relief
 - encoding 259, 266
 - variations 254, 269
- Repositioning sensitivity 79, 88, 89
- Resolution 86, 106, 152, 199, 200
- Resonance 40
- Resonant frequency 19
- Rigid-body movements 53, 57, 104, 161, 169, 170, 201, 220, 221
- Ring 233
- Ring pattern 165, 200

- Rotating
 - analyzer 116
 - half-wave plate 116, 177
 - mirror 167
 - objects 311, 312
 - radial grating 175, 177
- Rotation
 - matrix 58
 - vector 81
- Rotations 53, 54, 56, 58
- RS-170 139
- Rubber plates 281
- Sampling
 - requirement 116, 117
 - theorem 154, 175
- Sandwich hologram 29, 217, 220, 254, 255, 311
- Saturation 120, 183, 187
- Saw-tooth 195, 234, 285
- Scalar product 34, 35, 41, 48
- Scan time 103, 315
- Scanning phase shift 127–128
- Second moment 85
- Second-order
 - derivatives 243, 245, 246, 248, 250, 251
 - moiré 245, 246
- Secondary interference fringes 109, 110, 142
- Seed values 309
- Segmentation 173, 174
- Self-reconstructions 79, 82
- Sensing element 38
- Sensitivity
 - enhancement 217, 218, 224, 261, 262, 265, 271–273, 302
 - reduction 302
 - vector 29, 30, 38, 39, 41–44, 46–49, 54, 56–58, 99, 100, 110, 159, 162, 163, 168–170, 185, 204, 240, 241, 293, 308
- Separable motions 294, 296, 299
- Shading correction 154
- Shadow 33–37
- Shape measurement 121, 122, 254–274
- Shear variation 242
- Shearing 238, 240, 241, 243–246, 248–251
 - interferometry 147
 - strains 204
- Sheet polarizer 21
- Sign ambiguity 29, 77, 160, 161, 175, 186, 189, 192, 197, 217, 224, 310
- Signal
 - enhancement 181
 - processors 154
 - to-noise ratio 14, 24, 174
- Similarity property 208
- Sinc function 113
- Single hologram 41
- Singular matrix 37, 168
- Sinusoidal vibration 64, 65, 293–295, 298–300, 302, 306
- Skeletonizing 155, 173–175, 195, 197, 199, 200
- Slope change 238–243, 246–250
- Slow-scan 139
- Small
 - deformations 217, 218
 - vibrations 302, 304, 305
- Solid-state sensors 153
- Sources of errors 88–95
- Space
 - charge pattern 26
 - variant phase 300
 - vectors 214
- Sparse array sensor 144
- Spatial
 - coherence 19
 - filtering 174, 186
 - frequency domain 155
 - light modulators 209
 - noise 20
 - resolution 78
 - transform 170
- Spatiotemporal 147
- Specimen integrity 152
- Speckle 13, 59, 81–83, 88, 90, 219, 223
 - averaging 82, 86, 143
 - fields 81–83
 - interferometer 59, 143, 206
 - metrology 59
 - noise 85, 88, 90–93, 154, 163, 173, 174, 186–188, 312
 - reduction 13
 - reference beam 304
 - shifts 220
 - size 85–88, 90, 91, 94, 220, 265, 312
 - statistics 83
- Spectral contents 155, 186
- Spectroscopic holography 306
- Spherical
 - perspective 56
 - wavefront 56
- Spline function 174
- Split lens 243, 246
- Spurious
 - fringe patterns 88, 90
 - reflections 130
 - vibrations 181
- Static
 - evaluation 166
 - load 39, 40, 59–64, 69

- Stationary
 - condition 226
 - phase 297
- Statistical error 82, 91
 - features 154
 - phase errors 88
 - properties 83, 84
- Steel
 - beam 254
 - plate 99
- Strain-rotation matrix 54, 58
- Strain-shear matrix 58
- Strains 31, 53, 54, 57, 58, 102–106, 164, 201, 204, 205, 207, 219, 252–254
 - homogeneous 54, 57
 - inhomogeneous 57–58
- Stress intensity factor 207
- Stresses 204–206, 251
- Stroboscopic holography 79, 156, 298–301, 303, 306, 315
- Structural
 - components evaluation 288
 - failure 53
- Substrate-guided wave 315
- Subsurface void 164
- Sum of phases 146, 147, 286
- Surface of localization 226–228
- Surface roughness 83, 84
- Synchronized triggering 312
- Synchronous detection 125, 126
- System ill-conditioning 283
- Systematic errors 88–90

- Taylor series 56, 240, 249, 253
- Telecentric imaging 142, 241, 245, 256, 258
- TEM₀₀ mode 19, 20
- Temporal filtering 154, 174
- Temporally
 - dependent motions 297
 - modulated holography 157, 301–306, 315
- Tensile
 - stress 152
 - test specimen 181, 201
- Test piece 275, 277–281, 285
- Thermal expansion 205
- Thermal loading 152, 189, 190, 205
- Thermoplastic plate 122
- Thin gratings 14, 15
- Threshold 191, 285
- Threshold binarization 154
- Tilted glass plate 177
- Time average 60, 64, 66–69, 144–145, 157, 293–298, 300, 301, 304–306, 308, 310, 312–315
- Time constant 313
- Time function 294
- Time-resolved holography 300
- Tissues 316
- Tolerance limits 304
- Torsion 164
- Torsional
 - moments 251
 - stress 152
- Training samples 165
- Transient phenomena 28
- Transmission function 249, 250
- Transparent objects 75, 88, 89, 206, 207
- Transputer networks 154
- Triangular phase modulation 306
- Triple vector product 34, 35
- True phase 236, 237
- TV holography 51, 59, 127, 143, 209, 305, 314, 315
- Twin-image 8
- Twist 246, 251
- Two angle contouring 122
- Two reference beams 75, 78–82, 88–90, 95, 97, 98, 102, 107, 175, 177, 199, 315
- Two-dimensional detectors 175
- Two-frequency laser 175
- Tympanic membranes 316
- Types of holograms 14–18
- Tyre 2

- Ultrasonics 152, 208
- Uniaxial tension 229, 230
- Unknown phase steps 180–183

- Vacuum chamber 152
- Validation 3, 152, 205, 288
- Valve 174
- Variable sensitivity 255
- Variance 14, 155
- Vector product 34, 35, 169
- Vibration 64–70, 97, 99, 101, 144, 145, 156, 157, 293–316
 - effects 126, 128, 130, 131, 137–138, 141
 - frequency 68, 69
 - isolation 21, 127
 - loading 152
 - phase 315
- Virtual image 10, 79, 83, 246
- Volume
 - gratings 15–18
 - phase holograms 18
 - reflection hologram 14, 15
 - transmission hologram 14, 16

- Wavelength
 - changes 79, 81, 82
 - change contouring 254–257
 - selectivity 15
- Wear 2
- Well-conditioned system 169
- Wire frame
 - grid 68
 - plots 68
- Wollaston prism 96, 97
- Wrap-around pollution 187
- X-ray 152, 208
 - astronomy 316
- Young's fringes 268
- Zeeman laser 114, 116, 177
- Zero-frequency 189
- Zero-fringe visibility 283
- Zero-order
 - Bessel function 65–68, 157, 294
 - fringe 41, 47, 65, 104
- Zero-peak 185

Springer Series in Optical Sciences

Editorial Board: A. L. Schawlow K. Shimoda A. E. Siegman T. Tamir

- 1 **Solid-State Laser Engineering**
3rd Edition By W. Koehner
 - 2 **Table of Laser Lines in Gases and Vapors**
3rd Edition
By R. Beck, W. Englisch, and K. Gürs
 - 3 **Tunable Lasers and Applications**
Editors: A. Mooradian, T. Jaeger, and
P. Stokseth
 - 4 **Nonlinear Laser Spectroscopy** 2nd Edition
By V. S. Letokhov and V. P. Chebotayev
 - 5 **Optics and Lasers** Including Fibers and
Optical Waveguides 3rd Edition
By M. Young
 - 6 **Photoelectron Statistics**
With Applications to Spectroscopy and
Optical Communication By B. Saleh
 - 7 **Laser Spectroscopy III**
Editors: J. L. Hall and J. L. Carlsten
 - 8 **Frontiers in Visual Science**
Editors: S. J. Cool and E. J. Smith III
 - 9 **High-Power Lasers and Applications**
2nd Printing
Editors: K. -L. Kompa and H. Walther
 - 10 **Detection of Optical and Infrared Radiation**
2nd Printing By R. H. Kingston
 - 11 **Matrix Theory of Photoelasticity**
By P. S. Theocaris and E. E. Gdoutos
 - 12 **The Monte Carlo Method in Atmospheric Optics**
By G. I. Marchuk, G. A. Mikhailov,
M. A. Nazaraliev, R. A. Darbinian,
B. A. Kargin, and B. S. Elepov
 - 13 **Physiological Optics**
By Y. Le Grand and S. G. El Hage
 - 14 **Laser Crystals** Physics and Properties
2nd Edition By A. A. Kaminskii
 - 15 **X-Ray Spectroscopy**
2nd Edition By B. K. Agarwal
 - 16 **Holographic Interferometry**
From the Scope of Deformation Analysis of
Opaque Bodies
By W. Schumann and M. Dubas
 - 17 **Nonlinear Optics of Free Atoms and Molecules**
By D. C. Hanna, M. A. Yuratich, D. Cotter
 - 18 **Holography in Medicine and Biology**
Editor: G. von Bally
 - 19 **Color Theory and Its Application in Art and
Design** 2nd Edition By G. A. Agoston
 - 20 **Interferometry by Holography**
By Yu.I. Ostrovsky, M. M. Butusov,
G. V. Ostrovskaya
 - 21 **Laser Spectroscopy IV**
Editors: H. Walther, K. W. Rothe
 - 22 **Lasers in Photomedicine and Photobiology**
Editors: R. Pratesi and C. A. Sacchi
 - 23 **Vertebrate Photoreceptor Optics**
Editors: J. M. Enoch and F. L. Tobey, Jr.
 - 24 **Optical Fiber Systems and Their Components**
An Introduction By A. B. Sharma,
S. J. Halme, and M. M. Butusov
 - 25 **High Peak Power Nd : Glass Laser Systems**
By D. C. Brown
 - 26 **Lasers and Applications**
Editors: W. O. N. Guimaraes, C. T. Lin,
and A. Mooradian
 - 27 **Color Measurement Theme and Variations**
2nd Edition By D. L. MacAdam
 - 28 **Modular Optical Design**
By O. N. Stavroudis
 - 29 **Inverse Problems of Lidar Sensing of the
Atmosphere** By V. E. Zuev and
I. E. Naats
 - 30 **Laser Spectroscopy V**
Editors: A. R. W. McKellar, T. Oka, and
B. P. Stoicheff
 - 31 **Optics in Biomedical Sciences**
Editors: G. von Bally and P. Greguss
 - 32 **Fiber-Optic Rotation Sensors**
and Related Technologies
Editors: S. Ezekiel and H. J. Arditty
 - 33 **Integrated Optics: Theory and Technology**
3rd Edition By R. G. Hunsperger
 - 34 **The High-Power Iodine Laser**
By G. Brederlow, E. Fill, and K. J. Witte
 - 35 **Engineering Optics** 2nd Edition
By K. Iizuka
 - 36 **Transmission Electron Microscopy** Physics of
Image Formation and Microanalysis
3rd Edition By L. Reimer
 - 37 **Opto-Acoustic Molecular Spectroscopy**
By V. S. Letokhov and V. P. Zharov
 - 38 **Photon Correlation Techniques**
Editor: E. O. Schulz-DuBois
 - 39 **Optical and Laser Remote Sensing**
Editors: D. K. Killinger and
A. Mooradian
 - 40 **Laser Spectroscopy VI**
Editors: H. P. Weber and W. Lüthy
 - 41 **Advances in Diagnostic Visual Optics**
Editors: G. M. Breinin and I. M. Siegel
-