

Subject Index

- ABI1/2 98, 135, 138, 139
Abiotic stresses *see also* Cold stress,
Dehydration, Drought stress, Heat stress,
Hyperosmotic stress, Hypoosmotic stress,
Mechanical stress, Osmotic stress,
Oxidative stress, Salt stress, and Touch
stress 1, 5, 8, 131, 133, 139
Abscisic acid (ABA) 8, 20, 45, 54, 55, 97, 98,
131–141, 147
ACC (1-aminocyclopropane-1-carboxylic
acid) 146
Actin 20, 42, 44
Activation loop 14, 17, 24
Agrobacterium 150
Aldose reductase 133
Aleurone cells 8, 20, 45, 79, 98, 132–141
Alfalfa 4, 5, 7, 14, 33, 54, 55, 80, 99, 102, 103
Alkalization 47, 69–72
Amiprophosmethyl (APM) 103
Amphotericin B 90
Anaphase 7, 20, 102–104, 110, 111
ANP1–3 32, 123, 124
Anthracene-9-carboxylate (A9C) 89
APETALA2 154
Aphidicolin 102, 125, 126
Arabidopsis 4, 5, 8, 14, 19–21, 31–35, 45, 54,
67, 98, 105, 123, 134, 135, 139, 140, 146–151,
156, 157
ArcB 157
Archidonic acid 78
AsPK9 15, 18, 79, 98
AsPK10 98
ATATPK1 98
ATHK1 35
ATMEKKs
ATMEKK1 34
ATMEKK1–4 32
ATMKKs
ATMKK2 34
ATMKK2–5 32
ATMPKs
ATMPK1 15, 19, 24, 32
ATMPK2/5/7 15, 32
ATMPK3 15, 17–19, 24, 32–34, 45, 57, 79,
88, 138
ATMPK4 15, 19, 32, 34
ATMPK6 15, 18, 32, 34, 80
ATMPK8/9 15, 32, 34
ATP-binding site 13
ATPP2Ci 139
Aux1 98
Auxin 8, 20, 97–100, 126
Avirulence-genes 66, 72, 85, 86
Avr9 72, 74–76
Avocado 146
Bacterial elicitor *see also* harpin 72
Banana 146
Barley 8, 20, 45, 98, 132, 135, 137, 140, 141
BCK1 32, 34, 120, 121, 124
Brassica 41
Broad bean 140
Ca²⁺ changes 41, 42, 45, 88, 106, 134
Calreticulin 47
Calyculin A 67, 68
Cantharadin 67
Carborundum 76
Carrot 132
CDC25 phosphatase 101
CDC7 104
CDK1 101
CDPK 42
Cell cycle 1, 7, 8, 19, 20, 53, 97–102, 107,
125–127, 133
Cell division 95, 97–103, 105, 107, 110, 111,
120, 125
Cell plate formation 105, 110, 128
Cell plate 7, 20, 105
Cell wall 3, 20, 45, 86, 119, 121
Cell wall-derived carbohydrate (CWD)
elicitors 69–72, 75–79
CENP-E 100, 103
Centrosomes 100, 108, 109
Cf-9 72, 74–76

- Chalcone synthase (CHS) 67
 Checkpoint control 100–103, 110
 CheY 151
 Chitinase 146
 Chitosan 6
 Chromosome alignment 100–103, 110
 CK11 35, 151
 CL100 100
Cladosporium fulvum 72
Clamydomonas 140
 Classification 3, 14, 17–21, 31, 34
 Cold stress 5, 19, 32–35, 43, 45, 46, 57, 133, 135, 138, 140
Commelina 134
 Cortical microtubules 105–108
 Cotyledons 124–126
 Cph1 154, 155
 Cryptogein 69, 70, 154
 CTR1 8, 20, 32, 35, 146, 147, 151, 152, 155–158
 Cutting *see* wounding
 Cyclin-dependent kinase (CDKs) *see also* CDK1 11, 12, 97, 101, 107–111, 120, 126
 Cyclins *see also* G₁, G₂ and M-phase cyclins 120
 Cytokinesis 8, 100, 102–105, 119
 Cytokinin 97, 98, 151
 Cytoskeleton 2, 7, 20, 42, 47, 95, 102, 105, 106, 110
 Def1 6
 Defense gene activation 88, 89, 91
 Defense related genes 53, 57
 Defense response genes *see also* Chalcone synthase (CHS), Phenylalanine ammonia lyase (PAL), PR genes, and Proteinase inhibitors 5, 66–69, 78.152
 Defense response 66–69, 73–76, 78, 86–90
 Dehydration 40–44, 132, 133
 Differential splicing 124, 154
 Differentiation 3, 46, 47, 67, 79, 99, 102, 132, 133, 151
 Diphenylene iodonium (DPI) 88, 91
 Disease resistance 66, 71, 76, 77
 Division plane 104, 105, 107
 Drought stress *see also* dehydation 8, 19, 33, 35, 43–46, 57, 133, 135, 138
 Dynamin 105
 Dynein 109
 E2F 97, 99
 EF-hand 139
 Eg5 109, 111
 EIF-4A 43
 EIL gene family 152, 157
 EIL1 152
 EIN gene family 146, 147, 151, 152
 EIN2 147, 152
 EIN3 152, 156, 157
 EIN4 149, 151, 157
 Electrical current 54, 55, 58, 106
 Elicitins *see also* Cryptogein, and Parasiticein 69–72, 74, 76, 79
 Elicitors *see also* Bacterial elicitors, Fungal elicitors, and Microbial elicitors 6, 19, 34, 46, 47, 57, 59, 66, 69–72, 75, 77, 78, 85, 86, 152
 non-race specific 66, 72, 76, 86
 race-specific 66
 Embryos 124–126, 138
 Environmental stresses *see also* Abiotic stress, Cold stress, Dehydration, Drought stress, Heat stress, Hyperosmotic stress, Hypoosmotic stress, Insect attack, Mechanical stress, Osmotic stress, Oxidative stress, Salt stress, Touch stress, and Wounding 3, 4, 8, 32, 33, 36, 40, 67, 79, 132
 Era1–1 134
 EREBPs 154, 156
 ERK1/2 3, 7, 12, 13, 16–18, 45, 78, 79, 96, 97, 100–105, 110, 135
 ERMK 7, 15, 33, 57, 79, 81, 152
 ERS 8, 149, 155–157
 ERS1/2 149, 151, 156, 157
Erwin amylovora 6, 72
 ESTs 4, 20, 21, 24
 Ethylene 8, 32, 53, 97, 98, 145–150, 152–158
 ETR1 8, 9, 35, 146–158
 ETR2 149, 156, 157
 Farnesyl transferase 134, 141
 Fertilization 145
 Flavonols 41
 Fruit ripening 145, 146, 157
 Fungal elicitors *see also* Cell wall-derived carbohydrate (CWD) elicitors, Cryptogein, Elicitins, Parasiticein, Peptide elicitors 67, 69, 71, 74, 76–79, 147
 FUS3 3, 31, 102, 121
 G/HBF-1 67
 G₁
 Arrest 99
 Control 95, 98–100
 Cyclins 99
 Cyclin D3 98, 99

- Cyclin D1 97
Phase 99, 100, 102
G₁/S
Boundary 102
Transition 99
G₂
Arrest 101
Control 102
Cyclins 107
Phase 100, 102, 107
G₂/M transition 100
Gd³⁺ 88
Gene for gene hypothesis 72, 75, 85
Germination 5, 19, 40–44, 132–134
Giberellic acid 8, 20, 79, 97–99, 132, 137, 139
Glycogen synthase kinase (GSK) 11, 97
Glycoproteins 7, 86
Guard cells 134, 138–140

H7 146
HAPK 72
Harpin 6, 72, 74, 76, 78
Heat stress 3, 30, 33, 46, 78, 121, 138
Herbivore 53
Histidine kinase 33, 35, 98, 148–151, 155, 157
Histidine phosphorylation 9, 150, 155, 156
HOG1 3, 9, 31, 33, 35, 45, 46, 155
Hormones *see also* Abscisic acid, Auxin, Cytokinin, Ethylene, Giberellic acid, and Plant hormones 3, 46
Host-recognition 66, 85
Hydration *see* rehydration
Hydraulic pressure 58
Hyperosmotic stress 3, 33, 45, 78, 121, 133
Hypersensitive cell death 70, 71
Hypersensitive respons (HR) 66, 67, 69, 73, 74
Hypocotyl 124, 146
Hypoosmotic stress 3, 33, 45, 46

IBC6/7 151
ICK1 98, 99
Incompatible interaction 66
Insect attack 53, 78
Integrin 47
Intercellular pH 134, 139
Interphase 103, 106–110
Ion fluxes 66, 87–91, 134

Jasmonate synthesis 58, 59, 78, 88
Jasmonate-inducible genes 58
Jasmonic acid 6, 19, 41, 53–55, 58, 59, 78
JNK 3, 30, 33, 45, 78, 79
K252a 67, 102, 107, 108, 140, 146, 147
KAP1/2 67
Keule 105
Kinase Domains 3, 12, 14, 68, 123
Kinesin 100, 103, 111, 127
Kinetochores 100, 108–110
Knolle 105
KO₂ 88, 91
KSS1 3, 31, 121

La³⁺ 88
LAMMER motif 153, 156
LePRK1/2 41
Leucine rich repeats (LRR) 41, 72
Leucotrienes 78
Light 106, 155
Linolenic acid 78
L-malate 134
Low temperature stress *see* cold stress

Maize 20, 42, 108
MAPK inactivation 6, 12, 55, 75, 98, 139
MAPK-like activity 6, 8, 9, 20, 33, 34, 54, 57, 69–72, 79, 135, 138
Mechanical stress 4, 5, 19, 33, 74, 78, 106
Mechanoreceptor 46, 47
Meiosis 101
MEK1 32, 34
Metaphase 100–103, 110
Microbial elicitors 6, 67
Microtubule motors 105, 109, 111, 127, 128
Microtubule-associated proteins (MAPs) 106, 108, 109
Microtubules *see also* cortical microtubules 101–111, 119, 120, 128
Mitogens 3, 8
Mitosis 7, 20, 39, 40, 43, 100–104, 107, 109, 110
Mitotic spindle 105, 108, 109, 110
MMKs
MMK1 15, 19, 45, 46, 55, 79, 81, 99, 102–104, 140
MMK2 15, 20, 55, 81, 140
MMK3 7, 15, 20, 24, 81, 102–105
MMK4 15, 19, 33, 34, 45, 46, 55–58, 79–81, 88, 138
MP2C 6, 139
M-phase 128
Cyclins 126, 128
MPK1 3, 20, 31, 33, 34, 45, 121
MPM2 109, 110
MYT1 kinase 101

- N gene 47, 73, 74
 NACK1/2 7, 127, 128
 NADPH oxidase 7, 88, 91
 NaHG 74
 Necrosis 69, 72
 Necrotic lesions 66, 146
 Non-host recognition 85, 86
 NPKs
 NPK1 7, 8, 20, 32, 98, 103, 108, 120–128
 NPK2 32
Nr-gene 149, 151, 15
 NtFs
 NtF3 15, 43, 55
 NtF4 5, 15, 19, 43–46, 55, 56, 70, 80
 NtF6 7, 15, 20, 55, 102–105
 Nuclear localization 2, 5, 7, 57, 78, 91, 97,
 100, 107, 152, 153, 156
 Nucleolin 99
 NuMA 109

 Oat 8, 14, 20, 79, 133
 Octadecanoid pathway 78
 Okadaic acid 67, 68, 140, 147
 Oocytes 101, 102
 Osmotic stress *see also* Hyperosmotic stress,
 and Hypoosmotic stress 5, 33, 34, 47, 74,
 133, 155
 Oxidative burst *see also* Reactive oxygen
 species (ROS) 7, 88–91
 Oxidative stress 46

 P38 kinase 3, 16, 17, 18, 30, 33, 45, 78
Papaver rhoeas 41, 42
 Parasiticein 69, 70
 Parsley 6, 14, 54, 67, 81, 86–89, 91
 Pathogene response 20, 78, 86, 91, 145, 152,
 154
 Pathogens 1, 5–7, 19, 47, 53, 66, 67, 72, 77,
 78, 85, 86, 131
 PBF-1 68
 PBS2 34, 35, 121
 PDK1/2 97
 Pea 14, 107, 140
Pennisetum 132
 Pep13 elicitor 86–91
 Pep25 elicitor 81
 Peptide elicitor *see also* Pep13, and Pep25
 elicitor 7
 Petunia 14, 41
 Phenyl arsine oxide (PAO) 140
 Phenylalanine ammonia lyase (PAL) 67,
 69–72
 PhERK1 15, 43
 Pheromone pathway 3, 31, 32, 121

 Phospholipase A 78
 Phospholipids 97
 Phragmoplast 7, 103, 105, 110, 111, 128
 Phragmoplastin 105
 Phylogenetic analysis 18, 21, 31, 32, 79, 80
 Phytoalexin synthesis 7, 67, 88, 89, 91
Phytophthora 6, 69, 72
 cryptogea 69, 152
 infestans 69, 71
 parasitica 69, 71, 152
 sojae 7, 81, 86
 PI3K 97
 PK12 153, 154, 157
 PKA 120
 PKB 97
 PKC 31, 45, 68, 120, 121
 Plant hormones *see also* Abscisic acid, Auxin,
 Cytokinin, Ethylene, and Gibberellic acid
 1, 20, 106, 131, 132
 Pollen 5, 19, 39–44, 46, 102
 Grains 39–44, 70
 Tube growth 40, 42–44
 Polygalacturonic acid (PGA) 6
 Potato 74
 PR genes 5, 7, 67, 68, 73, 146, 147
 Acidic 58, 67
 Basic 53
 PR1 58, 68
 PR10 68
 Preprophase band (PPB) 102, 105, 107, 108,
 110
 Primordia 125
 PRK1 41
 Profilin 44
 Proliferation 3, 8, 78, 99, 100, 119, 120
 Prophase 100–103, 110
 Propyzamide 102
 Prostaglandins 78
 Protein phosphatases
 PP1 147
 PP2A 109, 147
 PP2C *see also* MP2C, ATPP2Ci, and ABI1/2
 6, 98, 141
 Proteinase inhibitors 5, 53, 67
 PI-II 58, 59
 PsD5 (PsMAPK) 15, 45, 80
Pseudomonas syringae 72

 Q gene 127

 Raf kinase 8, 20, 32, 35, 96, 99–101, 127, 151,
 152, 156, 158
 Ras 97–100, 134, 135, 140, 141
 Rcp1 155

- Reactive oxygen species (ROS) 47, 66, 69, 88, 91
Rehydration 5, 19, 42–46, 70, 102
Resistance genes *see also* Cf-9, and N-gene 66, 72, 76, 85, 86
Resistant plants 66, 85
Retinoblastoma protein (Rb) 97, 99, 120
RhoA 47
Rice 20
Roscovitine 102, 108, 110
- SA-inducible genes 58, 68
Salicylic acid (SA) 19, 34, 46, 55–59, 67, 68, 70–79, 152
Salt stress 5, 8, 19, 32, 35, 43, 45, 133, 135, 138, 140
SAMK *see* MMK4
SAPK *see* JNK
Seed ripening 132
Senescence 145, 146
Signature sequence for MAPK 24, 44
SIPK 6, 15, 19, 34, 45–47, 55–60, 68–81, 152
SLN1 35, 46, 151, 155, 156
SLT2 *see* MPK1
SMK1 3, 31
Somatic cells 100, 102
Soybean 54, 78, 105
Spc1 46
S-Phase 99, 100, 107, 126
Spindle assembly 103, 108–110
Spindle pole bodies 104
Spore wall formation 3, 31
SR splicing factors 153, 154
Src 100,
SSK2 / SSK22 35, 121, 155, 156
Stathmin/Op18 109
Staurosporin 67, 71, 106–108
STE11 32, 104, 120, 121, 124, 139
Stigma 40, 41
Stomatal guard cells 133
Subfamily 3, 14, 15, 17–21, 24, 32, 79
Susceptible plants 66, 85
- Synechocystis* 151
Systemic acquired resistance (SAR) 67, 69, 74
Systemic resistance 67
Systemic signaling 5, 6, 53, 57, 58, 74
Systemin 6, 54, 76
- Tapetum 40
TAU 107
Taxol 102
Telophase 7, 20, 102–105
TMV 6, 46, 47, 67, 73–76
Tobacco 5–8, 14, 20, 32–34, 44–47, 54, 55, 57, 67–76, 79, 81, 99, 102, 103, 109, 120, 125, 140, 154
Xanthi (nn) 74
Xanthi nc (NN) 73, 74
Tomato 6, 41, 54, 57, 67, 72, 74, 76, 146, 149, 150, 157
Touch stress 5, 33, 34, 46, 57
TPRK125 111
Transgenic plants 58, 59, 67, 74, 124, 125
Transmembrane domains 41, 47, 151, 155
Triple response 8, 146, 147
Tubulin 107, 109
- Verticillium dahliae* 78
Vicia faba 138
VirA receptor 150
- WCK1 15, 18
Wee1 101
Wheat 14, 42, 44
WIN1 46
WIPK 6, 15, 19, 33, 34, 47, 55–59, 70–81, 88, 152
Wound-inducible genes 53
Wounding 5, 6, 19, 20, 33, 34, 43, 46, 47, 53–60, 70, 76–78, 80, 102, 106, 107, 131, 145, 152
- Xenopus* 103, 109
Yeast 2-hybrid 4, 34, 60, 156

Springer and the environment

At Springer we firmly believe that an international science publisher has a special obligation to the environment, and our corporate policies consistently reflect this conviction.

We also expect our business partners – paper mills, printers, packaging manufacturers, etc. – to commit themselves to using materials and production processes that do not harm the environment. The paper in this book is made from low- or no-chlorine pulp and is acid free, in conformance with international standards for paper permanency.



Springer