
Index

A

ACDs during gametogenesis, 48–51
actin, 3–4, 97, 102, 109–114
adenomatous polyposis coli proteins, 99
adherens junctions, 99–101, 103, 124–126
adult ovaries, 190–193, 199
annelid, 80–81
apical localization, 150, 160
apical-basal division, 122–124, 135
aPKC, 112–113
Arabidopsis, 2, 5, 6, 8, 11, 16, 18, 21, 23
arabinogalactan proteins, 6
ARF19, 18, 26
ascidian, 113
astral microtubules, 86, 90–91
asymmetric cell division, 1–27, 97–98, 104, 111
asymmetric division, 144–163, 165–171, 179–200, 225
asymmetric localization, 149–150, 160–161
asymmetrically distributed organelle, 103
atypical protein kinase C (aPKC), 160–161
auxin distribution, 9, 24
auxin, 3, 9–11, 16–18, 24–25

B

bag of marble, 100–101
basal localization, 150, 160
basal process, 128–131
BDL, 10, 25
bHLH transcription factor, 131
blastocoel, 86, 91–92
blastomere isolation, 90–91
bone morphogenetic protein, 102

brain stem, 123

brain, 121, 123–126, 129, 137, 144, 146, 150–157, 169, 170
Brat tumor protein (Brat), 150, 161, 170, 209, 212, 216

C

Caenorhabditis elegans, 98
cancer stem cell, 218
 β -catenin, 135
Cdc, 112–113
Cdc42, 112–113
cell commitment, 180, 186, 190, 196
cell cortex, 108, 110–112, 114
cell cycle, 126–128, 130–134, 136–137
cell diversity, 1, 2
cell fate determinants, 150, 160–161
cell polarity, 3, 4, 24
cell specification in cereal endosperm, 52–53
Central nervous system (CNS), 144, 146–147, 160, 168–171
centrosomes, 86–87, 90, 93, 99, 106, 107, 111
chromosomes, 97, 108, 109–113
Ciona, 110
clitellate annelids, 81, 87
CLV1, 15
CLV3, 15–16
Cnidaria, 62–64, 70, 72
commitment, 131–133, 136
common factors, 24
cortex, 5, 11–15, 26
cortical asymmetry, 112–115
cortical domains, 85, 92
cortical plate, 129
cow, 113
culture, 127–130, 134–135, 138
cyclin E (cycE), 163–164, 166

- cytokinesis, 4, 22–23
 cytoskeleton, 2–4, 24, 28
- D**
 D quadrant specification, 81
 DaPKC, 208, 212
 decapentaplegic, 100, 102
 development, 2–28
 differentiation, 101–102, 104–105, 114,
 144–145, 163, 169, 235, 236, 237
 vascular elements, 46–47
 division orientation, 4, 20–21, 24
 Dlg, 209, 212
 Dll1 (delta-like1), 134–135
Drosophila, 97–105, 107, 109, 112,
 114, 146–147, 160–161, 167–169,
 171
 larval neuroblast, 210
 neuroblast, 206, 215
 dynamic WOX gene expression, 8
- E**
 early embryo development, 51–52
 ectopic expression, 163, 166, 168
 EGFP (epidermal growth factor
 receptor), 128
 embryogenesis, 5, 7, 8, 10, 12, 13, 18
 embryonic cells, 144–145
 endodermis, 12, 13–15
 Enhancer Promoter (EP), 167–168
 epidermal growth factor, 99
 epidermis, 7, 11–12
 equal cleavers, 81
 ER, 19–20
 ERL1, 19–20
 ERL2, 19–20
 estrogen receptors, 179
 estrogen responsiveness, 181–186
 estrogens, 181, 186, 200
 extrinsic signals, 101, 103
 extrinsic, 2, 6, 10, 13–14, 16, 18,
 19, 21, 24, 28
- F**
 FAMA, 20–21
 fertilization, 108–111
 fetus, 186, 187
 fish, 108
 FLP, 20
 follicular renewal, 181, 187, 191–192,
 197–200
 Formin, 111, 114
 forward genetics, 161
 founder cell, 7, 9, 16–18, 24
 four-cell clone, 128–130
 future prospects, 53–54
- G**
 G2, 234
 G1/S checkpoint, 137
 GAL4, 168
 gametogenesis, 98–99
 gamma-tubulin, 86–87, 90, 93
 ganglion mother cell (GMC), 146–158,
 160–163, 164–167, 170
 GEM1, 22–23
 genetic instability, 212, 214
 germinal vesicle breakdown, 113
 germinal vesicle, 108, 112–113
 germline cyst, 105
 germline stem cell, 97–101, 103
 germline, 97–105
 Glass Bottom Boat (Gbb), 100–102
 glia, 146
 GMC, 206, 216
 GNOM, 9, 25
 granulosa cells, 181, 186–188, 191–199
 Green Fluorescent Protein (GFP), 64,
 65, 72
 ground tissue, 11–16
 GRSF, 23
 guard mother cell, 19
- H**
 hedgehog, 100, 102
Helobdella, 83, 79–93
 Hes1/5, 133
 horse, 113
 human female, 181, 187, 197
 human, 113
Hydra, 62–72
 hypophysis, 9–11, 25
- I**
Ilyanassa obsolete, 107
 immune system, 179, 198, 200
 in vitro, 2, 5–6, 9, 21–22
 Inscuteable (Insc), 149–150, 157

- interkinetic nuclear migration, 126
intermediary filaments, 112
interstitial cells, 63–72
intrinsic factors, 98
intrinsic, 1, 9–10, 19–21, 24–25
- J**
JAK-STAT, 102
- K**
Ki67, 137
- L**
larval neuroblast, 170
lateral root initiation, 16–18
leech, 83, 79–93
lens-shaped cell, 10
Lethal giant larvae (Lgl), 160, 209, 212
lineage, 124, 126–127, 131–133, 136–137
Lophotrochozoa, 80
- M**
macromeres, 81–82, 84, 91
MAPK signaling, 20
MARCKS, 114
Mash1, 133–134
mechanical deformation, 90–92
meiosis, 98, 107–114
meiotic spindle, 108, 110–111, 113–114
menopause, 186–187, 196
meristem, 15–16
meristemoid mother cell, 18–19
meristemoid, 18–20
microfilaments, 97, 109–114
micromeres, 81–84, 86, 91
microtubules, 4, 97, 104, 108–114
microvilli, 112–113
Mira, 209, 212, 216
mitimere (miti)/pdm, 150, 162–163
mitosis position, 127, 130
mitosis, 97–99, 100–102, 104–105, 111, 146, 150, 153, 156–157, 160
mitotic apparatus, 85–86, 90–93
mitotic spindle, 99–100, 102–103, 105–106, 114, 122
ML1, 11
mos/mitogen activated protein kinase pathway, 111
mouse, 110–114
MP, 10, 25
MP2, 162, 167–168
mutants, 149–150, 151–152, 154–158, 160–162, 166–167, 170
MUTE, 20
- N**
N/N division, 128, 132, 136
nanog, 145
nanos, 100, 102
NB4-2, 146–147, 148, 150
NB6-4, 166
NB7-3, 168
N-cadherin, 124, 135
neocortical wall, 123
nestin, 128, 132–134
neuroblast (NB), 146, 160, 166, 168–171
neuroepithelium, 124–127
Neurogenin2 (Ngn2), 131–134, 136–137
neurons, 144–146, 149–150, 168–169
niche, 99, 100–103
Notch (N), 149–150, 164
Notch1, 132–134
NPH4/ARF7, 18
nubbin (nub)/pdm1, 150, 162–163
Numb like, 124
Numb, 122, 124, 149–150, 151–157, 160–161, 163–165, 209, 212
- O**
oct-4, 14
oocyte differentiation, 104
oocyte, 97, 98, 104–105, 107–114
oogenesis, 97–98, 104, 107, 108, 180, 186–187, 190, 194–198
organizer, 15
organogenesis, 45–46
ovarian surface epithelium, 180, 187–199
ovaries, 180–181, 186–200
- P**
P/N division, 127, 129, 130, 132, 135–136
p27, 132–134
PAR protein complex, 160
PAR proteins, 4, 97, 111–114
PAR1, 85–86, 91–93
PAR6, 85–86, 91–93

- PC3, 133
 PDF2, 11
 P-element, 168
 pericycle, 16–17
 phylogeny, molecular, 80
 PID, 10, 25
 pig, 113
 PIN7, 9, 25
 Pins, 208, 213
 PKL, 18, 26
 planar division, 122, 124, 125, 130
 PLT, 18
 pluripotent, 144–145, 171
 polar body, 108–114
 polarity, 3–4, 6, 9–10, 22, 24, 25, 28
 polarization, 2–4, 24
 pollen mitosis I and II, 21, 24
 pollen, 21–23
 positional information, 2
 postembryonic, 169–170
 POU genes, 145, 162–163
 primary follicles, 181, 186–187, 191, 193–200
 Pros, 209, 212, 216
 Prospero (Pros), 150, 161, 167
 protein movement, 13
 pseudostratified, 125, 126
- Q**
- quiescent center, 5, 10
- R**
- radial patterning, 5, 11–13
 reproduction, 198
 rete ovarii, 189–190
 RhoA, 113
 ring canal, 103–106
 RP2, 146–150, 163–166
- S**
- SCP, 22
 SCR, 13–14, 16, 24, 26
 screen, 161–162, 167–168, 170
 SDD1, 19–20
 sea cucumber, 108
 sea urchin, 108
 self-renewal, 98–99, 101, 114, 142–145, 148, 158–161, 163–165, 167
 semiconservative, 225, 237
 chromatin, 230
 cyclin, 230
 differentiation, 237–238
 enzymes, 228, 235, 238
 galactosidase-b, 238
 genes, 230
 glycolysis, 229
 mitotic periods, 232, 236
 SHR, 13, 16, 24, 26
 movement, 14
 sib, 146–150, 163–166
 signaling, 8–10, 14–17, 19–20
 slice culture, 128–129, 135
 SLR1/IAA14, 18
 somatic cells, 99, 101
 somatic embryogenesis, 41–42
 SPCH, 20
 spectroscopy, 100–104, 106
 sperm cell, 21–22
 spermatogenesis, 98
 spindle aster, 86–87, 90
 spindle migration, 111–112
 spindle positioning, 108, 112–113
 spindle rotation, 110
 spiral cleavage, 81
 starfish, 110
 stem cell commitment, 186, 190, 193
 stem cell, 15, 61–71, 97–99, 100, 101–103, 144–146, 165–166, 180–181, 186–196, 199
 in plant development, 42–45
 sterol, 3–4
 stomata, 18
 subventricular zone (SVZ), 128, 130–133, 135–137
- T**
- Tbr2, 136
 telomeres, 235
 teloplasm, 82–83, 85–87, 90, 93
 TES/STD, 22
 TIO, 23
 TIS21, 133, 136
 tissue culture, 138
 TMM, 19–20
 top-down signaling, 14
 trophoblast, 180–186

Tubifex, 87–89, 90–93, 113
βIII tubulin, 123, 126, 136
types of ACD, 40

U

unequal cell divisions in leech
 embryo
 at first cleavage, 82, 84–87, 90
 at second cleavage, 85, 90–93
 teloblasts, 82–85, 90
unequal cleavers, 81
urbilaterian, 80

V

vascular, 11, 14, 16
vegetative and generative cell, 7
ventral nerve cord, 146
ventricular zone, 122–125
vertebrates, 103
vesicle trafficking, 3, 9

W

WOX genes, 8, 10, 24
WOX5, 10, 25
WOX8, 10, 25
WOX9, 6, 8, 25
WUS, 15

X

Xenopus, 104, 108–109, 112–114
xylem pole, 16–17

Y

YDA, 8–9, 19–20, 24
YODA MAPKK kinase, 8, 19, 25

Z

ZO1, 124–125, 135
zygote, 6–9, 24–25
zygotic division, 39–40
zygotic, 162, 166