

Index

- 3-D VAR, 25
- 4DPSAS, 191
- 4-D VAR, 21, 39
- 4DVAR, 9, 165, 344
- ACARS, 203
- Accounting for model error, 374
- Accurate data assimilation, 121
- Adamas-Bashforth scheme, 235
- Adaptive EnKF, 412
- Adaptive observation(s), 56, 231, 250, 257
 - strategies, 371
- Adjoint-based calculations, 187
- Adjoint-based targeted observation, 253, 266
- Adjoint of data assimilation, 194
- Adjoint method(s), 28, 36
- Adjoint model, 256, 378
 - backwards, 33
- Adjoint operator approach, 32
- Adjoint sensitivity method, 190
- Adjoint state method, 369
- Adjoint variable(s), 49, 372
- Adjoint weights, 185
- AFWA, 447
- Agricultural assessments, 448
- AIRS, 167
- Albedo and emissivity, 406
- AMeDAS, 202
- Amplification factor, 246
- AMSR-E, 172, 413, 449
- AMSU-A, 167
- Analysis error, 238
 - covariance, 30, 74
 - matrix, 52
- Anti-cyclonic circulation, 245
- Anti-cyclonic meander, 281
- AOSN II, 269
- AQUA AIRS, 190
- Arakawa C-grid, 334
- Artificial bottom topography, 362
- Asian weather systems, 253
- Aspect ratio limit, 295
- Asselin filter, 224, 334
- Assimilation
 - algorithm, 326
 - interval(s), 81, 204, 216, 324, 327
 - of precipitation, 75
 - run, 348
 - window, 337, 432
- Asymptotic values, 375
- Atlantic thermohaline circulation, 294
- Atmospheric forcing, 283
- ATOVS, 203
- Attractor, 106
- Augmented Lagrangian algorithm, 35
- Automatic differentiation (AD), 43, 398
 - engine, 398
- Auto-recursive analyses, 453
- Autoregressive correlation model, 272
- AVHRR, 276
- Azimuth direction, 159, 204
- Background error, 31, 290
 - correlation, 183
 - covariance, 88, 180, 271
 - variances, 272
- Background field, 25
- Background sensitivity vectors, 181
- Backscatter cross-section observations, 441
- Backward integration, 379
- Baiu front, 199
- Balance equation, 9
- Baroclinic instability, 3
- Baroclinic structures, 245
- Bayes rule, 73, 294

- Benchmark precipitation product, 458
- Best model, 376
- Best set of data, 376
- BFGS minimization algorithm, 53
- Bias correction, 435
- Bias errors, 284
- Bias of estimates, 360
- Bias removal, 440
- Bogus vortices, 168
- Bottom drag, 330
- Bulk heat transfer coefficient, 434

- CADRE, 447, 459
- California current, 274
- Canonical base vectors, 51
- CAPE, 222
- Catchment
 - hydrology, 391
 - land surface model, 407
- CHAMP, 197
- Channel geometry, 132
- Checkpointing, 43
- CLASS, 442
- Clebsch's transformation, 105
- Climate hybrid scan tables, 160
- Closure assumption, 224
- Cloud-physical processes, 104
- Cloud-resolving model, 78
- CMC, 407
- COADS, 344
- COAMPS, 270
- Coastal topography, 275
- CODAR, 270
- Cold water, 279
 - upwelled, 290
- Computational efficiency, 358
- Conditional nonlinear optimal perturbation, 231
- Conditional probability density function, 294
- Condition number, 311
- Conjugate–gradient iterate, 312
- Conservation of total enstrophy, 27
- Constrained minimization, 34
- Continuity equation, 393
- Control
 - run, 348
 - space, 52, 368
 - theory, 356
 - variable, 89
 - vector size, 42
- Convective mixing, 118
- Convergence, 375
- Coriolis effect, 103
- Cost function, 37, 188, 378, 389

- Coupled land-atmosphere data assimilation, 422
- Covariance
 - forecasting equations, 436
 - inflation, 346
 - localization, 90, 346
- Crop yield fluctuation forecasts, 447
- Cross-correlated perturbation, 409
- Cross correlation, 454
- Cross-radial interpolation, 160
- Cross-shelf current, 335
- Cumulative distribution function, 440
- Cumulative infiltration, 386, 396
- Cumulus parameterization, 256
- CWB, 129
- Cycling
 - algorithm, 332
 - assimilation, 331
 - data assimilation system, 414
 - experiment, 337
 - lengths, 337
 - ocean data assimilation, 289
 - representer method, 322
- Cyclonic circulation, 283
- Cyclonic rotation, 114

- Data
 - holes, 159
 - and models, 403
 - quality-control, 272
 - sensitive region, 232
- Data assimilation, 287
 - accurate, 121
 - adjoint of, 194
 - coupled land-atmosphere, 422
 - cycle, 91
 - cycling, 414
 - ensemble, 67, 70, 86
 - land, 424
 - land surface, 405
 - ocean, 289
 - satellite, 164
 - sequential, 359
 - systems, 194
 - techniques, 164, 428
- DBMS, 459
- Decoupling Euler-Lagrange equations, 38
- Degrees of freedom (DOF), 75
- Degrees of freedom for signal, 55
- Dependent variable, 139
- Derivatives of function, 371
- Desk calculators, 4
- Deterministic framework, 368
- Deterministic sensitivity analysis, 371

- Diagonal matrix, 206
- Diffusive transport approach, 134
- Digital Soil Map of the World (DSMW), 451
- Dimensionless time, 325
- Dipole, 119
- Direct insertion, 436
- Direct integration, 51
- Direction of descent, 370
- Direct solution methods, 73
- Disaggregation of satellite data, 443
- Discretization error, 42
- Discretized model, 387
- Diurnal timescale, 42
- Divergent component, 107
- DOF, 93
- Doppler radar, 99
- Downburst analysis, 121
- Downdraft, 101
- Drought detection, 450
- Dry energy metric, 255
- Dual polarization radar, 98
- Dual-pol radar, 162
- D-value, 200, 211
- Dynamical balance of analysis, 75
- Dynamical correlation, 267

- East China, 257
- ECCO, 344
- Echo vault, 114
- ECMWF, 198, 232
- E dimension, 86
- Efficient coefficient, 137
- Eigenvalues/eigenvectors, 314
- Ekmán transport and pumping, 280
- El Niño, 234
- Empirical approach, 421
- Empirical covariance matrix, 381
- Empirical parameters, 381
- EnKF, 220, 293, 341, 407, 449
- EnKF/EnKS, 364
- Ensemble
 - averaging operator, 455
 - based filters, 293
 - collapse, 300
 - data assimilation, 67, 70, 86
 - forecasting technique, 250
 - forecast(s), 82, 237
 - means, 105
 - members, 355
 - observations, 430
 - perturbation(s), 249
 - prediction, 238
 - spread, 349
 - transform technique, 273
- Ensemble Kalman filter (EnKF), 353, 430
- Ensemble moving batch (EnMB), 438
- EnSP, 341
- Entropic balance model, 97, 101, 113
- Entropic gradient, 109
- Entropic point source, 119
- Entropic sink, 102
- Entropy
 - based filters, 304
 - gradient, 111
 - increase, 108
 - relative, 302
 - Shannon, 85
- Environmental flow, 113
- Environmental modeling, 143
- Environmental wind-shear, 120
- EOF, 361
- Equator-to-pole salinity gradient, 296
- Equilibrium soil moisture profile, 409
- Error covariance, 212
 - localization, 77
 - matrices, 432
- Error growth, 288
- Estimated model error, 326
- Estimation error, 411
- ETS, 223
- Euler-Lagrange (EL)
 - equation, 26
 - problem, 315
- Evapotranspiration, 427
- Explanatory variable, 139
- Exponential-families, 301
- Extended Kalman filter, 408, 430

- FAS, 448
- FASTEX, 177, 233, 254
- FCG, 315
- Filter divergence, 81, 347
- Final total energy, 244
- Finite element scheme, 382
- Finite resampling, 359
- First guess, 338
 - path, 209
 - refractivity, 206
- First order necessary conditions, 45
- Fixed lag smoother, 354
- Fixed time window, 439
- Flash floods, 131
 - model, 391
- Flexible conjugate gradient
 - method, 317
 - solver, 310
- Flood hydrograph, 400
- Flow dependence, 31

- FNMOC, 189, 270
- FNWC, 10
- Force-restore approximation, 437
- Forecast covariance matrix, 346
- Forecast error covariance, 70
- Forecast errors, 186
 - reduction in, 193
- Forecast skill(s), 237, 285
- FORMOSAT-2, 132
- Forward operator, 179, 271
- Four-dimensional variational (4-Dvar), 236
- Free-surface ocean model, 334
- Friction
 - coefficient, 399
 - slope, 394
- GA-estimation, 226
- Gain matrix, 37
- GARP, 23
- Gateaux derivative, 48
- Gauged river flow, 417
- Gauge-radar biases, 157
- Gaussian PDF, 74
- Gaussian probability density, 298
- Gauss's work, 9
- Generalized inverse, 55
- GENESIS, 200
- Genetic algorithm, 220
- Geopotential height, 264
- Geopotential tendency, 6
- Geostrophic wind law, 8
- Gibbs Flite Center, 276
- Global Band Analysis, 10
- Global domain, 90
- Global observation
 - impact, 187
 - network, 192
- Global optimization, 225
- Global soil moisture fields, 423
- Global Soil Wetness Project 2, 410
- Global solution, 328
- GMAO, 405
- GMAO-LDAS, 405
- GODAE, 269
- GOES-8, 166
- GPS, 197
- GPS-PWV, 214
- GRACE, 416
- Gradient
 - based minimization, 33
 - based optimization algorithms, 381
 - calculation, 260
 - of J, 258
 - norm of, 390
- Graphical methods, 4
- Grid projection, 274
- Ground-based rainfall observations, 459
- Ground water
 - estimates, 415
 - time series, 417
- GSI, 214
- GSM, 198
- Gulf of Mexico, 329
- Gust front, 100
- Hamilton matrix, 255
- Haurwitz wave, 36
- Heat capacity, 108
- Heat diffusion model, 409
- Heavy precipitation bands, 154
- Heavy rainfall, 227
- Hessian matrix, 50
- Hessian preconditioning, 68
- Hessian singular vector (HSV), 53
- Hessian/vector, 44
- Heterogeneous sources of information, 402
- HF radar, 281
- High-density aircraft SST, 289
- High-dimensional problems, 68
- Higher order statistics, 356
- High-frequency buoy data, 289
- High-pass filter, 226
- High surface variability, 285
- Horizontal error correlations, 438
- Horizontal momentum, 102
- Horizontal perturbation vorticities, 118
- HRPT, 280
- HRQ, 152
- Hurricane
 - forecasts, 168
 - intensity, 170
 - track forecast, 170
- Hurricane Katrina, 79
- Hybrid, 76
 - scan reflectivity, 151
 - variational scheme, 172
- HYCOM, 349
- Hydraulic conductivity, 401
 - at saturation, 385
- Hydrodynamics, 134
- Hydrographs
 - flood, 400
 - simulated, 142
- Hydrological applications, 428
- Hydrological processes, 367, 373
- Hydrologic and landslide modeling, 127
- Hydrology, 369

- Imperfect model structure, 428
- Improved prediction, 80
- Incremental algorithm, 55
- Incremental formulation, 39
- Independent sub-domains, 90
- Inertia-gravity wave shock, 27
- Infiltration
 - losses, 399
 - model, 383
 - rate, 393
- Information
 - matrix, 87
 - measures, 85
 - theory, 85
- Infrared radiation pyrometer, 277
- Initial analysis, 264
- Initial condition, 264
- Initial condition errors, 325
- Initial total perturbation energy, 244
- Inner core data, 169
- Inner and outer loops, 310
- Inner product, 46
- Innovations, 284
 - statistics, 31
 - vector, 56, 178, 271
- Integration by parts, 50
- Intense precipitation, 212
- Intense rainfall, 202
- Intensity of vortex, 107
- Interpolation and estimation, 354
- Inverse distance weighted method, 133
- Inverse Hessian matrix, 52
- Inverse problem, 377
- IOM, 307
- IPADDBMS, 449
- IPAD soil moisture estimates, 460
- Irotational flow, 107
- ISDC, 199
- Iterative method, 339
- Iterative power method, 235
- Iterative process, 389
- Iterative solution methods, 73

- Jacobian matrix, 179, 400
- Jacobian model, 372
- JMA, 3

- Kain-Fritsch, 228
- Kalman
 - filter, 71, 429
 - gain matrix, 56, 183, 345
- KF scheme, 224
- Kinetic analogy, 380
- KMA, 228

- Korean peninsula, 227
- K-Profile Parameterization, 343
- Kuroshio, 342
- KWA, 391

- L2 norm, 237
- Lagged innovations covariance, 412
- Lagrange multipliers, 26, 105, 301
- Lagrangian approach, 32
- Lagrangian density, 103
- Lambert conformal, 274
- Lanczos algorithm, 317
- Land-atmosphere fluxes, 433
- Land-based radars, 342
- Land cover type, 456
- Land data assimilation, 424
- Land Information System, 424
- Landslide
 - data, 128
 - occurrence, 138
- Land surface
 - data assimilation, 405
 - parameters, 424
- Land surface models (LSM), 427
- Land surface temperature (LST), 406
- La Nina, 234
- Larger innovations, 338
- Large-scale errors, 181
- Large-scale precipitation, 239
- Large-scale soil moisture estimates, 456
- Large sub-domains, 91
- Latent heat flux bias, 435
- Lateral subsurface flow, 384
- L-band microwave data, 437
- Leading Lyapunov exponent, 328
- Leading singular vectors, 266
- Leap frog scheme, 382
- Least squares procedure, 285
- LEO, 198
- Lidar, 403
- Lightning research, 109
- Limited observability, 390
- Linear analysis, 185
- Linear interpolation, 161
- Linear optimal problem, 313
- Linear sensitivity analysis, 28
- Linear system solver, 316
- Lithology, 143
- Local Analysis and Prediction System, 152
- Local domains, 76
 - approach, 79
- Localization, 364
- Local projection operator, 239
- Logit model, 138

- Lone-wolf approach, 7
- Longwave radiation, 410
- Loop Current, 329
- Lorenz-40 model, 328
- Lorenz attractor model, 324
- Low-altitude data, 205
- Low-dimensional applications, 72
- LSM, 442
- Manning
 - equation, 394
 - roughness coefficient, 394
 - surface roughness, 135
- Master recession curve, 136
- Mathematical representation, 377
- Matrix-vector multiplication, 185, 310
- Maximum posterior probability, 81
- Maximum rainfall intensity, 131
- MCMC, 356
- Mean bias errors, 288
- Mean reflectivity, 154
- Measurement
 - error, 355
 - of forecast impact, 194
 - function, 345
- MEF, 293
- Meiyu Front, 253, 263
- Mesh of discretization, 374
- Meso 4D DAS, 203
- Mesoscale, 219
 - low, 257, 263
 - models, 15
- Met office, 54
- Micrometeorological, 437
- Mid-tropospheric channels, 191
- Minimization algorithm, 260
- Minimum-information
 - distributions, 302
- Minimum variance estimation, 29
- Mississippi Bight, 335
- MLEF, 67
- MM5, 165, 221
- Model
 - bias, 287
 - dynamics, complexity of, 94
 - error, 40, 68, 323, 431
- MODIS, 167
- Moist static energy error norm, 190
- Monopole rotational center, 120
- Monte-Carlo, 71
 - based ensemble, 453
- Monterey Bay, 278
- Mosaiced hybrid scan reflectivity, 153
- Mosaic weighting function, 162
- Mudslides, 131
 - warnings, 158
- Multi-cell structure, 114
- Multi-threaded computer architectures, 343
- Multivariate assimilation methods, 443
- Natural disaster, 403
- NAVDAS, 178, 308
- NAVDAS-AR, 193, 307
- NCEP, 11, 239
 - reanalysis, 256
- NCODA, 269
- NCOM, 269, 324, 349
- Negative bias, 201
- Neural network, 150
- NMC, 10
- NOAA, 280
- NOGAPS, 312
- Non-cycling solution, 332
- Non-Gaussian and nonlinear processes, 70
- Nonlinear evolution, 241, 249
- Nonlinearity, 188, 227
- Nonlinear model, 258
- Nonlinear ocean response, 323
- Nonlinear operator, 48, 74, 429
- Nonlinear optimal problem, 315
- Nonlinear perturbation, 246
- Nonlinear reduced gravity model, 329
- Nonlinear state space model (SSM), 355
- Non-overlapping sub-domains, 89
- Non-precipitation echoes, 150
- Non-steady problems, 379
- Normalized direction, 388
- Normalized filter innovations, 455
- Normally distributed random vectors, 41
- NORPEX, 233, 254
- Northwest Pacific Ocean, 341
- Nowcast(ing), 148, 286
- NPS, 276
- NRL, 189, 307
- Numerical prediction, 266
- Numerical simulation, 265
- Numerical stability, 228
- Numerical weather forecast, 254
- Numerical Weather Prediction, 21
- NWP, 1, 11, 177
- Objective analysis, 23
- Observation(s)
 - adaptive, 56, 231, 250, 257
 - strategies, 371
 - adjoint-based targeted, 253, 266
 - and background sensitivity, 178
 - backscatter cross-section, 441

- density, 330
- density gradient, 182
- departures, 33
- ensemble, 430
- error, 204
- error covariance, 180, 208, 313
- global
 - impact, 187
 - network, 192
- ground-based rainfall, 459
- impact, 186
- impact measure, 188
- impact statistics, 191
- operator, 30, 210, 454
- pseudo, 193, 375
- quality of, 93
- random perturbation of, 454
- satellite, impact of, 177
- simulated, 77
- space, 412
- targeted, 164, 253, 267
- upper-air, 3
- Observational error, 297
- Observational noise, 88
- Observation System Experiment (OSE), 189
- Observing platform, 192
- Occultation data, 204, 211
 - assimilation, 215
- Occultation refractivity, 216
- Ocean analysis, 276
- Ocean response, 288
- Off-diagonal elements, 212
- Ohyu, 202
- Okushiri tsunami case, 360
- Open loop, 421
 - estimates, 411
- Operational prediction, 316
- Operational subjective forecasting, 8
- Optimal control, 28
 - methods, 373
 - theory, 368
 - theory approach, 32
- Optimal correction, 339
- Optimal estimation, 225
- Optimal input, 45
- Optimal Interpolation (O.I.), 1, 22
- Optimality necessary condition, 382
- Optimality System (OS), 385
- Optimal least-squares estimation, 29
- Optimal values, 390
- Orthonormal matrix, 318
- OSSE, 418
- Outer loops, 331
- Outer rainband structures, 173
- Outflow parameter, 135
- Overhang echo pattern, 116
- Overpredict variances, 304
- Overshooting mechanism, 113
- Oyashio current, 348
- Parallel processing, 69
- Parameter estimation, 219, 359
 - problems, 377
- Parameterization experiment, 226
- Partial differential equation, 295
- Partial pressure of water vapor, 207
- Particle filter (PF), 354
- Passive microwave soil moisture, 441
- Path-length, 209
- Path Observation Error, 210
- Penalty parameter, 35
- Percentile-based scaling method, 423
- Perceptual model, 398
- Percolation to deep aquifer, 384
- Perfect model, 236
 - assumption, 249
 - hypothesis, 39
- Persistence, 286
- Perturbation (s)
 - amplitude, 263
 - conditional nonlinear optimal, 231
 - cross-correlated, 409
 - structure, 248
 - wind, 239
- Perturbed initial analysis, 265
- PF/PS, 364
- Phase changes, 108
- Phased array radar, 97
- PIKAIA, 223
- Planetary Froude number, 235
- Point Ano Neuvo, 278
- Point scale measurements, 416
- Polarization Corrected Temperature, 172
- Polarized brightness temperatures, 452
- Porosity map, 451
- Posterior distribution, 303
- Potential evapotranspiration, 451
- Precipitation
 - monitoring network, 456
 - radar, 171
 - rate, 156
 - threshold, 223
 - uncertainty, 458
- Precipitation distributions, 157
- Preconditioner, 309
- Preconditioning, 311
- Predictability limit, 374

- Prediction of tornado, 99
- Primitive-equation ocean model, 342
- Principles of nature, 13
- Prior error covariances, 30
- A priori estimates, 398
- A-priori evaluation, 378
- Prior misfits, 326
- Probabilistic and evolutionary methods, 397
- Probability
 - density function, 439
 - forecasting, 238
 - of landslide occurrence, 141
 - model, 142
- Propagation of tsunami, 363
- PSAS, 37
- Pseudo observations, 193, 375

- QPE, 147
- QPESUMS, 129
- QPF, 221
 - skill, 225
- Quadratic penalty coefficient, 35
- Quadratic polynomial, 23
- Quadruple-nested grid system, 274
- Quasi-adiabatic, 104
- Quasi-geostrophic model, 8, 36
- Quasi-Newton minimization, 54
- Quasi-steady solution (QSS), 106
- QuickSCAT, 166

- Radar
 - applications, 147
 - data, 128
 - index, 153
 - rainfall, 127
 - estimates, 129, 130
 - reflectivity, 11, 133
- Radiative transfer models, 170
- Radiometer brightness temperature, 441
- Radius
 - of influence, 24
 - of maximum winds, 169
- Rain-affected data, 168
- Rainfall
 - abstractions, 383
 - distribution, 210
 - estimates, 137
 - forcing, 397
 - intensity, 140, 399
 - runoff model, 369, 380
 - runoff process, 134
 - intensity, critical, 141
- Random flux, 297
- Random noises, 345

- Random perturbation of observation, 454
- Random search, 222
- Random walk model, 361
- Range height indicator (RHI), 115
- Ray-path, 205
- RCWF hybrid scan, 161
- Rear-frank downdraft (RFD), 100
- Recycled spectral preconditioner, 316
- Red-Arkansas domain, 419
- Reference
 - gauges, 127
 - solution, 332
- Reflectivity mosaic grid, 151
- Refractive index, 199, 208
- Regression coefficient, 139
- Regularization, 389
- Relaxation, 277
 - period, 281
- Remotely-sensed data, 443
- Re-orthogonalization, 311
- Representation error, 347
- Representer algorithm, 308
- Representer-based system, 309
- Representer coefficients, 322
- Representer coefficients
 - vector, 313
- Representer functions, 322
- Representer matrix, 339
- Representer method, 321, 408
- Representers technique, 38
- Resample-move algorithm, 300
- Residual ground clutter, 159
- Retrieval
 - algorithm, 414
 - skill, 419
- RFD-gust front, 121
- Richard's equation, 384
- Robert time filter, 273
- ROMS, 343
- Root zone soil moisture, 415
- Rosby number, 103
- Roughness coefficient, 401
- Rounding errors, 388
- Runoff
 - estimates, 417
 - forecasts, 439

- SACC/JPL, 201
- Salinity
 - gradient, 298, 304
 - mode, 297
- Sample-impoverishment, 300
- Sample size(s), 303, 347
- Sasaki's

- dissertation, 6
- scientific genealogy, 16
- Satellite
 - born radiometers, 27
 - channel, 187
 - data assimilation, 164
 - retrievals, 415
 - observations, impact of, 177
- Scaling approach, 414
- Scanning
 - adaptive radar network, 99
 - footprint pattern, 453
- Schur product, 76
- SCSMEX, 78
- SCY model, 295
- Sea-breeze circulation, 278
- Sea clutter, 150
- Seasonal thermocline, 290
- Second derivative, 49
- Second order
 - adjoint methods, 44
 - adjoint model, 402
 - information, 46
- Sector scans, 160
- SEEK filter, 69
- Self-organized parameter, 357
- Sensible heat flux, 423
- Sensitivity
 - analysis, 44, 179, 255
 - experiments, 247
 - gradient, 182, 260, 262, 267
- Sequential data assimilation, 359
- Sequential filter, 429
- Sequentially Monte Carlo, 298
- Severe hail, 151
- Shallow thermocline, 286
- Shelf-break, 335
- Signal attenuation, 455
- Sign of rotation, 119
- Simulated annealing, 220
- Simulated hydrographs, 142
- Simulated observations, 77
- Simulated stream discharge, 140
- Single radar Cartesian (SRC), 148
- Singular value, 261
- Singular value decomposition (SVD), 400
- Singular vector, 231, 261, 401
- SIR, 293
- Skin temperature, 422, 435
- Smaller-scale circular vortex, 6
- Small perturbation analysis, 106
- Small-scale background errors, 181
- SMMR, 420
- Smoothed ensemble members, 358
- Snow
 - cover area, 420
 - density, 422
 - depth fields, 421
- Snow-soil-aquifer column, 418
- Snow water equivalent (SWE), 420
- SOAR, 180
- Soil moisture
 - assimilation, 436
 - background, 434
 - content, 396
 - network, 457
 - profile estimates, 427
 - retrieval, 452
 - retrievals, 458
 - scheme, 222
 - suction, 396
- Soil Moisture Active-Passive (SMAP), 418
- Solar radiation, 373
- Spatio-temporal stochastic model, 43
- Spectral preconditioner, 314
- Spectral projected gradient 2 (SPG2), 234
- Squall lines, 15
- Square-root EnKF, 72
- Square root forecast error covariance, 82
- SSM/I, 166
- SST gradients, 279
- Stabilized representer matrix, 312
- Stable equilibrium points, 357
- Standard filters, 304
- State estimation, 358
- Stationary point, 26
- Statistical biases, 41
- Statistical error covariances, 22
- Statistical framework, 72
- Statistical information, 373
- Statistical interpolation, 29
- Steady state pdf, 302
- Steepest direction, 393
- Steepness of eigenvalue
 - spectrum, 87
- Stopping tolerance, 314
- Storage deficit, 135
- Stratiform, 156
- Stream discharge, 136
- Strong constraint, 25, 327
 - 4D-Var, 40
- Strong vorticity, 115
- Sub-arid environment, 457
- Sublimation, 116
- Sub-seasonal prediction, 406
- Subwatersheds, 130
- Successive corrections
 - method, 24

- Supercell, 100
 - storm, 111
- Super-refractivity, 201
- Super-sensitivity, 182
- Super Typhoon Paka, 171
- Surface energy balance, 433
- Surface flux estimation, 438
- Surface soil moisture, 413
 - assimilation, 419
- Surface soil wetness, 452
- SVAT, 442
- SV method, 250
- SWAFS, 270
- Symmetric, positive-definite matrix, 301
- Systematic error dynamics, 41
- System noise, 357

- Tangent data point, 200
- Tangent linear approximation, 186
- Tangent-linear models, 433
- Tangent linear model (TLM), 233, 526
- Tangent point profiles, 207
- Tangent points, 209
- TAPENADE, 371
- Targeted observation, 164, 253, 267
- Taylor's formula, 387
- Temporal discretization, 387
- Terminal conditions, 51
- Terrain regions, complex, 158
- Terrestrial water storage (TWS), 413, 416
- Thermally-dominated state, 296
- Thinning, 211
- Thoré basin, 397
- Tide gauge, 361
- Tikhonov regularization terms, 370
- Time distributed data, 331
- Time-invariant parameters, 432
- TLM, 323
 - stability, 338
- Topography
 - artificial bottom, 362
 - coastal, 275
- Tornadogenesis, 97
- Tornado-like vortex, 111
- Torrential rains, 128
- Total-energy SVs, 232
- Total impact, 192
- TPOE, 207
- Track and intensity, 163
- Track prediction of typhoons, 5
- Tridiagonal matrix, 317
- TRMM, 165, 197
- TRMM Microwave Imager (TMI), 440
- Tropical cyclones, 163
 - evolution, 173
 - initialization, 169
- Tsunami, 360
- Turbulent transfer, 434
- Twin experiment, 362

- Ultra-high resolutions, 98
- Unconstrained minimization, 34
- Unconstrained optimization, 370
- Unified grid system, 346
- Unified notation, 21
- Uniform refractivity distribution, 206
- Unperturbed initial analysis, 258
- Unstable dynamics, 80
- Update cycle, 284
- Update model states, 431
- Updraft, 102
- Upper-air observations, 3
- Upwelling, 277
 - front, 283
 - period, 279
- USDA, 448

- Vapor deposition, 110
- Variational assimilation applications, 309
- Variational data assimilation (VDA), 98, 321, 431
 - framework, 402
 - methods, 69
- Variational formalism, 34
- Variational mechanics, 7
- Variational methods, 367
- Variational principle, 45
- Variational technique, 219
- Vegetation anomalies, 450
- Verification area, 247
- Vertical correlation(s), 208, 216
- Vertical gradient of
 - temperature, 287
- V-J day, 2
- Vorticity, 109

- W4DVAR, 308
- Warm-rain radar, 153
- Water balance model, 450
- Water content at saturation, 385
- Water cycle, 367
- Water molecules variety, 101
- Water resource managements, 162
- Watershed response, 380
- Water vapor, 215
 - bands, 80
- Wave train, 244
- Weak constraint, 38, 327, 408

- Weak constraint 4D-Var, 40
- Weather prediction centers, 12
 - See also* Numerical Weather Prediction
- Weather-related disasters, 147
- Weather Research and Forecasting (WRF), 67
- Wind perturbations, 239
- Wind stress, 275, 330
 - curl, 275
- WRF, 78
- WRF-var, 89
- Yamato Rises, 353
- Yoshikazu Sasaki, 1
- Yoshi and Koko, 13
- Z-R relationships, 156