

# References

1. Adams, W.W.; Loustaunau, P.: An Introduction to Gröbner Bases. Vol. 3. Graduate Studies in Mathematics, Providence, RI, AMS (1996).
2. Altman, A.; Kleiman, S.: Introduction to Grothendieck duality theory. SLN 146, Springer (1970).
3. Apel, J.: Gröbnerbasen in nicht kommutativen Algebren und ihre Anwendung. Dissertation, Universität Leipzig (1988).
4. Arnold, E.A.: Modular algorithms for computing Gröbner bases. *J. of Symbolic Computations* 35, 403–419, (2003).
5. Arnold, V.I.; Gusein-Zade, S.M., Varchenko, A.N.. *Singularities of Differential Maps. Vol. I*, Birkhäuser (1985).
6. Atiyah, M.F.; Macdonald, I.G.: *Introduction to Commutative Algebra*. Addison–Wesley, London (1969).
7. Aubry, P.; Lazard, D.; Moreno Maza M.: On the Theories of Triangular Sets. *J. Symb. Comp.* 28, 105–124 (1999).
8. Bachmann, O; Gray, S.; Schönemann, H.: A Proposal for Syntactic Data Integration for Math Protocols. In: Erich Kaltofen, Markus Hitz (eds.) *Proc. of Second International Symposium on Parallel Symbolic Computation, PASCO '97*, Maui, HI, USA, July, 1997. ACM Press, New York, 165–175 (1997).
9. Bachmann, O; Gray, S.; Schönemann, H.: MPP: A Framework for Distributed Polynomial Computations. In: Lakshman, Y.N. (ed.), *Proc. of 1996 International Symposium on Symbolic and Algebraic Computation, ISSAC '96*, Zürich, Switzerland, July, 1996. ACM Press, New York, 103–109 (1996).
10. Bachmann, O.; Schönemann, H.: Monomial Operations for Computations of Gröbner Bases. In: *Proceedings ISSAC'98*, 309–316.
11. Baciú, C.: The Classification of the Hypersurface Singularities using the Milnor Code. Diplomarbeit, Kaiserslautern (2001).
12. Bandman, T.; Greuel, G.-M.; Grunewald, F.; Kunyavskii, B.; Pfister, G.; Plotkin, E.: Two-variable identities for finite solvable groups, *COMPTEs RENDUS DE L'ACADEMIE DES SCIENCES*, Ser. I337(2003)581–586.
13. Bandman, T.; Greuel, G.-M.; Grunewald, F.; Kunyavskii, B.; Pfister, G.; Plotkin, E.: Engel-Like Identities Characterizing Finite Solvable Groups, *Compositio Math.* 142 (2006), No. 3, 734–764.
14. Bayer, D.: The Division Algorithm and the Hilbert Scheme. Ph.D. Thesis, Harvard University, Cambridge, MA (1982).
15. Bayer, D.; Galligo, A.; Stillman, M.: Gröbner Bases and Extension of Scalars. In: *Proceedings Comput. Algebraic Geom. and Commut. Algebra*, 198–215, Cortona, Italy, Cambridge University Press (1991).
16. Bayer, D.; Mumford, D.: What can be Computed in Algebraic Geometry? In: *Proceedings Comput. Algebraic Geom. and Commut. Algebra*, 1–48, Cortona, Italy, Cambridge University Press (1991).

17. Bayer, D.; Stillman, M.: On the Complexity of Computing Syzygies. *J. Symb. Comp.* 6, 135–147 (1988).
18. Bayer, D.; Stillman, M.: Computation of Hilbert Functions. *J. Symb. Comp.* 14, 31–50 (1992).
19. Bayer, T.: Computations of Moduli Spaces for Semiquasihomogeneous Singularities and an Implementation in SINGULAR. Diplomarbeit, Kaiserslautern (1999).
20. Becker, T.; Grobe, R.; Niermann, M.: Radicals of Binomial Ideals. *Journal of Pure and Applied Algebra* 117 & 118, 41–79 (1997).
21. Becker, E.; Marinari, M.G.; Mora, T.; Traverso, C.: The Shape of the Shape Lemma. In: von zur Gathen, J., Giesbrecht, M. (eds.): *Proceedings of the International Symposium on Symbolic and Algebraic computation*. Association for Computing Machinery. New York, 129–133 (1994).
22. Becker, T.; Weispfenning, V.: *Gröbner Bases, A Computational Approach to Commutative Algebra*. Graduate Texts in Mathematics 141, Springer (1993).
23. Becker, E.; Wörmann, T.: Radical Computations of Zero-dimensional Ideals and real Root Counting. *Mathematics and Computers in Simulation* 42, 561–569 (1996).
24. Bermejo, I.; Gimenez, P.: On Castelnuovo–Mumford Regularity of Projective Curves. *Proc. Amer. Math. Soc.* 128 (5) (2000).
25. Bermejo, I.; Gimenez, P.: Computing the Castelnuovo–Mumford regularity of some subschemes of  $\mathbb{P}^n$  using quotients of monomial ideals, *JPAA* 164 (2001)
26. Bigatti, A.; Caboara, M.; Robbiano, L.: On the Computation of Hilbert–Poincaré Series. *Appl. Algebra Eng. Comm. Comput.* 2, 21–33 (1991).
27. Boege, R.; Gebauer, R.; Kredel, H.: Some Examples for Solving Systems of Algebraic Equations by Calculating Gröbner Bases. *J. Symb. Comp.* 2, 83–89 (1987).
28. Brieskorn, E.: Die Monodromie der isolierten Singularitäten von Hyperflächen. *Manuscripta Math.* 2, 103–161 (1970).
29. Brieskorn, E.; Knörrer, H.: *Plane algebraic curves*. Birkhäuser (1986).
30. Bruns, W.; Herzog, J.: *Cohen–Macaulay Rings*. Cambridge University Press, Cambridge (1993).
31. Bruns, W.; Vetter, U.: *Determinantal rings*. SLN 1327, Springer (1988).
32. Buchberger, B.: Ein Algorithmus zum Auffinden der Basiselemente des Restklassenringes nach einem nulldimensionalen Polynomideal. PhD Thesis, University of Innsbruck, Austria (1965).
33. Buchberger, B.: Ein algorithmisches Kriterium für die Lösbarkeit eines algebraischen Gleichungssystems. *Äqu. Math.* 4, 374–383 (1970).
34. Buchberger, B.: A Criterion for Detecting Unnecessary Reductions in the Construction of Gröbner Bases. In: *EUROSAM’79, An International Symposium on Symbolic and Algebraic Manipulation* (E.W.Ng,ed.). *Lecture Notes in Comput. Sci.*, Vol. 72, 3–21, Springer (1979).
35. Buchberger, B.: Gröbner bases — an Algorithmic Method in Polynomial Ideal Theory. In: *Recent trends in Multidimensional System Theory*, N.B. Bose, ed., 184–232, Reidel (1985).
36. Buchberger, B.: Applications of Gröbner Bases in Non-linear Computational Geometry. In *Trends in Computer Algebra*, R. Janssen Ed., Springer LNCS Vol. 296, 52–80 (1987).
37. Buchberger, B.; Winkler, F.: *Gröbner Bases and Applications*. LNS 251, Cambridge University Press, 109–143 (1998).
38. Bueso, J.; Gomez-Torrecillas, J.; Verschoren, A.: *Algorithmic methods in non-commutative algebra. Applications to quantum groups*. Kluwer Academic Publishers (2003).

39. Campillo, A.: *Algebroid Curves in Positive Characteristic*. SLN 813, Springer (1980).
40. Canny, J.F.; Kaltofen, E.; Yagati, L.: *Solving Systems of Non-linear Polynomial Equations Faster*. Proc. Int. Symp. Symbolic Algebraic Comput. IS-SAC'92, ACM Press 121–128 (1989).
41. Caviness, B.F.: *Computer Algebra: Past and Future*. J. Symb. Comp. 2, 217–236 (1986).
42. Chèze, G.; Lecerf, G.: *Lifting and recombination techniques for absolute factorization*. Manuscript, Université de Versailles Saint-Quentin-en-Yvelines, (2005).
43. Chrusciel, P.; Greuel, G.-M.; Meinel, R.; Szybka, S.: *The Ernst equation and ergosurfaces*. Preprint, <http://arxiv.org/abs/gr-qc/0603041>, 1–23 (2006).
44. Chyzak, F.; Salvy, B.: *Non-commutative Elimination in Ore Algebras Proves Multivariate Identities*. J. Symbolic Computation, 26(2):187–227 (1998).
45. Cohen, H.: *A Course in Computational Algebraic Number Theory*. Springer (1995).
46. Cohen, H.; Frey, G.: *Handbook of Elliptic and Hyperelliptic Curve Cryptography*. Chapman & Hall/CRC (2006).
47. Cohen, A.M.; Cuypers, H.; Sterk, H.: *Some Tapas of Computer Algebra*. Springer (1999).
48. Cojocaru, S.; Pfister, G.; Ufnarovski, V. (Eds.): *Computational Commutative and Non-commutative Algebraic Geometry*, NATO Science Series III, Computer and Systems Sciences 196 (2005)
49. Collins, G.E.; Mignotte, M.; Winkler, F.: *Arithmetic in Basic Algebraic Domains*. In: Buchberger, B.; Collins, G.E.; Loos, E. (eds.): *Computer Algebra, Symbolic and Algebraic Computation*, 2nd edn., 189–220. Springer (1983).
50. Corso, A.; Huneke, C.; Vasconcelos, W.: *On the Integral Closure of Ideals*. Manuscripta Math. 95, 331–347 (1998).
51. Coutinho, S.C.: *A primer of algebraic  $\mathcal{D}$ -modules*. Cambridge Univ. Press (1995).
52. Cox, D.; Little, J.; O'Shea, D.: *Ideals, Varieties and Algorithms*. Springer (1992).
53. Cox, D.; Little, J.; O'Shea, D.: *Using Algebraic Geometry*. Springer (1998).
54. Czapor, S.R.: *Solving Algebraic Equations. Combining Buchberger's Algorithm with Multivariate Factorization*. J. Symb. Comp. 7, 49–53 (1989).
55. Davenport, J.H.; Siret, Y.; Tournier, E.: *Computer Algebra, Systems and Algorithms for Algebraic Computation*. Academic Press, London (1988).
56. Decker, W.; Greuel, G.-M.; de Jong, T.; Pfister, G.: *The Normalization: a new Algorithm, Implementation and Comparisons*. In: *Proceedings EUROCONFERENCE Computational Methods for Representations of Groups and Algebras (1.4. – 5.4.1997)*, Birkhäuser, 177–185 (1999).
57. Decker, W.; Greuel, G.-M.; Pfister, P.: *Primary Decomposition: Algorithms and Comparisons*. In: *Algorithmic Algebra and Number Theory*, Springer, 187–220 (1998).
58. Decker, W.; Lossen, Chr.: *Computing in Algebraic Geometry; A quick start using SINGULAR*. Springer, (2006).
59. Dickenstein, A.; Emiris, I.Z.: *Solving Polynomial Equations; Foundations, Algorithms, and Applications*. Algorithms and Computations in Mathematics, Vol. 41, Springer, (2005).
60. Dixmier, J.: *Enveloping Algebras*. AMS (1996).
61. Dreyer, A.: *Primary Decomposition of Modules*. Diplomarbeit, Kaiserslautern (2001).

62. Durfee, A.H.: Fifteen Characterizations of Rational Double Points and Simple Critical Points. *Enseign. Math.*, II. Ser. 25, 132–163 (1979).
63. Duval, D.: Absolute Factorization of Polynomials: a Geometric Approach. *SIAM J. Comput.* 20, 1–21 (1991).
64. Ebert, G.L.: Some comments on the modular approach to Gröbner bases. *ACM SIGSAM Bulletin* 17, 28–32, (1983).
65. Eisenbud, D.: Homological Algebra on a Complete Intersection, with an Application to Group Representations. *Transactions of the AMS* 260 (1), 35–64 (1980).
66. Eisenbud, D.: *Commutative Algebra with a View toward Algebraic Geometry*. Springer (1995).
67. Eisenbud, D.; Huneke, C.; Vasconcelos, W.: Direct Methods for Primary Decomposition. *Invent. Math.* 110, 207–235 (1992).
68. Eisenbud, D.; Grayson, D.; Stillman, M., Sturmfels, B.: *Computations in Algebraic Geometry with Macaulay2*. Springer, (2001).
69. Eisenbud, D.; Riemenschneider, O.; Schreyer, F.-O.: Resolutions of Cohen–Macaulay Algebras. *Math. Ann.* 257 (1981).
70. Eisenbud, D.; Robbiano, L.: Open Problems in Computational Algebraic Geometry and Commutative Algebra. In: *Computational Algebraic Geometry and Commutative Algebra, Cortona 1991*, Cambridge University Press 49–71 (1993).
71. Eisenbud, D.; Sturmfels, B.: Finding Sparse Regular Sequences. *J. Pure Appl. Algebra* 94, No. 2, 143–157 (1994).
72. Faugère, C.: A new Efficient Algorithm for Computing Gröbner Bases ( $F_4$ ). *Journal of Pure and Applied Algebra* 139, 61–88 (1999).
73. Faugère, C.; Gianni, P.; Lazard, D.; Mora, T.: Efficient Computation of Zero-dimensional Gröbner Bases by Change of Ordering. *J. Symb. Comp.* 16, 329–344 (1993).
74. Fröberg, R.: *An Introduction to Gröbner Bases*. John Wiley & Sons, Chichester (1997).
75. Frühbis-Krüger, A.: *Moduli Spaces for Space Curve Singularities*. Dissertation, Kaiserslautern (2000).
76. Frühbis-Krüger, A.: Computing Moduli Spaces for Space Curve Singularities. *JPA* 164, 165–178 (2001).
77. Frühbis-Krüger, A.: Partial Standard Bases for Families. *Proc. of the ICMS* (2002).
78. Frühbis-Krüger, A.; Pfister, G.: Some Applications of Resolution of Singularities from a Practical Point of View, *Proceedings of the Conference Computational Commutative and Non-commutative Algebraic Geometry, Chisinau 2004*, NATO Science Series III, Computer and Systems Sciences 196 (2005), 104–117.
79. Frühbis-Krüger, A.; Pfister, G.: Auflösung von Singularitäten, *DMV-Mitteilungen* 13–2 (2005), 89–105.
80. Frühbis-Krüger, A.; Pfister, G.: Algorithmic Resolution of Singularities, In: C. Lossen, G. Pfister: *Singularities and Computer Algebra*. LMS Lecture Notes 324, Cambridge University Press 157–184 (2006).
81. Frühbis-Krüger, A.; Terai, N.: Bounds for the Regularity of Monomial Ideals. *LE Mathematique*, Vol. LIII, 83–97 (1998).
82. Fulton, W.: *Intersection Theory*. Springer (1984).
83. Galligo, A.: Théorème de Division et Stabilité en Géométrie Analytique Locale. *Ann. Inst. Fourier* 29, 107–184 (1979).
84. von zur Gathen, J.; Gerhard, J.: *Modern Computer Algebra*. Cambridge University Press (1999).

85. Geddes, K.O.; Czapor, S.R.; Labahn, G.: Algorithms for Computer Algebra. Kluwer Academic Publishers Group. XVIII, 585 p., (1992).
86. Gelfand, I.; Kapranov, M.; Zelevinski, A.: Discriminants, Resultants and Multidimensional Determinants. Birkhäuser (1994).
87. Gerard, R.; Levelt, A.H.M.: Invariants Mésurant l'Irrégularité en un Point Singulier des Systèmes d'Equations Différentielles Linéaires. Ann. Inst. Fourier, Grenoble 23 (1), 157–195 (1973).
88. Gianni, P.: Properties of Gröbner Bases under Specialization. In: EURO-CAL'87, J.H. Davenport, Ed., Springer LNCS, Vol. 378, 293–297 (1989).
89. Gianni, P.; Miller, V.; Trager, B.: Decomposition of Algebras. ISSAC 88, Springer LNC 358, 300–308.
90. Gianni, P.; Trager, B.; Zacharias, G.: Gröbner Bases and Primary Decomposition of Polynomial Ideals. J. Symb. Comp. 6, 149–167 (1988).
91. Giovini, A.; Mora, T.; Niesi, G.; Robbiano, L., Traverso, C.: “One Sugar Cube, Please” or Selection Strategies in the Buchberger Algorithm. In: Proceedings Int. Symposium on Symbolic and Algebraic Computation ISSAC'91 (S.M. Watt ed.), ACM Press, New York, 49–54 (1991).
92. Giusti, M.: Some Effectivity Problems in Polynomial Ideal Theory. EURO-SAM 84, Symbolic and Algebraic Computation. In: Proc. Int. Symp., Cambridge/Engl. 1984, Lecture Notes Comput. Sci. 174, 159–171 (1984).
93. Gordan, P.: Les Invariants des Formes Binaires. J. de Math. Pure et Appl. 6, 141–156 (1900).
94. Gräbe, H.-G.: The Tangent Cone Algorithm and Homogenization. Journal of Pure and Applied Algebra 97, 303–312 (1994).
95. Gräbe, H.-G.: Algorithms in Local Algebra. J. Symb. Comp. 19, 545–557 (1995).
96. Gräbe, H.: On lucky primes. Journal of Symbolic Computation 15, 199–209, (1994).
97. Grassmann, H.; Greuel, G.-M.; Martin, B.; Neumann, W.; Pfister, G.; Pohl, W.; Schönemann, H.; Siebert, T.: Standard Bases, Syzygies and their Implementation in SINGULAR. In: Beiträge zur angewandten Analysis und Informatik, Shaker, Aachen, 69–96 (1994).
98. Grauert, H.: Über die Deformation isolierter Singularitäten analytischer Mengen. Invent. Math. 15, 171–198 (1972).
99. Grauert, H.; Remmert, R.: Analytische Stellenalgebren. Grundle. 176, Springer (1971).
100. Gregory, R.T.; Krishnamurthy, E.V.: Methods and Applications of Errorfree Computations. Springer (1984).
101. Greuel, G.-M.: Deformation und Klassifikation von Singularitäten und Moduln. Jahresber. Deutsch. Math.-Verein. Jubiläumstagung 1990, 177–238 (1992).
102. Greuel, G.-M.: Applications of Computer Algebra to Algebraic Geometry, Singularity Theory and Symbolic–Numerical Solving. ECM 2000, Progress in Math. 202, 169–188, Birkhäuser Verlag (2001).
103. Greuel, G.-M.: Computer Algebra and Algebraic Geometry — Achievements and Perspectives. J. Symb. Comp. 30, 253–289 (2000).
104. Greuel, G.-M.: A Computer Algebra Solution to a Problem in Finite groups. Revista Matematica Iberoamericana 19, No. 2 (2003), 413–424.
105. Greuel, G.-M.; Hertling, C.; Pfister, Gerhard: Moduli Spaces of Semiquasihomogeneous Singularities with fixed Principal Part. J. Algebraic Geometry 6, 169–199 (1997).
106. Greuel, G.-M.; Kröning, H.: Simple Singularities in Positive Characteristic. Math. Z. 203, 339–354 (1990).

107. Greuel, G.-M.; Lossen, C.; Schulze, M.: Three Algorithms in Algebraic Geometry, Coding Theory and Singularity Theory. In: C. Ciliberto et al (eds.), Applications of Algebraic Geometry to Coding Theory, Physics and Computation, Kluver (2001).
108. Greuel, G.-M.; Lossen, C.; Shustin, E.: Introduction to Singularities and Deformations. Springer (2006).
109. Greuel, G.-M.; Martin, B.; Pfister, G.: Numerische Charakterisierung quasi-homogener Gorenstein-Kurvensingularitäten. Math. Nachr. 124, 123–131 (1985).
110. Greuel, G.-M.; Pfister, G.: Moduli for Singularities. In: Singularities London Math. Soc. LN 201, 119–146 (1991).
111. Greuel, G.-M.; Pfister, G.: Advances and Improvements in the Theory of Standard Bases and Syzygies. Arch. Math. 66, 163–196 (1996).
112. Greuel, G.-M.; Pfister, G.: Gröbner bases and Algebraic Geometry. In: Proceedings of the Conference 33 Years of Gröbner bases (Linz). Lecture Notes of London Math. Soc., 251, 109–143 (1998).
113. Greuel, G.-M.; Pfister, G.: Geometric Quotients of Unipotent Group Actions II. In: Singularities. The Brieskorn Anniversary Volume, 27–36, Progress in Mathematics 162, Birkhäuser (1998).
114. Greuel, G.-M.; Pfister, G.: Computer Algebra And Finite Groups, In Proceedings of the ICMS, Beijing 2002, 4–14.
115. Greuel, G.-M.; Pfister, G.: SINGULAR and Applications, Jahresbericht der DMV 108 (4), 167–196, (2006).
116. Greuel, G.-M.; Pfister, G.; Schönemann, H.: SINGULAR Reference Manual. Reports On Computer Algebra Number 12, May 1997, Centre for Computer Algebra, University of Kaiserslautern from [www.singular.uni-kl.de](http://www.singular.uni-kl.de).
117. Gröbner, W.: Über die algebraischen Eigenschaften der Integrale von linearen Differentialgleichungen mit konstanten Koeffizienten. Monatsh. der Math. 47, 247–284 (1939).
118. Hardy, G.H.; Wright, E.M.: An Introduction to the Theory of Numbers. Oxford University Press (1954).
119. Harris, J.: Algebraic Geometry, A First Course. Springer (1992).
120. Hartshorne, R.: Algebraic Geometry, Vol. 52, Graduate Texts in Mathematics, New York, Springer (1977).
121. Hermann, G.: Die Frage der endlich vielen Schritte in der Theorie der Polynomideale. Math. Annalen 95, 736–788 (1926).
122. Hillebrand, D.: Triangulierung nulldimensionaler Ideale — Implementierung und Vergleich zweier Algorithmen. Diplomarbeit, Dortmund (1999).
123. Hironaka, H.: Resolution of Singularities of an Algebraic Variety over a Field of Characteristic Zero. Ann. of Math. 79, 109–326 (1964).
124. Hirsch, T.: Die Berechnung des ganzen Abschlusses eines Ideals mit Hilfe seiner Rees-Algebra. Diplomarbeit, Kaiserslautern (2000).
125. Iglesias, A.; Takayama, N.: Mathematical Software - ICMS 2006. LNCS 4151.
126. Jansen, C.; Lux, K.; Parker, R.; Wilson, R.: An Atlas of Brauer Characters. Oxford University Press (1995).
127. De Jong, T.: An Algorithm for Computing the Integral Closure. J. Symb. Comp. 26, 273–277 (1999).
128. De Jong, T.; Pfister, G.: Local Analytic Geometry. Vieweg (2000).
129. Kalkbrener, M.: Algorithmic Properties of Polynomial Rings. J. Symb. Comp. 26, 525–581 (1998).
130. Kalkbrener, M.: Prime Decomposition of Radicals in Polynomial Rings. J. Symb. Comp. 18, 365–372 (1994).

131. Kandri–Rody, A.; Kapur, D.: Algorithms for Computing Gröbner Bases of Polynomial Ideals over Various Euclidean Rings. EUROSAM 84, Symbolic and Algebraic Computation, Proc. Int. Symp., Cambridge/Engl. 1984, Lecture Notes Comput. Sci. 174, 195–206 (1984).
132. Kandri–Rody, A.; Weispfenning, V.: Non–commutative Gröbner bases in algebras of solvable type. *J. Symbolic Computation*, 9(1):1–26 (1990)
133. Knuth, D.E.: The art of computer programming I (1997, 3rd ed.), II (1997, 3rd ed.), III (1998, 3rd ed.), Addison–Wesley.
134. Kornerup, P.; Gregory, R.: Mapping integers and Hensel codes onto Farey fractions. *Bit* 23, 9–20, (1983).
135. Kredel, H.: Solvable polynomial rings. Shaker (1993).
136. Kredel, H.; Weispfenning, V.: Computing Dimension and Independent Sets for Polynomial Ideals. *J. Symb. Comp.* 6, 231–248 (1988).
137. Kreuzer, M.; Robbiano, L.: Computational Commutative Algebra 1. Springer (2000).
138. Kreuzer, M.; Robbiano, L.: Computational Commutative Algebra 2. Springer (2005).
139. Krick, T.; Logar, A.: An Algorithm for the Computation of the Radical of an Ideal in the Ring of Polynomials. AAECC9, Springer LNCS 539, 195–205 (1991).
140. Krüger, K.: Klassifikation von Hyperflächensingularitäten. Diplomarbeit, Kaiserslautern (1997).
141. Kunz, E.: Einführung in die kommutative Algebra und algebraische Geometrie. Vieweg (1980). English Translation: Introduction to Commutative Algebra and Algebraic Geometry. Birkhäuser (1985).
142. Kurke, H.; Mostowski, T.; Pfister, G.; Popescu, D.; Roczen, M.: Die Approximationseigenschaft lokaler Ringe. SLN 634, Springer (1978).
143. Kurke, H.; Pfister, G.; Roczen, M.: Henselsche Ringe und algebraische Geometrie. Berlin (1975).
144. Lang, S.: Algebra. Addison–Wesley (1970).
145. Laudal, O.A.: Formal Moduli of Algebraic Structures. SLN 754, Springer (1979).
146. Laudal, O.A.; Pfister G.: Local moduli and singularities. SLN 1310, Springer (1988).
147. Lazard, D.: A new Method for Solving Algebraic Systems of Positive Dimension. *Discr. Appl. Math.* 33, 147–160 (1991).
148. Lazard, D.: Gröbner Bases, Gaussian Elimination and Resolution of Systems of Algebraic Equations. Proceedings of EUROCAL 83, Lecture Notes in Computer Science 162, 146–156 (1983).
149. Lazard, D.: Solving Zero–dimensional Algebraic Systems. *J. Symb. Comp.* 13, 117–131 (1992).
150. Lecerf, G.; A quick Implementation of the Absolute Factorization, preprint (2006).
151. Lenstra, A.K.; Lenstra, H.W. Jr.; Lovász, L.: Factoring Polynomials with Rational Coefficients. *Math. Ann.* 261, 515–534 (1982).
152. Levandovskyy, V.: Non–commutative computer algebra for polynomial algebras: Gröbner bases, applications and implementation. Doctoral Thesis, Universität Kaiserslautern (2005). Available from: <http://kluedo.uni-kl.de/volltexte/2005/1883/>.
153. Levandovskyy, V.: PBW Bases, Non–Degenerate Conditions and Applications. In: Buchweitz, R.-O.; Lenzing, H. (eds.): Representation of algebras and related topics. Proceedings of the ICRA X conference, Vol. 45, 229–246. AMS. Fields Institute Communications (2005).

154. Li, H.: Noncommutative Gröbner bases and filtered–graded transfer. Springer (2002).
155. Lossen, C.; Pfister, G. (Eds.): Singularities and Computer Algebra. LMS Lecture Notes 324, Cambridge University Press (2006)
156. Lossen, C.; Pfister, G.: Aspects of Gert-Martin Greuel’s Mathematical Work. In: C. Lossen, G. Pfister: Singularities and Computer Algebra. LMS Lecture Notes 324, Cambridge University Press (2006), xvii–xxxvi
157. Macaulay, F.S.: Some Properties of Enumeration in the Theory of Modular Systems. In: Proc. London Math. Soc. 26, 531–555 (1939).
158. Martin, B.: Computing Versal Deformations with SINGULAR. In: Algorithmic Algebra and Number Theory, Springer, 283–294 (1998).
159. Matsumura, H.: Commutative Ring Theory. Cambridge Studies in Advanced Math. 8 (1986).
160. Matsumura, H.: Commutative Algebra (second edition). Mathematical Lecture Notes Series, Benjamin (1980).
161. Mayr, E.W.; Meyer, A.R.: The Complexity of the Word Problem for Commutative Semigroups and Polynomial Ideals. Adv. Math. 46, 305–329 (1982).
162. Mignotte, M.: Mathematics for Computer Algebra. Springer (1991).
163. Miller, Ezra; Sturmfels, Bernd: Combinatorial Commutative Algebra. Graduate Texts in Mathematics 227, Springer (2005).
164. Milnor, T.: Singular Points of Complex Hypersurfaces. Ann. of Math. Studies 61, Princeton (1968).
165. Mines, R.; Richman, F.; Reitenburg, W.: A Course in Constructive Algebra. Springer, New York (1988).
166. Miola, A.; Mora, T.: Constructive Lifting in Graded Structures: A Unified View of Buchberger and Hensel Methods. J. Symb. Comp. 6, 305–322 (1988).
167. Mishra, B.: Algorithmic Algebra. Springer (1993).
168. Möller, H.M.: On the Construction of Gröbner Bases using Syzygies. J. Symb. Comp. 6, 345–360 (1988).
169. Möller, H.M.: On Decomposing Systems of Polynomial Equations with Finitely many Solutions. Appl. Algebra Eng. Commun. Comput. 4, 217–230 (1993).
170. Möller, H.M.: Solving of Algebraic Equations — an Interplay of Symbolical and Numerical Methods. Multivariate Approximation, Recent Trends and Results, Akademie Verlag, 161–176 (1997).
171. Möller, H.M.: Gröbner Bases and Numerical Analysis. In: B. Buchberger and F. Winkler (Eds.): Gröbner Bases and Applications. Cambridge University Press, LNS 251, 159–178 (1998).
172. Motsak, O.: Computation of the central elements and centralizers of sets of elements in non–commutative polynomial algebras. Diploma thesis, Kaiserslautern 2006.
173. Möller, H.M.; Mora, T.: Upper and Lower Bounds for the Degree of Gröbner Bases. In: EUROSAM 84, J. Fitch Ed., Springer LNCS, Vol. 174, 172–183 (1984).
174. Möller, H.M.; Mora, T.: New Constructive Methods in Classical Ideal Theory. J. Algebra 100, 138–178 (1986).
175. Möller, H.M.; Mora, T.: Computational Aspects of Reduction Strategies to Construct Resolutions of Monomial Ideals. In: Proceedings AAEECC 2, Lecture Notes in Comput. Sci. 228 (1986).
176. Mora, T.: An Algorithm to Compute the Equations of Tangent Cones. In: Proceedings EUROCAM 82, Lecture Notes in Comput. Sci. (1982).
177. Mora, T.: La Queste del Saint Graal: A Computational Approach to Local Algebra. Discrete Applied Math. 33, 161–190 (1991).



178. Mora, T.: Gröbner Bases in non-commutative Algebras. In: Proc. of the International Symposium on Symbolic and Algebraic Computation (ISSAC '88), 150–161, LNCS 358 (1989).
179. Mora, T.; Pfister, G.; Traverso, C.: An Introduction to the Tangent Cone Algorithm. In: Issues in non-linear geometry and robotics, JAI Press (6), 199–270 (1992).
180. Mora, T.; Robbiano, L.: The Gröbner Fan of an Ideal. *J. Symb. Comp.* 6, 183–208 (1988).
181. Mumford, D.: Algebraic Geometry I, Complex Projective Varieties. Springer (1976).
182. Mumford, D.: The Red Book of Varieties and Schemes. LNM 1358, Springer (1989).
183. Nagata, M.: Local Rings. Wiley (1962).
184. O'Carroll, L.; Flenner, H.; Vogel, W.: Joins and Intersections. Springer (1999).
185. Pauer, F.: On lucky ideals for Gröbner bases computations. *Journal of Symbolic Computation* 14, 471–482, (1992).
186. Peskine, C.: An Algebraic Introduction to Complex Projective Geometry I. *Commutative Algebra*. Cambridge studies in advanced mathematics 47 (1996).
187. Pfister, G.: The Tangent Cone Algorithm and some Applications to Algebraic Geometry. Proc. of the MEGA Conference 1990. Birkhäuser Vol. 94, 401–409 (1991).
188. Pfister, G.: A Problem in Group Theory Solved by Computer Algebra, In Proceedings of the Conference Commutative Algebra, Singularities and Computer Algebra, Sinaia 2002, Kluwer Academic Publishers 2003, 217–223.
189. Pfister, G.: On Modular Computation of Standard Basis, to appear in *Analele Stiintific e ale Univ. Ovidius, Mathematical Series*, (2007).
190. Pfister, G.; Schönemann, H.: Singularities with exact Poincarè Complex but not Quasihomogeneous. *Revista Mathematica Madrid* (2) 2y3, 161–171 (1989).
191. Radu, N.: *Inele Locale*. Bucharest (1968).
192. Rédei, L.: Algebra, Akademische Verlagsgesellschaft Geest & Portig K.-G., Leipzig (1959)
193. Renschuch, B.: *Elementare und praktische Idealtheorie*. Berlin (1979).
194. Ritt, J.F.: Differential equations from the algebraic standpoint. *Colloquium Publications XIV*, AMS, (1932).
195. Ritt, J.F.: Differential algebra. *Colloquium Publications XXXIII*, AMS, (1950).
196. Robbiano, L.: Term Orderings on the Polynomial Ring. In: Proceedings EUROCAL 85, Lecture Notes in Computer Science 204, Springer (1985).
197. Robbiano, L.: On the Theory of Graded Structures. *J. Symb. Comp.* 2, 139–170 (1986).
198. Robbiano, L.; Sweedler, M.: Subalgebra Bases. In: *Commutative Algebra, Proceedings Workshop, Salvador/Brazil 1988*, Lecture Notes in Math., Vol. 1430, 61–87, Springer (1990).
199. Saito, M.; Sturmfels, B., Takayama, N.: Gröbner Deformations of Hypergeometric Differential Equations. Springer (2000).
200. Sasaki, T.; Takeshima, T.: A modular method for Gröbner-basis construction over  $\mathbb{Q}$  and solving system of algebraic equations. *Journal of Information Processing* 12, 371–379, (1989).
201. Scheja, G.; Storch, U.: *Lehrbuch der Algebra Teil 1 und 2*. B.G. Teubner, Stuttgart (1988).
202. Schmidt, J.: Algorithmen zur Berechnung größter gemeinsamer Teiler im univariaten Polynomring über den ganzen Zahlen und deren effiziente Implementierung in Factory. Diplomarbeit, Kaiserslautern (1999).

203. Schreyer, F.-O.: Die Berechnung von Syzygien mit dem verallgemeinerten Weierstrasschen Divisionssatz. Diplomarbeit, Hamburg (1980).
204. Schreyer, F.-O.: A Standard Basis Approach to Syzygies of Canonical Curves. *J. Reine Angew. Math.*, 421, 83–123 (1991).
205. Schreyer, F.-O.: Syzygies of Canonical Curves and Special Linear Series. *Math. Ann.*, 275 (1986).
206. Schulze, M.: Computation of the Monodromy of an Isolated Hypersurface Singularity. Diploma Thesis, Kaiserslautern (1999).
207. Schulze, M.: Algorithms for the Gauss–Manin Connection. *J. Symb. Comp.* 32, 549–564 (2001).
208. Schulze, M.: Algorithmic Gauss–Manin Connection. Algorithms to Compute Hodge–theoretic Invariants of Isolated Hypersurface Singularities. Dissertation, Kaiserslautern (2002).
209. Seidenberg, A.: Constructions in Algebra. *Trans. Amer. Math. Soc.* 197, 273–313 (1974).
210. Seidenberg, A.: Construction of the Integral Closure of a Finite Integral Domain II. *Proceedings Amer. Math. Soc.* 52, 368–372 (1975).
211. Serre, J.-P.: Algèbre locale multiplicités. SLN 11, Springer (1975).
212. Shannon, D.; Sweedler, M.: Using Gröbner Bases to Determine Algebra Membership, Split Surjective Algebra Homomorphisms Determine Birational Equivalence. *J. Symb. Comp.* 6, 267–273 (1988).
213. Shimoyama, T.; Yokoyama, K.: Localization and Primary Decomposition of Polynomial ideals. *J. Symb. Comp.* 22, 247–277 (1996).
214. Stillman, M.; Tsai, H.: Using SAGBI Bases to Compute Invariants. *Journal of Pure and Applied Algebra* 139, 285–302 (1999).
215. Stobbe, R.: Darstellung algebraischer Kurven mittels Computergraphik. Diplomarbeit, Kaiserslautern (1992).
216. Stolzenberg, G.: Constructive Normalization of an Algebraic Variety. *Bull. AMS.*, 74, 595–599 (1968).
217. Sturmfels, B.: Algorithms in Invariant Theory. In: *Texts and Monographs in Symbolic Computation*. Springer (1993).
218. Sturmfels, B.: Gröbner Bases and Convex Polytopes. *AMS University Lecture Series* 8 (1995).
219. Traverso, C.: Hilbert functions and the Buchberger algorithm. *J. Symb. Comp.* 22, No. 4, 355–376 (1996).
220. Trinks, W.: Über B. Buchbergers Verfahren, Systeme algebraischer Gleichungen zu lösen. *J. Number Theory*, 10, 475–488 (1978).
221. Valentine, F.A.: *Convex Sets*. Krieger (1976).
222. Vasconcelos, W.V.: *Arithmetic of Blowup Algebras*. Lecture Note 195, Cambridge University Press (1994).
223. Vasconcelos, W.V.: *Computational Methods in Commutative Algebra and Algebraic Geometry*. Springer (1998).
224. Wall, C.T.C.: Classification of Unimodal Isolated Singularities of Complete Intersections. In: *Singularities, Arcata 1981* (Ed. Orlik, P.), *Proceedings Sympos. Pure Math.* 40 (2), 625–640 (1983).
225. Wang, D.: Irreducible Decomposition of Algebraic Varieties via Characteristic Sets and Gröbner Bases. *Computer aided Geometric Design* 9, 471–484 (1992).
226. Wang, D.: Decomposing Polynomial Systems into Simple Systems. *J. Symb. Comp.* 25, 295–314 (1998).
227. Wang, D.: Computing Triangular Systems and Regular Systems. *J. Symb. Comp.* 30, 221–236 (2000).
228. Wang, D.: Elimination Methods. In: *Texts and Monographs in Symbolic Computation*. Springer (2001).

229. Wang, P.S.: An Improved Multivariate Polynomial Factorizing Algorithm, *Math. Comp.* 32, 1215–1231 (1978)
230. Wang, P.S.: The EEZ-GCD Algorithm, *ACM SIGSAM Bull.* 14, 50–60 (1980)
231. Weispfenning, V.: Constructing Universal Gröbner Bases. *Applied Algebra, Algebraic Algorithms and Error-correcting Codes, Proc. 5th Int. Conference, AAEECC-5, Menorca, Spain, 1987, Lect. Notes Comput. Sci.* 356, 408–417 (1989).
232. Weispfenning, V.: Comprehensive Gröbner Bases. *J. Symb. Comp.* 14, 1–29 (1992).
233. Wichmann, T.: Der FGLM-Algorithmus: verallgemeinert und implementiert in SINGULAR. Diplomarbeit, Kaiserslautern (1997).
234. Winkler, F.: A  $p$ -adic approach to the computation of Gröbner bases. *Journal of Symbolic Computation* 6, 287–304, (1987).
235. Winkler, F.: Polynomial Algorithms in Computer Algebra. In: *Texts and Monographs in Symbolic Computation*. Springer (1996).
236. Wu, W.T.: Basic Principles of Mechanical Theorem Proving in Elementary Geometries. *J. of System Science and Mathematical Science*, 4(3), 207–235 (1984).
237. Yoshino, Y.: *Cohen–Macaulay Modules over Cohen–Macaulay Rings*. Cambridge University Press (1990).
238. Zariski, O.; Samuel, P.: *Commutative Algebra*. Vol. I, II, Springer (1960).

## Computer Algebra Systems

239. ASIR (Noro, M.; Shimoyama, T.; Takeshima, T.):  
<http://www.asir.org/>.
240. CoCoA (Robbiano, L.): A System for Computation in Algebraic Geometry and Commutative Algebra. Available from [cocoa.dima.unige.it/cocoa](http://cocoa.dima.unige.it/cocoa)
241. Macaulay (Bayer, D.; Stillman, M.): A System for Computation in Algebraic Geometry and Commutative Algebra. Available via ftp from [zariski.harvard.edu](http://zariski.harvard.edu).
242. Macaulay 2 (Grayson, D.; Stillman, M.): A Computer Software System Designed to Support Research in Commutative Algebra and Algebraic Geometry. Available from <http://math.uiuc.edu/Macaulay2>.
243. Macsyma (Macsyma Inc.): <http://www.scientek.com/macsyma/main.htm>
244. Magma (Computational Algebra Group within School of Maths and Statistics of University of Sydney):  
<http://magma.maths.usyd.edu.au/magma>
245. Maple (Waterloo Maple Inc.): <http://www.maplesoft.com/>.
246. MATHEMATICA (Wolfram Research Inc.): <http://www.wolfram.com/>.
247. MuPAD (MuPAD Research Group and Sciface Software GmbH & Co. KG):  
<http://www.mupad.de/>.
248. Reduce: <http://www.uni-koeln.de/REDUCE>.
249. SAGE (Mathematics Software (Version 2.7), (Stein, W.):  
<http://www.sagemath.org/>
250. SINGULAR (Greuel, G.-M.; Pfister, G.; Schönemann, H.): A Computer Algebra System for Polynomial Computations. Centre for Computer Algebra, University of Kaiserslautern, free software under the GNU General Public Licence (1990–2007).  
<http://www.singular.uni-kl.de>.

# Glossary

- $\langle \cdot, \cdot \rangle, c$ , 136
- $(A, \mathfrak{m})$ , 31
- $(A, \mathfrak{m}, K)$ , 31
- $(c, \cdot)$ , 136
- $(x_0 : \dots : x_n)$ , 473
- $\langle \cdot, \cdot \rangle$ , 287
- $\langle \cdot \rangle_1, \langle \cdot \rangle_2$ , 14
- $\langle \cdot \rangle_{(A, \cdot)}$ , 12
- $\langle \cdot \rangle_{Dp}$ , 13
- $\langle \cdot \rangle_{Ds}$ , 14
- $\langle \cdot \rangle_{dp}$ , 13
- $\langle \cdot \rangle_{ds}$ , 14
- $\langle \cdot \rangle_{lp}$ , 13
- $\langle \cdot \rangle_{ls}$ , 14
- $\langle \cdot \rangle_w$ , 18
- $A(d)$ , 133
- $A[tI]$ , 250
- $A^{\text{opp}}$ , 97
- $A_+$ , 483
- $A_P$ , 33
- $A_f$ , 33
- $A_{\text{red}}$ , 27, 228
- $I^a$ , 481
- $I^h$ , 63, 64, 263, 481
- $I_1 : I_2^\infty$ , 81
- $I_1 I_2$ , 19
- $I_\infty$ , 481
- $K(x_1, \dots, x_n)$ , 34
- $K[[x]]$ , 355
- $K[x]_+$ , 475
- $K[x]_\rangle$ , 39
- $K[x]_d$ , 474
- $K\langle x_1, \dots, x_n \rangle$ , 524
- $M(d)$ , 133
- $M/N$ , 118
- $M^*$ , 111
- $M_P$ , 129
- $M_S$ , 129
- $M_f$ , 129
- $N : P$ , 119
- $N :_A P$ , 119
- $P :_M I$ , 119
- $S^{-1}M$ , 129
- $S_\rangle$ , 39
- $\overline{V}$ , 481
- $V_\infty$ , 481
- $X \dashrightarrow Y$ , 504
- $X \times Y$ , 461
- $X_1 \cap X_2$ , 467
- $X_1 \cup X_2$ , 467
- $[a]$ , 22
- $\Gamma_f$ , 461, 499
- $\Omega_{A|K}$ , 354
- $\Sigma_{n,m}$ , 497
- $\bigoplus_{i \in I} M_i$ , 119
- $\mathfrak{m}$ , 31
- $\mathfrak{m}_a$ , 31
- $x \gg y$ , 14
- $\langle a \rangle$ , 1
- $\langle w, \alpha \rangle$ , 13
- $\mu(f)$ , 526
- $\mu(f, p)$ , 526
- $\mathcal{L}$ , 93
- $\prod_{i \in I} M_i$ , 119
- $\sqrt[n]{N}$ , 201, 210
- $\sqrt{I}$ , 27
- $\tau(f)$ , 526
- $\tau(f, p)$ , 526
- $\varphi^\#$ , 458, 465
- $\varphi_S$ , 129
- $\underline{A}$ , 367
- $\overline{M}$ , 367
- ${}^t A$ , 171
- $a + I$ , 22
- $f^*$ , 467
- $f^a$ , 478

$f^h$ , 56, 63, 64, 478  
 $x^\alpha e_i \mid x^\beta e_j$ , 137

$\mathbb{A}^n$ , 452

$\mathbb{A}_K^n$ , 452

$\text{AH}_I(n)$ , 330

$\text{Ann}(P)$ , 119

$\text{Ann}_M(a)$ , 390

$\text{Ann}_R(I)$ , 27

$\text{Ann}_A(P)$ , 119

$\text{Ass}(I)$ , 259

$\text{Ass}(I, P)$ , 259

$\text{Ass}(M)$ , 264

$B(M, N; P)$ , 185

$b_{j,k}(M)$ , 155

$b_k(M)$ , 151, 155

$C(I, B)$ , 219

$CX$ , 475

$C_p(X)$ , 519

$\mathcal{C}(A)$ , 225

$\mathcal{C}(A, P)$ , 225

$\overline{C_p X}$ , 476

$\text{Coker}(\varphi)$ , 118

$\text{Crit}(f)$ , 527

$C_s(I, B)$ , 219

$D(f)$ , 484, 490

$D(x_i)$ , 478

$d(I, K[x])$ , 238

$d(M)$ , 325

$\text{deg}(M)$ , 325

$\text{deg}(X)$ , 515

$\text{deg}(f)$ , 2

$\text{depth}(I, M)$ , 412

$\text{depth}(M)$ , 412

$\text{dim}(A)$ , 225

$\text{dim}(I)$ , 225

$\text{dim}(M)$ , 341

$\text{dim}(X)$ , 456

$\text{dim}_p X$ , 511

$E_n$ , 174, 178, 212

$E(I)$ , 278

$E_\nu(I)$ , 280

$\text{ecart}(f)$ , 56

$\text{ecart}_w(f)$ , 56

$\text{edim}(A)$ , 341

$\text{Ext}_A^i(M, N)$ , 279, 382

$F_k(M)$ , 383

$F_k^A(M)$ , 383

$f^*$ , 457

$\text{Flat}(M)$ , 394

$\text{Flat}_r(M)$ , 391

$G(t)$ , 316

$\mathcal{G}$ , 46

$\text{gldim}(A)$ , 439

$\text{Gr}_I(A)$ , 133

$H_M$ , 315

$H_\infty$ , 478, 481

$H_i$ , 478

$\text{HC}(I)$ , 60

$\text{HN} = \text{Hilbert's Nullstellensatz}$ , 455

$\text{Hom}_A(M, N)$ , 110

$\text{HP}_M$ , 315

$\text{HS}_{\{M_n\}_{n \geq 0}}$ , 334

$\text{HSP}_{\{M_n\}_{n \geq 0}}$ , 334

$\text{ht}(I)$ , 225

$I(X)$ , 455, 459, 464, 475

$i(C, D; p)$ , 521

$i(F, G; p)$ , 522

$i(f, g; p)$ , 521

$\text{Im}(\varphi)$ , 117

$\text{In}(I)$ , 337, 340

$\text{In}(f)$ , 337, 340

$\text{In}(f, x)$ , 285

$I_X(Y)$ , 459

$j_k(f)$ , 356

$K[\varepsilon]$ , 390

$K(X)$ , 492

$K(x)_\bullet$ , 413

$K(x, M)_\bullet$ , 413

$K[X]$ , 456, 475

$K[X]_d$ , 475

$K[X]_{(\mathfrak{m}_p)}$ , 512

$\text{Ker}(\varphi)$ , 117

- $L(G)$ , 41, 137  
 $L(I)$ , 41  
 $L_{>}(G)$ , 41, 137  
 $LC(f)$ , 10, 41, 137  
 $\text{lcm}(x^\alpha, x^\beta)$ , 49  
 $LE(f)$ , 10, 41  
 $\lim_{\nu \rightarrow \infty} f_\nu$ , 357  
 $LM(f)$ , 10, 41, 137  
 $LT(f)$ , 10, 41, 137  
  
 $\text{Mat}(m \times n, A)$ , 111  
 $\text{Max}(A)$ , 23, 463  
 $\text{minAss}(I)$ , 226  
 $\text{Mon}(x_1, \dots, x_n)$ , 2  
 $\text{Mon}_n$ , 2  
 $\text{Mor}(X, Y)$ , 457  
 $\text{mult}(M)$ , 335  
 $\text{mult}(M, Q)$ , 335  
 $\text{mult}(X, p)$ , 515  
  
 $\text{NF}(- \mid I)$ , 48  
 $\text{NF}(f \mid G)$ , 46, 138  
  
 $\mathcal{O}(X)$ , 488  
 $\mathcal{O}_{X,p}^{an}$ , 524  
 $\text{ord}(f)$ , 337, 355  
  
 $P_M$ , 317, 324  
 $\mathbb{P}(V)$ , 473  
 $\mathbb{P}^n$ , 473  
 $\mathbb{P}_K^n$ , 473  
 $\mathbb{P}_R^n$ , 484  
 $\mathbb{P}_K(V)$ , 473  
 $\text{PBW}$ , 89  
 $\text{pd}_A(M)$ , 430, 433  
 $\text{pquot}(g \mid f, x)$ , 285  
 $\text{prem}(g \mid f, x)$ , 285  
  
 $\text{Proj}(A)$ , 483  
  
 $Q(A)$ , 32, 33  
 $Q(t)$ , 316  
 $Q_M(t)$ , 318  
 $\text{Quot}(A)$ , 32, 33  
  
 $R(X)$ , 491  
 $\text{rad}(I)$ , 27  
 $\text{rad}_M(N)$ , 201  
  
 $\text{sat}(I)$ , 485  
 $\text{Sing}(A)$ , 347, 398  
 $\text{Sing}(f)$ , 527  
 $\text{Sing}(X)$ , 514  
 $\text{Sol}_S(AZ = b)$ , 206  
 $\text{Spec}(A)$ , 23, 463  
 $\text{spoly}(f, g)$ , 49, 140  
 $\text{supp}(I)$ , 82  
 $\text{supp}(M)$ , 130  
 $\text{syz}(I)$ , 158  
 $\text{syz}(f_1, \dots, f_k)$ , 158  
 $\text{syz}_k^R(I)$ , 158  
 $\text{syz}_k(I)$ , 158  
  
 $\text{tail}(f)$ , 10, 137  
 $\text{Tor}_i^A$ , 377  
 $\text{Tors}(M)$ , 119  
 $\text{trdeg}_K L$ , 235  
  
 $V(I)$ , 130, 453, 463, 483  
 $V(f)$ , 484  
 $V((f_\lambda)_{\lambda \in \Lambda})$ , 452  
  
 $\text{w-deg}(f)$ , 13  
 $\text{w-deg}(x^\alpha e_i)$ , 410  
 $\text{w-ord}(f)$ , 355

# Index

- $G$ -algebra, 90
- $A_1$ -singularity, 528
- `absfact.lib`, 566, 611
- AbsFactorization, 565
- absolute factorization, 564
- A'Campo, 447
- addition, 109
- additive function, 148
- ADE-singularity, 531
- admissible, 101
- affine, 489
  - algebraic set, 452
    - dimension of, 456, 492
  - chart, 478
  - cone, 475, 484, 486
  - Hilbert function, 330
  - part, 480, 481
  - ring, 23, 487
  - scheme, 467
  - space
    - $n$ -dimensional, 452
    - surface, 453
    - variety, 452
- affinization, 478, 481
- AG-codes, 630
- `ainvar.lib`, 623
- `aksaka.lib`, 632
- `alexpoly.lib`, 618
- `algDependent`, 86, 611
- algebra, 3, 110
  - enveloping, 91
  - $G$ -, 90
  - $GR$ -, 99
  - map, 110
  - of solvable type, 90
  - opposite, 97
  - PBW, 90
  - `algebra.lib`, 20, 86, 87, 216, 433, 460, 611
- `algebra_containment`, 87, 611
- algebraic
  - dependence, 86
  - local ring, 524, 525
  - set, 444
    - affine, 452, 455
    - irreducible, 456, 474
    - projective, 474
    - variety, 444
- algebraically dependent, 86
- algebras of solvable type, 90
- `alg_kernel`, 20, 611
- $A$ -linear, 110
- analytic
  - function, 523
  - germ, 524
  - $K$ -algebra, 363
  - local ring, 524, 525
- Ann, 341, 435, 616
- annihilator, 27, 119, 201, 203, 613, 616
  - structure, 470
- `arcpoint.lib`, 618
- arithmetic
  - geometry, 463
  - structure, 486
- Arnold, 531, 619
- Artin-Rees, 332
- Artinian
  - $K$ -algebra, 30
  - ring, 30
- ascending chain condition, 22
- ascending set, 286
- associated prime, 259, 449
  - embedded, 259
  - minimal, 226

- of a module, 264
  - of a ring, 259
- `atkins.lib`, 632
- `attrib`, 135, 156, 257, 587
- attribute, 135, 156, 257
- Auslander, 439
- Auslander–Buchsbaum–formula, 430, 433, 437
- automorphism, 20
  
- `bareiss`, 587
- Barth sextic, 445
- basis, 120
  - canonical, 111
  - Dickson, 12
  - Poincaré–Birkhoff–Witt, 89
- Berlekamp, 543
- BerlekampCantorZassenhaus, 545
- `betti`, 168, 587
- Betti number, 151, 153, 155, 158, 167, 382, 587
  - graded, 155, 158
- Bézout, 472
  - theorem of, 522
- bidegree, 497
- bihomogeneous, 497
- bijective, 20, 21
- bilinear map, 186
- `binomial`, 608
- birational, 504
- block, 605
- blow–up algebra, 250
- blowing up, 612
- `blowup0`, 612
- boolean expression, 582
- `bracket`, 587
- `break`, 605
- `breakpoint`, 605
- Brieskorn, XV
- Brill–Noether algorithm, 630
- `brnoeth.lib`, 630
- browser, 592
- Buchberger, 44, 54, 449
  - algorithm, 49
  - factorizing, 284, 590
  - Hilbert–driven, 322
  - specialized, 617
- criterion, 54, 142, 145, 162, 375
  
- canonical
  - basis, 111
  - chart, 484
- Castelnuovo–Mumford regularity, 614
- Cauchy sequence, 357
- Cayley cubic, 445
- Cayley–Hamilton Theorem, 212
- center
  - centralizer, 100
- `central.lib`, 634
- chain
  - criterion, 96, 163, 631
  - of prime ideals, 225
  - length, 225
  - maximal, 225
- `char`, 588
- characteristic
  - polynomial, 180, 181
  - series, 588
- CHARACTERISTIC, 288
- characteristic set, 288
- characteristic set of  $I$ , 296
- `char_series`, 588
- `charstr`, 588
- chart, 478, 484
  - affine, 478
- Chevalley, 461
- Chinese remainder theorem, 30
- classification of singularities, 514, 533, 619
- `classify`, 619
- `classify.lib`, 533, 619
- `CLEAR(RESULT)`, 294
- `cleardenom`, 588
- Clebsch cubic, 445
- `close`, 588
- closed, 454
  - embedding, 459
  - immersion, 459, 489
  - locally, 454



- subvariety, 454
- closure
  - of image, 71, 450, 462
    - annihilator structure, 470
    - scheme structure, 470
  - projective, 472, 481, 482
- CoCoA, IX
- coding, 630
- coef, 588
- coefficient, 588
  - leading, 10
  - matrix, 206
    - extended, 206
- coeffMat, 209
- coeffMatExt, 209
- coeffs, 588
- Cohen, 370
- Cohen–Macaulay
  - maximal, 424
  - module, 424
  - ring, 424, 429
  - test for, 426
- CohenMacaulayTest, 427
- CohenMacaulayTest1, 435
- cokernel, 118
- complete
  - intersection, 427, 534, 622
    - ideal, 326
    - ring, 426
  - local ring, 358, 367, 368
- completely reduced, 45
- completion
  - of a local ring, 367
  - of a module, 367, 369
  - of localization, 370
  - preserves exactness, 369
- complex, 146
  - analytic function, 523
  - exact, 146
- component function, 490
- compregb.lib, 614
- comprehensive Gröbner basis, 52, 145, 614
- concat, 610
- conductor, 244
- cone, 476
  - affine, 475
  - projective, 476
  - tangent, 519
- constructible, 461
- content, 546
- contentSB, 145
- continue, 605
- contract, 588
- contraction, 216, 588
- control structures, 605
- control.lib, 630
- convergent sequence, 357
- Conway polynomial, 6
- coordinate ring, 456, 467
  - homogeneous, 475, 489
- coprime, 538
- correspondence, 499
- counting nodes, 529
- criterion
  - for finiteness, 214
  - for flatness, 388, 389
  - for integral dependence, 213
  - for normality, 245, 352
- crypto.lib, 633
- cubic, 453
  - twisted, 437, 508
- cupproduct, 612
- cyclic module, 119
- dbprint, 606
- DECOMP, 275
- decomp, 309
- def, 581
- defined, 588
- definition set, 491, 504
- deform, 622
- deform.lib, 534, 619
- deformation, 533
  - equisingular, 619
  - of singularities, 534
  - theory, 444, 533
- deg, 588
- degBound, 606

- degree, 2, 132, 140, 325, 327
  - geometric interpretation, 515
  - of graded module, 325
  - of projective variety, 515, 589
  - ordering, 14, 18
    - global, 14
    - local, 14, 336
  - weighted, 13, 597
- degree, 329, 589
- dehomogenization, 478
- delete, 589
- delete objects, 593
- delta, 621
- delta invariant, 615, 621
- depth, 412
- depth, 426
- det, 589
- determinacy, 529, 530
- determinantal trick, 212
- develop, 621
- diagonal form, 171, 172
- DIAGONALFORM, 172
- Dickson basis, 12
- Dickson's Lemma, 12, 137
- diff, 30, 589
- digimult.lib, 625
- dim, 228, 329, 589
- dimension, 35, 225, 346, 589, 622
  - computation of, 36, 228
  - embedding, 341
  - global, 439
  - of a module, 341, 346
  - of a monomial ideal, 239
  - of a projective variety, 479
  - of an affine algebra, 235
  - of an affine variety, 329, 456
  - of an ideal, 225
  - of fibres, 403
  - projective, 433
- direct product
  - of modules, 119
- direct sum
  - of modules, 119
  - of rings, 8
- discriminant, 241, 327, 350, 516, 535, 623
- divide, 93
- divisible, 137
- division, 48
  - theorem
    - Grauert, 373
    - Weierstraß, 360
  - with remainder, 44, 94
- division, 68, 196, 589
- division theorem, 48
- dmod.lib, 635
- domain
  - integral, 23
  - principal ideal, 23
- dominant, 459
- download, 571
- dual module, 111
- dump, 589
- early termination, 63
- ecart, 140, 631
  - weighted, 56
- ecart, 631
- echo, 606
- ehv.lib, 612
- elementary divisor, 176
- elim.lib, 83, 486, 612
- eliminate, 70, 73, 589
- elimination, 69, 101, 612
  - geometric meaning, 462, 501, 509
  - of components, 197
  - ordering, 41, 69, 101
  - property, 40
  - theory
    - main theorem, 500
- else, 605
- embedding, 459, 489
  - dimension, 341, 372
  - Segre, 496
  - Veronese, 489
- endomorphism, 110
- Endraß, 447
- envelope, 589

- equality test, 25
- equidim**, 616
- equidimensional
  - decomposition, 281
  - ideal, 259, 278
  - part, 278
    - $\nu$ -th, 280
  - ring, 278
  - variety, 511
- EQUIDIMENSIONAL, 279
- equidimensional**, 311
- EQUIDIMENSIONALDECOMP, 280
- equising.lib**, 619
- equisingularity stratum, 619
- ERROR**, 589
- essential, 101
- Euclidean
  - algorithm, 66
  - topology, 510, 518, 523
- eval**, 589
- evaluation, 589
  - prevent from, 598
- exact
  - functor, 129
- exact sequence, 146
  - short, 146
- example**, 590
- execute**, 575, 590
- exit**, 572, 590
- export**, 605
- export to**, 605
- Ext**, 613
- Ext-
  - modules, 382
  - sequence, 382
- Extended Zassenhaus, 559
- EXTENDED DIAGONAL FORM, 178
- extension
  - finite, 211
  - integral, 211
- exterior power, 604
- extgcd**, 590
- extra weight vector, 69, 71
- EZGCD, 562
- FACSTD, 284
- facstd**, 284, 590
- factor
  - module, 118
  - ring, 22
- factorial**, 608
- factorization, 556
  - absolute, 564
  - squarefree, 538
- factorize**, 6, 25, 590
- factorizing Gröbner basis algorithm, 284, 590
- faithfully flat, 397, 398, 423, 525
- fat point, 449, 467
- Faugère, 590
- Fermat's problem, 444
- fetch**, 7–9, 590
- fetchall**, 609
- fglm**, 590
- FGLM algorithm, 590
- fglmquot**, 590
- fibonacci**, 608
- fibre
  - in flat family, 403, 404
  - product, 468, 499
- field, 1
  - of fractions, 32
  - perfect, 9
  - quotient, 32
  - residue, 31
- filtration, 332
  - stable, 332
- find**, 591
- finding roots, 627
- finduni**, 283, 591
- finite
  - determinacy
    - of singularities, 529
    - of standard bases, 59
  - extension, 211
    - is integral, 212
  - field, 5
  - presentation, 121
- finitely

- determined, 529
- generated, 19, 119
- finiteness test, 364
- `finitenessTest`, 252
- `finvar.lib`, 624
- fitting, 385
- Fitting ideal, 203, 383, 391
  - and flatness, 391
  - computation of, 385
  - is compatible with base change, 384
- flat, 388, 533
  - faithfully, 397, 398, 423
  - locus, 392, 395, 396
  - is open, 393
- `flatLocus`, 395
- `flatLocus1`, 396
- flatness
  - and dimension, 403
  - and standard bases, 404
  - criterion for, 388, 389
  - local criteria, 399
  - test for, 394
- flattening
  - stratification, 391, 392
  - stratum, 391
- `flatteningStrat`, 392
- floating point numbers, 6
- for, 605
- formal power series, 355
- `fprintf`, 591
- free
  - locally, 386
  - module, 120, 591
  - resolution, 151, 433, 607
    - homogeneous, 154, 594
    - minimal, 151, 153, 155, 599
    - periodic, 438
- `freemodule`, 591
- `frwalk`, 591
- function
  - field, 34
  - regular, 456
- GAP, 645
- Gaussian
  - elimination, 66, 117
  - normal form, 610
- `gauss_nf`, 610
- `gcd`, 591
- Gelfand, 595, 603
- `gen`, 116, 591
- general
  - Jacobian criterion, 347
  - Noether normalization, 231, 366
  - position, 265
  - $x_n^-$ , 359
- general Euclid  $(x, y, c)$ , 579
- `general.lib`, 607
- generator, 119
- `genus`, 615
- germ, 510
  - analytic, 524
- `getdump`, 591
- Gianni, 264, 306, 309, 590, 616
- `gkdim.lib`, 635
- global
  - dimension, 439
  - ordering, 11, 13, 136
  - versus local, 36, 510
- `gmspoly.lib`, 620
- `gmssing.lib`, 620
- going down, 223, 242, 403
- going up, 242
  - geometrical meaning, 217
  - property, 217
- graded
  - $K$ -algebra, 132
  - Betti number, 155
  - homomorphism, 133
  - ideal, 133
  - module, 133
  - ring, 132
  - submodule, 133
- graph, 461, 469, 499
- graphics, 629
- Grauert, 245, 373, 533
  - division theorem, 373

- Gröbner, 44
  - basis, 45, 49, 138
  - comprehensive, 52, 145
  - left, 93
  - reduced, 46
  - right, 98
  - two-sided, 98
- groebner, 5, 591
- Grothendieck, 463
- ground
  - field, 2
  - complex numbers, 6
  - finite, 5
  - rational numbers, 5
  - real numbers, 6
  - with parameters, 6
  - ring, 2
- grwalk.lib, 612
- Gusein-Zade, 447
- Hamburger–Noether development, 620
- height, 225
  - and flatness, 403
- help, 572, 578, 591
- Hensel’s Lemma, 366
- highcorner, 61, 530, 592
- highest corner, 60, 61, 530
- hilb, 318, 321, 592
- Hilbert
  - basis theorem, 21
  - function, 315, 328, 607
    - affine, 330
  - polynomial, 317, 324, 338
    - of a hypersurface, 324
  - series, 592
    - first, 317, 592
    - second, 317, 592
    - weighted first, 318
- Hilbert’s
  - Nullstellensatz, 31, 237, 455
    - abstract, 464
    - weak form, 235
  - Szygy Theorem, 164, 438
- Hilbert–driven, 322
- Hilbert–Poincaré series, 315, 320, 338
- Hilbert–Samuel
  - function, 335
  - multiplicity, 335
  - polynomial, 335
- HILBERTPOINCARE, 322
- hilbPoly, 329, 608
- Hironaka, 373
- hnoether.lib, 620
- Hom, 613
- homog, 135, 483, 592
- homogeneity test, 592
- homogeneous
  - component, 132, 474
  - coordinate ring, 475
  - coordinates, 473
  - decomposition, 474
  - element, 132
  - free resolution, 154
  - homomorphism, 133
  - ideal, 133, 263, 474
    - prime, 136
  - part, 133
  - polynomial, 473
  - spectrum, 483
  - submodule, 133
- homogenization, 56, 63, 478, 481
  - weighted, 64, 263, 398
- homogenizing variable, 478
- homolog.lib, 115, 116, 396, 612
- homological algebra, 612
- homomorphism, 3
  - local, 359
  - of algebras, 110
  - of modules, 110
- hyperelliptic curves, 633
- hyperelliptic.lib, 633
- hyperplane at infinity, 478, 481
- hypersurface
  - affine, 453
  - Hilbert polynomial of, 324
  - projective, 474
- ideal, 19

- equidimensional, 259, 278
- equidimensional part, 278
- leading, 41
- left-sided, 89
- maximal, 23
- membership, 67
- perfect, 437
- prime, 23
- quotient, 27, 79, 590
  - geometric interpretation, 82
- radical, 27
- reduced, 27
- right-sided, 89
- saturated, 485
- two-sided, 89
- vanishing, 455, 464, 475
- ideal**, 581
- identity, 1, 592
- I*-depth, 412
- if, 605
- image, 20, 117
  - closure of, 71, 450, 462
    - annihilator structure, 470
    - scheme structure, 470
  - computation of, 503
  - of projective morphism, 502
    - is closed, 501
- imaginary part, 593
- imap, 7–9, 592
- imapall, 609
- immersion, 459, 489
- impart, 593
- implicit function theorem, 365
- implicitization, 222
- importfrom, 605
- independent set, 237
  - geometrical meaning, 238
  - maximal, 237
- indepSet**, 237, 238, 593
- indeterminacy set, 504
- index of nilpotency, 27, 28
- initial
  - form, 285, 337, 340
  - ideal, 337, 338, 340
- initial form, 285, 286
- injective, 20
- inout.lib**, 113, 122, 608
- insert**, 593
- inSubring**, 87, 611
- int**, 581
- integer programming, 613
- integral, 211
  - closure, 219, 221
    - of an ideal, 220, 616
    - strong, 219
    - weak, 219
  - dependence, 213
    - properties of, 217
  - domain, 9, 23, 28, 29, 346
  - element, 211
  - extension, 211
  - strongly, 219
- integrally closed, 221
- interpolation, 626
- interred**, 172, 593
- interreduced, 45, 138
- interreduction, 45
- intersect**, 79, 120, 593
- intersection, 197
  - multiplicity, 520–522
    - of affine curves, 521
    - of projective curves, 522
  - of ideals, 79
  - of schemes, 467
  - of submodules, 198
  - with subrings, 69
- intmat**, 582
- intprog.lib**, 613
- intStrategy**, 145
- intvec**, 582
- invariant
  - ring, 623, 624
  - subspace, 181
- invariant\_ring**, 624
- invers**, 356
- inverse, 26
  - of power series, 356
- inverse**, 610

- involut.lib, 635
- IRRASCENDING, 293
- irreducible, 448
  - algebraic set, 456, 474
  - component, 448, 456, 477
  - decomposition, 456, 477, 482
  - element, 29
  - polynomial, 4, 8
  - projective variety, 474
  - topological space, 465
- irreducible ascending, 290
- irredundant, 259
- irrelevant ideal, 475, 483
- is\_bijective, 21, 460, 611
- isCohenMacaulay, 432
- isCohenMacaulay1, 434
- isFlat, 394
- is\_injective, 20, 460, 611
- isIsolatedSingularity, 257
- isLocallyFree, 387
- isolated
  - critical point, 526
  - singularity, 526
- isomorphic, 110
- isomorphism, 20, 457, 467, 489
  - of modules, 110
  - projective, 473
- isReg, 411
- is\_surjective, 21, 460, 611
  
- jacob, 30, 593
- Jacobian
  - criterion, 344, 372, 513
  - general, 347
  - ideal, 247, 593
  - matrix, 247, 347
- Jacobson radical, 37, 128
- janet, 593
- jet, 356, 529, 593
- jet, 593
- Jordan normal form, 181, 610
- jordannf, 610
  
- Kapranov, 595, 603
- kbase, 593
- $k$ -determined, 529
- Kemper, 616, 638
- kernel, 20, 84, 117
- kill, 593
- killattrib, 593
- $k$ -jet, 356, 529, 593
- kohom, 116
- kontrahom, 115
- Koszul
  - complex, 413, 417
  - homology, 420
  - relations, 593
- koszul, 593
- KoszulHomology, 420
- KoszulMap, 419
- Krick, 281, 313, 616
- Kronecker symbol, 114
- Krull dimension, 225
- Krull's
  - intersection theorem, 128
  - principal ideal theorem, 235, 342, 343, 521
- kskernel.lib, 621
- Kurke, XV
- KVequiv.lib, 621
  
- La Scala, 594
- Laguerre, 75, 76, 593
- laguerre, 593
- latex.lib, 629
- Lazard, 76, 590, 626, 631
- lcm, 49
- lead, 10, 594
- leadcoef, 10, 594
- leadexp, 10, 594
- leading
  - coefficient, 10, 41, 93, 137
  - exponent, 10, 41
  - ideal, 41
  - module, 137
  - monomial, 10, 41, 93, 137, 631
  - submodule, 137
  - term, 10, 41, 137
- leadmonom, 10, 594
- least common multiple, 49, 631

- left-sided, 89
- LeftGröbnerBasis, 95
- LEFTNF, 95
- LeftSpoly, 95
- length, 225
  - of a resolution, 151, 433
- lexicographical ordering, 13
  - degree, 13
  - degree reverse, 13
  - negative, 14
- LIB, 594
- library, 576, 594, 607
- lift, 26, 53, 68, 196, 594
- liftstd, 594
- linalg.lib, 181, 610
- linear, 110
  - algebra, 610
- link, 583
- listvar, 594
- lll.lib, 613
- load, 605
- local, 523
  - degree ordering, 336
  - homomorphism, 359
  - ordering, 11, 14, 136
  - ring, 31
    - algebraic, 524, 525
    - analytic, 524, 525
    - at  $p$ , 511, 513
    - regular, 344, 369
- localization, 32
  - at a prime ideal, 33
  - computing in, 452
  - of a module, 129
  - w.r.t. ordering, 39
- locally
  - closed, 391, 454
  - free, 386
- Logar, 281, 313, 616
- long exact
  - Ext-sequence, 382
  - Tor-sequence, 377
- lres, 153, 594
- lying over, 243
  - geometrical meaning, 217
  - property, 217
- Macaulay, 44, 595, 608
- Macaulay2, IX
- Main Theorem of Elimination Theory, 500
- map
  - definition of, 8
  - projection, 468
  - quotient, 23
  - residue, 23
- map, 7, 584
- mapall, 609
- mapIsFinite, 216, 364, 611
- Maple, 638
- Mathematica, 641
- matrix
  - factorization, 438
  - operations, 112
  - ordering, 12
- matrix, 584
- matrix.lib, 112, 181, 190, 421, 610
- maxideal, 594
- maximal
  - chain, 225
  - Cohen-Macaulay, 424
  - ideal, 23
    - in general position, 265
    - $i$ -th power, 594
  - spectrum, 463
- maximality condition, 22
- measure of quadratic norm, 549
- memory, 594
- memory management, 594
- Milnor, 577
- milnor, 528, 578, 622
- Milnor number, 526, 528, 622
  - total, 527, 576
- MINASCENDING, 288
- minAssChar, 616
- minAssGTZ, 243, 349, 483, 616
- minbase, 595
- minimal
  - polynomial, 4-6



- presentation, 127
- resolution, 151, 153
  - length, 430
  - standard basis, 45, 138
  - system of generators, 127, 595, 596
- miniversal deformation, 533, 619
- minor, 383
- minor, 595
- minpoly, 606
- MINREL( $M, G$ ), 299
- minres, 153, 168, 595
- mixed ordering, 11, 136
- modality, 532
- modstd.lib, 614
- module, 109
  - cyclic, 119
  - dual, 111
  - elimination of components, 198
  - finitely generated, 119
  - free, 120, 591
  - homomorphism, 110
  - isomorphic, 110
  - Noetherian, 126
  - of differentials, 354, 376
  - of finite presentation, 121
  - of syzygies, 158
  - ordering, 136
  - quotient, 201
  - shift of, 133
  - sparse representation, 122
  - support, 130
  - twist of, 133
- module, 584
- module\_containment, 611
- modulo, 125, 205, 380, 420, 595
- mod\_versal, 619
- Möller, 76, 626
- mondromy.lib, 621
- monitor, 595
- monodromy, 621
- monomial, 2, 92, 136
  - leading, 10
  - ordering, 10, 136
  - module, 136
- MONOMIALHILBERTPOINCARÉ, 320
- Mora, 44, 55, 590
  - normal form, 57, 141, 631
- morphism, 3, 457, 467, 488, 494
  - dominant, 459
  - projective, 499
- Morse lemma, 528, 530
  - generalized, 532
- mpresmat, 595
- mprimdec.lib, 263, 613
- mregular.lib, 614
- mres, 153, 168, 434, 595
- $M$ -sequence, 411
- mstd, 595
- mult, 596
- multBound, 606
- multiplicative subset, 32
- multiplicatively closed, 32
- multiplicity, 336, 372, 515, 518, 596
  - geometric interpretation, 518
  - Hilbert–Samuel, 335
  - intersection, 521, 522
  - of monomial ideal, 596
  - w.r.t. an ideal, 335
- multsequence, 621
- MuPAD, 643
- Nakayama’s Lemma, 126, 136
- nameof, 596
- names, 596
- ncalg.lib, 636
- ncalgebra, 596
- ncdecomp.lib, 637
- ncols, 596
- nctools.lib, 637
- Newton’s Lemma, 366
- NF, 48
- NFBuchberger, 50, 52, 55, 57, 140, 144
- NFBUCHBERGER, 50
- NFMora, 57, 68, 140, 141, 144, 631
- NFMORA, 57
- nilpotent, 27, 28

- index, 28
- nilradical, 27
- node, 528
- Noether, 240
  - normalization, 231, 364, 518
    - for local rings, 234
    - general, 231, 366
    - over finite fields, 234
    - theorem, 231
- noether, 606
- noether.lib, 615
- Noetherian
  - module, 126
  - ring, 21
- NoetherNormal, 251
- noetherNormal, 251, 433, 611
- NOETHERNORMALIZATION, 233
- non-normal locus, 244
  - is closed, 244
- non-zero-divisor, 23
- NON-NORMALLOCUS, 249
- norm, 552
- normal, 221
  - cone, 340
  - form, 46, 138, 374
    - Gaussian, 610
    - Jordan, 181, 610
    - over rings, 52
    - polynomial, 47, 138, 144
    - pseudo, 144
    - rational, 181, 185
    - reduced, 46, 66, 138, 139
    - w.r.t. an ideal, 48
    - weak, 47, 138
    - without division, 144
  - ring, 221
  - variety, 451
- normal, 220, 248, 253, 615
- normal.lib, 220, 224, 615
- normalI, 616
- normality criterion, 245
- normalization, 221, 615
  - is finite, 240
- NORMALIZATION, 247
- normalization, 253
- npars, 596
- nres, 596
- nrows, 596
- ntsolve.lib, 625
- Nullstellensatz, 463
  - abstract, 464
  - Hilbert's, 235
  - projective, 476
- number
  - of parameters, 596
  - of points, 283
  - of variables, 596
- number, 5
- nvars, 596
- open, 596
- oppose, 596
- opposite, 596
- opposite algebra, 97
- option, 596
- option(redSB), 46, 66, 597
- ord, 355
- ord, 597
- order, 337, 355
  - weighted, 355
- ordering, 101
  - block, 14
  - degree, 14, 18
  - degree lexicographical, 13
  - degree reverse lexicographical, 13
  - elimination, 41, 101
  - global, 11, 136
    - degree, 14
  - lexicographical, 13
  - local, 11, 14, 136
  - matrix, 12
  - mixed, 11, 136
  - monomial, 10, 93
  - negative degree lexicographical, 14
  - negative degree reverse lexicographical, 14
  - negative lexicographical, 14

- product, 14
- semigroup, 10
- test, 609
- weighted degree, 14
- weighted lexicographical, 13
- weighted reverse lexicographical, 13
- ordstr, 597
- output format, 598
- par, 597
- parameter, 6, 7, 34
- parametrization, 218, 219
- pardeg, 597
- parstr, 597
- part at infinity, 480
- partial derivative, 589
- PBW algebra, 90
- perfect
  - field, 9, 231, 265
  - ideal, 437
- periodic free resolution, 438
- perron.lib, 637
- Pinkham, 535
- plane curve, 453
- plot, 215, 447, 629
- pmat, 112
- Poincaé–Birkhoff–Witt, 89
- Poincaré complex, XIV, 376
- point
  - closed, 465
  - non-singular, 513
  - of  $\mathbb{P}^n$ , 473
  - regular, 513
  - singular, 513
- pole set, 491, 504
- poly, 585
- poly.lib, 329, 608
- polynomial
  - constant, 2
  - degree of, 2
  - distributive representation, 3
  - function, 3, 8
  - irreducible, 4
  - minimal, 4, 6
  - normal form, 47
  - over  $A$ , 2
  - primitive, 546
  - recursive representation, 3
  - ring, 7
    - is Noetherian, 21
  - standard, 89
  - weak normal form, 138
- power series, 355
  - expansion, 41, 137
  - ring, 355
    - is complete, 358
    - is local, 356
    - is Noetherian, 362
- $P$ -primary, 259
- preimage, 19, 21
- preimage, 20, 21, 85, 598
- prepareQuotientring, 308
- prepareSat, 309
- presentation
  - matrix, 121
  - minimal, 127
- presolve.lib, 626
- primary
  - decomposition, 259, 449, 613, 615
  - irredundant, 259
  - of a submodule, 264
  - ideal, 259
  - submodule, 264
- PRIMARYTEST, 269
- primaryTest, 305
- primdec.lib, 25, 27, 78, 314, 349, 396, 435, 477, 483, 615
- primdecGTZ, 25, 616
- primdecSY, 25, 616
- prime
  - avoidance, 24
  - element, 29
  - ideal, 23, 33
    - embedded, 259
    - minimal associated, 226
    - relevant, 483
- prime, 598

- prime ideal
  - ascending set, 291
  - associated to, 291
  - associated to irreducible ascending set, 291
  - irreducible, 291
- primes, 608
- primitiv.lib, 616
- primitive element, 9, 616
- primitive part, 546
- primitive polynomial, 546
- principal
  - ideal, 19
    - domain, 23, 171, 346
    - ring, 23
  - open set, 484, 490
  - variable, 286
- print, 112, 113, 598
- printlevel, 606
- proc, 585
- product
  - criterion, 63, 163, 631
    - generalized, 96
  - of  $\mathbb{P}^n$ , 497
  - of ideals, 19
  - of varieties, 461
    - universal property, 498
  - ordering, 14
- projdim, 434
- projection
  - from  $H$ , 507
  - from a point, 495
  - onto linear subspace, 450
- projective, 397
  - algebraic set, 474
  - closure, 472, 481, 482
  - cone, 476
  - dimension, 433, 434
  - hypersurface in  $\mathbb{P}^n$ , 474
  - isomorphism, 473
  - morphism, 499
    - image of, 501, 502
  - $n$ -space, 473
  - Nullstellensatz, 476
  - resolution, 433
  - scheme, 486
  - scheme over  $R$ , 485
  - space, 473
  - space over  $R$ , 484
  - spectrum, 483
  - subscheme of  $\mathbb{P}_R^n$ , 485
  - variety, 474
    - dimension of, 479
    - isomorphism, 489
    - morphism, 488
- projectively equivalent, 490
- prompt, 577
- prune, 127, 380, 381, 420, 598
- pseudo
  - normal form, 144
    - polynomial, 144
  - quotient, 285
  - remainder, 285, 286
  - standard basis, 53, 145
- Puiseux development, 620
- pure dimensional, 511
  - ideal, 259, 278
  - ring, 278
- qhmoduli.lib, 622
- qhweight, 134, 598
- qring, 25, 585
- quadratic norm, 549
- quadric, 453
- quantum deformation, 91
- quartic, 453
  - rational, 437
- quasi-affine, 454
- quasi-projective
  - scheme, 485, 487
  - variety, 474, 487
    - affine, 489
- quasihomogeneous, 132, 376, 622, 623
- quickclass, 533, 619
- quintic, 453
- quit, 572, 605
- quote, 598
- quotient, 119

- field, 32, 33
- map, 23
- module, 118
- of ideals, 27, 80
- of module by ideal, 119, 120, 202
- of submodules, 119
- ring, 22, 25, 585
  - total, 33
- quotient, 27, 120, 200, 202, 598
  
- (R1), 352
- (R*i*), 429
- Rabinowich's trick, 77
- radical, 27, 201, 210, 283
  - Jacobson, 37, 128
  - membership, 77, 78, 201
- RADICAL, 282
- radical, 27, 78, 313, 349, 477, 616
- random, 599
- random.lib, 517, 609
- rank, 120, 383
- ratg.lib, 638
- rational
  - function, 491
  - map, 504
  - normal curve, 328, 517
  - normal form, 181, 185
  - numbers, 5
- read, 575, 599
- read from a file, 575
- real, 6
  - part, 599
- real radical, 626
- realrad.lib, 626
- REDNFBUCHBERGER, 51
- reduce, 48
- reduce, 25, 51, 599
- reduced, 45, 286
  - completely, 45
  - element, 138
  - ideal, 27
  - normal form, 46, 66, 138, 139, 374
  - is unique, 48, 140
- ring, 27, 29, 429
  - scheme, 485
  - set, 45, 138
- reducible, 465
- reduction
  - of a ring, 27, 228
  - of a set, 45
- REDUCTIONTOZERO, 274
- Rees–Algebra, 250, 616
- ReesAlgebra, 616
- reesclos.lib, 616
- regular
  - at a point, 488
  - function, 456, 488
    - germ of, 510
  - local ring, 344, 347, 369, 440, 513
    - homological characterization, 438
    - is Cohen–Macaulay, 424
    - is integral domain, 346
    - is normal, 346, 352
    - test for, 440
  - point, 513
  - ring, 350, 353, 440
  - sequence, 346, 411
  - system of parameters, 343
  - variety, 513
    - $x_n$ -, 359
- regularity, 599
- relation, 158
  - trivial, 19
- relevant prime ideal, 483
- remainder, 48
- Remmert, 245
- repart, 599
- representation of polynomial
  - distributive, 3
  - recursive, 3
- representative, 118
- res, 153, 434, 599
- reservedName, 600
- residue
  - field, 31

- map, 23
- RESOLUTION, 160
- resolution, 151, 154, 599, 607
  - homogeneous, 154, 594
  - length of, 433
  - minimal, 151, 153
  - periodic, 438
  - projective, 433
  - Schreyer, 168
- resolution, 585
- resolve.lib, 617
- resultant, 471, 600
  - multipolynomial, 595, 626
- resultant, 471, 552, 600
- reszeta.lib, 617
- return, 576, 606
- Riemann, 532
  - singularity removable theorem, 450
- right equivalent, 529
- right exact, 189
- right-sided, 89
- ring, 1, 7
  - affine, 23
  - Artinian, 30
  - associated to  $K[x]$  and  $>$ , 39, 40
  - commutative, 1
  - complete intersection, 426
  - coordinate, 456
  - default, 575
  - definition of, 575
  - direct sum, 8
  - factor, 22
  - map, 3
  - Noetherian, 21
  - of fractions, 32
    - total, 33
  - polynomial, 2
  - principal ideal, 23
  - quotient, 22, 25, 585
    - total, 33
  - reduced, 27
  - reduction of, 27
    - regular, 350
    - semi-local, 31
- ring, 575, 585
- ring.lib, 609
- ringlist, 600
- rinvar.lib, 624
- Robbiano, 13
- rootsmr.lib, 627
- rootsur.lib, 628
- Rothstein-Trager-Lecerf, 570
- ROWNF, 172
- rvar, 600
- (S2), 352
- (Si), 429
- sagbi.lib, 617
- SAGE, 646
- sameComponent, 631
- Samuel, 596
- sat, 83, 486, 612
- saturated, 485, 502
- saturation, 27, 37, 81, 83, 485, 486, 612
  - exponent, 81
  - geometric interpretation, 82, 485
- scalar multiplication, 109
- Schanuel's Lemma, 170
- scheme, 485
  - affine, 467
  - intersection, 467
  - projective, 483
  - structure, 484, 485
  - union, 467
- Schreyer, 161
  - ordering, 161
  - resolution, 168
- Segre
  - embedding, 496
  - threefold, 498
- semi-local, 31
- semi-universal deformation, 533
- separable
  - field extension, 9
  - polynomial, 9

- Serre, 346, 352, 439
  - conditions, 352, 429
- `setring`, 7, 600
- Shape Lemma, 284
- `sheafcoh.lib`, 618
- shift of a module, 133
- Shimoyama, 613, 616
- `short`, 7, 606
- short exact sequence, 146
- `show`, 122
- `signcond.lib`, 629
- `simplex`, 600
- `simplify`, 601
- `sing.lib`, 520, 528, 622
- singular
  - at a point, 513
  - locus, 347, 349, 398, 514, 622
  - point, 513
- singularity, 451, 524
  - ADE, 531
  - classification of, 533
  - hyperbolic, 532
  - isolated, 526
  - Kleinian, 531
  - parabolic, 532
  - simple, 531
  - spectrum, 622, 623
- SINGULARLOCUS, 348
- SINGULARLOCUSEQUI, 348
- `size`, 601
- `slimgb`, 601
- `slocus`, 622
- snake lemma, 149
- solvability, 74
- `solve`, 76, 626
- `solve.lib`, 76, 626
- `solve_IP`, 613
- solving, 74, 76, 205
  - complex, 626
  - linear equations, 205
  - Newton, 625
  - with polynomial constraints, 207
- `sortvec`, 602
- space curve, 623
- `space_curve.lib`, 623
- `sparsepoly`, 517
- `sparsetriag`, 233
- `spcurve.lib`, 623
- specialization of a standard basis, 53
- spectrum, 622, 623
  - homogeneous, 483
  - maximal, 463
  - prime, 463
  - projective, 483
- `SPLIT(X)`, 294
- splitting lemma, 532
- splitting tool, 226
- `spoly`, 631
- $s$ -polynomial, 49, 95, 140
- squarefree, 272, 538, 621
  - part, 313
- `squarefree`, 313
- squarefree factorization, 538
- `squarefreeDeco`, 539
- `sres`, 153, 168, 602
- SRESOLUTION, 165
- stable filtration, 332
- STANDARD, 54, 140
- standard
  - basis, 45, 52, 138, 373, 602, 603, 607, 631
  - finite determinacy, 59
  - in power series ring, 373
  - minimal, 45, 138
  - over a ring, 52, 66
  - pseudo, 53, 145
  - specialization of, 53, 144
  - without division, 145
  - polynomial, 89
  - representation, 46, 94, 138
  - word, 89
- `standard`, 631
- `standard.lib`, 607
- STANDARDBASIS, 59, 141
- `status`, 602
- `std`, 5, 322, 602

- stdfglm, 603
- stdhilb, 603
- stratification theory, 444
- stratify.lib, 625
- string, 574, 586
- strong integral closure, 219
- strongly integral, 219
- structural matrix, 90
- Sturmfels, 447
- subalgebra membership, 86
- submodule, 116
- subring, 1
- subscheme, 467
- subst, 603
- substitution, 358
- substring, 591
- subvariety, 454
  - complement of, 450
  - of  $\mathbb{P}^n \times \mathbb{P}^m$ , 497
- sum of submodules, 119
- support, 130, 203
- surf, 447, 629
- surf.lib, 215, 222, 447, 453, 629
- surface, 453
  - in 3-space, 453
- surfex.lib, 630
- surjective, 20, 21
- swallow tail, 536
- system, 603
- system of
  - generators, 19
  - minimal, 127
  - parameters, 343
- SYZ, 159
- syz, 117, 159, 603
- syzygy, 158
  - left, 104
  - module, 158, 449
  - right, 104
  - theorem, 164
- tail, 10, 41, 137, 631
- tail, 631
- tangent cone, 337, 519, 622
- tangentcone, 520, 622
- teachstd.lib, 631
- tensor, 610
- tensor product, 185, 610
  - is right exact, 189
  - of maps, 188
  - of modules, 186, 190
  - of rings, 193, 609
  - universal property, 192, 468
- tensorMaps, 188
- tensorMod, 190
- term, 2, 93
  - leading, 10
- test ideal for normality, 246
- timer, 607
- tjurina, 528, 622
- Tjurina number, 376, 526, 528, 622
  - total, 527
- Togliatti quintic, 453
- topology
  - m-adic, 357
  - Euclidean, 518, 523
  - Zariski, 23, 454, 464, 474, 484
- Tor, 377
  - computation of, 380
- Tor, 380
- Tor-
  - module, 377
  - sequence, 377
- toric ideal, 617
- toric.lib, 617
- torsion
  - free, 119
  - module, 119, 120
  - submodule, 119
- total
  - Milnor number, 527
  - ring of fractions, 33
  - Tjurina number, 527
- TRACE, 607
- trace, 603
- Trager, 264, 306, 309, 616
- transpose, 603
- triang.lib, 76, 627
- TRIANGDECOMP, 304



- triangMH, 627
- triangular decomposition, 301
- triangular set, 76, 300, 626, 627
- trivial relation, 19
- trueFactors, 551
- twist of a module, 133
- twisted cubic, 508
- two-sided, 89
- twostd, 603
- type, 286
- type, 603
- typeof, 603
  
- unique factorization domain, 38, 224
- unit, 1
- UnivariateFactorize, 549
- universal property
  - of fibre product, 468
  - of localization, 34
  - of product, 498
  - of tensor product, 192
- universally Japanese, 241
- uressolve, 603
  
- vandermonde, 603
- Vandermonde system, 604
- vanishing ideal, 455, 464, 475
- var, 604
- variety
  - affine algebraic, 452
  - projective, 471, 483
- varstr, 604
- Vasconcelos, 251
- vdim, 77, 518, 604
- vector, 116
- vector, 586
- Veronese
  - embedding, 489, 515
  - $d$ -tuple, 489
  - variety, 515
- versal, 534, 619
- voice, 607
  
- w-deg, 13, 410
- w-ord, 355
- Wall, 531
- weak normal form, 47, 138
- wedge, 604
- weierstr.lib, 632
- Weierstrass, 361
- Weierstraß, 632
  - division theorem, 360
  - polynomial, 234, 361
  - preparation theorem, 361, 519
  - semigroup, 630
- weight, 604
- weight-vector, 15, 355
- weighted
  - degree, 13, 132, 355
  - ordering, 14
  - ecart, 56
  - homogeneous, 132
  - order, 355
- weightKB, 604
- Weispfenning, 52
- Weyl algebra, 94
  - first quantized, 93
- while, 606
- Whitney umbrella, 73, 248, 249, 444, 446
- word, 89
  - standard, 89
- write, 575, 604
- write to a file, 575
  
- Yokoyama, 613, 616
  
- Zacharias, 264, 306, 309, 616
- Zariski
  - closed, 454
  - closure of image, 73
  - conjecture, XIV
  - topology, 23, 454, 464, 474, 484
  - basis, 484
- Zelevinsky, 595, 603
- zero-dimensional ideal
  - in general position, 265
- zero-set, 452, 463, 474, 483
  - number of points, 283

ZEROCHARSETS( $F$ ), 298  
ZERODECOMP, 270  
zeroDecomp, 306  
zerodivisor, 23, 201

test, 25, 202  
ZERORADICAL, 282  
zeroset.lib, 627  
Zorn's Lemma, 31

# Algorithms

- ABSFATORIZATION, 565
- basisElement, 419
- basisNumber, 418
- BERLEKAMP, 543
- BERLEKAMP CANTOR ZASSENHAUS, 545
- Characteristic, 288
- CLEAR(RESULT), 294
- coeffMat, 209
- coeffMatExt, 209
- CohenMacaulayTest, 427
- CohenMacaulayTest1, 435
- decomp, 275, 309
- depth, 426
- diagonalForm, 172
- DISTINCTDEGFAC, 541
- equidimensional, 279, 311
- equidimensionalDecomp, 280
- EXTENDED ZASSENHAUS, 559
- extendedDiagonalForm, 178
- EZGCD, 562
- Facstd, 284
- FACTORIZATION, 556
- finitenessTest, 252
- fitting, 385
- flatLocus, 395
- flatLocus1, 396
- flatteningStrat, 392
- GENERALEUCLID( $x, y, c$ ), 579
- HilbertPoincare, 322
- invers, 356
- IRRASCENDING, 293
- isCohenMacaulay, 432
- isCohenMacaulay1, 434
- isFlat, 394
- isLocallyFree, 387
- isReg, 411
- KoszulHomology, 420
- KoszulMap, 419
- LeftGröbnerBasis, 95
- LeftNF, 95
- mapIsFinite, 364
- maple\_factorize, 640
- Milnor, 577
- MINASCENDING, 288
- MINREL( $M, G$ ), 299
- MonomialHilbertPoincare, 320, 321
- mupad\_factorize, 644
- NFBuchberger, 50
- NFMora, 57, 141
- NoetherNormal, 251
- NOETHERNORMALIZATION, 233
- NON-NORMALLOCUS, 249
- normalization, 253
- NORMALIZATION( $I$ ), 247
- polyOfEndo, 183
- prepareQuotientring, 308
- prepareSat, 309
- primaryTest, 269, 305
- projdin, 434
- radical, 282, 313
- redNFBuchberger, 51
- reductionToZero, 274
- Resolution, 160
- ROTHSTEIN-TRAGER-LECERF, 570
- RowNF, 172

singularLocus, 348  
singularLocusEqui, 348  
SPLIT( $X$ ), 294  
squarefree, 313  
SQUAREFREEDECO, 539  
SResolution, 165  
Standard, 54, 140  
StandardBasis, 59, 141  
syz, 159  
  
tensorMaps, 188

tensorMod, 190  
Tor, 380  
TriangDecomp, 304  
TRUEFACTORS, 551  
  
UNIVARIATEFACTORIZE, 549  
  
Weierstrass, 361  
  
ZeroCharsets( $F$ ), 298  
zeroDecomp, 270, 306  
zeroradical, 282

# SINGULAR—Examples

- absolute factorization, 566
- algebra
  - enveloping, 91
- algebraic dependence, 86
- annihilator, 204
- Betti numbers, 107, 153
  - graded, 155
- Center and centralizer, 100
- classification of singularities, 533
- computation
  - in fields, 5
  - in polynomial rings, 7
  - in quotient rings, 25
  - of  $d(I, K[x])$ , 240
  - of  $\text{Hom}$ , 124
  - of the dimension, 228
  - of  $\text{Tor}$ , 380
- computing with radicals, 27
- counting nodes, 529
- creating ring maps, 8
- cyclic decomposition, 177
- deformation of singularities, 534
- degree, 328
  - of projection, 508
  - of projective variety, 517
- diagonal form, 172
- dimension, 328
  - embedding, 344
  - of a module, 341
- elimination
  - and resultant, 471
  - no ordering exists, 103
  - of module components, 198
  - of variables, 70
  - projective, 506
- equidimensional
  - decomposition, 281
  - part, 279
- estimating the determinacy, 530
- factor algebras, 99
- finite maps, 214
- finiteness test, 364
- Fitting ideal, 204, 385
- flat locus, 396
- flatness test, 409
- flattening stratification, 392
- Gel'fand-Kirillov Dimension, 107
- global versus local rings, 36
- graded
  - Betti numbers, 155
  - rings and modules, 134
- Gröbner
  - basis
    - left, 97
    - right, 98
    - two-sided, 98
- highest corner, 61
- Hilbert
  - function, 328
  - polynomial, 338
- Hilbert–Poincaré series, 320
- homogeneous
  - resolution, 155
- ideal membership, 67
- image of module homomorphism, 117
- independent set, 238
- initial ideal, 338
- injective, 460
- integral

- closure of an ideal, 220
- elements, 213
- intersection
  - of ideals, 79
  - of submodules, 120, 199
  - with essential subalgebras, 102
- inverse of a power series, 356
- irreducible ascending set, 296
- Jacobian
  - criterion, 344
- Jordan normal form, 181
- kernel
  - of a ring map, 85
  - of module homomorphism, 103, 117, 205
- Koszul complex, 417
- leading data, 11
- linear combination of ideal members, 68
- local and global dimension, 512
- lying over theorem, 243
- maps induced by Hom, 114
- matrix operations, 112
- Milnor and Tjurina number, 528
- minimal
  - associated primes, 227
  - presentations, 127
- module
  - annihilator, 204
  - membership, 196
  - presentation of, 122
  - quotient, 120
  - radical and zerodivisors, 202
- monomial orderings, 16
- morphisms of projective varieties, 495
- multiplicity, 520
- Noether normalization, 233
- non-normal locus, 249
- normal form, 51, 141
- normalization, 248
- Poincaré series, 338
- presentation of a module, 122
- primary
  - decomposition, 276
  - test, 270
- projective
  - closure, 483
  - elimination, 506
  - Nullstellensatz, 477
  - subschemes, 486
- properties of ring maps, 20
- quantum deformation, 91
- quotient
  - of ideals, 80
  - of submodules, 120, 201
- radical, 202, 283
  - membership, 78
- realization of rings, 42
- reduction to zero-dimensional case, 275
- regular
  - sequences, 411
  - system of parameters, 344
- regularity test, 440
- resolution, 106, 153
  - homogeneous, 155
- resultant, 552
- saturation, 83, 486
- Schreyer resolution, 168
- singular locus, 349
- solving equations, 76
  - linear, 207
- standard bases, 59, 142
- subalgebra membership, 87
- submodules, 122
  - intersection of, 120, 199
  - of  $A^n$ , 116
- sum of submodules, 120
- surface plot, 447, 453
- surjective, 460
- syzygies, 104, 159
- tangent cone, 520

- tensor product
  - of maps, 188
  - of modules, 190
  - of rings, 193
- test
  - for Cohen-Macaulayness, 426, 432, 434
  - for flatness, 394
  - for local freeness, 387
- triangular
  - decomposition, 303
- Weierstraß polynomial, 361
- Zariski closure of the image, 73
- zero-dim primary
  - decomposition, 271
- zerodivisors, 202
- $z$ -general power series, 360