
Index

A

- α -adrenoceptors 179
- AA-EQS *see* annual average environmental quality standards
- absorbable organic halogen compounds (AOX) 51, 53
 - , emission 51
- absorption 88, 104
- acarbose 48
- Acartia tonsa* 190, 226
- accumulation 13, 16, 61, 88, 205, 232, 238, 362, 415, 498
 - , potential 400
- acebutolol 64
- acetaminophen 184, 191
- acetylsalicylic acid 40, 185, 188, 191, 266, 296
- aciclovir 47, 247, 251
- Acinetobacter* 233–234
- actinomycin 258
- activated
 - , sludge 12, 88, 137, 140, 165, 229, 331, 345, 348–349, 433
- activated carbon (AC) 427
- active
 - , carbon filter 486
 - , coal adsorption 455
 - , moiety 135–136
 - , pharmaceutical ingredient (APIs) 3–4, 7, 23–25, 28, 37, 41, 43–44, 133, 159, 343, 489
 - , production 38
- acute
 - , effect 182, 279, 481
 - , tests 479
 - , toxicity 183–186, 193, 211, 338, 352–353, 480
 - , effect concentration (AEC) 340
- adaptation 121, 162, 229, 248, 299, 308, 329, 331, 349, 352, 456, 495
- additive, feed 121
- ADME, complexity 251
- adsorption 12, 137, 161, 166, 177, 208, 251, 286, 297, 327, 329, 331, 348–351, 430, 446, 458–459
 - , coefficient 29, 153, 328
 - , /desorption coefficient 327
- advanced oxidation processes (AOP) 455–459, 461
- advection 125, 127
- adverse effect 479
- AEC 340
- aeration 31, 159
 - , system 165
- aerobic bacterium 109
- Aeromonas hydrophila* 238
- Aeromonas salmonicida* 238
- agent
 - , lipid lowering 175, 179, 184, 189
 - , prophylactic 83
- aglepriston 69
- agricultural 148
 - , chemical 339–340
 - , land 331
 - , pesticide 148
- agriculture 7, 12, 71, 83, 111, 166
- AHI *see* Animal Health Institute
- air 97, 99, 127, 395, 463
- alcohol 25
- aldosterone 247
- aldrine 12
- alebndronic acid 69
- algae 15, 103, 177, 180, 183, 191, 194, 223, 225, 248, 259, 266–267, 269, 279, 282, 328, 345, 350, 352–354, 440–441, 448, 479–480
 - , community 260
 - , growth 197
 - , test 245
 - , population 225
 - , test 352
 - , toxicity 352
- alkaloid 311
- alkylating agent 4
- alkylation 4
- Allium cepa* 88, 113
- allopurinol 47, 69
- amalgam separator 55, 415
- amantadine 47
- AMDOPH 429, 443–444, 447
- amidotrizoic acid 53
- amikacin 457
- amiloride 247
- amine 25, 311
- amino acid 310–311, 327
- aminoglycoside 78–79, 87, 104–105, 225
- aminopeptidase 234
- amiodarone 48

- amitriptyline 48, 65–66, 69
 ammonium 51–52, 223, 231, 233, 311, 318, 431,
 443–444, 446, 461
 amoxicillin 47, 64, 69, 95, 108, 113, 225
 amphipod 191, 260
 ampicillin 64
 amprolium 104
 anaerobic
 –, degradation 348
 –, sludge digestion 348
 analgesic 3, 183, 249, 277, 329, 444, 446
 androgen 250
Anguilla anguilla 353
 anhydrotetracycline (ATC) 79, 82, 109, 486
 aniline 461
 animal 3, 9, 81, 178, 230, 240, 246, 282
 –, excreta 104
 –, farming 81, 121
 –, Health Institute (AHI) 82
 –, husbandry 7, 9, 81, 96, 150, 227
 –, production 238, 394
 annelid 249
 annual average environmental quality standards
 (AA-EQS) 386, 389
 ant, colony 306
 antagonism 265
 anthelmintic 285
 antibacterial 223, 225–226, 230, 234
 –, activity 12
 –, agent 223, 228
 –, resistance 228, 231, 238
 –, substance 225
 antibiotic
 –, consumption 49, 75, 79–81
 –, drug 70
 –, hospital 81
 –, possible health effect of 97
 –, prescription rate 79
 –, residue 67, 98
 –, resistance 45, 99, 223, 227, 230–231, 234,
 236, 238, 240, 296, 299
 –, substance 79
 –, use of 81
 antibody 3
 antidepressant 40, 69, 181, 184, 189, 206
 antiepileptic 175, 184–185, 189, 432–433
 –, drug 181
 antihistamine 3
 anti-inflammatory, substance 3
 anti-metabolite 4
 antimicrobial 7, 12, 71, 79, 81, 224, 226–227, 232,
 238
 –, agents 85, 225–226
 –, compound 231
 –, drug residue 71
 –, drug 75
 –, substance 70–71, 79
 antineoplastic 3, 4, 195
 antiparasitic 115, 285, 287, 290, 300
 –, agent 104
 –, treatment 153
 antiparasiticide 116, 285
 antiviral resistance 239
 AOB_r 51
 AOCl 51
 AOI 51
 AOP *see* advanced oxidation processes
 AOX *see* absorbable organic halogen compounds
Aphodius constans 288–290
 API 4, 7, 41, 44, 489
 –, production 38
 API *see* active pharmaceutical ingredient
Aplysia californica 246
Aporrectodea longa 289
 aquaculture 9, 11–12, 75, 78, 83, 95, 103, 114, 175,
 224, 228, 237, 313
 aquatic
 –, animal model 252
 –, environment 76, 83–84, 135, 150, 280, 326,
 411, 415–416, 478–479
 –, hazard assessment 245
 –, infochemical 311, 314
 –, invertebrate 205
 –, organism 83, 175, 178, 183, 185–187, 191, 193,
 480–482
 –, plant 83
 –, receiver 314
 –, sender 314
 –, toxicity test 398
 –, vertebrate 40
 aquifer 427, 433
 arachidonic acid 178
 Arctic Circle 62
 aromatase inhibitor 190
 arsenical 82
Artemia
 –, *parthenogenetica* 352–353
 –, *salina* 225, 353
 –, nauplii 225
 arthropod 246, 249, 286, 290
 ascidian 245, 250–252
 aspirin 40, 247
 assessment
 –, criterium 480
 –, factor 389
 –, prospective 259
 –, retrospective 259
 asthma 97
 ATC *see* anhydrotetracycline
 atenolol 47–48, 64, 158, 160–166, 195, 266
 atorvastatin 69, 180, 184, 191, 247, 272
 auxiliary oxidant 456
 azithromycin 457
 azole 104
-
- B**

β-adrenergic receptor 179
β-adrenoceptor 179
β-blocker 121, 157, 159–166, 176, 179, 184–185, 188,
 195–196, 266
*β*₂-adrenoceptor 179

- β_2 -receptor 188
 bacteria
 -, community 224, 295
 -, contamination 316
 -, density 13, 14, 78, 230
 -, diseases 83, 238
 -, diversity 229
 -, exposure 71
 -, growth 293
 -, infection 291
 -, nitrifying 224, 233
 -, pathogenic 7
 -, population 14, 71, 228, 240, 260
 -, resistant 44, 99, 227–228, 230–238, 240, 295–296, 412
 -, respiration 292
 -, wastewater, inhibition 223
 -, toxicity 14
 bacteriostasis 231
 bank filtration 331, 427
 barbiturate 272
 bark beetle 309
 barley 292
 baseline toxicity 353
 batch
 -, experiment 166
 -, test system 164
 BCF *see* fish bioconcentration factor
 bee 75
 beef 153, 294
 beetle 288
 -, larvae 289
 benazepril 47
 benthic community 387
 benzafibrate 444, 457
 benzaldehyde 247
 benzalkonium chloride 52, 228, 230, 233, 235
 benzanthine 69
 benzimidazole 116, 289
 benzodiazepine 181, 343
 -, receptor 184
 benzylpenicillin 87, 225
 betaine 448
 betaxolol 185
 bezafibrate 47, 65, 181, 185, 195, 444–446
 bile
 -, acid 316
 -, salt 311
 bioaccumulation 30, 68, 123, 136, 177, 192, 249, 328, 345, 362, 365, 386, 398, 477, 480–482
 -, potential 482
 bioassay 224, 311, 316, 430
 bioavailability 12, 23, 116, 177, 182, 208, 223, 232, 293, 298, 344, 347, 358
 biocidal 285–286, 402
 biocide 231, 299, 332–333, 402
 bioconcentration 30, 177, 227, 253, 388
 -, factor (BCF) 29, 177, 227, 328, 362
 biodegradability 14, 17, 72, 87–88, 137, 164, 229–231, 235, 328–329, 331, 337, 339, 348, 455, 460–461, 463, 480–481, 497
 -, test 88
 biodegradation 7, 10, 12–14, 61, 70, 85, 87–88, 107, 133, 139, 164, 177, 230–231
 -, test 164, 231
 -, rate 165
 biodiversity 229–230
 biofilm 13, 230, 232, 294, 425
 -, reactor 425
 bioluminescence 224
 -, inhibition assay 257–258
 -, inhibition test 224
 biomarker 332, 353
 biomass 28, 30–31, 157, 165, 209, 289
 bio-membrane 412
 biopharmaceutical 3
 biosolid 11, 13, 30–31, 133, 160, 161, 166–168
 biosolids, partition coefficient 32
 biotechnology 3
 biotransformation 7, 13, 25–26, 256, 268, 425
 bivalve 215
 -, mollusk 250
 blood 178, 444
 -, lipid 179, 184, 189
 -, regulation 195
 -, plasma 189, 196
 -, -water partitioning 403
 bluegill sunfish 186
 blue-green algae 225
 body 25
 -, length 281, 282
Brachionus
 -, *calyciflorus* 189, 190, 352
 -, *plicatilis* 352
Brachydanio rerio 226
 brackish water 353, 427
Brassica
 -, *napus* 292
 -, *oleracea* 88, 113
 breeding 75
 brown trout 188
-
- C**
 cadmium 335
Caenorhabditis elegans 246, 249
 caffeine 66, 443
 calcium 12, 86
 calf 153
Campylobacter 235, 238
 canal 434, 440
 cancer 490–491
 -, therapeutic 185
 -, therapy 195
 candoxatril 251
 captopril 47
 carbadox 106, 431
 carbamazepine 46, 64, 67, 69, 143–145, 168, 175, 181, 185–186, 189, 191, 219, 258, 267, 387, 428–433, 444–445, 457–459
 carbapenem 80, 84
 carbofuran 318

- carbohydrate 327
carbon 32, 37
 –, dioxide 13, 165, 293, 460
 –, mineralization 299
 –, organic 32, 37, 71, 106, 131, 150, 153, 208
carboplatin 50, 51
carboxylic acid 25, 461
carcinogenic toxic effect 16
carprofen 69
carvedilol 69
catalyst 459
catchment 137, 141–142
catechol 461
caterpillar 305
catfish 309
cation 12, 86
cattle 82, 153, 183, 234, 240, 256, 278, 285–290,
 294, 393
 –, grazing 287
cefaclor 47
cefadroxil 64, 69
ceftazidime 5, 12, 80, 234
ceftiodur 69
ceftiofam 108
ceftiofur 113–114
ceftriaxone 87
cell, proliferation 181
cellulose acetate 432
cephalexin 69, 457
cephalosporin 4, 67, 79–81, 82, 84
Ceriodaphnia dubia 184, 188–190, 195, 389
cetrizine 39
channel 55
charcoal 411
ChemCAN 127
chemical
 –, cleaning 428
 –, communication 306
 –, runoff 131
Chemical Substances Control Law (CSCL)
 335–337
chemoreception 306
chemotaxonomy 14, 230, 235
chemotherapy 497
chicken 82
chironomid 205, 338
Chironomus 358, 362
 –, *riparius* 205–213, 217, 345, 362, 389
 –, *tentans* 184, 213, 354
chloramphenicol 96, 99, 114–115
Chlorella 225
chlorfenvinphos 108, 113–114
chloride 460–461
chlorinated
 –, dioxin 10
 –, pesticide 12
chlorination 436, 438, 441–442
chlorine 428, 432
chlortetracycline 84–85, 88, 95, 104, 109, 111–113,
 294
cholesterol 179, 184
 –, synthesis 180
chordate 250
chronic
 –, ecotoxicity 249, 278, 338, 354, 356, 362, 365
 –, effect 187
 –, toxicity 182, 187–189, 193–194, 338, 340
ciclosporin 247
cimetidine 27, 185–186
Ciona intestinalis 246, 251
ciprofibrate 184
ciprofloxacin 13, 39, 47, 64, 69, 77, 84, 191, 195,
 205–210, 211, 215–219, 226, 234, 261, 457,
 460–461
 –, degradation 460
 –, resistance 219
circadian rhythm 312
cisplatin 50–51
citalopram 39, 65–66, 69, 190, 266, 486
civil disaster operation 434, 449
CJD *see* Creutzfeldt-Jakob disease
clarithromycin 69
clavulanic acid 69
clay 107, 111
 –, content 115
 –, mineral 13
Clean Air Act 491
Clean Water Act 491
cleaning 55
clinafloxacin 84
clindamycin 69, 99
clofibrate 180–181, 184, 186, 195
clofibric acid 65, 175, 184–185, 189, 191, 219, 258,
 267, 443–444, 458–459
clomipramine 65–66, 69
CMR-compounds 16
cnidarian 189
coocidiostat 104, 115
coelenterate 282
coffein 297
colchicine 247
colestyramine 47
coliform 235–236
 –, bacterium 26
collembola 398
collembolan 297
colony forming units (CFUs) 233
combined sewer overflows (CSOs) 143
co-metabolism 164
community 62
 –, benthic 387
 –, effect 190
 –, microbial 62, 72, 227
 –, sewage systems 223
 –, pharmacy 467, 469, 470
 –, tolerance 294
compartment 123–124, 127, 131–132
 –, model 131
complexation 12
component-based approach 259, 261
concentrated animal feeding operations (CAFO)
 234
conduction band 458
conjugation 25, 29, 159

- consumer 395, 469–471
 consumption 7–8, 46, 48, 84, 157, 178, 398, 455
 –, of antibiotics 49, 80, 81
 –, of pharmaceuticals 44, 46, 49
 contaminant 12, 17, 61, 77, 95, 138, 149, 167, 270,
 278, 291, 427–428, 431, 433, 440–443, 446,
 448–450
 contaminated
 –, food 335
 –, raw water 427, 429
 –, water 458
 contamination 17, 55, 63, 70, 95, 97, 99, 100, 127,
 131, 153, 183, 187, 335, 394, 430, 433, 435–436,
 438, 440–441, 448–449, 455, 489, 494
 contraceptive 40, 187, 256, 394
 –, pill 7, 44
 contrast
 –, agent 329
 –, media 3, 5, 53–55
 conversion 23
 –, factor 135
 copper 56
 coral 282
 corn 292
 corticosteroidogenesis 184
 cosmetic 336
 COST 419
 –, Action 636 419–422
 costs of pharmaceuticals 45
 cotinine 168
 coumaphos 108, 114
 COX
 –, inhibition 179
 –, enzyme 179
 –, gene 179
 –, inhibition 195
 –, inhibitor 179
 CPA *see* cyproterone acetate
 crab 312
 crayfish 316
 Creutzfeldt-Jakob disease (CJD) 3
 cricket 289
 cromokalim 247
 cross resistance 228
 crustacean 83, 225, 245, 247, 282, 352–353, 399,
 480
 CSCL *see* Chemical Substances Control Law
 CSO *see* combined sewer overflow
Culex pipiens molestus 225
 CVMP 148–151, 153, 325
 cyanobacteria 184, 225, 352, 354
 cyclooxygenase 178, 282
 cyclophosphamide 50, 124–128, 251, 261, 271
 –, emission into soil 128
 –, emission into water 128
 cyclosporine 27, 69, 85
 cypermethrin 113
 cyproterone acetate (CPA) 38
 cyst, hatching rate 225
 cytochrome 184, 195, 272, 344–345
 cytostatic 333, 490
 –, agent 50
 –, cancer therapeutic 181
 –, compound 185
 –, medicine 329, 497
 cytotoxic 4, 44, 48–50
 –, drug 491
 –, compounds 50
 –, medicine 497
 cytotoxicity 186, 353
-
- D**
 danazol 247
 daily dose 79, 156, 161
 danofloxacin 108, 69
Danio rerio 345, 354, 389
Daphnia 15, 177, 186, 189, 191, 197, 219, 258, 277,
 280–281, 328, 480
 –, *magna* 184–185, 188, 191, 195, 225–226,
 247–249, 279, 281, 345, 352, 354, 390, 399, 479
 –, test, acute 191, 258, 279
 –, *longispina* 188
 –, population 282
 –, *pulex* 352
 –, reproduction test 279
 daphnid 103, 205, 266–267, 279–280, 282, 353–354
 –, lifecycle test 245
 DDD *see* defined daily dose
 DDMAC *see* didecylidimethylammonium chlo-
 ride
 DDT 12
 deconjugation 26, 348
 decontamination 463
 defined daily dose (DDD) 79, 81, 344, 359, 492
 degeneration 188
 degradability 67, 88, 108, 114, 116, 224, 308, 349,
 416
 –, testing 7
 degradation
 –, grade 458, 459
 –, microbiological 62
 –, photochemical 62
 –, process 107
 –, product 109, 123
 –, rate 68, 105, 107, 124, 165, 331, 460
 –, constant 159–160
 –, test 351
 deltamethrin 108
 demasculinization 188
 demeclocycline 84
 denaturation 3
 denitrification 68, 428
 dental
 –, cement 316
 –, treatment unit 55
 depletion 107
 deposition 61
 depth 131
 desalination 427, 429
 desmethylsertraline 181
Desmodemus 352, 354
 –, *subspicatus* 191, 279, 345, 352
 desorption 327, 331

- detrimental effect 15
 diagnostic 9, 43–44
 diaminopyrimidine 115
 diazepam 69, 124–129, 181, 185, 189, 194, 343–365, 371–383, 457
 –, acute toxicity 352–353
 –, algal toxicity 352
 –, aquatic RRs 358
 –, baseline toxicity 353
 –, basic data 343
 –, bioaccumulation 362
 –, biomarker 353
 –, chronic ecotoxicity 354
 –, cytotoxicity 353
 –, degradation 373
 –, disposal 347
 –, distribution properties 371
 –, dose 346
 –, ecotoxicity 380
 –, emission into soil 129
 –, emission into water 129
 –, environmental fate 373
 –, groundwater 349
 –, initial PECs 355
 –, landfill 349
 –, MECs 375
 –, metabolite 363–364
 –, microorganism 351
 –, MOS 358
 –, partitioning 373
 –, PECs 375
 –, persistence 362
 –, physicochemical properties 371
 –, PNEC 356–357
 –, proper use 347
 –, refined PECs 360
 –, sediment 357
 –, sewage treatment 347
 –, soil 349
 –, surface water 350
 –, water/sediment 350
 diazinon 107, 113
 dichlorvos 113–114
 diclofenac 15–16, 46–47, 64, 66, 69, 176–177, 179, 182–183, 188, 191–192, 194–195, 197, 251, 256, 258, 266–267, 277–279, 393, 431, 444, 446–447, 459–462
 –, degradation 460
 –, poisoning 256
 dicyclanil 289
 didecyldimethylammonium chloride (DDMAC) 52
 dieldrine 12
 diet 328
 digestion 234, 349
 digestive region tubes (DRTs) 361
 digoxin 27
 dilution 160
 –, effect 66, 444
 –, model 398
 dimeglumine 54
 dimethylaminophenazone 429
 dimethylsulfoxide 294
 dioxin 10, 26, 335
 –, chlorinated 10
 disease 3, 75, 485
 –, bacterial 83, 238
 –, prevalence 402
 disinfectant 3, 9, 43–44, 51–52, 55–56, 232, 240, 416
 disinfection 51, 55, 236, 415, 431, 436, 441–442
 disposal 336
 –, habit 468
 dissemination 240, 423
 dissipation 109
 dissociation constant 28, 29
 dissolution rate 23
 dissolved organic carbon (DOC) 106, 165, 348
 dissolved organic matter (DOM) 87, 459
 diuretic 121, 190
 diuron 266, 443
 DOC *see* dissolved organic carbon
 dodecylpyridiniumbromide 258
 DOM *see* dissolved organic matter
 dosage 16, 50, 95, 103, 136, 149, 153, 396, 472, 492, 494–495
 dose 16, 71, 76, 79, 104, 136, 153, 160, 230, 246, 263–264, 325, 344, 359, 387
 –, effect curve 14
 –, effect model 396
 –, response curve 310
 dosing 157, 472, 498
 DOTTS *see* Dung Organism Toxicity Test
 Standardization
 double-pass mode 437, 439
D_{ow} *see* octanol/water distribution coefficient
 doxepin 48, 65–66
 doxorubicin 181, 186
 doxycycline 67, 84
 drainage 111, 175, 419
 –, basin 123, 137
 drainflow 110–112, 115, 150–151
Dreissena polymorpha 215
 drinking water 4, 9, 11–12, 16, 44, 53, 84, 138, 175, 232, 236–237, 277, 362, 397, 402–404, 422–425, 427, 429, 431, 434–435, 437–438, 440, 442, 446, 448–450, 485–486, 489
 –, drugs 11
 –, production 427
 DRTs *see* digestive region tubes
 drug
 –, approval 134, 156
 –, classification 477
 –, consumption data 158
 –, cytotoxic 491
 –, drinking water 11
 –, groundwater 11
 –, manufacturer 37, 39
 –, metabolism 25
 –, metabolite 26, 400, 481
 –, non-steroid anti-inflammatory (NSAID) 177–178, 188, 191, 277, 281–282
 –, production facility 37
 –, registration procedure 86

- , residue 66–67, 278, 430, 432–433, 485
 - , STP effluent 11
 - , surface water 11
 - , substance 326, 399–400, 403
 - , therapy 498
 - , wastage 468
 - duckweed 184
 - dung 103, 148, 153, 167, 285–289
 - , beetle 288–290
 - , community 287
 - , decomposition 287
 - , degradation 287, 290, 299–300
 - , -feeding fauna 290
 - , fly 290
 - , insect 290
 - , organism 288, 290, 299
 - Dung Organism Toxicity Test Standardization (DOTTS) 290
 - dust 95–97
 - , exposure 96
 - , samples 97
-
- E**
- earthworm 103, 177, 227, 289–290, 292, 297, 331, 398
 - EC *see* effect concentration
 - ECB *see* European Chemicals Bureau
 - ecdysone 189
 - Ecdysozoa 246–247
 - ecdysteroid 189, 248
 - echinoderm 250
 - eco-pharmacology 4, 6
 - ECOSAR 182
 - ecosystem 17, 38, 85, 178, 306–307, 318, 421
 - , microbial 38
 - , terrestrial 85, 325
 - ecotoxicity 29, 178, 192, 195, 219, 249, 256–260, 272, 278, 287, 324–325, 338, 340, 347, 354, 356, 362–363, 399, 411, 482–483
 - , chronic 249, 278, 338, 356, 362, 365
 - , data 482
 - , model 30
 - , of diazepam 380
 - , test 205, 346, 353
 - , testing 182, 194, 206
 - ecotoxicological
 - , assessment 262
 - , effect 182, 194
 - , potential 70, 219
 - , risk 297
 - , test 338, 341, 385
 - , testing 260, 297
 - ecotoxicology 15–16, 61, 121, 178, 182, 192, 194, 249, 256, 259–260, 269, 308, 318, 340–341, 345, 357, 390, 477, 478, 480–483
 - , terrestrial 285
 - ectoparasiticide 114
 - EDS *see* endocrine disrupting substance
 - Edwardsiella*
 - , *icctaluri* 238
 - , *tarda* 238
 - EE₂ *see* 17 β -ethinylestradiol
 - eel 353
 - effect
 - , analysis 326
 - , assessment 332, 397, 478–479
 - , concentration (EC) 15, 68, 109, 180, 183–193, 209, 215, 224, 258, 260, 264, 265, 267–268, 270–272, 277, 279, 280, 282, 289, 294, 298, 325, 327–328, 346, 351–353, 356, 364, 385, 389–390, 394, 480
 - , model 396
 - , multiplication 262
 - , ratio (ER) 133, 138, 140–145, 162–164
 - , model 144, 162–163
 - effluent
 - , hospital 43, 46, 51, 54, 231–233, 235, 460
 - , landfill site 11
 - , sample 39
 - , treatment 411, 414–415
 - , water 66
 - egg 188
 - , fertilization rate 40
 - , production 189
 - , shell 179
 - EIC *see* expected introduction concentration
 - Eisenia fetida* 289, 292, 297
 - electromagnetic pulses (EMPs) 437, 448
 - electroolfactogram 316
 - elimination
 - , by adsorption 12
 - , by complexation 12
 - , pathway 86
 - , rate 166, 177, 235, 346, 412
 - embryo 188, 213–215, 218–219, 250
 - , -larval development test 245
 - EMEA *see* European Agency for the Evaluation of Medicinal Products (EMA)
 - emergence rate 217
 - EMPs *see* electromagnetic pulses
 - enalapril 47
 - enchytraeids 227
 - Enchytraeus crypticus* 292
 - endocrine
 - , disrupting
 - , chemical (EDC) 4, 10, 423, 427, 431, 449
 - , contaminant 433
 - , disruptor 194, 252, 258, 414, 430, 433, 492
 - endotoxin 96
 - enoxacin 39
 - enrofloxacin 39, 85, 88, 108, 113, 239, 292, 457
 - enterobacteriaceae 234
 - enterococci 99, 227, 235–236
 - , vancomycin resistant (VRE) 227, 235–236
 - Enterococcus* 235, 238
 - environmental
 - , assessment 483
 - , report 177
 - , bacteria 231
 - , chemical 400
 - , classification of drugs 477
 - , compartment 11–12, 131, 154–155, 270, 455
 - , concentration 192, 211, 215, 388

- , contaminant 12, 77, 121
 - , contamination 70
 - , damage 395
 - , exposure 256, 326–327, 329–330, 347
 - , level 259
 - , modeling 133–134
 - , fate 4, 13, 23, 206, 326, 345–347, 359, 373
 - , model 33
 - , hazard 480–481, 484–485
 - , impact 41, 476, 477, 482
 - , information 402
 - , legislation 402
 - , management 395, 489
 - , microorganism 460
 - , organism 455
 - , persistence 71
 - , pollutants 205
 - , quality 395
 - , policy 401
 - , relevance 3, 10
 - , risk 15, 69, 77, 147, 177, 287, 323, 333, 365, 393, 398–399, 476–477, 481–483, 494
 - , assessment (ERA) 16, 23, 25, 30, 140, 147, 160, 177, 240, 267, 270–271, 277, 282, 288–290, 297, 323–326, 329–330, 332–333, 343, 346, 353, 356–357, 359–360, 363, 365, 385–390, 393, 395–400, 403
 - , management 394
 - , stability 61, 70
 - enzyme 5, 70, 87, 181, 184, 251, 272, 311, 344, 345, 353, 403
 - epilepsy 353
 - epirubicin 50
 - epithelium 307, 310, 312, 316
 - eprinomectin 69, 289
 - equilibrium criterion model (EQC) 123–124
 - ER* see effect ratio
 - ERA see environmental risk assessment
 - Erwinia amylovora* 83, 239
 - erythromycin 47, 65, 69, 83, 95, 99, 111, 258, 267, 428
 - Escherichia coli* 231, 234, 236–238, 296
 - eserinsalicylate 297
 - estradiol 69, 428
 - estriol 69
 - estrogen 250, 423, 493
 - , receptor 181
 - , agonist 246
 - estrone 428, 430
 - etabolite 399
 - ethinylestradiol 40, 44, 69, 247, 252, 387, 394, 428, 431, 457, 486
 - , 17 β -ethinylestradiol (EE₂) 177, 187, 256, 266, 269, 271–272, 388
 - European
 - , Agency for the Evaluation of Medicinal Products (EMA) 135–137, 177, 197, 215, 245, 248, 253, 277, 323, 325, 329, 341, 343, 354–356, 359, 361, 363–364, 386–388, 390, 398–399, 478
 - , Chemicals Bureau (ECB) 205, 215, 346
 - , Federation of Animal Health (FEDESA) 95, 291
 - , Union (EU) 8, 16, 324–325
 - , legislation 8, 476
 - , Waste Catalogue 497
 - evaporation 123, 139
 - evolution 246, 306
 - excreta 50, 103, 291
 - excretion 4, 7, 25, 43, 53, 68, 80, 123, 134, 153, 156, 161, 251, 277, 290, 326, 345, 354, 359, 361, 363–364, 387, 416, 455, 483
 - , rate 80
 - expected introduction concentration (EIC) 135–136, 177
 - exposure
 - , assessment 133–134, 138, 144, 147, 155, 159, 164, 166, 331, 385, 387–388, 478–479
 - , model 116
 - , concentration 148, 399
 - , level 401
 - , model 134, 287, 396
 - , modeling 133–134
 - , of agricultural land 331
 - , pathway 285
 - , route 96, 396
 - , scenario 156
 - , threshold value 324
 - , value 390
 - ezetimibe 69
-
- ## F
- fadrozole 190, 252
 - farm 85, 112, 288
 - farming 75, 81, 83, 85, 95, 121, 237
 - , animal 81
 - , fish 85, 88, 175, 226, 237
 - , livestock 75, 95, 228, 240, 492
 - fate 9, 11
 - fathead minnow 188, 190, 253, 317
 - fattening 75
 - FDA 134, 325
 - , approach 135
 - febantel 69
 - Federal Drug Administration (FDA) 9, 134, 135, 177, 245, 325, 343
 - feed 99
 - , additive 121, 153, 294, 326, 394, 401
 - feeding 85
 - fegradation 482
 - fenbendazole 288–289
 - fenofibrate 186, 195, 257
 - fenofibric acid 444
 - fermenting 226
 - fertility 187
 - , soil 240, 299
 - fetus 16
 - fibrate 10, 179, 180–181, 189
 - filtration 331, 411, 414, 427, 428, 430–431, 433, 436–438, 449
 - , bank 331
 - , slit 438
 - , technique 437
 - finger nail clam 181, 189
 - Finland 63–64

- fish 14, 72, 83, 103, 124, 177–179, 181, 183–184,
188–191, 194–197, 205, 224, 226, 245, 248, 252,
256, 269, 282, 309, 312, 316, 328, 335, 353–354,
388, 479–480, 485
–, bioconcentration factor (BCF) 362
–, cell line 186
–, farming 12, 85, 88, 175, 226, 237
–, mortality 394
–, population 40
–, testing 403
–, toxicity 15, 192
–, test 245, 253
- fitness 197, 225, 361
- flame retardant 61, 442, 446
- flocculation 68
- florfenicol 83, 108, 113–115, 267
- flow 127
–, overland 110
- flubendazole 69
- flumequine 114, 225, 266
- flumethrin 113–114
- flunixin 69
- fluoroquinolone 38, 67, 71, 80, 86–87, 104,
206–207, 219, 225, 239, 460
- fluoxtine 15, 65–66, 177, 181, 184–186, 189–193,
197, 205–215, 219, 258, 261, 266, 272
- flutamide 190, 251–252
- fluticasone 69
- fluvoxamine 65–66, 69, 189–190
- FOCAS 131
- FOCUS *see* Forum for the Coordination of Pesticide Fate Models and Their Use
- Folsomia*
–, *candida* 289
–, *fimetaria* 292
- food
–, additive 295, 336
–, chain 116, 132, 225, 296, 335, 386
–, industry 228
–, selection 16
–, web 15, 312
- forest 305
–, soil 226
- formalin 3
- formylaminoantipyrene 429
- Forum for the Coordination of Pesticide Fate Models and Their Use (FOCUS) 148
- fragrance, preparation 317
- freshwater 113, 175, 224, 245, 248–249, 352, 475
–, ecosystem 205, 246
–, invertebrate species 249
- fugacity 148
- functionality 32, 33
- fungus 7, 13, 15, 75, 88, 96, 223, 238, 297, 351
- furan 10
- furazolidone 114–115, 225
- furosemide 186, 190, 257, 266, 458
- fuvoxamine 266
-
- G**
- gabapentin 47
- gadodiamid 54
- gadolinium 54
- Gambusia holbrooki* 184, 353
- Gammarus pulex* 16, 189, 362
- gas chromatography (GC) 63
- gastrointestinal tract 188, 282
- gemfibrozil 177, 184–185, 189, 191, 444
- gemifloxacin 84
- gene 114, 161, 295, 312
- generic
–, environment 123
–, model 123
- genotoxicity 398
- gentamicin 227
- Geographic Information System (GIS) 138
- Geo-referenced Regional Exposure Assessment Tool for European Rivers (GREAT-ER)
140–143, 162–163
- Global Manufacturing Practice 41, 43
- glucagon 195
- glucosamine 69
- glucose 25, 292–293
- glucuronic acid 25
- glucuronidase 26
- glucuronidation 345
- glucuronide 25–26, 137, 179, 206–207, 230, 348
–, conjugate 345
- glutathione 353
- goldfish 189
- gonad 188–189
- gonadal steroids 311
- Good Manufacturing Practice 8
- grassland 111
- grazing 111
- green pharmacy 416
- groundwater 11–13, 75, 84, 95, 105, 110, 112,
115–116, 147–151, 153, 155, 175, 236–237, 270–271,
308, 331, 349, 351, 397, 399, 402, 404, 425, 427,
433, 458, 497
–, drugs 11
–, organism 399
- growth
–, inhibition 71, 177, 190, 228–229, 233, 292,
345
–, promoters 79, 81, 83, 99, 227, 230, 239
–, inhibiting antibiotic 299
–, inhibition 480
–, promoter 82
–, rate 480
- Gryllus bimaculatus* 289
- gyrase inhibitor 206
-
- H**
- half-life 114, 124, 125
- hatching rate, cysts 225
- hazard 147, 355, 395–396, 467, 475, 481, 485, 494
–, assessment 245, 249, 478–479, 481, 483
–, identification 395, 397, 477
- hazardous
–, drug 498
–, waste 490–491, 495, 497

- health
 –, care 471–472, 475, 485, 489, 495
 –, system 475, 477
 –, hazard 95–96
 –, system 44
- heavy metal 10, 37, 55, 414, 491, 498
 –, load 56
- Henry Law coefficient 159
- Hermisenda crassicornis* 215
- high-density lipoprotein (HDL) 180
- HMG-CoA 180
 –, reductase 180, 184
- homeostasis 194
- honey bee 313
- Hordeum distichum* 292
- hormone 10, 121, 165, 177, 329, 398, 430
- horse 285–286
- hospital 8, 43–46, 48–49, 51–55, 81–82, 175, 207, 223, 232, 234, 240, 415–416, 448, 469, 472, 495, 497
 –, antibiotics 81
 –, effluent 8, 43, 46, 51, 54, 56, 84, 231–233, 235, 450, 455, 460
 –, wastewater 45, 195, 223
- host plant 305
- household 8, 43–44, 46, 48–49, 62, 329, 361, 416, 467
 –, chemical 424
 –, products 336
 –, waste 8, 329, 470
- human 23, 159, 161–162, 178–179, 238, 256, 354, 390, 421, 477
 –, drug 325
 –, excretion 86, 159
 –, health 270, 485, 491–492, 495, 497–498
 –, medicinal product 323–324
 –, medicine 14, 43–44, 79–80, 86, 95, 155, 183, 239–240, 323, 329, 333, 394, 397, 475, 477
 –, metabolism 5, 23, 25, 136–137, 161, 354, 361
 –, toxicity 340
 –, pharmaceutical 16, 133–134, 147, 156, 161, 166–167, 183, 285, 297, 326, 331–332, 385–386, 394, 398, 400
 –, sewage 38
 –, toxicity 338
- husbandry 7, 81, 96, 150, 227
- Hyaella* 260
 –, *azteca* 185, 188, 191, 195
- Hyderabad 38–39
- Hydra* 356–357, 360–361, 364–365
 –, *attenuata* 362
 –, regeneration 361–363
 –, test 362
 –, *vulgaris* 189, 352, 354
- hydraulic retention time 159
- hydrocarbon 26
- hydrochloric acid 460
- hydrochlorothiazide 47–48
- hydrolysis 5, 7, 12, 25, 86–87, 107, 113–114, 133, 137, 139, 328
 –, of cisplatin 51
- hydrophilic 253
- hydrophobic
 –, adsorption 431, 449
 –, compound 31, 33
- hydrophobicity 30–32, 106, 115, 278, 400, 430, 432, 449
- hydroquinone 461
- hydroxyecosatetraenoic acid 180
- hydroxyl
 –, group 458
 –, radical 456, 458
- hydroxylation 461
- hygiene 16, 236, 416
- hypertension 179
-
- I
- ibafloxacin 69
- ibuprofen 64–67, 69, 131, 161–162, 175–176, 184, 189, 191, 258, 261, 266–267, 277–279, 431–432, 444–445, 457, 459
 –, carboxylated 67–68
 –, hydroxylated 67–68
- ICU *see* intensive care unit 233–234
- ifosfamide 50
- imipenem 235
- impromidine 247
- incineration 470, 494, 497
- incubation 88, 224, 293
- indicator 332
- indomethacin 179, 448
- industrial chemical 30–31, 77, 106, 332
 –, pollutants 23
- industry, food 228
- infection 75, 85, 231, 238, 271, 416, 497
 –, microbial 75
- infertility 188
- inflammatory effect 282
- infochemical 305, 307–314, 317–318
 –, effect 318
 –, emission pattern 309
- ingestion 15, 16, 206, 316, 345
- inhalation 99
- inhibition 71, 78, 178, 181, 190, 206, 229, 259, 280–281, 289, 291–293, 351
 –, effect 461
 –, growth 71, 177, 190, 228–229, 233, 292, 345
 –, mitosis 4
 –, wastewater bacteria 223
- inhibitor 66, 181, 196, 206, 266, 272
- inhibitory effect 461
- injection 104
- inner salt 4
- inorganic carbon 348
- insect 180, 196, 205, 247, 282, 286, 288, 309, 316, 354
- insulin 3
- intensive care unit (ICU) 233–234
- internal standard (IS), calibration 63
- invader 306
- invertebrate 72, 103, 178, 181–183, 188–189, 195, 205, 215, 245–246, 251–253, 282, 285, 292, 299, 331, 352

- iodine 53
 iomeprol 458, 459
 ion 12, 63
 –, channel 246, 251
 –, exchange 29
 –, suppression 63
 ionization 28
 ionophore 82
 iopromide 433, 457–458
 irbesatan 47
 iron oxide 55
 isosorbide dinitrate 48
 Itai-itai disease 335
 Italy 358–359
 ivermectin 69, 105, 107–108, 113–114, 124–126,
 130, 153–155, 286–290, 299
 –, emission into soil 130
 –, emission into water 130
-
- J**
- Japan 335–336, 338, 340–341
 Japanese medaka 181
 joint toxicity 261, 267, 271
 juvenile
 –, hormone disrupting activity 248
 –, individual 212
-
- K**
- katalase 234
 K_d *see* solid phase/water coefficient
 ketoconazole 272
 ketoprofen 64, 444
 K_{oc} *see* organic carbon coefficient
 K_{ow} *see* octanol/water coefficient
-
- L**
- laboratory 248, 252, 341, 441
 –, culture 207
 –, organism 15, 183, 194, 196
 –, test 479
 lactam 4, 12, 70, 77–78, 80, 84, 87, 105, 230–231,
 234
 lactamase 70, 87, 231
 –, inhibitor 84
 lagoon 234, 236
 lamprey 313, 316
 landfill 9, 11, 341, 347, 349, 491, 494, 497
 –, effluent 9
 –, leachate 175
 –, waste 404
 larvae 205, 207, 209, 215, 225, 345, 354, 362
 LC *see* lethal concentration
 LCA *see* life cycle assessment
 leachate 149–151, 175, 349
 leaching 109, 110, 112, 123, 148–149, 167, 349
 –, potential 115
Lebistes reticulatus 226
 legislation 8, 44–45, 80, 229, 323, 332, 395,
 401–402, 476, 490
- Lemna*
 –, *gibba* 184, 191, 195, 225, 389
 –, *minor* 191
- lethal
 –, concentration (LC) 11, 39–40, 63, 184–185,
 189, 193, 211, 213, 225, 288–289, 308, 346,
 352–353, 356, 480
 –, LC₅₀ 184–185, 193, 211, 213, 225, 288–289,
 308, 346, 352–353, 356, 480
 –, endpoints 208
- lethality 328
 leukotriene 180
 levamisole 108, 113
 Level I simulation 124–125
 Level II simulation 125–126
 Level III simulation 127–130
 levetiracetam 47
 levodopa 47, 251
 levofloxacin 84, 225
 life 114, 177, 189, 345
 –, cycle 411
 –, assessment (LCA) 414
 –, test 210–211
 –, toxicity test 249
 life-long exposure 188
 limit of quantification (LOQ) 63, 69, 346, 350,
 355, 404
 lincomycin 457
 lincosamide 82, 104, 225
 lincosamine 88
 lipid 10, 29, 175, 327, 348, 353, 444
 –, lowering agent 10, 175, 177, 179, 184, 189
 –, metabolism 180, 195
 –, basic 180
 –, hepatic 180
 –, peroxidation 186
 –, regulatory protein 180
 lipophilicity 13, 31, 179, 185–186, 364
 lipoprotein 180
 –, lipase 180
 –, metabolism 180
- lisinopril 47
 lithium 48
 livestock 82
 –, farming 11, 75, 95, 228, 240, 492
 LOD 63, 151, 349, 355, 358
 LOEC *see* lowest observed effect concentration
 15, 187–188, 190, 192, 197, 209, 352, 354, 356–357,
 360–363
 lomefloxacin 39, 84
 lophotrochozoan 249
 losartan 39
 loss rate constant 163
 lovastatin 180, 184, 251
 low-density lipoprotein (LDL) 180
 lowest observed effect concentration (LOEC) 15,
 187–188, 190, 192–193, 197, 209, 352, 354, 356–
 357, 360–363
 lufenuron 69
Lumbriculus variegatus 205–213, 215–217, 249
Lumbricus terrestris 288–289
 luminescence 462

- lyncomycin 152
 lysimeter 112, 349
-
- M**
- MAC *see* maximum acceptable concentration
 MAC *see* microflora-associated characteristic
Macoma balthica 215
 MACRO 149, 167
 –, model 168
 macrolide 77, 79–80, 82, 85–86, 104–105, 109, 112,
 225, 227, 291, 293, 296
 magnesium 12, 86
 magnetic resonance imaging (MRI) 54, 415
 mammal 178–179, 195–196, 245–246, 252, 308,
 403
 manufacturer, Indian 38
 manufacturing 8
 manure 9, 11–12, 71, 78, 83, 85, 88, 95, 103, 105, 107,
 112–113, 115, 148–150, 153, 175, 177, 227, 236,
 238–239, 285–286, 291–292, 294–296, 299
 –, liquid
 –, sulfonamides 85
 –, tetracyclines 85
 marbofloxacin 69
 margin of safety (MOS) 357
 marine 61, 68, 215, 352
 –, ecotoxicology 245
 –, sediment 113
 –, water 12, 86
 market
 –, penetration 136, 156
 –, factor 136
 mass selective detection (MS) 63
 maximum acceptable concentration (MAC) 387,
 390
 MDWPU *see* mobile drinking water purifica-
 tion unit
 measured environmental concentration (MEC)
 68, 133, 143, 147, 149, 151, 154–155, 157–164, 215,
 343, 346–347, 345–361, 363–365, 375, 385–390
 mechanism of action (MOA) 4, 50, 245–246,
 251–253, 263, 265–266, 269
 mecoprop 443
 medical waste 469, 495
 Medical Products Agency (MPA) 477
 medication 8–9, 14, 16, 467–472, 484
 medicine 468–470
 –, human 14, 43–44, 79–80, 86, 95, 183,
 239–240, 323, 329, 333, 394, 397, 475, 477
 –, veterinary 71, 75, 79, 95, 103–106, 108–116,
 147–149, 152, 155, 167, 178, 182, 227, 240, 256,
 271, 323, 326, 329, 333, 393–394, 399–401
 –, fate in soil 103
 –, residue 403
 medroxyprogesterone 69
 mefenamic acid 176, 444
 melperone 48
 melting point 23
 membrane 55, 412, 414, 427–433, 436, 438, 446,
 448–449
 –, bioreactor 427–428, 449
 –, cleaning 433
 –, filtration 427–428, 430–434, 440, 448
 –, module 436, 438
 –, reactor 425
 –, stabilizer 184
 –, surface 428
 –, toxicity 185
 meprobamate 428
 mercurochrome 55
 mercurophyllin 55
 mercury 55, 122, 335, 469
 mesalazine 47
 metabolic 4
 –, fingerprint 234
 –, pathway 344
 metabolism 5, 7, 23–25, 103–104, 115, 134, 136, 157,
 161, 251, 272, 344, 346, 354, 365
 –, drug 25
 –, human 5, 23, 25, 136–137, 161, 354, 361
 metabolite 3–7, 9, 11, 16, 23, 25, 43, 83, 95, 103–104,
 109, 115–116, 123, 131, 133–134, 161, 175, 205, 256,
 277, 287, 311, 325–326, 328, 344–345, 348,
 350–351, 360, 363–365, 394, 398–401, 428–429,
 457, 475, 481–483
 –, identification 401
 –, residue 400
 metabolization rate 81
 metamizol 69
 metformin 27, 47–48, 69, 191
 methicillin 227
 methotrexate 47, 181, 185–186
 methyl
 –, mercury 56, 61, 335
 –, thiazolyl tetrazolium 353
 metoprolol 39, 47–48, 64, 67, 69, 158, 160,
 165–166, 184, 189, 191, 266, 486
 metronidazole 64, 67, 108, 292
 mevalonate 180
 mianserin 65–66, 189
 MIC *see* minimum inhibitory concentration
 microbe 71, 103, 238, 428, 449
 microbial
 –, community 62, 72, 227
 –, sewage systems 223
 –, degradation 62, 449
 –, ecosystem 38
 –, growth 227
 –, infections 75
 –, population 38, 223, 229–230, 239
 –, resistance 38, 70, 71
Microcystis aeruginosa 225
 microfiltration 427
 microflora-associated characteristic (MAC) 389
 microorganism 5, 13, 38, 43, 75, 99, 184, 223,
 228–230, 325, 351
 –, soil 291, 293, 295, 297
 micropollutant 196, 343, 411, 414–415, 428, 431,
 449, 455–456, 461, 463
 midazolam 69
 midge 185, 205, 208–209, 213, 345, 354
 Minamata disease 335
 mineralization 13

- minimum inhibitory concentration (MIC) 71, 239
 minnow 188, 190, 253, 317
 mitosis, inhibition 4
 mitoxantrone 50
 mixture 15
 -, concentration 263
 -, effect 190, 256–259, 261, 264, 266–271, 281
 -, toxicity 191, 257–259, 261–269, 272, 277–280
 MMTD-Me 457–458
 MOA *see* mechanism of action
 mobile drinking water purification unit (MDWPU) 434–435, 437–438, 440–442, 446, 448–449
 model 8, 133–134, 139–140, 142, 144, 147–150, 162, 169, 223–224, 252, 261, 388, 478, 483
 -, ecosystem 191
 -, equilibrium criterion (EQC) 123–124
 -, generic 121, 123
 -, partitioning 122
 -, QWASI 131
 -, regional 121, 127, 131
 -, segment 144–145
 -, site-specific 121, 131–132
 -, SoilFug 131
 moiety 135–136
 molecular
 -, evolution 252
 -, weight 3, 121, 309, 432
 -, cut-off 432
 mollusk 83, 215, 249, 282
 monensin 109, 111, 292, 294
 monitoring 39, 69, 73, 121, 133, 143, 145, 205, 240, 287, 324, 338, 349, 386–387, 396–397, 403, 498
 -, data 145
 -, study 134
 monobactams 84
 Monte Carlo simulation 140–141
 morphallaxis 208
 mortality 15, 182, 205, 213, 225, 280–282, 297
 -, rate, nauplii 225
 MOS *see* margin of safety
 moxidectin 289
 moxifloxacin 84
 MPA *see* Medical Products Agency
 MRI *see* magnetic resonance imaging
 mRNA 180, 184, 189
 MRSA 240
 MS *see* mass selective detection
 mud snail 206, 213
 multi-component mixture 256–257, 262
 multitrophic interaction 312
 municipal 53, 159, 233–234, 449
 -, biosolid 168
 -, sewage 26, 37–38, 43, 50, 51, 55, 67, 79, 123, 157, 231, 233–235, 345, 416, 427–428, 434, 440–442, 444, 446, 448–449
 -, waste 494–495
Musca, autumnalis 290
 mutagenic toxic effect 16
 mutagenicity 7, 351
Mycobacterium 239
 myelosuppression 99
Myriophyllum sibiricum 191
Mythimna separata 305
-
- N**
 nadolol 189
 naftipiridone 460
 nalidixic acid 84
 nanofiltration 427, 429–433, 448–450, 455
 nanomembrane 459
 naproxen 64, 69, 182, 184, 191, 266, 278, 279, 443–445, 448, 457–458, 486
 narcotic 336, 496
 nauplii, mortality rate 225
 nematode 246
 neurotransmitter 181, 189
 nicarbazin 104
 nitrate 13, 443–444
 nitric oxide 311
 nitrification 68, 224, 229–230, 294, 398, 428
 -, activity 224
 -, inhibition test 14
 nitrifying bacterium 224, 233
 nitrite 443–444, 446
 nitrofurantoin 87
 nitrogen 137, 148, 297, 459
 -, cycle 294
Nitrosomonas 260
 no observed effect concentration (NOEC) 187–193, 196, 209, 245, 257–259, 268, 280, 351–354, 356–358, 360, 362, 364–365, 389, 478–479
 non-steroid anti-inflammatory drug (NSAID) 177–178, 183, 188, 191, 277, 281–282
 noradrenaline 247
 nordiazepam 345
 norethisterone 247
 norfloxacin 39, 64, 67, 84, 459–460
 norfluoxetine 181, 210
 normalized organic carbon coefficient 32, 109, 150, 151, 153, 161, 166, 167, 168, 217, 297, 386, 398
 nortriptyline 65–66
 Norway 63–64
 Norwegian Pollution Control Authorities (SFT) 68
 NSAID *see* non-steroid anti-inflammatory drug
 nucleic acid 3
 nucleotide 310–311
 nudibranch 215
 nutrient 206
 -, cycling 285, 287, 293
 -, recycling 95
 -, uptake 230
-
- O**
 octanol 28, 29, 30, 31, 32, 106, 227, 327, 482
 -, /water partition coefficient (K_{ow}) 28–32, 106, 121, 123, 227, 327, 353, 362, 431, 480
 -, phase 30
 odor 305–307, 312

–, detection 312
 –, emission pattern 309
 –, perception 307, 312
 –, signal 308
 –, world 305
 odorant 305, 309–310, 316–318
 ofloxacin 39, 64, 67, 69, 84, 460
 oil 335
 olaquinox 108, 292
 oleandomycin 108
 olfactory receptor 308, 310, 316, 318
 oligochaete 205, 249, 282, 288
 omeprazole 247
Oncorhynchus mykiss 179, 184, 186, 188, 308, 353
Onthophagus taurus 290
 oocyte 190
 oogenesis 189
 orchid 313
 organ 188
 organic
 –, carbon 32, 37, 71, 106, 131, 150, 153, 208
 –, coefficient (K_{oc}) 32, 109, 150, 151, 153, 161, 166, 167, 168, 217, 297, 386, 398
 –, content 115
 –, iodine 53
 –, matter 12, 28, 30, 71, 150, 153, 164, 206, 223, 238, 350, 432–433, 441, 446, 459, 461
 organism 15, 184, 286, 479, 480, 483
 organophosphorous compound 114
 ormethoprim 83, 113–114
Oryzias latipes 181, 219
 osmosis 427, 429, 436, 448
 overall toxicity 196, 268
 overland flow 110
 oxazepam 39, 345, 444, 448, 486
 oxidant 455–456, 458, 460
 oxidation 5, 25, 411–412, 455–456, 461
 oxidative effect 186
 oxolinic acid 113–114, 266–267
 oxytetracycline 16, 69, 83–87, 104, 108–109, 111–114, 150, 227, 239, 267, 291–295, 394
 ozonation 427, 455

P

package 494
 –, leaflet (PL) 329
 packaging size 467
 paddy, field 339
 PAH *see* polycyclic aromatic hydrocarbons
 pain killer 10
 paracetamol 47, 69, 186, 394
 parameterization 143
 parasite 4, 286, 305, 313, 394
 parasitic fungus 297
 parasiticide 121, 285–291, 296–297, 299
 parent
 –, compound 3, 123
 –, drug 134
 paroxetine 65–67, 69, 189, 190, 266
Pasteurella piscida 238
 pasture 103–104, 116, 148, 153, 285, 287

pathogen 38, 72, 99, 231, 235, 296, 411
 pathogenic
 –, bacterium 7
 –, effect 411
 –, germ 285
 pathway 61
 –, analysis 134
 –, of input 10
 patient level 481
 PCB *see* polychlorinated biphenyl
 PCDF *see* polychlorinated dibenzofuran
 PEARL *see* pesticide emission assessment at regional and local scales
 PEC *see* predicted environmental concentration
 PELMO 149
 penetration factor 161, 326, 346, 359, 403
 penicillin 4, 41, 67, 69–70, 76, 79–80, 83–84, 87, 157, 231, 291, 457, 461
 pentoxifylline 48, 433
 peptide 327
 perch 316
 perfluorotansulfonic acid 180
 perfluorooctanoic acid 180
 permeability model 167
 peroxisome 180, 195
 –, proliferation activated receptor (PPAR) 180–181, 195
 –, gene 181
 –, target gene 180
 –, receptor 181
 –, proliferator 184
 persistence 110, 115, 229, 286, 362, 386, 398
 –, in soil 107
 –, veterinary medicine 108
 persistent organic pollutants (POP) 16, 61
 personal care product (PCP) 9, 73, 424, 431, 433, 484
 pesticide 10, 12, 30–31, 106, 111, 148–149, 285, 299, 332–333, 336, 339, 359, 393–394, 399–402, 416, 430, 469
 –, application 402
 –, emission assessment at regional and local scales 149
 –, identification 400
 PhACs *see* pharmaceutically active compounds
 pharmaceutical
 –, compound 23
 –, consumption of 46, 49
 –, costs of 45
 –, dosage 492, 495
 –, ecotoxicological effect 285
 –, effects on aquatic invertebrates 205
 –, environmental level of 66
 –, fate 122
 –, in drinking water 486
 –, ingredient 23–25
 –, input reduction 411, 413
 –, molecular structure 26–27
 –, mixture 190, 197, 256, 259–260, 269–270, 271
 –, packaging 494
 –, photooxidation 455

- , pollution 467
- , production 37, 41
- , removal from raw water 427
- , residue 37–38, 61–63, 66, 69, 70, 72, 135, 175–176, 427, 428–432, 446, 449–450, 483, 485, 493
- , risk assessment 282
- , solid state chemistry 23
- , sorption 167
- , special characteristics 23
- , substances 64
- , waste 489–493, 495–498
- , value of 39
- Pharmaceutical Assessment and Transport Evaluation (PhATE™) 138–144, 163
 - , map output 140
 - , model 139, 140
- pharmaceutically active compounds (PhACs) 4, 17, 77, 427, 431, 433, 434, 440, 441, 442, 444, 446–449
- pharmaceuticals and personal care product (PPCP) 73, 431
- pharmacodynamic 194
- pharmacokinetic 157, 194, 272, 277
- pharmacological activity 25
- pharmacology 4, 6, 16, 353, 400, 485–486
- pharmakodynamic model 261
- pharmakokinetic model 261
- Phaseolus vulgaris* 291, 292, 297
- PhATE™ *see* Pharmaceutical Assessment and Transport Evaluation
- phenazone 186, 257, 266, 428–429, 458
- phenicol 115
- phenmetrazin 297
- phenol 25, 40, 461
- phenolic 311
- phenoxymethylpenicillin 47, 69, 79
- phenylbutazone 69, 108, 113
- phenylpropanolamine 69
- pheromone 305, 309, 311, 313, 318
- phosphate 50, 431, 442–444, 446
- phosphatidylcholine 309
- photocatalysis 458–460
- photocatalyst 463
- photocatalytic degradation 461
- photochemical
 - , activation 458
 - , AOP 456–459, 461–463
 - , degradation 62, 86
- photodecomposition 86
- photodegradability 456
- photodegradation 12, 62, 71, 86–87, 107, 113–114, 350–352, 460–461
- photo-induced oxidation 456, 460
- photolysis 86–87, 139, 210, 350, 456, 458, 460
- photo-oxidation 7, 455, 460
- photoprocess 456, 463
- photoreactor 463
- phototaxis 226
- phototransformation 86, 182
- phthalate 414
 - , monoesters 180
- Physa elliptica* 213
- Phytphthora*
 - , *citrophora* 297
 - , *nicotianae* 297
- PICT *see* pollution-induced community tolerance
- pig 82, 96–97, 99, 111–112, 153, 286
 - , fattening 240
 - , farm 96–97
 - , house dust 98
 - , production 96
 - , slurry 112
- pigment 4
- pigmentation 225
- Pimephales promelas* 188, 190, 253, 317
- pimobendan 69
- pinene 310
- pinto bean 291
- piperazine 460
- piracetam 47–48
- pirmecillinam 69
- PITC 295
- pK_a 29–30, 106, 121, 123
- pK_b 29, 350
- PL *see* package leaflet
- plaice 181
- plant 5, 14, 66–67, 73, 83, 88, 103, 131, 134, 140, 156–157, 166, 207, 233–234, 237, 327, 346, 350, 386, 403, 455
 - , agriculture 83, 239
 - , pathogen 239
 - , protection 393
 - , tissue 88
 - , toxicity 291–292
- plasma, steroid level 188
- plastic 494–495
- platinum 50, 52
- pleuromutilin 225
- Plotosus, lineatus* 309
- PNEC *see* predicted no-effect concentration
- Poeciliopsis lucida* 353
- poisoning 289, 335, 393, 467
- pollutant 23, 26, 61–62, 111, 162, 227, 258, 260, 271, 415, 420, 424, 430–431, 441, 449, 458–461, 497
 - , industrial chemical 23
- pollution 41, 53, 73, 162, 166, 236, 335, 395, 402, 475, 485, 494
 - , -induced community tolerance (PICT) 294
 - , limit 41
- polyamide 431–432
 - , membrane 432
- polychlorinated
 - , biphenyls (PCBs) 335
 - , dibenzofurans (PCDFs) 335
- polycyclic aromatic hydrocarbon (PAH) 10, 26
- polyethylene 494
- polymorph 23
- polypropylene 494
- polyvinyl chloride (PVC) 494
- POP *see* persistent organic pollutant
- population 156, 196, 223, 227, 258, 359, 479
 - , decline 15

- , microbial 38, 223, 229–230, 239
 - pore water 148–151, 153
 - potable water 455
 - Potamopyrgus antipodarum* 205–210, 213–214, 218–219
 - potential exposure 133
 - PPAR *see* peroxisome proliferation activated receptor
 - praziquantel 286, 289
 - pre-adaptation 14
 - pre-dicted environmental concentration (PEC) 68, 133–134, 136–140, 142–144, 147–157, 159–163, 167, 192, 215, 260, 271, 297, 324–328, 330–332, 339–341, 343, 345–348, 354–361, 364, 375, 385–390, 398, 402, 478–479, 481–482
 - predicted no-effect concentration (PNEC) 68, 192, 215, 245, 260, 268, 327–329, 331, 340–341, 354–357, 360–363, 365, 385–386, 388–390, 399, 404, 478–479, 481–482
 - prednisolone 69
 - prescriber level 482
 - prescription, drug 468
 - primidone 432–433, 443–445, 448
 - primordial gene 246
 - prion 3
 - Pristionchus maupasi* 288
 - private household 8
 - Probit model 263–264
 - pro-drug 7
 - product
 - , authorization 395
 - , registration 401
 - production
 - , animal 238, 394
 - , plant 38, 41, 43, 78
 - profit margin 40
 - proliferation 180, 213
 - propetamphos 113
 - prophylactic agent 83
 - prophylaxis 75
 - propofol 69
 - propoxyfen 486
 - propranolol 15, 64, 67, 69, 158, 160, 165–166, 176, 184–185, 188–189, 191–192, 195–197, 247, 266, 431
 - propyphenazone 429, 443, 446
 - prospective assessment 259
 - prostacyclin 180
 - prostaglandin 178–180, 195, 282, 311
 - protein 3, 245–247, 312, 327
 - , basis 3
 - , target 251, 253
 - proteobacterium 296
 - protonation 5
 - prozac 206
 - pseudomonad 227
 - Pseudomonas* 234–235, 239
 - , *aeruginosa* 231, 234
 - , *putida* 229
 - pseudopolymorph 23
 - public health 295–296, 404, 475
 - purification 223, 237, 427, 429–430, 434–435, 440–443, 446, 448–450
 - , process 83, 85
 - purine 181
 - pyrantel 69
 - pyrethroid 299
 - pyrimidine 181
-
- Q**
- quantitative structure-activity relationship (QSAR) 182, 192, 267, 279, 333, 353, 363–364, 403
 - quantitative structure-property relationships (QSPR) 123, 192
 - quaternary ammonium compound (QAC) 51–52, 231
 - quinolone 4, 12–13, 77, 84, 86–87, 114–115, 227, 234, 257, 266, 460
 - quinone 461
 - QWASI 131
-
- R**
- radical, cation 456
 - rainbow trout 179, 184, 186, 188, 308, 353
 - ranitidine 39, 47, 185, 247, 458
 - rat 181, 246, 394
 - rate
 - , constant 165, 457
 - , dissolution 23
 - , elimination 235, 346
 - , excretion 80
 - , hatching, cysts 225
 - , mortality, nauplii 225
 - raw
 - , sewage 157, 159–160, 433
 - , water 237, 427, 429, 433–434, 436–438, 440–443, 445–449, 486
 - , quality 442
 - reactor 159
 - recalcitrant 26, 350
 - receiver 312–314, 316
 - receptor 178, 181, 195, 206, 225, 246, 251, 263, 307, 312, 396, 403
 - recycling 166, 494, 496
 - reduction, input of pharmaceuticals 411, 413
 - regeneration test 361
 - regional model 127
 - registration, medicine 398
 - release, API 40
 - removal rate 429, 446–447, 449
 - renal disease 15
 - reproduction 187–189, 195–197, 205, 212–213, 215, 219, 225, 256, 280–281
 - , test 209–211, 214, 218–219, 279, 281
 - , toxic effects 225
 - reproductive
 - , effect 225
 - , toxic 16
 - reservoir 13, 138–139, 205

- residue, pharmaceutical 61
- resistance
- , acquired 228
 - , antibacterial 228
 - , antibiotic 45, 99, 223, 227, 230–231, 234, 236, 238, 240, 295–296, 299
 - , encoding gene 234
 - , gene 232–233, 236, 240, 295–296
 - , intrinsic 228
 - , testing 234
 - , transfer 240
- resistant bacteria 44, 99, 227–228, 230–238, 240, 295–296, 412
- Resource Conservation and Recovery Act (RCRA) 491
- respiration 293–294, 298–299
- , inhibition test 14
 - , substrate-induced 292
- response addition 262
- restriction 136, 238
- retention 63, 70, 72, 137, 167, 326, 348, 430–433, 449
- , rate 431
 - , time 164, 412
- retinoid, X receptor 180
- retrospective assessment 259
- reverse osmosis (RO) 427, 429–434, 436–438, 441–442, 446, 448–450
- Rhine River 55
- rhodamine 167–168
- rifampicin 24
- , crystal form 24
- rifampin 272
- risk 11, 16–17, 41, 95, 240, 323–324, 326–327, 354, 357, 389, 395–396, 401, 482
- , assessment 16, 116, 121, 131, 133, 143, 156, 160–161, 205, 256, 269–270, 321, 323–324, 326–328, 335, 337, 343, 354, 385, 387, 390, 393–396, 398, 401–402, 476–479, 483
 - , environmental 324, 385
 - , pharmaceuticals 282
 - , benefit analysis 324, 397
 - , characterization 389, 397
 - , quotient 388
 - , ratio 386
 - , definition 324
 - , management 17, 121, 395, 397, 409
 - , mitigation 329
 - , model 395–397, 399
 - , component 402
 - , quotient 327
 - , reduction 397
 - , relative 289
- river 163
- , water 459
- RO *see* reverse osmosis
- rodent 181, 184, 393
- rotifer 189, 352
- roxithromycin 104, 457
- runoff 111, 116, 123, 148–151, 153, 167, 175
- , event 111
-
- S**
- safety testing 399–400
- salicylate 184
- salicylic acid 40, 41, 185–186, 191
- salinomycin 104, 108
- Salmo*
- , *gairdneri* 226
 - , *trutta* 188
- salmon 181, 318
- Salmonella* 238
- salt 23–24
- , marsh community 226
 - , rejection 432
 - , retention 433
- saltwater 248
- , invertebrate species 250
- Salvelinus namaycush* 226
- sand 427
- , filtration 414, 427
- sarafloxacin 83, 85, 108, 113–114, 225
- SAT *see* soil aquifer treatment
- Scandinavia 62, 66, 72
- Scathophaga stercoraria* 290
- Scenedesmus subspicatus* 390
- sea
- , squirt 250
 - , urchin 190, 246, 250, 252
- seawater 12, 14, 66, 68–69, 71, 84, 86–87, 175, 238, 427, 429
- sedative 121
- sediment 9, 13, 28–30, 71, 75, 78, 85–86, 88, 95, 103, 111, 113–116, 123, 131–132, 138, 149, 155, 205, 208–210, 213, 219, 224, 230, 232, 237, 348–349, 365, 388–390
- , Arctic 62
 - , concentration 210–211, 215, 217
 - , compartment 127
 - , risk 357
 - , suspended 124
 - , test 208
 - , toxicity test 209, 212–213, 216–217
 - , /water system 350
- sedimentation 139
- selamectin 69
- selection pressure 236, 239, 306
- selective serotonin reuptake inhibitor (SSRI) 66, 68–69, 181, 189, 206, 266
- Selenastrum capricornutum* 225
- semiconductor 458
- sender 308–309, 313–314, 316
- sensitivity 225, 235, 332, 340, 403, 479–480
- , analysis 143
- separator 55
- serotonergic neuron 213
- serotonin 66, 181, 184, 189, 196, 206, 213, 215, 266
- sertraline 65–67, 69, 181, 190, 266
- sevelamer 47
- sewage
- , effluent 67, 69, 427
 - , purification system 223

- , sludge 9, 11, 13, 54, 66, 78, 85-87, 95, 123, 127, 131, 137, 161, 165-166, 175, 177, 224, 227, 229-230, 232, 234, 239, 266, 285, 297, 328-329, 331, 341, 348-349, 351
- , system 137, 223
 - , microbial community 223
- , treatment 4, 11, 37, 40, 166, 347
- , treatment plant (STP) 9-11, 14-15, 44, 46, 49, 54, 62, 66-68, 70-73, 75, 81, 83-84, 123, 137, 175, 192, 196-197, 206-207, 224, 230-237, 270, 277, 325-329, 331, 346-351, 355, 359-361, 364, 386, 412, 414, 428-429, 434, 440, 442, 448-450, 486-487
 - , effluent 11, 15, 66, 68, 175, 192, 197, 355, 359-361
 - , municipal 123
- sewer 157, 434, 440-442, 448
 - , overflow 412
- sharp 495, 497
- sheep 153, 285-287, 289, 393
- shell fish 335
- shrimp 352
- signal suppression effect 63
- SimpleTreat model 137
- simulation 122-132
- simvastatin 47-48, 69
- single
 - , compound 14
 - , -pass mode 437, 439
- sitafloxacin 84
- sitosterol 297
- skin, mucus 316
- slit filtration 437- 438
- sludge
 - , activated 12, 88, 137, 140, 165, 229, 331, 345, 348-349, 433
 - , bacterium 109
 - , desorption 30
 - , digestion 348
 - , reactor 157
 - , sorption 30
 - , /water distribution coefficient 31
 - , withdrawal 159
- slurry 105, 115, 150
- snail 205, 209, 213-215
- sodium
 - , azide 165
 - , channel 181
 - , chloride 430
 - , salt 279
- soil
 - , aquifer treatment (SAT) 427, 433
 - , bacterium 78, 285, 291, 293-294, 298
 - , biota 291
 - , chemical runoff 131
 - , compartment 123
 - , degradation study 331
 - , -dwelling organisms 292
 - , enzyme activity 293
 - , fertility 240, 299
 - , /manure system 106
 - , microorganisms 291, 293, 295, 297
 - , mineral 12
 - , organic matter (SOM) 12, 153
 - , organism 166, 331
 - , particle 12, 86, 105
 - , pH 115
 - , pore water 148
 - , respiration 293
 - , risk assessment 161
 - , solution 107
 - , sorption 106
 - , coefficient 106
 - , veterinary medicines, fate 103
 - , water 112
- SoilFug 131
- solid
 - , partition coefficient 159
 - , -phase extraction (SPE) 63
 - , phase/water coefficient (K_d) 12, 32, 107, 143, 153, 159-160, 348-349, 358
- solubility 23-24, 29-30, 122, 134, 265, 356, 433, 460
 - , water 6, 7, 23, 24, 29, 121, 134, 265, 327, 356, 363
- solvent 24, 37, 63
- SOM *see* soil organic matter
- sorption 12, 28-32, 85-86, 88, 111, 116, 133, 136, 143, 153, 160, 164-165, 167-168, 223, 226, 230, 232, 238-239, 291, 293, 328, 348
 - , behavior 106, 109, 115
 - , capacity (K_{oc}) 123
 - , coefficient 106, 115, 159-160, 165
 - , in soil 106
 - , potential 110
- sotalol 47, 64, 158, 160, 165-166, 185
- SPC *see* summary product characteristics
- SPE *see* solid-phase extraction
- species
 - , sensitivity distributions (SSDs) 346
 - , specificity 195
- Sphaerium striatinum* 181
- Sphagnum* 208
 - , moss 208
- spiked slurry 110
- spiramycin 225
- spironolactone 48
- spongebob 282
- springtail 227, 292
- SSDs *see* species sensitivity distributions
- SSRI *see* selective serotonin reuptake inhibitor
- stakeholder 411
- staphylococci 99, 227
- Staphylococcus aureus* 227
- starfish 250
- statin 179-180, 184, 195-196
- stereoisomer 310
- steroid 25, 187, 190, 311, 428, 430-431
 - , hormone receptors 246
 - , receptor 195
- steroidal hormone 177, 178
- steroidogenic cell 184
- stimulant 336
- Stockholm

- , Convention 16
- , model 480, 481
- STP *see* sewage treatment plant
- straightforward HC_ss 357
- Streptocephalus proboscideus* 352
- streptococci 99
- Streptomyces* 239
- streptomycetes 295
- streptomycin 7, 75, 78, 83, 239, 296, 394
- substrate-induced respiration (SIR) 292–293, 298–299
- sulfachloropyridazine 104, 107–108, 110, 112, 292–295, 431
- sulfadiazine 16, 86, 112–114, 259, 293–294, 296
- sulfadimethoxine 84, 113, 292, 431
- sulfadimidine 85, 294
- sulfadoxine 69
- sulfamerazine 431
- sulfamethazine 88, 95–97, 108, 111, 431, 459
- sulfamethizol 76
- sulfamethoxazole 47, 64–66, 69, 84, 225, 234, 259, 266, 388–389, 428, 457
- sulfanilamide 84
- sulfapyridine 293–294
- sulfasalazine 84
- sulfatation 345
- sulfate 13, 25, 226, 431
 - , conjugate 25
- sulfathiazole 431
- sulfonamide 12, 77, 80, 83–87, 96, 104–107, 109–112, 114–115, 225, 234, 236, 238, 291–292, 294, 298, 459, 461
 - , liquid manure 85
 - , resistance 296
- sulfur 459
- sulpiride 48
- summary product characteristics (SPC) 329
- sun protection product 484
- sunfish 191
- surface water 9, 11–15, 37, 40, 44, 46, 54–55, 75, 78, 84, 86, 105, 110–111, 113, 115–116, 131, 134, 136–140, 142, 144–145, 147–153, 155–156, 160–164, 166, 175–176, 188, 190–192, 196, 207, 219, 224, 227, 229–232, 234, 236, 278, 318, 326, 328, 331, 341, 346, 349–351, 354–357, 359–361, 364, 386–388, 394, 397–399, 402, 427, 440, 442, 448–449, 455, 485–486
 - , drugs 11
 - , Germany 54, 388
- surgery 53
- surry 104
- susceptibility 228
- suspended solids, concentration 159
- Sweden 41, 62–64, 72, 475, 477–478, 483, 485–486
- Swedish model 481
- Switzerland 163
- Synechococcus* 352, 354
 - , *leopoliensis* 184, 345, 352
- tamoxifen 181, 186, 190, 196, 246–247, 272
- tap water 486
- target
 - , organism 4, 6
 - , protein 251
 - , specificity 195
- TCEP *see* tris-(chloroethyl)-phosphate
- TCIPP *see* tris-(chloroisopropyl)-phosphate
- Technical Guidance Document (TGD) 161–162, 328–329, 346, 353–354, 357, 359, 362–363, 386–398
- teleost 311
- temazepam 345
- tepoaxalin 69
- terpenoid 311
- terrestrial environment 285
- test
 - , biodegradation 164
 - , organism 205, 207, 317, 480
 - , species 249–250
- testing 219, 248
 - , of antibiotics 229
- testosterone 189–190, 247
- Testudo graeca* 353
- tetracycline 12–13, 69, 77–78, 82, 84–88, 95–96, 99, 104–105, 109–112, 114–115, 150, 225, 234, 236, 238, 260, 291, 294–296, 298, 457
 - , liquid manure 85
 - , resistance gene 234, 239, 296
- Tetrahymena, pyriformis* 185
- Tetraselmis chunii* 352
- tetrodotoxin 247
- TGD *see* Technical Guidance Document
- theophyllin 47, 297
- therapeutic targets 247
- therapy 16, 72, 82
- thermolysis 86
- thiazolidinedione 180
- thiol 25
- thiomersal 55
- threshold 271, 400, 425
- tiamulin 104, 108, 225, 292
- Tier
 - , A 327–329, 332, 398
 - , B 327–329, 398
- tile
 - , drain discharge 168
 - , drain hydrograph event 168
- toltrazuril 69
- topminnow 186
- topotecan 27
- tortoise 353
- tosufloxacin 84
- total
 - , organic carbon (TOC) 37
 - , residue approach 326, 399
- toxicity 7, 13–14, 30, 37, 50, 109, 177–178, 182–186, 188–189, 191, 212, 219, 223–226, 229, 257, 259, 261, 263–264, 266, 270, 277, 287–289, 292, 325–326, 331, 340, 348, 351, 356, 364–365, 386, 389–390, 398, 400, 414, 425, 430, 461, 480–481, 483, 491, 498

T

tadpole 318

–, analysis 182
 –, chronic 182, 187–189, 340
 –, control 14
 –, humans 340
 –, invertebrates 292
 –, test 177, 182, 189, 194, 207, 224–225, 338, 345, 354, 480
 –, value 109
 toxicokinetics 268
 toxicology 16, 333, 403
 –, aquatic 285
 trace pollutant 164, 433
 tracer 10, 55, 167
 tramadol 47
 tranquilizer 121
 transdermal patch 493
 transition metal 459
 transmembrane receptor protein 179
 triamterene 48
 tributyltin 251
 trichloroethylene 180
 triclosan 191, 225, 231, 258
 tridecanon 247
 triglyceride 179–180
 trilostane 69
 trimethoprim 47, 64, 66–67, 69, 83, 87, 108, 112–114, 176, 234, 258–259, 431, 457, 486
 tris-(chloroethyl)-phosphate (TCEP) 442–443, 446
 tris-(chloroisopropyl)-phosphate (TCIPP) 442–443, 446
Triticum aestivum 292
 tubulin 246
 tunicata 250
 turbidity 113
 tylosin 85, 87–88, 96–97, 99, 105, 108, 111–113, 150, 227, 292, 296, 457

U

ultrafiltration 427, 446
 United Kingdom 8, 253
 unused
 –, drug 483, 492
 –, medicine 492
 uptake 113, 344
 urban
 –, water 424–426
 –, cycle 419–423
 –, management 419
 urea 431
 uric acid 182
 urine 95, 103, 134, 156, 157, 430–431
 urochordata 250
 use pattern 7
 UV 457
 –, irradiation 455
 –, light 62, 87
 –, radiation 456

V

valproic acid 47
 valsartan 47
 vancomycin 79, 99, 227, 235–236, 457
 –, resistant enterococci (VRE) 227, 235–236
 vapor pressure 121, 122, 124
 vedaprofen 69
 verapamil 47–48, 69, 184, 272
 veratridine 247
 verbenol 310
 verbenon 310
 vertebrate 178, 181–182, 189, 195, 248, 250, 252, 282
 –, toxicity 353
 VetCalc 148, 150
 –, prediction 152
 –, scenario 150, 152
 veterinary 12, 70, 75, 95, 147, 178, 325, 394
 –, antibiotic 95, 149–150, 152, 299
 –, drug 9, 96, 99, 285, 289–290, 299
 –, medicinal product (VMP) 103, 106, 323–324, 340, 475, 491
 –, medicine 9, 11, 71, 75, 79, 81, 95, 103–106, 108–116, 147–149, 152, 155, 167, 178, 182, 227, 240, 256, 271, 323, 326, 329, 333, 393–394, 399–401
 –, fate in soil 103
 –, pharmaceutical 9, 11, 78, 95, 167, 175, 285, 287, 290, 297, 332

Vibrio

 –, *anguillarum* 238
 –, *fischeri* 224, 229, 257–258, 461
 –, *harveyi* 224
 –, *salmonicida* 238
 viral resistance 70
 virginamycin 85, 88, 99, 108
 virustatic 223
 vitamin 327
 vitellogenesis 189
 vitellogenin 188, 190, 271
 VMP *see* veterinary medicinal product
 volatile 305
 VRE *see* vancomycin resistant enterococci
 vulnerability 308
 vulture 15, 182–183, 194, 256, 278, 393

W

warfarin 394
 waste 8–9, 37, 131, 347, 349, 421, 424, 441, 470, 476, 489–492, 494–498
 –, carrier 469
 –, disposal 467, 472, 489
 –, facility 469
 –, incineration 497
 –, management 489, 491, 498
 –, minimization 498
 –, source 492

- , reduction 498
 - , stream 492
 - wastewater 11–12, 15, 30, 44–46, 48, 51, 53, 55, 69, 80–81, 84, 88, 131, 133–134, 136–137, 140, 142–143, 156–161, 164–165, 175–177, 188–189, 192–193, 195–197, 223, 228, 231–232, 234–237, 239, 329, 347, 349, 361, 365, 398, 403, 411, 414, 416, 419, 422–423, 425, 427, 429–430, 432–433, 455, 486, 497
 - , bacteria, inhibition 223
 - , effluent 44
 - , hospital 45, 195, 223
 - , treatment 136, 159
 - , plant (WWTP) 24–26, 30–31, 133–142, 156–166, 193, 232, 237, 398, 403, 455, 497
 - , treated 158–160
 - , untreated 157–158
 - water 28–29, 32, 44, 53, 55, 68, 85, 106, 115, 127, 131, 134, 152, 210, 265, 279, 308, 327, 354, 360, 362, 459
 - , Arctic 62
 - , compartment 123, 131
 - , cycle 419–423, 425–426
 - , flow 160
 - , velocity 167
 - , hardness 86
 - , quality 395, 401–402
 - , solubility 6–7, 23–24, 29, 122, 134, 265, 327, 356, 363, 433
 - , treatment plant 486
 - water flea 279, 345, 352
 - watershed 137, 142, 144, 163–164
 - wetland 412
 - white rot fungus 85
 - whole-mixture test 259
 - wood, terpene 309
 - worm 206–208, 211–213, 215–217, 219, 286, 289, 297
 - worst-case condition 143
 - WWTP *see* wastewater treatment plant
-
- X**
- Xanthomonas campestris* 239
 - xenobiotic 205, 419–426, 455
 - Xenopus* 310
 - X-ray
 - , contrast media 53
 - , powder diffraction 23
 - xylazine 69
-
- Y**
- Yersinia ruckeri* 238
 - yield 459
 - Yusho ,incident 335
-
- Z**
- Zahn-Wellens test (OECD 302 B) 70
 - Zea mays* 88, 113, 292
 - zebrafish 179–181, 188–189, 246, 252–253, 345, 354
 - , embryo 188
 - zinc 56
 - zooplankton 183–184, 194, 260
 - zwitterion 4–5