
Index

- activation energy, 403, 460, 465
- adhesive particles, 325
- anisotropic particles, 38, 43, 53, 304, 312, 314, 318, 332
- approximants, 39
 - Levin, 39, 47, 48
 - Padé, 30, 39, 44, 46, 49, 51, 66, 70–72, 75, 77, 79, 80, 85
 - Tová, 39, 45
- Asakura-Oosawa-Vrij (AOV) model, 301
- Averaged Density Approximation (ADA), 256, 269

- binodal curves, 204, 206, 210
- Boltzmann equation, 494–497, 500, 502, 507–510, 527, 533
- Brazil-nut effect (BNE), 523, 526
 - reverse (RBNE), 523, 526
- bridge function, 5, 9, 12, 17–21, 218

- Carnahan-Starling (CS) EOS, 63, 66, 68, 83, 88, 90, 140, 163, 258, 393, 408, 409, 415, 449, 467
- cavity
 - distribution function, 2, 218, 229, 233
 - spherical, 279, 369, 371–373, 376
 - theory, 275
- Chapman–Enskog method, 494, 496, 500, 503, 504, 510, 512, 515, 528, 533
- chemical potential, 3, 31–33, 62, 95, 96, 100–102, 136, 149, 166, 170, 251, 261, 266, 290, 315, 325, 331, 370, 373, 514
- closest packing, 59, 65, 68, 100
 - density, 46, 79, 98, 99, 393
 - fraction, 41, 49, 60, 61, 88
 - random, 41, 48, 50, 61, 63, 70, 71, 73, 74, 77, 79, 88
- closures, 12–23
- cluster integral, 28
- coefficient of restitution, 494
- coexistence curve
 - fluid-solid, 115
 - vapour-liquid, 115
- coexisting densities, 267
- collective densities, 296
- collision integrals, 391
- collision rate, 86
- colloidal particles, 301
- compressibility
 - equation, 2
 - factor, 2, 27, 30, 31, 38, 39, 43, 45, 54, 55, 57, 58, 60, 64, 66, 86, 88, 89, 94, 100, 114, 122, 126, 135, 148, 177, 186, 204, 235, 239, 408, 409, 414
- computer simulation, 10, 38, 41–43, 46, 52, 54–58, 62–66, 69, 72, 75, 79, 84, 85, 87, 89, 91–93, 96, 100–102, 112, 115, 118, 122, 123, 126, 343, 358, 363, 385, 387, 431, 495, 507
- configurational integral, 2
- confined fluid, 331, 343, 369, 373, 376, 377

- consistency conditions, 134, 147, 171, 180, 187
- cooling rate, 498
- correlation function
- background, 2, 7, 10
 - chain, 12
 - direct, 10, 12, 217, 250, 252, 255, 272, 294, 362, 363, 373
 - pair, 1, 4, 10, 11, 359, 365
 - total, 2, 10, 250, 255, 362, 363, 365, 366
- critical point, 206, 208
- crystal, 41, 61, 71, 88
- density, 267
 - hard sphere, 259, 264, 281, 285, 287, 289
 - liquid, 305, 309, 312, 314, 331
 - non-uniform liquid, 315
- crystallization, 142
- Decoupling approximation, 316
- demixing, 135, 145, 201, 205, 210, 303, 304, 324
- density fluctuations, 357
- Density Functional (DF), 248, 252, 254, 290, 304, 312, 313, 315, 344, 369, 370
- canonical ensemble, 372
 - isothermal-isobaric ensemble, 374
- density of states
- constant L , 354
 - microcanonical, 347
 - molecular dynamics, 351
- density profiles, 263, 282, 284, 297, 298, 311, 331, 369–372, 374, 376, 377
- depletion forces, 138
- Derjaguin approximation, 140
- diagrams, 5–7, 28
- elementary, 8, 13, 17
- differential approximant, 30
- diffusion coefficient, 383, 384, 388, 391, 404, 405, 410–420, 422–426, 433–438, 440, 442–446, 448–451, 504, 508
- intra, 451, 458, 459
 - tracer, 427–434, 451–454, 456
- dimensional crossover, 275, 297
- discontinuities in the distribution functions, 7
- Dufour coefficient, 504
- effective diameter, 112, 127, 236, 400–403
- Barker-Henderson (BH), 398, 400
 - Boltzmann (B), 399, 400
 - Kolafa-Nezbeda (KN), 112, 114
 - method (EHSD), 397–401, 410, 435, 460, 467, 484
 - Verlet-Weis (VW), 112, 113
 - Weeks-Chandler-Andersen (WCA), 398, 401
- Effective Liquid Approximation (ELA), 270
- Einstein relation, 389, 495, 512
- ensemble
- EVN , 346
 - $EVNL$, 354
 - $EVNM$, 349
 - canonical (CE), 348, 349, 360, 369, 372
 - constant angular momentum, 354
 - grand canonical (GCE), 344, 360, 373
 - isothermal-isobaric, 374
 - microcanonical, 345, 346, 349
 - molecular dynamics, 349, 352
 - Monte Carlo (CEMC), 367, 369
- Enskog theory, 384, 391, 417, 418, 421, 460, 461, 463, 472, 475, 478
- modified (MET), 394, 396, 469, 476–479
- entropy
- excess, 136, 414, 416–420, 470, 471, 485
- equation of state (EOS), 2, 27, 30, 37, 39, 40, 53, 54, 60, 65, 67, 68, 88–91, 96, 102, 103, 111, 114, 117, 119, 120, 124, 126, 134, 161, 285, 363, 392, 407–409, 477, 478
- additive mixtures, 163–166, 170, 171, 185–187, 189–193, 197
 - mixtures, 225
 - non-additive mixtures, 202, 204
 - non-analytical, 40, 47, 50, 72, 80
 - volume-explicit, 39, 50, 79
- Euler-Lagrange equation, 248, 260
- exclusion factor, 51, 84
- expansion coefficients, 7–9

- finite size effects, 343, 358
 - explicit-, 359
 - implicit-, 364
- finite size errors, 18
- fluidity, 404, 405, 460, 461, 463, 467
- free energy, 149, 159, 170, 205, 235, 249, 251, 252, 266, 272, 306, 315, 372, 376
- free-volume
 - fraction, 407–409
 - geometric, 406
 - models, 463–466, 472, 473
 - theory, 401, 404, 464, 475
 - thermodynamic, 406
- freezing, 41, 43, 61, 62, 80, 87
- friction coefficients, 446, 450
- fugacity, 301, 326
- Fundamental Measure Theory (FMT), 248, 271, 295, 318, 321, 326, 332, 370, 373, 376–378
 - Carnahan-Starling (CS-FMT), 289
 - Dimensional Interpolation (DI-FMT), 278, 281, 284, 285, 287
- Gaussian overlap model, 311
- Gay-Berne potential, 312
- Generalized Mean Spherical Approximation (GMSA), 216
- glass, 63, 71, 100, 102
- gradient expansion, 253
- grand partition function, 249
- grand potential, 248, 249, 260, 290
- granular
 - flow, 496
 - mixtures, 493
- Green-Kubo
 - formalism, 419
 - formula, 389, 390
- grid size errors, 19
- Haff cooling law, 517
- hard cubes, 321, 323, 325
- hard discorectangles, 43
- hard disks (HD), 27–29, 31, 37, 38, 40–43, 50–59, 112, 121, 186, 233, 284, 289, 354–358, 361–364, 366, 367
- hard dumbbells, 43, 53
- hard ellipses, 43, 53
- hard ellipsoids, 23, 310, 317
- hard hexagons, 322
- hard hyperspheres, 38, 48, 74, 193, 194, 206, 208
- hard needles, 43
- hard parallelepipeds, 327
- hard rods (HR), 47, 233, 254, 272, 295, 331, 332
- hard sphere chains, 81, 445, 449, 450, 455
- hard spheres (HS), 1, 4, 7, 9, 13, 14, 17, 22, 27, 32, 37, 38, 40, 50, 60–66, 85, 96, 97, 99–102, 112, 114, 386, 460–463, 471–475
- hard spherocylinders, 1, 10, 23, 77, 145, 312, 329
- hard squares, 322
- hard wall, 11, 262, 294, 297, 298
- heat flux, 499, 504, 514
- high dimensionality limit, 208, 210
- homogeneous cooling state (HCS), 500, 516
- Hoover-Piorier relation, 3
- hydrodynamic fields, 497
- hypernetted chain (HNC) approximation, 12
- ideal gas, 249
- inelastic collisions, 494
- inhomogeneous system, 344, 345, 369, 370
- integral equation, 46, 79
- interfacial phase, 330
- intermolecular potential, 1, 385
- internal energy, 3
- isothermal compressibility, 83, 95–99, 212, 214–216, 220, 234, 359, 362
- Kinetic Theory, 493
- Labfk et al. method (LMV), 16
- Lennard-Jones (LJ)
 - chains (LJC), 445, 449, 451
 - critical point, 115, 116
 - fluid, 113, 114, 414, 417, 436, 448, 451, 467, 470
 - mixtures, 458, 459
 - parameters, 386, 437, 446, 448, 452, 467

- potential, 236, 386
- reduced units, 39
- triple point, 115
- Lennard-Jones fluids, 312
- Lindemann ratio, 267
- Local Density Approximation (LDA), 253
- Maličevský-Labík (ML) formula, 17, 19
- mass flux, 499, 504, 514
- Mayer
 - diagram, 28
 - function, 4
- Mean Field Approximation (MFA), 253, 256
- Meeron-Siegert relation, 3
- melting, 43, 61
- metastable, 61–64, 70, 75, 77, 79, 83, 86, 88, 93, 95, 96, 98
- mixtures
 - additive, 133, 150, 162, 185, 194, 205, 220
 - binary, 133
 - chemical potential, 33
 - closures, 23
 - computer simulation, 134, 137, 143, 146, 168, 179
 - Density Functional, 290
 - EOSs, 50, 67, 79, 82, 83, 86
 - Fundamental Measure Theory, 295
 - hard cubes, 324
 - inelastic hard spheres, 497
 - melting, 144
 - non-additive, 200, 208, 300, 304
 - polydisperse, 329
 - structural properties, 135, 137
 - ternary, 222, 334
 - thermodynamic properties, 135, 137
 - transport properties, 414, 427, 456, 458, 466, 470, 478, 483
 - Weighted Density Approximation, 292
- mobility coefficient, 504
- Molecular Dynamics (MD), 387
 - non-equilibrium (NEMD), 388
- momentum flux, 504
- Monte Carlo, 387
- Navier–Stokes
 - hydrodynamic equations, 503
 - transport coefficients, 494, 504, 507, 515, 520
- nematic phase, 305, 311, 318, 329
- non-analytical function, 87
- non-equipartition, 495, 523
- non-spherical hard-body fluids
 - closures, 23
- non-uniform fluids, 11
 - closures, 23
- non-uniform phases, 317
- one-component plasma (OCP), 270
 - potential, 386
- one-fluid description, 138, 146
- Onsager approximation, 313, 316, 329
- Onsager reciprocal relations, 495, 514
- Ornstein-Zernike (OZ) equation, 10–16, 83, 211, 220, 250, 291, 362, 363, 373
- packing fraction, 3, 27, 39, 40, 60, 61, 71, 113, 136, 138, 142, 147, 185, 271, 393
- pair distribution function
 - finite system, 360
 - infinite system, 359
- Parsons-Lee approach, 314, 329
- partition function
 - isothermal-isobaric, 374
- Percus-Yevick (PY)
 - approximation, 12, 53, 67, 74, 79, 134, 162, 186, 220, 227, 233, 257
 - PY-WDA, 258, 263, 274
- perturbation theory, 37, 38, 42, 60, 61, 65, 86, 88, 235
 - reference repulsive potential, 113, 386
 - reference system (RS), 112, 113
 - Weeks-Chandler-Andersen (WCA), 111, 239, 386
- phase diagram, 38, 60, 142, 146, 179, 307, 308, 310, 312, 318, 324, 326–329, 331
- phase transition, 239, 263, 306, 329
- Picard method, 15
- planar wall, 259, 282
- pole, 39, 49, 65, 68, 73, 77, 88, 89, 102
- polydisperse
 - HS fluid, 134

- polymer, 301
- pore width, 331
- potential energy, 114, 120–123, 127
- pressure, 38, 42, 44, 61, 63, 68, 96–98, 114, 116, 121, 123
 - equation, 2
 - tensor, 499, 529
- Principle of Corresponding States (PCS), 419, 458
- probability distribution function, 347

- quasi-elastic limit, 495
- Quasi-harmonic Einstein model, 419

- radial distribution function (RDF), 2, 4, 6, 8, 10, 42, 46, 62, 77, 79, 185, 216, 217, 232, 392, 427
 - additive mixtures, 134, 147, 161, 163, 172, 177, 186, 189, 191, 192, 197
 - mixtures, 223, 225
- radial velocity distribution, 356
 - microcanonical constant L -, 354
- rational function, 75, 77
- Rational Function Approximation (RFA), 211, 214, 220, 226, 232
- reduced
 - density, 393, 397
 - temperature, 397
- Ree-Hoover diagram, 28
- reference hypernetted chain approximation (RHNC), 14
- Rescaled Virial Expansion (RVE), 177
- rheological properties, 531
- rotating particles, 324, 325, 329, 332
- rough hard spheres (RHS), 412, 413, 422, 444, 446, 460, 469, 479
- rough Lennard Jones (RLJ), 447, 451, 460
- roughness factor, 413, 481–483

- scaled hard sphere, 177
- scaled particle Monte Carlo (SP-MC) method, 32–35
- Scaled Particle Theory (SPT), 44, 50, 54, 55, 67, 69, 90, 91, 99, 101, 149, 161, 170, 186, 273, 295, 314, 363
- segregation, 521
- self-consistent theory, 13
- single particle momentum distribution
 - canonical, 348
 - microcanonical, 348
 - molecular dynamics, 352
- small system, 343
- smectic phase, 305, 307, 311, 316, 318, 328, 331
- smooth hard spheres, 412
- Soft Sphere (SS)
 - potential, 386
- solid phase, 42, 44, 61, 62, 64, 68, 80, 86
- solid-fluid transition, 38, 40, 42, 43, 59, 68, 93
- Sonine polynomial approximation, 495
- spanning diagram, 29
- spinodal curves, 204, 206
- Square-Well (SW)
 - fluid, 225, 230, 232, 434
 - potential, 386
- statistical errors, 19
- sticky hard spheres (SHS), 225, 229
- Stokes-Einstein relation, 404, 459
- stress autocorrelation function, 389
- stress tensor, 389
- structure factor, 211, 223, 358, 360
- surface tension, 140, 260, 263, 284, 300, 309

- tail errors, 19
- test-particle route, 251
- thermal conductivity, 383, 384, 390, 391, 397, 410, 472–476, 478–485, 504
- thermal diffusion, 521, 522
- thermal pressure, 395, 477–479
- thermal resistivity, 404, 405, 475, 476
- thermodynamic consistency, 212
- thermodynamic limit (TL), 343, 348, 358, 359, 362
- three-body distribution function, 3
- tracer diffusion, 495
- transport properties, 383, 394, 401, 415, 478, 485
 - van der Waals (vdW) theory, 410, 421, 462, 465, 469, 473, 474, 479, 483
- uniform shear flow (USF), 496, 510, 528
- universality ansatz, 187
 - linear approximation, 189

- quadratic approximation, 190
- vacancy, 406
- vapor-fluid interface, 307
- velocity autocorrelation function, 389, 424
- velocity distribution functions, 345, 497
- virial coefficients, 27–31, 38, 39, 41, 42, 45–52, 65, 67–75, 77, 79–87, 134, 150, 151, 190, 201, 392, 479
 - Barrio-Solana method, 158
 - Wheatley’s method, 151
- virial expansion, 150, 160, 252
 - approximate, 172
- viscosity, 383, 384, 389, 391, 396, 410, 413, 416, 417, 459, 461–471, 483, 485, 495, 504, 509, 531
- walls
 - rough (RW), 355
 - smooth (SW), 355
- wedge approximation, 141
- Weeks-Chandler-Andersen (WCA)
 - 2D WCA reference system, 121–123
 - 3D WCA reference system, 114, 117–120
 - fluid, 434–436
 - potential, 386
- weight function, 256, 257
- weighted density, 273, 282
- Weighted Density Approximation (WDA), 248, 255, 264, 317
 - Carnahan-Starling (CS-WDA), 259, 260, 263, 265, 274, 279
 - Modified (MWDA), 294
- Widom method, 32–34
- Widom-Rowlinson model, 303
- zero-dimensional (0D), 275, 370, 371, 373, 377, 378
- Zwanzig model, 326, 327, 329, 331