

Index

- accessible point, 82, 106–107, 124–125
- addition formula, 86, 99, 107, 109, 111, 113–114, 118, 120, 121, 178, 181, 186
- admissible bang-bang, 3, 18, 119, 136, 139, 140, 146, 172, 183, 194
 - control, 140
- affine span, 93, 119, 120, 122, 124
 - subspace, 86
- allonomous, 21, 33, 54, 74, 85, 99
- allowed path, 184–185
- approximate accessibility, 64, 73, 86, 119, 170
 - controllability, 82
- argument, 21–22, 24, 31, 38, 77–78, 96, 111, 151, 156, 170, 175–177, 179, 181, 184–186
- Arzelà-Ascoli theorem, 25–26, 60, 75, 77
- associated system, 126, 136
- attainability cone, 82
- attainable set, 66–68, 72–73, 80, 82, 88, 99, 106, 109, 112, 118–124, 126, 128, 129, 131, 146–147, 149, 155, 156, 158, 161–171, 173, 190, 208, 209
- Aumann, R.J., 86, 107, 131
- autonomous, 11, 12, 19, 21, 34, 46, 49, 54, 65, 85, 106, 132, 136, 160

- Baire's theorem, 82
- bang-bang, 3, 11, 13, 15, 18, 80, 81, 90, 92–94, 119, 126–127, 131, 136, 139–141, 146, 155–156, 158–159, 168–173, 175, 183, 188–190, 194, 197, 201, 202, 204, 207, 208
- Battinelli, A., 18
- Bellman's equation, 101, 212
- Bendixson's theorem, xii
- bicritical point, 137
- bilinear system, 63, 116–127, 136, 149, 155

- Bliss, G.A., 212
- Boltjanskij, V.G., 17, 130, 212
- Brammer, R.F., 113, 132
- Brockett, R., 117
- Brunovsk'y, P., 12, 18
- Bushaw, D., x

- Carathéodory
 - solution, 55–60, 64
 - system, 56–58, 64–65
- Cayley–Hamilton theorem, 87, 88, 95, 103, 119
- center, 14, 67, 91, 107, 116, 135, 140–143, 151–154, 157, 160, 168, 169, 170, 172, 173, 175, 176, 188, 199
- center-focus, 136
- characteristic
 - neighbourhood, 164
 - rectangle, 135, 144–149, 152, 156–159, 161–162, 172–173, 197–198, 207
- chattering regime, 54
- Ciolkovskij, K.E., 15
- clepsydra, vii
- closed-loop, 18
- Coddington, E.A., 191
- completely uncontrollable
 - subspace, 123
 - system, 131
- concatenation, 27, 30, 33, 44, 65, 139, 172, 178, 189
- concurrent point, 137
- constituent systems, 6, 140–141, 144, 146, 149, 151–153, 159, 165, 168, 172
- Conti, R., 61
- control
 - engineering, 63

- system, 1–16, 19, 54, 63–81, 133–153, 155, 156, 167, 171, 175, 188, 189, 191, 193, 196, 197
- controllability
 - matrix, 87
 - space, 86–90, 97, 126
- controllable point, 109–110, 112–113, 126, 132, 156, 157, 159–160, 169, 170
- Coppel W.A., 61
- corresponding solution, 22, 54, 65, 68–69, 79–80, 83, 89, 96, 102, 125, 126, 127, 156, 157, 194, 195, 197
- cost, 7, 12, 13, 17, 64, 69, 78–79, 193–198, 202, 205–210
- critical point, 46, 49, 66, 86, 88, 95, 104, 107, 113, 114, 118, 135–138, 140, 141, 143, 144, 150–153, 156, 158, 160, 169–171, 175, 183, 188–190
- curvature, 147–148
- cycle, 49, 140, 141, 142, 158–161, 188
- cyclic generator, 129
- detectable system, 102
- dicritical node, 135, 165
- dispersive, 175, 189, 190
- double integrator, 3, 9, 17
- duality theorem, 104
- dynamic feedback, 64
- equicontinuity, 22, 56, 60–61
- Evans, L.C., 212
- exceptional direction, 135
- exponential
 - dichotomy, 112
 - polynomial, 105
- extremal, 126, 127
- fantail, vii
- Fashoro, 132
- feedback control, 3, 6, 11, 14, 18, 212
- Filippov, 61, 131
- Flügge-Lotz, I., 61
- focus, 135, 167
- Fuller, A.T., 3, 12, 13, 17, 155
- Gamkrelidze, R.V., 17, 125, 129, 212
- Gamkrelidze's theorem, 93, 125
- geostatic, 52
- germ, 43
- Geveci, T., 11, 132
- Gibbs, viii
- global existence, 20, 22, 26, 31, 34, 36, 37, 38, 43, 44, 61, 67, 78, 85, 118, 136
- Goddard, R.M., 17–18
- governor, 6
- Green's theorem, 196, 197, 198, 202, 206–207, 209, 211, 212
- Gronwall-Bellman lemma, 50, 53, 156
- H'ajek, O., 18, 61, 132
- Hartman, P., 191
- Hautus, M.L.J., 88, 129, 132, 191
- Hermes, H., 17, 61, 131, 211
- Heymann, M., 191
- Hsu, B.F.-H., 110, 132
- impulse response, 105
- impulsive disturbance, 60
- increment of argument, 177, 181, 184, 188
- index, 23, 26, 38, 39, 57, 175–191
 - function, x inextensible solution, 30, 43, 44
- initial, 71–73
- invariant, 86–90, 102, 110, 112, 117, 120, 121, 123, 128–130, 205
- isochrone, 71, 83
- isochronous accessibility, 82
- Jacobian, 44–45, 48, 49, 58, 74, 96, 145, 146
- Jacobson, D.H., 17, 132
- James, M.R., 212
- Jordan
 - curve theorem, 198
 - decomposition theorem, 105
- Jurdjevic, V., 131
- Kalman decomposition, 89, 90, 131
- Kalman, R., 87–88, 97, 103, 132
- Kirchhoff's law, 4
- Kon Tiki, vii
- Krabs' duality theorem, 99
- Krasovskij, N.N., 61
- Krein-Milman theorem, 80
- L_1 -convergence, 76
- Laplace transform, 105, 106
- LaSalle, J.P., 17, 131, 211
- LC circuit, 3, 5, 6, 7, 54
- Lebesgue point, 75, 93
 - theory, 55
- Lee, E.B., 17, 130
- Lee, Edmund, vii
- Lefschetz, S., 191
- left turn, 199, 200, 201, 204, 206
- lenticular point, 135, 141, 144, 166, 170, 173
- Letov system, ix
- Levinson, N., 131, 191
- Lie bracket, 149, 150, 200

- limit
 - formula, 86
 - theorem, 33, 38–39, 43, 47, 57, 68, 76, 114, 209
- linear
 - component, 86, 88
 - span, 86, 87, 88, 90
- Liouville's formula, 41, 118, 128
- Ljapunov-Halkin theorem, 90
- local
 - cost-minimum, 73, 201
 - existence, 20, 22, 29, 40, 56, 60, 61, 62, 64
 - exterior normal, 91, 93, 94, 95, 113–114, 125, 176
- locally controllable point, 71, 110, 156, 157
- Lohwater, A.J., 21
- loop, 180–181, 183–187, 189
- Loparo, K.A., 132
- Lotka-Volterra model, 151

- Macki, J., 17, 130
- Markus, L., 17, 130
- Martin, D.H., 17, 132
- maximum principle, 93, 94, 125, 126, 130, 212
- Maxwell, J.C., viii
- Meeker, L. David, 18
- Mesh, 179
- Miščenko, E.F., 17, 130
- minimal
 - controllability, 11, 13, 99
 - energy, 194
 - fuel, 194
 - realisation, 105
 - switch number, 194
 - time, 9, 90, 93, 106, 193
- monocritical point, 156
- Morse, M., 212

- Neumann series, 59, 117, 121–123
- Newton, I., 4, 14, 20, 22, 37
- Niemyckij, V.V., 61
- node
 - dicritical, 144
 - one-tangent, 135
 - two-tangent, 135, 144, 168
- normality, 11, 95
- normal system, 94–95

- observability matrix, 102–103
- observable system, 105
- observation of state, 102
- observation vector, 101–103, 117
- observed system, 102, 106
- open loop, 11, 14

- optimisation, 63, 64, 193–212
- oscillator, linear, 3–8, 21, 27, 47, 101, 198

- Pachter, M., 17, 132
- parallelisable, 135, 191
- parameter elimination, 21, 64
- path, 80, 175, 177–178, 181, 183–187
- Peano, G., 22, 60
- phase, 3–6, 9, 10, 27, 32, 101, 135, 151–152, 158, 194, 199, 204, 212
- piecewise continuous, 13
- Planck, M. vii
- Poincaré
 - Bendixson theory, 175
 - center, 135
 - index, 175
- point
 - critical, 29, 46, 66, 86, 88, 95, 104, 113, 114, 136, 137, 140, 144, 158, 175, 188, 190
 - periodic, 49, 72, 106, 114
 - to-point steering, 109, 110, 160, 161, 169
 - regular boundary, 162
 - saddle, 137, 183
 - singular, 29, 136
 - start, 165–169, 171
 - stationary, 29, 54, 136, 207
 - transversal, 135–139, 143, 147, 153, 158–159, 173, 195–197, 201, 202, 207, 211
 - without contact, 151, 152, 163
- polar, 85, 87, 175
- Pontrjagin, L.S., 17, 130, 212
- preservation of domain theorem, 50
- presumption of concordance, 20
- principle of optimality, 69, 127, 198

- rank-one
 - bilinear, 116, 117, 122, 123, 125, 129, 130
 - single-input, 116, 126
- reachable set, 18, 66, 71, 72, 73, 82, 86, 94, 96, 106, 107, 109, 110, 118–119, 123, 126, 132, 173
- reduced attainable set, 120
- regular boundary point, 162
- regulator, 6
- relaxed control, 80, 136, 139, 140, 172
- rest point, 137
- return time, 13, 70
- right turn, 199, 201, 202, 204, 206

- saddle/pendulum system, 137, 138, 143, 160, 169, 200
- saddle point, 137, 183
- Sansone, G., 61

- Schechter, E., 62
 self-steering, vii
 Sell, G., 61
 service trolley, 3, 9–13, 93, 140, 151, 199
 set-point holding, 63, 106
 single-input single-output, 54
 singular
 controls, 3
 point, 29, 40, 136
 sounding rocket, 3, 14–16, 18, 202, 209
 stabilisable system, 90
 start point, 165, 166, 167, 168, 169, 170, 171
 state, 4
 augmentation, 21, 28, 54, 64, 73, 74, 117
 state-dependent cost, 194, 211
 stationary point, 29, 136
 Stepanov V.V., 61
 Stern, R.J., 132, 191
 Stigler's law, x
 Strauss, A., 17, 130, 131
 strictly convex, 95, 126
 Sussman, H., 18, 118, 155, 212
 switch, 175
 curve, 10–13, 199
 point, 159, 160, 163, 165, 169, 199
 synthesis, 11, 63
 system controllability, 64, 87, 167
 systems with linear controls, 73–81, 131, 158

 terminal point, 96, 126, 159, 162–170, 189,
 204, 205, 207–210
 time-extent, 11, 98, 123, 130, 141
 time-optimal problem, 18, 73, 194, 196, 208
 Tonelli, L., 60
 track, 9, 27, 79
 trajectory, 5, 13, 27, 49, 139–142, 144, 151,
 153, 156, 158–159, 169–173, 175, 177,
 188–190, 197, 198–202, 204–208, 210

 transfer function, 105
 transversal point, 135–139, 147, 153, 158, 159,
 161, 173, 195–197, 201, 202, 207, 211
 two-body problem, 33, 37, 85
 two-tangent node, 135, 144, 168
 typical sector, 135

 uniform bound theorem, 26, 29, 39, 57
 uniqueness, 4, 12, 19–20, 22, 29, 33–39,
 43–44, 46–47, 55, 57–59, 61, 65, 69, 73,
 74, 80, 85, 95, 96, 118, 136, 140, 156,
 158, 195
 unobservable subspace, 102, 104, 123
 Ura, T., 61

 V2 rocket, 14–16
 van der Pol equation, 32, 47, 49, 63, 100
 variational equation, 46, 104
 variation of constants, 36, 41, 54–55, 59, 60,
 85, 107, 117

 Warga, J., 131
 weak
 center, 140–144, 151–154, 153, 168, 170,
 172, 173, 175, 188, 157, 165
 compactness, 75, 90
 convergence, 74–76, 80, 195
 weakly critical point, 70, 106, 118, 129, 137,
 141, 143, 158, 175, 188–190
 weak/uniform continuity, 79, 131, 179
 weighing pattern, 105
 without contact, 135, 151–154, 157, 158, 163,
 165, 169, 173
 Wonham, W. Murray, 17, 132

 zero-cost solution, 84