

Index

A

Accessory gene regulator (*agr*) system, 224–225
Acetylation, 50–52
Acquired immune deficiency syndrome (AIDS), 172, 308, 309, 312, 314
Activating molecule in beclin 1-regulated autophagy (AMBRA1), 50
Ag85B antigen, 130, 131
Aging, 78, 79
Akt, 175, 176
Amino acid effluxer, 24
AMP-activated protein kinase (AMPK), 7, 10, 38–41, 58
Anaplasma phagocytophilum, 241–242
infection process, 241, 242
intracellular trafficking, 241, 242
Apoptosis. *See* Cell death
Arabidopsis, 288, 291, 292, 294, 295, 298, 300
Atg9 cycling, 22
ATPases, 54–55
Autoimmunity, 136
Autolysosome, 220, 222, 224
Autophagic body, 2, 3, 23, 24
Autophagic or type II cell death, 290, 292
Autophagosome, 2–4, 8, 10, 11, 13, 18, 19, 21–24, 90, 91, 93, 94, 96–98, 219–222, 224–225, 297, 298, 301, 302
Autophagosome exit without lysis (AWOL), 329, 330
Autophagy (AT6) genes, 2, 3, 25, 274, 281
Atg1, 4–9, 11, 13, 15, 19–23, 39, 41, 46–47, 52, 59
Atg4, 222
Atg5, 42, 46, 50–52, 90, 92, 93, 95, 97, 98, 150, 152–157, 161, 220–223, 271
Atg7, 92–95, 97

Atg8, 12, 13, 15, 17, 18, 22, 23, 125, 126, 130
Atg8/LC3, 151, 277
Atg11, 7, 11–13, 15, 19–21, 23
Atg12, 42, 46, 50, 51, 150
Atg16L, 51
beclin 1, 270, 271, 273, 274, 276, 278–280

B

Bacteria, 142, 145–148, 150, 152, 154, 155, 160, 161
Bax-interacting factor 1 (Bif-1), 49, 50
Bcl-2, 89, 90, 93–95, 97
Beclin 1, 35, 45–50, 52, 55, 59, 90, 95, 97, 98, 181, 256, 258, 259
BH3-mimetic, 59
B lymphocytes, 86, 97–98
Brucella abortus, 242–245
endoplasmic reticulum (ER), 243
intracellular niche, 242–245

C

CD40, 175, 253–260
CD154, 253, 254, 256, 258–260
CD4⁺ T cells, 124, 126–136, 172
CD8⁺ T cells, 124, 130–132, 134, 173
Cell death, 77, 271, 273, 274, 311–316, 324, 331
Chaperone-mediated autophagy, 75
Chlorophagy, 297–300, 302
Chloroplast, 288, 293–300, 302
Chlorosis, 288, 296, 297
Cholesterol, 219, 221
Class III PI3K, 255, 258
Complement C5, 128, 130
Conjugation systems, 15–18

Coxiella burnetii, 228–232
 antigenic variation, 228–229
 Beclin 1, 231
 biphasic cycle, 229
 parasitophorous vacuole (PV), 229–232
 Coxsackievirus B3, 325, 326, 328, 330
 Crohn's disease, 135, 174
Cryptococcus neoformans, 329
 Cvt vesicle, 3, 4, 11–13, 18, 23
 CXCR4, 91
 Cyclins, 125
 Cytokines, 86–88, 112, 117, 145, 146, 151, 153–155, 159, 160
 Cytoplasm-to-vacuole trafficking (Cvt) pathway, 3, 5–7, 10–15, 18, 19, 25
 Cytoskeleton, 38, 46, 52–53
 Cytosolic and nuclear proteins, 125, 132

D

Damage-regulated autophagy modulator (DRAM), 41, 52, 56, 59
 Death-associated protein kinase (DAP kinase), 45
 Dendritic cells (DCs), 133, 181
 Dengue virus, 325–328
 Development, 76–77
 Dextran sodium sulfate (DSS), 144, 145, 153–155
 Double-membrane vesicles, 290, 301
 Double-stranded RNA (dsRNA), 181

E

Early endosome antigen 1 (EEA1), 256
 E64d, 221
 Effector-triggered immune response, 288, 290, 295
 eIF2 α kinases, 42–43
 Endocytic pathway, 219
 Endoplasmic reticulum (ER), 146, 156
 Endosomal sorting complex required for transport (ESCRT), 55–56
 Endosome, 218–222
 Epstein–Barr virus (EBV), 126, 132
 Exocytosis, 325
 Extrinsic death pathway, 88

F

Fas-associated death domain (FADD), 88, 95, 97
 Flock house virus, 328
 Fusion proteins, 130

G

GAS-containing autophagosome-like vacuoles (GeAVs), 219–222, 224, 225
 Gen4, 9, 10
 GFP-LC3, 219–220
 Glutamate decarboxylase 65 (GAD65), 128
 Glyceraldehyde-3-phosphate dehydrogenase (GAPDH), 126
 Graft versus host disease (GVHD), 136
 Group A *Streptococcus* (*Streptococcus pyogenes*; GAS), 217–225

H

Hepatitis A virus, 329
 Hepatitis C virus, 330, 331
 Heterotrimeric G proteins, 45
 Highly active antiretroviral therapy (HAART), 310–312
 HIV, 89, 91, 95, 172, 173, 181
 Homeostatic niche, 87
 Homeostatic survival, 86, 89, 92
 Hyper IgM syndrome, 253, 260
 Hypersensitive response (HR), 288, 289
 Hypersensitive response programmed cell death (HR-PCD), 288–290, 292–294, 302

I

IFN- β promoter stimulator 1 (IPS-1), 179, 182
 IL-4, 171, 175, 176
 IL-13, 171, 175, 176
 IL-4R α , 176
 IL-13R α 1, 176
 IL-13R α 2, 1476
 Immunity-related GTPase family M member (IRGM), 171, 175, 177, 178
 Immunity-related GTPases (IRGs), 171, 176–178, 254, 258–260
 Induction, 4–10, 13, 18
 Inflammatory bowel disease, 205–208
 ATG16L1, 206–207
 Crohn's disease, 205
 IRGM, 206
 NOD2, 206
 paneth cells, 206–207
 Influenza matrix protein 1, 126, 128
 Innate immunity, 268, 269
 IL-1 β , 277
 PKR, 273–276, 278, 279, 282
 toll-like receptors (TLR's 3, 7 and 9), 109–116, 170, 171, 173–183, 208, 268–270, 277, 282

- Interferon gamma (IFN- γ), 171, 172, 175–178, 253, 254, 256, 258–260
- Intracellular antigen processing, 127–128
- Intrinsic death pathway, 88
- Invasins, 218
- Irga6, 178
- Irgm1, 142, 144, 148–149, 151–152, 171, 175–178, 181
- Irgm2, 178
- Irgm3, 177, 178
- Isolation membrane, 219–222
- L**
- Latent membrane protein 1 (LMP1), 129, 132
- LC3, 39, 40, 46, 50–52, 90, 91, 150–152, 180–181, 256, 257
- I, 220
- II, 220
- Legionella pneumophila*, 232–234
- dot/icm gene complex, 233
- lipid rafts, 234
- replicative compartment, 232–234
- Leupeptin, 221
- Lipase, 24
- Listeria*, 148, 171, 181–183
- Listeria monocytogenes*, 145, 191, 196–204, 208
- ActA, 198–201
- listeriolysin O (LLO), 199, 219
- phospholipases C (PLCs), 199
- PrfA, 197, 200
- spacious listeria-containing phagosome, 201–202
- Lithium chloride, 41, 58
- LRG-47, 175–178
- Lymphopenia, 86, 88
- Lysosomal-associated membrane protein-1 (LAMP-1), 221, 254–256
- Lysosomal-associated membrane protein-2 (LAMP-2), 56
- Lysosome, 324, 325, 330
- M**
- Macroautophagy, 72, 79
- Macrophage, 171–173, 176, 180, 181
- Major histocompatibility complex (MHC) class I molecules, 124, 126, 172
- Maturation step, 53–58
- Melanoma differentiation-associated gene 5 (MDA-5), 181
- 3-Methyladenine (3-MA), 59, 231, 234, 239, 242, 243
- MHC class II molecules, 124–129, 131, 133, 134, 136, 172, 179
- MHC/peptide, 86–88
- Microautophagy, 72
- Microtubules, 52, 57, 59
- Mitochondria, 72, 76, 78, 89, 93, 94, 182, 183
- Mitogen-activated kinases (MAPKs), 43–44, 57
- Mitophagy, 93, 94, 297, 298, 300
- Mouse embryonic fibroblasts (MEFs), 220–221
- mTORC1, 37–41, 43, 47, 58
- mTORC2, 37–41, 58
- mTOR-independent pathways, 41–42
- Mycobacterium tuberculosis*, 131
- Myeloid differentiation primary response gene (88) (MyD88), 180, 181
- N**
- Natural peptide ligands, 125, 126
- Nelfinavir, 311
- Neomycin phosphotransferase II (NeoR), 128–130
- Neurodegeneration, 74, 75
- Nitric oxide (NO), 289, 292–294
- NOD2, 144, 145, 149, 153, 154, 159, 161
- NOS2, 253, 254, 259, 260
- Nuclear antigen 1 of EBV (EBNA1), 126, 128, 129, 132
- Nuclear factor κ B (NF- κ B), 42, 45, 180
- Nucleotide-binding and oligomerization domain (Nod), 179
- Nutrient starvation, 288, 290, 291
- NY-ESO-1, 130
- P**
- p62, 13, 72, 75, 76
- Paneth cells, 142, 145, 146, 151, 153, 155–161
- Parasitophorous vacuole, 252–258
- Pathogen associated molecular patterns (PAMP), 171, 179
- Pathogen recognition receptors (PRR), 109, 113, 170, 171, 179–183
- Peptidoglycan-recognition protein (PGRP), 200
- Pexophagy, 3, 4, 11, 25
- Phagocytosis, 113–117
- phagosome, 191, 201
- Pho85, 7, 10
- Phosphoinositide-3-kinase (PI3K), 255, 258
- Piecemeal autophagy, 298, 300
- Plasmacytoid dendritic cells, 110–112
- Poliovirus, 325–329, 331

- Porphyromonas gingivalis*, 238–240
 dissemination, 240
 gingipains, 240
 phagosomal compartment, 239
 Preautophagosomal structure (PAS), 3, 4,
 11–23
 Pro-death signals, 288, 293, 294
 Programmed cell death (PCD), 288–290,
 292–294
 Protease inhibitor (PI), 311
 Protein kinase A (PKA), 7, 9
 Protein kinase C (PKC), 44
 Pseudodimer model, 133
 PtdIns(3), 14, 15, 20
 PtdIns3K, 7, 8, 13–15, 19, 20, 22
 PtdIns3K complex, 7, 14, 15, 19, 20, 22
 P2X7 receptor, 173
 Pyroptosis, 194, 205, 208
- Q**
 Quality control, 74–75, 78
- R**
 Rab5, 256
 Rab7, 254, 255, 257, 258
 Rab proteins, 54
 Rapamycin, 35, 37–40, 42, 43, 47, 58, 231,
 234, 237, 238, 242
 Reactive oxygen species (ROS), 289,
 292–295, 297, 302
 Recycling, 3–5, 24–25
 Retinoic acid-inducible gene I (RIG-I),
 179, 182
 Ribulose-1,5-bisphosphate carboxylase/
 oxygenase (Rubisco), 298–300
Rickettsia, 182, 183
Rickettsia conorii, 203
 Rig I-like receptors (RLR), 109, 179, 181, 182
 RNA viruses, 295–300, 302
 R proteins, 289, 293
 Runaway cell death, 290, 292–294
- S**
Salmonella, 148, 151
Salmonella enterica serovar Typhimurium,
 191–196
 effectors, 194
Salmonella-containing vacuole (SCV),
 192, 194–196, 208
Salmonella-induced filaments (Sifs),
 192, 193
Salmonella pathogenicity island (SPI),
 193–195
 type three secretion system (T3SS),
 192–195, 204
 Sch9, 7, 9
 Selective types of autophagy, 10–13, 25
 Senescence, 288–292, 295, 298, 299
Shigella, 170, 171, 182, 183
Shigella flexneri, 191, 203–205
 IcsB, 204, 205
 Ipaf, 205, 208
 VirG, 204, 205
 Single nucleotide polymorphisms (SNPs), 149
 Single-stranded RNA (ssRNA), 180
 Soluble NSF attachment protein receptors
 (SNAREs), 54
 Spacious *Listeria*-containing phagosome
 (SLAP), 221–222
 Specificity of AtATG8 expression, 292
 Sphingolipids, 42, 46
Staphylococcus aureus, 224–225, 235–238
 agr and sar system, 235–236
 apoptosis, 236, 238
 internalization, 236
 methicillin-resistant (MRSA), 224
 secreted enzymes and toxins, 236, 237
 Starvation, 73, 74, 76, 78
 STAT-1, 175
 STAT-6, 175, 176
 Streptolysin O (SLO), 219
 Stromal cell population, lymph node cortex, 135
- T**
 Tachyzoite, 252, 254, 255, 258
 Tannic acid, 220, 221
 Target of rapamycin (Tor), 176
 T cells, 172, 173
 proliferation, 95–97
 Th1, 170, 171, 174–176, 182, 183
 Th2, 170, 171, 174–176, 182, 183
 Theiler's virus, 329
 Thymic epithelial cells, 134
 TLR2, 180, 181
 TLR3, 180, 181
 TLR4, 180
 TLR7, 179–181
 TLR8, 180, 181
 TLR9, 180, 181
 T lymphocyte, 147, 152
 TNF- α , 143, 146, 148, 172, 175, 253,
 257–260
 TNF receptor-associated factors (TRAFs), 257
 Tolerance, 133–136

Toll-like receptor (TLR), 109–116, 170, 171, 173, 179, 181–183, 208
TORC1, 5–10
TOR-dependent signaling pathways, 37–41
Toxoplasma, 175, 177, 182, 183
Toxoplasma gondii, 251–261
TRAF6, 257, 258
T regulatory cells, 136
Tuberculosis, 169–183
Tumor, 76–78
Tumor necrosis factor (TNF), 88, 89
Type I interferon, 180, 182
Type IV secretion system (T4SS), 229, 233

U

Ubiquitin-like protein, 15–18
Ulk1, 8, 13, 21
UVRAG, 49, 50

V

Vacuolar hydrolases, 3, 12
Vacuole membrane protein 1 (VMP1), 49, 50
Vesicle breakdown, 4, 5, 24–25
Vesicle fusion, 4, 23
Viral proteins, 268, 273, 280
 degradation, 269, 274, 276, 277, 279

 HSV-1 ICP34.5, 271, 273–276, 278–280
 influenza virus matrix protein, 277
 viral Bcl-2 (vBcl-2), 278, 280–281
Viruses, 268–282, 288, 290, 295–302
 cytomegalovirus (CMV), 278, 281
 herpes simplex virus type I (HSV-1), 270–280
 human immunodeficiency virus (HIV), 278, 281, 282
 Kaposi's sarcoma-associated herpesvirus (KHSV), 280
 murine γ -herpesvirus 68 (γ -HV68), 280, 281
 parvovirus B19, 274
 Sindbis virus, 270–271, 273–277
 tobacco mosaic virus, 274
Virus-induced chlorosis, 297

W

Wortmannin (WM), 231, 238, 239, 243

X

Xenophagy, 268, 276

Y

Yeast, 72, 73, 76–78