

# Index

## A

Abboud–Kamlet–Taft solvent parameters, 45,  
50, 67, 71, 299  
Acetate, 6  
Acetylation reactions, 66  
Acid-catalysed reactions, 325  
Acidity, 285  
    gas phase, 47  
Actinides (f-elements), 147  
Activity coefficient, infinite dilution, 49  
    pseudo-infinite dilution, 74  
Ag salt metathesis, 7, 8  
Alcohols, dehydration, 70  
Alkali elements, 134  
Alkaloids, 89  
Alk-1-ene, hydroformylation, 99  
Alkoxyimidazolium, 18  
Alkyl carborane, 6  
1-Alkyl-3-methylimidazole, 8  
*N*-Alkyl-2-methylpyrazolium-based ILs, 29  
*N*-Alkyl-3-methylthiazolium-based ILs, 29  
alkylation, sulphonates, phosphonates,  
    phosphinates, 14  
*N*, *N*'-Alkylimidazolium cations, 3  
1-Alkylimidazoliumsulphate, 16  
Alkylphosphates, 6  
Alkylphosphinates, 6  
Alkylphosphonates, 6  
*N*-Alkylpyridinium-based ILs, 29  
Alkylsulphates, 6  
    transesterification, 16  
Alkylsulphonates, 6  
Aluminium trihydride, 13  
Amide anions, 6  
Amino acid ILs, 30  
Amino acids, 23, 30, 88, 118, 119  
Amino alcohols, 89  
Aminophenoxides, 114  
Aminothiophene, 108

Ammonium cations, 2, 4  
Ammonium dialkylphosphates  
Anions, 5  
*p*-Anisidine, 68

## B

Base-catalysed reactions, 325  
Basis sets, 213  
Benzo-fused heterocyclic cations, 3  
Benzoic esters, 91  
Benzotriazolium cations, 3  
Biomass, 280, 311  
    chemicals/fuels, 313  
    conversion, 317  
Biopolymers, dissolution in ionic  
    liquids, 322  
Bis(oxalato)borate, 6  
Bis(perfluoroethylsulfonyl)amide, 6  
Bis(trifluoromethanesulfonyl)amide, 3, 6  
Bis(trifluorosulfonyl)imide anion, 175  
Bis(triflyl)amide, 7  
Borates, 6  
4-Bromoacetophenone,  
    butoxycarbonylation, 69  
Brønsted acids, 62  
Buffers, 41  
1-Butyl-3-methylimidazolium, 3

## C

Carbene intermediates,  
    *N*-heterocyclic, 10  
Carbon dioxide, supercritical, 332  
Carbon economy, 314  
Carboranes, 6, 8  
Catalysts, 83, 97  
Cationic coordination compounds, 306  
Cations, 2

Cellulose, 311, 314  
  acetylation, 66  
  modification, 327  
  pretreatment, 328  
Charges, downscaling, 213  
Chiral ionic liquids, 276  
Choline cation, 8  
Clathrates, 60  
Clean synthesis, 34  
Clusters, 225  
CO<sub>2</sub> capture, 95  
Co-based ionic liquids, 19  
Cobaltocenium salt, 100  
Complex ions, 127  
Conformational landscapes, 174  
Continuum models, 213  
  theory, 257  
Co-solvents, 271  
Coulombic interaction, 213  
Cross coupling reaction, palladium  
  catalyzed, 101  
Cyclohexenes, 114  
Cyclopentadiene, methyl acrylate, 65

**D**  
d-elements, 127  
Dediazoniation, 68  
Depolymerisation, 328  
*N, N*-Dialkylammonium *N'*,  
  *N'*-dialkylcarbamates, 33  
Dialkylimidazolium bis(triflyl)amides, 7  
1, 3-Dialkylimidazolium-2-carboxylates, 11  
1, 3-Dialkylimidazolium halides, microwave  
  synthesis, 27  
Dibutylimidazolium hexafluorophosphates  
Dialkylimidazolium  
  nonafluorobutanesulphonate, 7  
Dicyanamide, 6  
Dicyclohexylurea, 91  
Didecylimidazolium  
  hexafluorophosphates  
Dielectric constant, 46  
Diels–Alder reactions, 65  
Diffusion, 268  
Dimethylephedrinium ion, 5  
Dispersion effects, 213  
Distillation, 32, 332  
Dye probes, fluorescent organic, 294  
Dye probes, UV–Vis absorbing  
  organic, 297  
Dyes, solvatochromic, 45  
Dynamics, 263

**E**  
Earth alkali elements (*s*-block elements), 134  
Electronic structure methods, 213  
Entrainers, extractive distillation, 333  
Enzymatic processes, 320  
Enzyme-catalysed reactions, 326  
Ephedrine, 89  
Ephedrinium-based chiral ILs, 5  
Epoxide ring opening, 97  
ESI–MS, 46  
Esterification, 41, 74  
  Fischer-type, 69  
1-Ethyl-3-methylimidazolium, 3

**F**  
f-elements, 127  
Ferrocene, 20  
First-principles simulations, 250  
Fischer-type esterification, 62, 69  
Fission products, extraction, 97  
Fluorescent organic dye probes, 294  
Fluoroacetoxyborate, 6  
*p*-Fluorobenzene, 68  
Force-field, 161  
Free energy, models, 256

**G**  
Gas phase acidities, 47  
Gas–liquid chromatography, 49  
Gases, interaction with ionic liquids, 275  
Green solvents, 320

**H**  
Halogen free synthesis, 10  
Hartree–Fock, density functional/perturbation  
  theory, 218  
Headspace gas chromatography, 50  
Heavy elements, 127  
  solutions in ILs, 131  
Heavy metal cations, complexation, 96  
Heck reactions, 69  
Hemicellulose, 311, 315  
Hexafluoropentan-2, 4-dione, 13  
Hexafluorophosphate salt, 89  
*N*-Hexyl-*N*-methylpyrrolidinium, 55  
Hydroformylation, 100  
Hydrogenation reactions, 68  
2-Hydroxybenzylamine, 25  
5-Hydroxypentyltrimethylammonium  
  bistriflimide, 85

*N*-Hydroxyphthalimide, 107  
2-Hydroxypropylmethylimidazolium salts, 88  
Histidine, 165

**I**

Imidazole carbenes, 11  
Imidazolidine, OS supported synthesis, 107  
Imidazolium based ILs, 228, 250  
Imidazolium cations, 2  
    functionalized, 4  
1-Imidazolium salts, urea, thiourea, thioether groups, 23  
imide, 178  
Impurities, 51, 271  
    suspended particles, 31  
In-plane-above-plane problem, 226  
Interactions, 263  
Iodobenzoic esters, 91  
Ion exchange materials, 9  
Ionic liquid–acid interactions, 62  
Ionic liquid–organic solute interactions, 47  
Ionic liquid–water interactions, 61  
Ionic liquids, nomenclature, 76  
    alcohol substituted, 27  
    chiral, 5, 93, 276  
    ephedrinium-based chiral, 5  
    imidazolium based, 228, 250  
    impurities, 30  
    inherent interactions, 45  
    mixtures with other substances, 237, 252  
    nitrile functionalized, 24  
    nucleophilicity, 306  
    optically pure, 286  
    phosphine functionalized, 24  
    phosphonium, 35  
    solvent polarity, solvatochromic determination, 293  
    structure, 129  
    sulphonate functionalized, 23  
Ionic salts, low-melting, 1  
Isoquinolinium cations, 3

**L**

Lanthanides, 147  
Lignin, 311, 315  
    extraction, 319  
Lignocellulose, 313  
    fractionation, 329  
Liquid clathrate formation, 60  
Luminescence, 285  
    spectroscopy, 290

**M**

MD simulations, 228  
Melting points, models, 255  
Menshutkin reaction, 29  
Mesylate, 6  
Metal ions, 127  
Metal-catalysed reactions, 326  
Metathesis, 7  
Methanide anions, 6  
Methimazolium, 3  
1-Methylimidazole, 11, 52  
*N*-Methyl-*N*-butylimidazolium dibutylphosphate, 14  
*N*-Methyl-*N*-ethylimidazolium ethylethanephosphonate, 14  
Methyl-*p*-nitrobenzene sulfonate, 67  
Miconazole, 93  
Microwave synthesis, imidazolium-based ILs, 27  
Molecular simulation, 161  
Monte-Carlo, 249

**N**

Nanosegregation, 161, 169  
NC tetraarylporphyrine, 98  
Neat ionic liquids, optical properties, 288  
Ni-based ionic liquids, 19  
Nitrile, 24  
NMR spectroscopy, 263  
    <sup>1</sup>H, 58  
    salt-containing samples, 264  
Nomenclature, 76  
Nuclear wastes, actinides/lanthanides, 96  
Nucleophilic substitution, 41, 66  
Nucleophilicity, 306

**O**

Olefin metathesis, ruthenium catalyzed, 102  
Oligonucleotides, 120  
Oligosaccharides, 118  
Onium salts, soluble supports, organic synthesis, 106  
    task-specific, 83  
Optical spectroscopy, 285  
Organocatalysis, 41  
Oxazolium cations, 2, 3  
Oxidation reactions, 65

**P**

*p*-elements, 127, 137  
Palladium, 21

Peptide synthesis, 119  
Perfluorobenzene, 176  
Perturbation theory, 218  
Phase separation, 330  
Phosphines, imidazolyl moieties, 24  
Phosphonium cations, 2, 4, 13  
Phosphonium ILs, 35  
Picolinium cations, 2  
Polarity, 293  
Polarizable models, 213  
Poly(ethyleneglycol), 26  
Potassium nonafluorobutanesulphonate, 7  
*n*-Propylamine-3-butylimidazolium tetrafluoroborate, 26  
Protic ionic liquids, 17  
Purification, 30, 286  
    distillation, 32  
    sorbents, 32  
Pyrazolium cations, 2, 3  
Pyridinium cations, 2  
Pyridinium hexafluorophosphate, 3  
Pyrrolidines, chiral, 107  
Pyrrolidinium cations, 2

## Q

QC methods, static, 217  
QM/MM calculations, 254  
Quaternisation, 27  
    metathesis, 29  
Quinoxaline derivatives, 98

## R

Reaction monitoring, 277  
Reduced charges, 213  
Refractive index, 46  
Reorientational dynamics, 268

## S

*s*-elements, 127  
Salvation, 127  
Sansalvamide A, 121  
Simulation time, 213  
Solubility, 127, 161  
    data, 48  
    probes, 174  
Solutions, 127  
Solvatochromic dyes, 45  
Solvents, co-solvents, 271  
Solvent–solute interactions, 44  
Sorbents, 32  
Speciation, 127

Structurally derived effects, 64  
Structure, 263  
    neat ionic liquids, 265  
Structure–property relationship, 41  
Sulfate ILs, 15  
Sulfonate ILs, 15  
Sulfonic acid, 98  
Sulfonium cations, 2, 4  
Supported catalysts, 83  
Supported ionic liquid phase (SILP), 94  
Supported reagents, 83, 95  
Supported synthesis, 83

## T

Task-specific ionic liquids, 83  
Tetraalkylammonium, 4  
Tetraalkylphosphonium polyoxometalates, 26  
Tetraarylporphyrine, 98  
Tetrabutylphosphonium amino acids, 23  
Tetrabutylphosphonium cation, 4  
Tetrabutylphosphonium dibutylphosphate, *N,N*-dimethylimidazolium  
Tetrafluoroborate, 3  
Thermochemical depolymerisation, 328  
Thermochemical processes, 317  
Thiazolium cations, 2, 3  
Thioxotetrahydropyrimidinone, 114  
Tosylate, 6  
Transferability, 213  
Transition metals (d-Elements), 139  
Trialkylsulphonium cation, 4  
Tributyldecylphosphonium, 4  
Triflate, 3, 6  
Triflimide salts, 90  
Trifluoroacetate, 6  
Trifluorobenzene, 176  
Trifluoro-*N*-(trifluoromethanesulfonyl)acetamide, 6  
Tris(2-carboxyethyl)phosphine hydrochloride, 14  
Tris(trifluoromethanesulfonyl)methanide, 6

## U

United atom, 213  
UV–Vis absorption spectroscopy, solutes, 289

## V

Valinol, 89  
Vanadium-based salts, 20  
Vanadyl salen complexes, 105  
Viologens, 3

Viscosity-hydrogen-bond-reduction  
  problem, 235

**W**

Water, 30, 52, 238  
  pollution, 96  
  scavenger, 41

**X**

Xanthphos, 100

**Z**

Zone melting, 33  
Zwitterionic-type salts, 26