

Bibliography

- Akaike, H. (1974). A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, 19(6):716–723.
- Alippi, C., Piuri, V. and Sami, M. (1995). Sensitivity to errors in artificial neural networks: a behavioral approach, *IEEE Transactions on Circuits and Systems – I: Fundamental Theory and Applications*, 42(6):358–361.
- Anthony, M., Bartlett, P. L. (1999). *Neural Network Learning: Theoretical Foundations*, Cambridge University Press.
- Battiti, R. (1994). Using mutual information for selecting features in supervised neural net learning, *IEEE Trans. on Neural Networks*, 5(4):537–550.
- Bianchini, M., Frasconi, P. and Gori, M. (1995). Learning without local minima in radial basis function networks, *IEEE Transactions on Neural Networks*, 6(3):749–756.
- Bishop, C. M. (1991). Improving the generalization properties of radial basis function neural networks, *Neural Computation*, 3(4):579–581.
- Basson, E., Engelbrecht, A. P. (1999). Approximation of a function and its derivatives in feedforward neural networks, In: *International Joint Conference on Neural Networks*, Washington, DC.
- Bishop, C. M. (1995). Training with noise is equivalent to Tikhonov regularization, *Neural Computation*, 7(1):108–116.
- Bishop, C. M. (1995). *Neural Networks for Pattern Recognition*. Oxford, U.K.: Clarendon.
- Blake, C. L. and Merz, C. J. (1998). UCI Repository of machine learning databases. *School of Information and Computer Science, University of California, Irvine, CA*. [Online]. Available: <http://www.ics.uci.edu/~mllearn/MLRepository.html>.
- Cao, X. R. (1985). Convergence of parameter sensitivity estimates in a stochastic experiment, *IEEE Transactions on Automatic Control*, 30(9):845–853.
- Chakraborty, D., Pal, N. R., (2001). Integrated feature analysis and fuzzy rule-based system identification in a neuro-fuzzy paradigm. *IEEE Transactions on Systems, Man, and Cybernetics, Part B*, 31(3): 391–400.
- Chen, S., Crown, C. F. and Grant, P. M. (1991). Orthogonal least squares learning algorithms for radial basis function networks, *IEEE Transactions on Neural Networks*, 2(2):302–309.
- Chen, S., Chng, E. S. and Alkadhimi, K. (1996). Regularized orthogonal least squares algorithm for constructing radial basis function networks, *International Journal of Control*, 64(5):829–837.
- Chen, S., Wu, Y. and Luk, B. L. (1999). Combined genetic algorithm optimization and regularized orthogonal least squares learning for radial basis function networks, *IEEE Transactions on Neural Networks*, 10(5):1239–1243.
- Cheng, A. Y. and Yeung, D. S. (1999). Sensitivity analysis of neocognitron, *IEEE Transactions on System, Man, and Cybernetics—Part C: Applications and Reviews*, 29(2): 238–249.
- Choi, J. Y. and Choi, C. H. (1992). Sensitivity analysis of multilayer Perceptron with differentiable activation functions, *IEEE Transactions on Neural Networks*, 3(1):101–107, 1992.

- Cloete, I. (1996). An algorithm for fusion of rules and artificial neural networks. In: *Proceedings of Workshop on Foundations of Information/Decision Fusion: Applications to Engineering Problems*, 40–45.
- Cloete, I. (2000a). VLIANN : Transformation of rules to artificial neural networks. In: *Knowledge-Based Neurocomputing*, MIT Press.
- Cloete, I., Snyders, S., Yeung, D. S. and Wang, X. (2004). Sensitivity analysis of prior knowledge in knowledge-based neurocomputing. In: *Proceedings of 2004 International Conference on Machine Learning and Cybernetics*, 7:4174–4181.
- Cloete, I. and Zurada, J. M. (2000b). *Knowledge-Based Neurocomputing*. MIT Press.
- Davis, G. W. (1989). Sensitivity analysis in neural net solution, *IEEE Transactions on Systems, Man, and Cybernetics*, 19(5):1078–1082.
- Dündar, G. and Rose, K. (1995). The effects of quantization on multilayer neural networks, *IEEE Transactions on Neural Networks*, 6(6):1446–1451.
- Engelbrecht, A. P. (1999). Sensitivity analysis of multilayer neural networks, Ph.D. thesis, *The University of Stellenbosch*, South Africa.
- Engelbrecht, A. P. and Cloete, I. (1999). Incremental learning using sensitivity analysis. In: *Proceedings of IEEE International Joint Conference on Neural Networks*, 2:1350–1355.
- Engelbrecht, A. P., Cloete, I. and Zurada, J. M. (1995). Determining the significance of input parameters using sensitivity analysis. In: *Proceedings of the International Workshop on Artificial Neural Networks*, 382–388.
- Engelbrecht, A. P., Fletcher, L. and Cloete, I. (1999). Variance analysis of sensitivity information for pruning multilayer feedforward neural networks. In: *Proceedings of IEEE International Joint Conference on Neural Networks*, 3:1829–1833.
- Fu, L. and Chen, T. (1993). Sensitivity analysis for input vector in multilayer feedforward neural networks. In: *Proceedings of IEEE International Conference on Neural Networks*, 1: 215–218.
- Fukuda, T. and Shibata, T. (1992). Theory and applications of neural networks for industrial control systems, *IEEE Transactions on Industrial Electronics*, 39(6): 472–489.
- Gallant, S. I. (1993). *Neural Network Learning and Expert Systems*, MIT Press.
- Gao, Z. and Uhrig, R. E. (1992). Nuclear power plant performance study by using neural networks, *IEEE Transactions on Nuclear Science*, 39(4):915–918.
- Glanz, F. H. (1965). *Statistical extrapolation in certain adaptive pattern recognition systems*. Ph.D. thesis, Stanford Electronics Labs., Stanford, CA, Technical Report 6767–1.
- Hagan, M. T., Demuth, H. B. and Beale, M. (1996). *Neural Network Design*. PWS Publishing.
- Hashem, S. (1992). Sensitivity analysis for feedforward artificial neural networks with differentiable activation functions. In: *Proceedings of International Joint Conference on Neural Networks*, 1:419–424.
- Haykin, S. (1994). *Neural Networks: A Comprehensive Foundation*. Macmillan College Publishing, New York, NY.
- Haykin, S. (1999). *Neural Networks*, 2nd Edition, Prentice Hall.
- Hoff, M. E., Jr., (1962). *Learning phenomena in networks of adaptive switching circuits*. Ph.D. thesis, Stanford Electronics Labs., Stanford, CA, Technical Report 1554–1.
- Holtzman, J. M. (1992). On using perturbation analysis to do sensitivity analysis: derivatives versus differences, *IEEE Transactions on Automatic Control*, 37(2):243–247.
- Hwang, Y. S. and Bang, S. Y. (1997). An efficient method to construct a radial basis function neural network classifier, *Neural Networks*, 10(9):1495–1503.
- Hsu, C. W. and Lin, C. J. (2002). A comparison of methods for multi-class support vector machines, *IEEE Transactions on Neural Networks*, 13(2):415–425.
- Huang, G., Liang, N., Rong, H., Saratchandran, P., Sundarasmih, N. (2005). On-Line Sequential Extreme Learning Machine. *Computational Intelligence 2005*: 232–237.
- Hyvärinen, A. and Oja, E., (2000). Independent component analysis: algorithms and applications, *Neural Networks*, 13(4-5):411–430.

- Jabri, M. and Flower, B. (1991). Weight perturbation: an optimal architecture and learning technique for analog VLSI feedforward and recurrent multilayer networks, *Neural Computation* 3(4):546–565.
- Jolliffe, I. T., (1986). *Principal Component Analysis*, Springer-Verlag, New York.
- Kadirkamanathan, V. and Niranjan, M. (1993). A function estimation approach to sequential learning with neural networks, *Neural Computation*, 5(6):954–975.
- Koda, M. (1995). Stochastic sensitivity analysis method for neural network learning, *International Journal of System Science*, 26(3):703–711.
- Koda, M. (1997). Neural network learning based on stochastic sensitivity analysis, *IEEE Transactions on Systems, Man and Cybernetics – Part B: Cybernetics*, 27(1):132–135.
- Kwak, N. and Choi, C.-H. (2002). Input Feature Selection for Classification Problems, *IEEE Transactions on Neural Networks*, 13(1):143–159.
- Lacher, R. C., Hruska, S. I. and Kuncicky, D.C. (1992). Backpropagation learning in expert networks, *IEEE Transactions on Neural Networks*, 3(1):62–72.
- Lamers, M. H., Kok, J.t N. and Lebre, E. (1998). A multilevel nonlinearity study design, In: *IEEE International World Congress on Computational Intelligence, International Joint Conference on Neural Networks*.
- Lee, Y. and Oh, S. H. (1994). Input noise immunity of multilayer Perceptrons. *ETRI Journal*, 16(1):35–43.
- Lovell, D., Bartlett, P. and Downs, T. (1992). Error and variance bounds on sigmoidal neurons with weight and input errors, *Electronic Letters*, 28(4):760–762.
- Mao, K. Z. (2002). RBF neural network center selection based on Fisher ratio class separability measure, *IEEE Transactions on Neural Networks*, 13(5):1211–1217.
- Michie, D., Spiegelhalter, D. J. and Taylor, C. C. (1994). Machine learning, neural and statistical classification. [Online]. Available: <http://www.liacc.up.pt/ML/statlog/datasets.html>.
- Minsky, M. and Papert, S. (1969). *Perceptrons*. MIT Press, Cambridge.
- Moody, J. and Darken, C. J. (1989). Fast learning in networks of locally-tuned processing units, *Neural Computation*, 1(2):281–294.
- Murphy, P. M. and Aha, D. W. (1994). UCI repository of machine learning databases. *Department of Information and Computer Science*, Irvine, CA: University of California.
- Ng, W. W. Y. and Yeung, D. S. (2002). Input dimensionality reduction for radial basis neural network classification problems using sensitivity measure, In: *Proceedings of the First International Conference on Machine Learning and Cybernetics*, Xian, China.
- Ng, W.W.Y., Dorado, A., Yeung, D.S., Pedrycz, W. and Izquierdo, E. (2007). Image classification with the use of radial basis function neural networks and the minimization of localized generalization error, *Pattern Recognition* 40(1):19–32.
- Oh, S. and Marks II, R. J. (1989). Noise sensitivity of projection neural networks, In: *Proceedings of IEEE International Symposium on Circuits System*, 3:2201–2204.
- Oh, S. -H. and Lee, Y. (1995) Sensitivity analysis of single hidden-layer neural networks with threshold functions, *IEEE Transactions on Neural Networks*, 6(4):1005–1007.
- Omlin, C. W. and Snyders, S. (2003). Inductive bias strength in knowledge-based neural networks: application to magnetic resonance spectroscopy of breast tissues, *Artificial Intelligence in Medicine*, 28(2):121–140.
- Orr, M. J. L. (1995). Regularization in the selection of radial basis function centers, *Neural Computation*, 7(3):606–623.
- Park, H., Murata, N. and Amari, S. I. (2004). Improving generalization performance of natural gradient learning using optimized regularization by NIC, *Neural Computation*, 16(2): 355–382.
- Park, J. and Sandberg, I. W. (1993). Approximation and radial basis function networks, *Neural Computation*, 5(2):305–316.
- Panchapakesan, C., Palaniswami, M., Ralph, D. and Manzie, C. (2002). Effects of moving the centers in an RBF network, *IEEE Transactions on Neural Networks*, 13(6):1299–1307.
- Piché, S. W. (1992). *Selection of weight accuracies for neural networks*. Ph.D. thesis, Stanford University, Stanford, CA.

- Piché, S. W. (1995). The selection of weight accuracies for Madalines, *IEEE Transactions on Neural Networks*, 6(2):432–445.
- Poggio, T. and Girosi, F. (1990). Networks for approximation and learning. In: *Proceedings of the IEEE*, 78(9):1481–1497.
- Principe, J. C., Euliano, N. R. and Lefebvre, W. C. (1999). *Neural and Adaptive Systems*, John Wiley & Sons, Interactive Electronic Book.
- Quinlan, J. R. (1993). *C4.5: Programs for Machine Learning*. Morgan Kaufmann, San Mateo, CA.
- Rosenblatt, F. (1958). The perceptron: a probabilistic model for information storage and organization in the brain. *Psychological Review*, 65:386–408.
- Rumelhart, D.E., Hinton, G.E. and Williams, R.J. (1986). Learning internal representations by error propagation. In McClelland, J.L. and Rumelhart, D.E. (Eds.) *Parallel distributed processing*, Vol. 1. (pp. 318–362). Cambridge, MA: MIT Press
- Schölkopf, B., Sung, K. K., Burges, C. J. C., Girosi, F., Niyogi, P., Poggio, T. and Vapnik, V. (1997). Comparing support vector machines with Gaussian kernels to radial basis function classifiers, *IEEE Transactions on Signal Processing*, 45(11):2758–2765.
- Shi, D., Yeung, D. S., Gao, J. (2005). Sensitivity analysis applied to the construction of radial basis function network, *Neural Networks*, 18(7):951–957.
- Stevenson, M., Winter, R. and Widrow, B. (1990). Sensitivity of feedforward neural networks to weight errors, *IEEE Transactions on Neural Networks*, 1(1):71–80.
- Stevenson, M. (1990). *Sensitivity of Madalines to weight errors*. Ph.D. thesis, Stanford University, Stanford, CA.
- Snyders, S. and Omlin, C.W. (2000). What inductive bias gives good neural network training performance. In: *Proceedings of the IEEE-INNS-ENNS International Joint Conference on Neural Networks*, 3:445–450.
- Towell, G. G. and Shavlik, J. W. (1994). Knowledge-based artificial neural networks. *Artificial Intelligence*, 70(1-2):119–165.
- Vapnik, V. (1995). *The Nature of Statistical Learning Theory*. Springer.
- Wang, Z. and Zhu, T. (2000). An efficient learning algorithm for improving generalization performance of radial basis function neural networks, *Neural Networks*, 13(4):545–553.
- Widrow, B. and Hoff, M.E. Jr., (1960) Adaptive switching circuits, *IRE Western Electric Show and Convention Record*, 4:96–104.
- Winter, R. G. (1989). *Madaline rule II: a new method for training networks of Adalines*. Ph.D. thesis, Stanford University, Stanford, CA.
- Wright, W. (1999). Bayesian approach to neural network modeling with input uncertainty. *IEEE Transactions on Neural Networks*, 10(6):1261–1270.
- Xu, L., Krzyzak, A. and Yuille, A. L. (1994). On radial basis function nets and kernel regression: statistical consistency, convergence rates and receptive field size, *Neural Networks*, 7(4): 609–628.
- Yeung, D. S. and Wang, X. Z. (1999). Initial analysis on sensitivity of multilayer Perceptron, In: *Proceedings of IEEE International Conference on Systems, Man and Cybernetics*, 3:407–411.
- Yeung, D. S. and Sun, X. (2002). Using function approximation to analyze the sensitivity of MLP with antisymmetric squashing activation function, *IEEE Transactions on Neural Networks*, 13(1):34–44.
- Yeung, D. S., Ng, W.W.Y., Wang, D., Tsang, E.C.C. Tsang and Wang, X-Z. (2007). Localized generalization error and its application to architecture selection for radial basis function neural network, *IEEE Transactions on Neural Networks* 18(5):1294–1305.
- Zeng, X. and Yeung, D. S. (2001). Sensitivity analysis of multilayer Perceptron to input and weight perturbation, *IEEE Transactions on Neural Network*, 12(6):1358–1366.
- Zeng, X. and Yeung, D. S. (2003). A quantified sensitivity measure for multilayer Perceptron to input perturbation, *Neural Computation*, 15:183–212.
- Zurada, J. M., Malinowski, A. and Cloete, I. (1994). Sensitivity analysis for minimization of input data dimension for feedforward neural networks. *IEEE International Symposium on Circuits and Systems*, 6:447–450.
- Zurada, J. M., Malinowski, A. and Usui, S. (1997). Perturbation method for deleting redundant inputs of Perceptron networks, *Neurocomputing*, 14(2):177–193.