

Index

A

AAO. *See* Anodic aluminum oxide
Activation energy, 6
Activation volumes, 9–11, 127
Adam–Gibbs model, 6, 52, 68, 73
Adam–Gibbs (AG) theory, 138
Amino-acids, 149
Angell, C.A., 20
Anodic aluminum oxide (AAO), 164
Apparent activation, 9
Apparent activation volumes, 12, 21, 134, 143, 157
Aroclor, 16
Arrhenius behavior, 5
Arrhenius law, 6
Arrhenius processes, 153
Avramov equation, 49
Avramov model, 18, 48, 50–52, 71, 74, 75

B

Benzoin-isobutylether (BIBE), 99, 100
 γ -Benzyl-L-glutamate (BLG), 151
BIBE. *See* Benzoin-isobutylether
Binodal, 133
1,1'-Bis(p-methoxyphenyl)cyclohexane (BMPC), 10, 40, 57, 110
1,3-Bis(1-naphthyl)-5-(2-naphthyl) benzene (TNB), 93
Bisphenol A polycarbonate (BPA-PC), 61–63
BLG. *See* γ -Benzyl-L-glutamate
Block copolymers, 141
Block copolypeptides, 162
BMMPC. *See* 1,1'-Di (4-methoxy-5-methylphenyl)-cyclohexane
BMP-BOB. *See* 1-Butyl-1-methylpyrrolidinium bis[oxalato]borate; Ionic liquid

1-butyl-1-methylpyrrolidinium bis[oxalato]borate
BMPC. *See* 1,1'-Bis(p-methoxyphenyl)cyclohexane
Boltzmann constant, 6
Born–Green–Yvon (BGY) lattice theory, 123
BPA-PC. *See* Bisphenol A polycarbonate
1-Butyl-1-methylpyrrolidinium bis[oxalato]borate (BMP-BOB), 7, 8

C

CDE. *See* Cresolphthalein-dimethylether
Characteristic ratio, 125
54% Chlorinated biphenyl (PCB54), 97
62% Chlorinated biphenyl (PCB62), 95
CM. *See* Coupling model
Cohen–Grest equation, 48
Cohen–Grest model, 48
Cohen, M.H., 67
Configurational entropy, 68, 69
Confinement, 146, 163, 166
Constant loss, 111
Cooperatively rearranging regions (CRR), 68
Cooperative volume, 126
Correlation hole, 124
Coupling model (CM), 91, 93, 95–98, 101, 104, 108, 109, 116
Cresolphthalein dimethylether (KDE), 16, 57, 95, 99
Critical temperature (T_c), 121, 122
CRR. *See* Cooperatively rearranging regions
Crystal, 1

D

Debye, 96, 159–161
Debye function, 4
Debye relaxation, 75

Defect diffusion model (DDM), 79
 Density, 23, 39
 DGEBA. *See* Diglycidyl ether of bisphenol A
 Di- and tripropylene glycol, 22
 DIBP. *See* Di-isobutyl phthalate
 Dibutyl phthalate, 96
 1,1'-Di (4-methoxy-5-methylphenyl)-
 cyclohexane (BMMPC), 10, 40, 57, 95
 Dielectric relaxation, 75
 Dielectric spectroscopy (DS), 5, 157
 Diffusion constant, 3
 Diffusion viscosity, 3
 Diglycidyl ether of bisphenol A (DGEBA),
 99, 100, 110, 113, 114
 Di-isobutyl phthalate (DIBP), 4, 7, 8
 Di-*n*-octyl phthalate (DOP), 113
 Dipole moment, 161
 Dipropylene glycol, 96
 Dipropylene glycol dibenzoate (DPGDB), 99
 Doi, M., 160
 Doolittle equation, 86
 DOP. *See* Di-*n*-octyl phthalate
 DPGDB. *See* Dipropylene glycol dibenzoate
 D-sorbitol, 99
 Dynamic heterogeneity, 123–142
 Dynamic lattice liquid (DLL) model, 84

E
 Edwards, S.F., 160
 3EG, 108
 5EG, 108
 Ehrenfest, P., 1
 Electric modulus, 92
 Energy landscape, 39
 Enthalpy, 8, 28, 121
 Entropy, 121
 Epoxy diglycidyl ether of bisphenol-A, 95
 Euler theorem, 57
 EVA. *See* Poly(ethylene-co-vinylacetate)
 Expansivities, 43
 Eyring, H., 8
 Eyring transition state theory, 28

F
 Flory–Huggins theory, 123
 Fluorescence correlation spectroscopy, 133
 Fluorescence spectroscopy, 132
 Fox equation, 125
 Fox-Flory equation, 154
 Fragilities, 20, 22, 42, 43, 75
 Free-volume, 18, 25, 43
 Free-volume model, 7
 Free-volume theories, 39
 FTIR, 151, 153

G
 Gibbs free energy, 121, 132
 Glass, 1
 Glass temperatures, 129, 165
 Glass transition, 115
 dynamics, 39
 temperature, 150
 Glycerol, 10, 22
 Goldstein, M., 2
 Grest–Cohen free volume model, 68
 Grest, G.S., 67
 Grüneisen constants, 51, 52

H
 Havriliak–Negami function, 4
 H-bonded liquids, 7
 H-bonded systems, 8
 Heijboer, J., 110
 Helical defects, 161
 α -Helical structure, 149, 161, 166
 α -Helices, 151, 153, 159, 160, 162
 Helmholtz free energy, 50, 123
 Hydrogen bonds, 141, 156
 Hydrostatic pressure, 18

I
 Ideal glass temperature, 6
 Inelastic neutron scattering, 151
 Interfaces, 163
 Internal energy, 28
 Ionic liquid 1-butyl-1-methylpyrrolidinium
 bis[oxalato]borate (BMP-BOB), 92
 Ionic liquids, 7, 8
 Isobaric, 156
 Isobaric and isochoric fragilities, 42–44, 54, 55
 Isobaric expansion coefficient, 2
 Isochoric fragility, 43, 55
 Isothermal, 156
 Isothermal and isobaric fragilities, 27
 Isothermal compressibility, 2

J
 Johari–Goldstein (JG), 99
 Johari, G.P., 69, 106

K
 Kauzmann temperature, 2, 73
 KDE. *See* Cresolphthalein dimethylether
 Kirkwood–Fröhlich theory, 97
 Kohlrausch, 91, 93, 96, 98, 113, 115
 Kohlrausch–Williams–Watts (KWW)
 function, 4, 55, 80, 154
 Kuhn length, 125, 128, 131, 138

L

Landau–Lifshitz, 52
 Laughlin, W.T., 20
 LCST. *See* Lower critical solution temperature
 Lennard-Jones (LJ), 104
 Lennard-Jones (LJ) potential, 40, 41
 Liquid-to-glass transition, 151
 Lower critical solution temperature (LCST),
 121, 122, 140, 142

M

Maltose, 12
 Maxwell relation, 72
m-Cresol, 157, 161
 Meta-fluoroaniline (*m*-FA), 59
 4,4'-Methylenebis(*N,N*-diglycidylaniline), 70
 Miscibility, 121
 Mode coupling theory, 111
 Molecular dynamics simulations, 151
 Molecular volume, 11, 39
 Molecular weight, 11
 Monomer volume approach, 11, 61, 64
 Mössbauer spectroscopy, 151

N

Nanoconfinement, 162
 Nernst–Einstein, 82
 NMR, 5, 149, 151, 157–159
 Non-Arrhenius, 159
 Non-Debye, 159

O

Oldeskoop, V.W., 20
 Ortho-terphenyl (OTP), 16, 40, 45, 57, 59, 70,
 96, 97, 99

P

Packing length, 138
 Pakula, T., 84
 PAla. *See* Poly(L-alanine)
 1,4-PB, 40
 PBLG. *See* Poly(γ -benzyl-L-glutamate)
 PBLG₁₄, 155
 PBLG₄₅, 156
 PBLG α -helices, 163
 PCGE. *See* Poly[(*o*-cresol glycidylether)-*co*-formaldehyde]
 PCHMA/PaMS. *See* Poly(cyclohexyl
 methacrylate) and poly(α -methyl
 styrene)
 PCHMA self-concentration, 140
 PDE. *See* Phenylphthalein-dimethylether
 Pecora, R., 160
 PEG600, 108

PEMA. *See* Poly(*n*-ethylmethacrylate)
 PEO. *See* Poly(ethylene oxide)
 Persistence length, 159, 161, 162
 PET, 89
 2PG, 112, 113
 3PG, 112, 113
 PGly. *See* Polyglycine
 PGly β -strands, 163
 Phenylphthalein-dimethylether (PDE), 16, 18,
 26, 27, 40, 57, 59, 70, 75, 94, 95, 97
 Photon correlation spectroscopy, 5
 Photon correlation times, 8
 Physical aging, 106
 PiBVE. *See* Poly(isobutyl vinyl ether)
 Picoline, 101
 2-Picoline, 102, 103
 PLeu. *See* Poly(L-leucine)
 PMMA. *See* Poly(methylmethacrylate)
 PMMA/PEO. *See* Poly(methyl methacrylate)/
 poly(ethylene oxide)
 PMPS. *See* Polymethylphenylsiloxane
 pODMA. *See* Poly(*n*-octadecyl methacrylate)
 pODMA-*b*-*pr*BA-*b*-pODMA. *See* Poly
 (*n*-octadecyl methacrylate)-*b*-poly
 (*tert*-butyl acrylate)-*b*-poly(*n*-octadecyl
 methacrylate)
 Poisson probability, 75
 Poly(4-vinylphenol) (PVPh), 140
 Poly(alkylmethacrylates), 13
 Poly(dimethylsiloxane), 75
 Poly(ϵ -carbobenzylloxy-L-lysine) (PZLL), 151,
 155, 157
 Poly(ethyl acrylate), 23
 Poly(ethylene oxide) (PEO), 127, 128, 130
 Poly(ethylene-co-vinylacetate) (EVA), 140
 Poly(γ -benzyl-L-glutamate) (PBLG), 151, 154,
 155, 157, 159–162, 164
 Poly(γ -benzyl-L-tyrosine) (PTyr), 151
 Poly(isobutyl vinyl ether) (PiBVE), 142, 143
 Poly(L-alanine) (PAla), 151
 Poly(L-leucine) (PLeu), 151
 Poly(methyl acrylate), 23
 Poly(methylmethacrylate) (PMMA), 13, 40,
 70, 128, 130
 Poly(*n* alkyl methacrylates), 15
 Poly(*n*-ethylmethacrylate) (PEMA), 13, 15
 Poly(*n*-octadecyl methacrylate) (pODMA), 146
 Poly(propylene oxide), 23, 83
 Poly(*tert*-butyl acrylate) (*pr*BA), 146
 Poly(vinyl ethyl ether) (PVEE), 140
 Poly(vinyl methyl ether) (PVME), 136, 142,
 143
 Poly(vinylethylene) (PVE), 125

- Poly(cyclohexyl methacrylate) and poly(α -methyl styrene) (PCHMA/PaMS), 131–140
- Poly(*n*-octadecyl methacrylate)-*b*-poly(*tert*-butyl acrylate)-*b*-poly(*n*-octadecyl methacrylate) (pODMA-*b*-*pr*BA-*b*-pODMA), 144
- 1,2-Polybutadiene (1,2-PB), 59
- Polyglycine (PGly), 151, 155, 157, 162
- Polyisoprene (PI), 11, 125
- Polymer blends, 121–146
- Polymer mixtures, 121
- Polymers, 7, 23, 27
- Polymethylphenylsiloxane (PMPS), 7, 8, 10
- Poly[(*o*-cresol glycidylether)-*co*-formaldehyde] (PCGE), 63
- Polypeptides, 149, 157, 166
- Poly[(phenyl glycidylether)-*co*-formaldehyde] (PPGE), 27, 63, 99, 110, 113, 114
- Poly(methyl methacrylate)/poly(ethylene oxide) (PMMA/PEO), 125, 127
- Polypropylene glycol, 3, 96, 112
- Polystyrene/poly(methylphenyl siloxane) (PS/PMPS), 131–140
- Polystyrene/poly(vinyl methyl ether) (PS/PVME), 131–140
- Polyvinylacetate (PVAc), 40, 83, 99
- Polyvinyl chloride (PVC), 89
- Poly(vinyl methyl ether) (PVME), 40, 45
- PPG400, 112, 113
- PPG1025, 113
- PPG4000, 113
- PPGE. *See* Poly[(phenyl glycidylether)-*co*-formaldehyde]
- Pressure, 5
- Pressure VFT law, 7
- Pressure–volume–temperature (PVT) data, 123, 130, 154, 155
- Prigogine–Defay ratio, 2
- Propylene carbonate (PC), 16, 40, 59, 95–97
- Propylene glycol, 96
- Proteins, 149, 150
- PS/PMPS. *See* Polystyrene/poly(methylphenyl siloxane)
- PS/PVME. *See* Polystyrene/poly(vinyl methyl ether)
- pr*BA. *See* Poly(*tert*-butyl acrylate)
- PTMPS, 10
- PTyr. *See* Poly(γ -benzyl-L-tyrosine)
- PVAc. *See* Polyvinylacetate
- PVC. *See* Polyvinyl chloride
- PVE. *See* Poly(vinylethylene)
- PVEE. *See* Poly(vinyl ethyl ether)
- PVME. *See* Poly(vinyl methyl ether)
- PVPh. *See* Poly(4-vinylphenol)
- PZLL. *See* Poly(ϵ -carbobenzyloxy-L-lysine)
- ## Q
- Quantum oscillators, 51
- Quinaldine (QN), 101, 102
- ## R
- Random phase approximation (RPA), 121
- Ratio \mathcal{R} , 26, 27, 29
- α -Relaxation, 7, 13, 107, 116
- Relaxation data, 8
- β -Relaxation process, 13
- β -Relaxations, 99, 101, 105–108, 111, 116
- Relaxation time, 4, 5, 49, 72, 159
- RPA. *See* Random phase approximation
- ## S
- Salol, 16, 40, 70, 95–97
- Scaling exponent γ , 44, 46, 47, 54, 55, 56
- Scaling function J , 40
- Scaling quantity Γ , 44
- Secondary process, 13
- Self-assembly, 166
- Self-concentration model, 124
- Self-ordered AAO, 164
- Self-organization, 163
- Shear modulus, 72
- β -Sheet polypeptides, 154
- Sorbitol, 10, 106
- Specific heat, 2
- Spinodal, 133
- State functions, 3
- Steepness (fragility) index, 21
- Stickel, F., 15, 16, 96
- Stockmayer's classification, 149
- Stokes–Einstein, 82
- β -Strands, 151, 156, 157
- Strong, 20
- Structural relaxation, 3, 25
- Structural relaxation time, 7, 67, 70
- Struik, L.C.E., 108
- Supercooled liquids, 3, 5
- ## T
- Tait equation, 25, 69, 154
- Temperature VFT equation, 7
- Tert-butylpyridine (TBP), 101
- Thermal energy, 23
- Thermal history, 106
- Thermodynamic scaling, 39, 47, 51, 54, 55, 136
- Threitol, 10

- TNB. *See* 1,3-Bis(1-naphthyl)-5-(2-naphthyl) benzene
- Transitions, 1
 second-order, 1
- Transition state theory, 8
- Triphenylchloromethane, 70
- Tristyrene, 102, 103
- U**
- Uhlmann, D.R., 20
- Upper critical solution temperature (UCST), 121–123, 132, 135
- V**
- van der Waals, 61
- van der Waals (vdW) liquids, 7, 8, 18, 22, 23, 26, 39, 74, 92
- van der Waals (vdW) polymers, 74
- Viscosity, 5, 7, 8, 49, 72, 75, 93
- Vogel–Fulcher–Tammann (VFT) equation, 67
- Vogel–Fulcher–Tammann–Hesse, 93
- Vogel–Fulcher–Tammann (VFT) law, 6
- W**
- Wang, C., 160
- Wang–Pecora model, 160
- Williams, G., 15, 28, 70, 91, 101, 110, 160
- X**
- X-rays, 149, 151
- X-ray scattering, 152
- Xylitol, 7, 8, 10