

References

- Abonyi J, Balasko B, Feil B (2005) Fuzzy clustering and data analysis toolbox. <http://www.fmt.vein.hu/softcomp/fclusttoolbox>. Accessed 21 Nov 2010
- Akaike H (1974) A new look at the statistical identification model. *IEEE Trans Autom Control* 19:716–723
- Akaike H (1977) An entropy maximisation principle. In: Krishnaiah PR (ed) *Proceedings of the symposium on applied statistics*. North-Holland, Amsterdam, pp 27–41
- Alander JT (1992) On optimal population size of genetic algorithms. In: *Proceedings of the CompEuro92*. IEEE Computer Society Press, Washington, pp 65–70
- Andrews DF, Pregibon D (1978) Finding the outliers that matter. *J R Stat Soc B* 40:85–93
- Apolloni B, Bassis S, Marinaro M (2009) *New directions in neural networks*. IOS Press, The Netherlands
- Asuncion A, Newman D (2007) UCI machine learning repository. <http://archive.ics.uci.edu/ml>. Accessed 21 Nov 2010
- Atkinson A, Donev A, Tobias R (2007) *Optimum experimental designs, with SAS*. Oxford University Press, Oxford
- Atkinson AC, Riani M (2000) *Robust diagnostic regression analysis*. Springer, New York, NY
- Atkinson AC, Riani M (2002) Forward search added-variable t-tests and the effect of masked outliers in model selection. *Biometrika* 89:939–946
- Aytug H, Koehler GJ (2000) New stopping criterion for genetic algorithms. *Eur J Oper Res* 126:662–674
- Back T (1996) *Evolutionary algorithms in theory and practice*. Oxford University Press, Oxford
- Bailey R (2008) *Design of comparative experiments*. Cambridge University Press, Cambridge
- Balcombe K (2005) Model selection using information criteria and genetic algorithms. *Comput Econ* 25:207–228
- Baldi Antognini A, Giovagnoli A, Romano D, Zagoraiou M (2009) Computer simulations for the optimization of technological processes. In: Erto P (ed) *Statistics for innovation*. Springer, Milan, pp 65–88
- Bandyopadhyay S, Maulik U (2002) Genetic clustering for automatic evolution of clusters and application to image classification. *Pattern Recognit* 35:1197–1208
- Bandyopadhyay S, Maulik U, Mukhopadhyay A (2007) Multiobjective genetic clustering for pixel classification in remote sensing imagery. *IEEE Trans Geosci Remote Sens* 45:1506–1511
- Bandyopadhyay S, Saha S, Maulik U, Deb K (2008) A simulated annealing based multi-objective optimization algorithm: AMOSA. *IEEE Trans Evol Comput* 12:269–283
- Banfield JD, Raftery A (1993) Model-based gaussian and non-gaussian clustering. *Biometrics* 49:803–821
- Baragona R (2001) A simulation study on clustering time series with metaheuristic methods. *Quad Stat* 3:1–26
- Baragona R (2003a) Further results on Lund's statistic for identifying cluster in a circular data set with application to time series. *Commun Stat Simul Comput* 32:943–952

- Baragona R (2003b) General local search methods in time series, contributed paper at the international workshop on computational management science, economics, finance and engineering, Limassol, Cyprus
- Baragona R, Battaglia F (1995) Linear interpolators and the inverse correlation function of non stationary time series. *J Time Ser Anal* 16:531–538
- Baragona R, Battaglia F (2003) Multivariate mixture models estimation: a genetic algorithm approach. In: Schader M, Gaul W, Vichi M (eds) *Between data science and applied data analysis*. Springer, Berlin, pp 133–142
- Baragona R, Battaglia F (2007) Outliers detection in multivariate time series by independent component analysis. *Neural Comput* 19:1962–1984
- Baragona R, Battaglia F, Calzini C (2001a) Genetic algorithms for the identification of additive and innovation outliers in time series. *Comput Stat Data Anal* 37:1–12
- Baragona R, Battaglia F, Cucina D (2002) A note on estimating autoregressive exponential models. *Quad Stat* 4:71–88
- Baragona R, Battaglia F, Cucina D (2004a) Estimating threshold subset autoregressive moving-average models by genetic algorithms. *Metron* 62:39–61
- Baragona R, Battaglia F, Cucina D (2004b) Fitting piecewise linear threshold autoregressive models by means of genetic algorithms. *Comput Stat Data Anal* 47:277–295
- Baragona R, Calzini C, Battaglia F (2001b) Genetic algorithms and clustering: an application to Fisher's iris data. In: Borra S, Rocci R, Vichi M, Schader M (eds) *Advances in classification and data analysis*. Springer, Heidelberg, pp 109–118
- Baragona R, Carlucci F (1997) An optimality criterion for aggregating a set of time series in a composite index. *J Time Ser Anal* 18:1–9
- Baragona R, Cucina D (2008) Double threshold autoregressive conditionally heteroscedastic model building by genetic algorithms. *J Stat Comput Simul* 78:541–558
- Barnett V, Lewis T (1994) *Outliers in statistical data*, 3rd edn. Wiley, Chichester
- Battaglia F (1984) Inverse covariances of a multivariate time series. *Metron* 42:117–129
- Battaglia F (1988a) Bilateral autoregressive models for data validation in time series. *Metron* 46:275–286, invited lecture given at the 17th Conference on stochastic processes and their applications held in Rome, June 27th–July 1st, 1988
- Battaglia F (1988b) On the estimation of the inverse correlation function. *J Time Ser Anal* 9:1–10
- Battaglia F (2001) Genetic algorithms, pseudo-random numbers generators, and markov chain monte carlo methods. *Metron* 59(1–2):131–155
- Battaglia F (2005) Outliers in functional autoregressive time series. *Stat Probab Lett* 72:323–332
- Battaglia F (2006) Bias correction for outlier estimation in time series. *J Stat Plan Inference* 136:3904–3930
- Battaglia F, Baragona R (1992) Linear interpolators and the outlier problem in time series. *Metron* 50:79–97
- Battaglia F, Orfei L (2005) Outlier detection and estimation in non linear time series. *J Time Ser Anal* 26:107–121
- Bedau M, Buchanan A, Gazzola G, Hanczyc M, McCaskill J, Poli I, Packard N (2005) Evolutionary design of a ddpd model of ligation. In: *Proceedings of the 7th international conference on artificial evolution EA'05 (Lecture notes in computer science)*, Lille, France, vol 3871, pp 201–212
- Bell AJ, Sejnowski TJ (1995) An information – maximization approach to blind separation and blind deconvolution. *Neural Comput* 7:1129–1159
- Bensmail H, Celeux G, Raftery AE, Robert C (1997) Inference in model-based cluster analysis. *Stat Comput* 7:1–10
- Berkhin P (2002) *Survey of clustering data mining techniques*. Technical report, Accrue Software, San Jose, CA. <http://www.cs.iastate.edu/~honavar/clustering-survey.pdf>. Accessed 21 Nov 2010
- Beyer HG, Schwefel H (2002) Evolution strategies, a comprehensive introduction. *Natural Comput* 1:3–52

- Bezdek JC (1981) Pattern recognition with Fuzzy objective function algorithms. Plenum, New York, NY
- Bezdek JC, Pal NR (1998) Some new indexes of cluster validity. *IEEE Trans Syst, Man Cybern B: Cybern* 28:301–315
- Bhansali RJ (1990) On a relationship between the inverse of a stationary covariance matrix and the linear interpolator. *J Appl Probab* 27:156–170
- Blum C, Roli A (2003) Metaheuristics in combinatorial optimization: overview and conceptual comparison. *ACM Comput Surv* 35(3):268–308
- Bohte Z, Cepar D, Košmelj K (1980) Clustering of time series. In: *COMPSTAT 1980*. Physica-Verlag, Heidelberg, Germany, pp 587–593
- Boley D (1998) Principal direction divisive partitioning. *Data Min Knowl Discov* 2:325–344
- Borgelt C, Kruse R (2002) Graphical models: methods for data analysis and mining. Wiley, New York, NY
- Borrotti M, De Lucrezia D, Minervini G (2009) Evolutionary experimental design for synthetic protein. Working paper 24, European centre for living technology, Venice, Italy, 2nd workshop of the ERCIM working group on computing & statistics, Limassol, Cyprus
- Box GEP (1957) Evolutionary operation: a method for increasing industrial productivity. *Appl Stat* 6:81–101
- Box GEP, Jenkins GM (1976) Time series analysis: forecasting and control, 2nd edn. Holden-Day, San Francisco, CA
- Box GEP, Jenkins GM, Reinsel GC (1994) Time series analysis: forecasting and control, 3rd edn. Prentice Hall, Englewood Cliffs, NJ
- Bozdogan H (1988) Icomp: a new model-selection criterion. In: Bock HH (ed) Classification and related methods of data analysis. Elsevier (North Holland), Amsterdam, pp 599–608
- Bozdogan H, Bearse P (2003) Information complexity criteria for detecting influential observations in dynamic multivariate linear models using the genetic algorithm. *J Stat Plan Inference* 114:31–44
- Bradley AP (1997) The use of the area under the ROC curve in the evaluation of machine learning algorithms. *Pattern Recognit* 30:1145–1159
- Breiman L, Friedman J, Olshen R, Stone C (1984) Classification and regression trees. Wadsworth, Belmont, CA
- Bremer RH, Langevin GJ (1993) The genetic algorithm for identifying the structure of a mixed model. In: *ASA proceedings of the statistical computing section*. American Statistical Association, Alexandria, pp 80–85
- Brockwell PJ, Davis RA (1996) Introduction to time series and forecasting. Springer, New York, NY
- Brooks SP, Morgan BJT (1995) Optimization using simulated annealing. *Statistician* 44:241–257
- Bruce AG, Martin RD (1989) Leave-k-out diagnostics for time series (with discussion). *J R Stat Soc B* 51:363–424
- Cai Z, Fan J, Yao Q (2000) Functional-coefficient regression models for nonlinear time series. *J Am Stat Assoc* 95:941–956
- Calinski T, Harabasz J (1974) A dendrite method for cluster analysis. *Commun Stat* 3:1–27
- Cardoso JF, Souloumiac A (1993) Blind beamforming for non Gaussian signals. *IEE Proc F* 140:362–370
- Cawse J (2003) Experimental design for combinatorial and high throughput material developments. Springer, New York, NY
- Chang I, Tiao GC, Chen C (1988) Estimation of time series parameters in the presence of outliers. *Technometrics* 30:193–204
- Chan WS, Wei W (1992) A comparison of some estimators of time series autocorrelations. *Comput Stat Data Anal* 14:149–163
- Chatterjee S, Laudato M (1997) Genetic algorithms in statistics: procedures and applications. *Commun Stat Theory Methods* 26(4):1617–1630

- Chatterjee S, Laudato M, Lynch LA (1996) Genetic algorithms and their statistical applications: an introduction. *Comput Stat Data Anal* 22:633–651
- Chen C (1997) Detection of additive outliers in bilinear time series. *Comput Stat Data Anal* 24:283–294
- Chen C, Liu LM (1993) Joint estimation of model parameters and outlier effects in time series. *J Am Stat Assoc* 88:284–297
- Chen CWS, Cherng TH, Wu B (2001) On the selection of subset bilinear time series models: a genetic algorithm approach. *Comput Stat* 16:505–517
- Chen R, Tsay RS (1993) Functional-coefficient autoregressive models. *J Am Stat Assoc* 88:298–308
- Chiodi M (1986) Procedures for generating pseudo-random numbers from a normal distribution of order p ($p > 1$). *Stat Appl* 1:7–26
- Chiogna M, Gaetan C, Masarotto G (2008) Automatic identification of seasonal transfer function models by means of iterative stepwise and genetic algorithms. *J Time Ser Anal* 29:37–50
- Chipman HA, George EI, McCulloch RE (1998) Bayesian cart model search. *J Am Stat Assoc Theory Methods* 93:935–948
- Choi KS, Moon BR (2007) Feature selection in genetic fuzzy discretization for the pattern classification problem. *IEICE Trans Inf Syst E90-D:1047–1054*
- Choy K (2001) Outlier detection for stationary time series. *J Stat Plan Inference* 99:111–127
- Cleveland WS (1972) The inverse autocorrelations of a time series and their applications. *Technometrics* 14:277–298
- Coello Coello CA, Van Veldhuizen DA, Lamont GB (2002) *Evolutionary Algorithms for solving multi-objective problems*. Kluwer, Norwell, MA
- Cook RD, Weisberg S (1982) *Residuals and influence in regression*. Chapman and Hall, London
- Cornell J (2002) *Experiments with mixtures: designs, models, and the analysis of mixture data*. Wiley, New York, NY
- Cowell R, Dawid A, Lauritzen S, Spiegelhalter D (1999) *Probabilistic networks and expert systems*. Springer, New York, NY
- Cox D (1953) *Planning of experiments*. Wiley, New York, NY
- Cox D, Reid N (2000) *The theory of the design of experiments*. Chapman & Hall, London
- Crawford KD, Wainwright RL (1995) Applying genetic algorithms to outlier detection. In: Eshelman LJ (ed) *Proceedings of the 6th international conference on genetic algorithms*. Morgan Kaufmann, San Mateo, CA, pp 546–550
- Crawford KD, Wainwright RL, Vasicek DJ (1995) Detecting multiple outliers in regression data using genetic algorithms. In: *Proceedings of the 1995 ACM/SIGAPP symposium on applied computing*. 26–28 Feb 1995, ACM Press, Nashville, TN, pp 351–356
- Darwiche A (2009) *Modeling and reasoning with Bayesian networks*. Cambridge University Press, Cambridge
- Dasgupta A, Raftery AE (1998) Detecting features in spatial point processes with clutter via model-based clustering. *J Am Stat Assoc* 93:294–302
- Davies DL, Bouldin DW (1979) A cluster separation measure. *IEEE Trans Pattern Anal Mach Intell* 1:224–227
- Davis L (1985) Applying adaptive algorithms to epistatic domains. In: *Proceedings of the 9th international joint conference on artificial intelligence*, Morgan Kaufman San Francisco, pp 162–164
- Davis LD (1991) *Handbook of genetic algorithms*. Van Nostrand, New York, NY
- Davis R, Lee T, Rodriguez-Yam G (2006) Structural break estimation for nonstationary time series models. *J Am Stat Assoc* 101:223–239
- Davis R, Lee T, Rodriguez-Yam G (2008) Break detection for a class of nonlinear time series models. *J Time Ser Anal* 29:834–867
- Davis TE, Principe JC (1993) A markov chain framework for the simple genetic algorithm. *Evol Comput* 1(3):269–288
- De Jong K (2006) *Evolutionary computation*. The MIT Press, Cambridge

- De Jong KA (1975) An analysis of the behavior of a class of genetic adaptive systems. PH.D. thesis, Department of Computer and Communication Sciences, University of Michigan, Ann Arbor, MI
- De Jong KA (1993) Genetic algorithms are not function optimizers. In: Whitley D (ed) Foundations of genetic algorithms 2. Morgan Kaufman, San Mateo, CA, pp 1–18
- De March D, Forlin M, Slanzi D, Poli I (2009a) An evolutionary predictive approach to design high dimensional experiments. In: Serra R, Poli I, Villani M (eds) Artificial life and evolutionary computation: proceedings of WIVACE 2008. World Scientific Publishing Company, Singapore, pp 81–88
- De March D, Slanzi D, Poli I (2009b) Evolutionary algorithms for complex experimental designs. In: Ermakov S, Melas V, Pepelyshev A (eds) Simulation, St. Petersburg VVM com., St. Petersburg, Russia, pp 547–552
- Dean A, Voss D (1999) Design and analysis of experiments. Springer, New York, NY
- Deb K (2001) Multi-objective optimization using evolutionary algorithms. Wiley, New York, NY
- Delgado A, Prat A (1997) Modeling time series using a hybrid system: neural networks and genetic algorithm. In: Bellacicco A, Lauro NC (eds) Reti neurali e statistica. Franco Angeli, Milan, pp 77–88
- Demsar J, Zupan B, Leban G (2004) Orange: from experimental machine learning to interactive data mining, white paper. www.ailab.si/orange. Accessed 21 Nov 2010
- Donoho D, Johnstone I (1994) Ideal spatial adaptation by wavelet shrinkage. *Biometrika* 81: 425–455
- Dorigo M (1992) Optimization, learning and natural algorithms. Ph.D. thesis, Politecnico di Milano, Italy
- Dorigo M, Gambardella M (1997) Ant colony system: a cooperative learning approach to the traveling salesman problem. *IEEE Trans Evol Compu* 1(1):53–66
- Dorigo M, Stützle T (2004) Ant colony optimization. MIT Press, Cambridge
- Drugan M, Thierens D (2004) Evolutionary markov chain monte carlo. In: Liardet P (ed) Proceedings of the 6th International Conference on Artificial evolution - EA 2003. Springer, Berlin, pp 63–76
- Dunn JC (1974) Well separated clusters and optimal fuzzy-partitions. *J Cybern* 4:95–104
- Edwards W, Cavalli-Sforza L (1965) A method of cluster analysis. *Biometrics* 21:362–375
- Falkenauer E (1998) Genetic algorithms and grouping problems. Wiley, Chichester
- Fan J, Li R (2006) Statistical challenges with high dimensionality: feature selection in knowledge discovery. In: Proceedings of the international congress of mathematicians, Madrid, Spain
- Fan K, Lin D, Winker P, Zhang Y (2000) Uniform design: theory and application. *Technometrics* 42(3):237–248
- Ferligoj A, Batagelj V (1992) Direct multicriteria clustering algorithms. *J Classification* 9:43–61
- Fisher R (1935) The design of experiments. Oliver & Boyd, Edinburgh
- Fitzenberger B, Winker P (1998) Threshold accepting to improve the computation of censored quantile regression. In: Paynem R, Green P (eds) COMPSTAT, proceedings in computational statistics. Physica-Verlag, Heidelberg, pp 311–316
- Fogel DB (1998) Evolutionary computation: toward a new philosophy of machine intelligence. IEEE Press, New York, NY
- Fogel LJ, Owens AJ, Walsh MJ (1966) Artificial intelligence through simulated evolution. Wiley, New York, NY
- Forlin M (2009) A model-based evolutionary approach to high dimensional experimentation. In: Mola F, Conversano C, Vinzi V, Fisher N (eds) European regional meeting of the international society for business and industrial statistics - EURISBIS'09, Cagliari, Italy, TAPILA editore, pp 120–121
- Forlin M, De March D, Poli I (2007) The model-based genetic algorithms for designing mixture experiments. Working paper 18, European centre for living technology, Venice
- Forlin M, Poli I, De March D, Packard N, Gazzola G, Serra R (2008) Evolutionary experiments for self-assembling amphiphilic systems. *Chemom Intell Lab Syst* 90(2):153–160

- Fox AJ (1972) Outliers in time series. *J R Stat Soc B* 43:350–363
- Friedman HP, Rubin J (1967) On some invariant criteria for grouping data. *J Am Stat Assoc* 62:1159–1178
- Friedman J (1987) Exploratory projection pursuit. *J Am Stat Assoc* 82:249–266
- Gaetan C (2000) Subset arma model identification using genetic algorithms. *J Time Ser Anal* 21:559–570
- Galeano P, Peña D, Tsay RS (2006) Outlier detection in multivariate time series by projection pursuit. *J Am Stat Assoc* 101:654–669
- Gao Y (2003) Population size and sampling complexity in genetic algorithms. *GECCO 2003 Workshop on Learning, Adaptation, and Approximation in Evolutionary Computation, 2003*, Springer, Berlin Heidelberg, pp 178–181
- Geyer CJ (1991) Markov chain monte carlo maximum likelihood. In: Keramidas EM (ed) *Computing science and statistics, Proceedings of the 23rd Symposium on the interface, interface foundation, Fairfax Station, VA*, pp 156–163
- Ghaddar DK, Tong H (1981) Data transformation and self-exciting threshold autoregression. *Appl Stat* 30:238–248
- Gilks WR, Richardson R, Spiegelhalter DJ (1996) *Markov chain monte carlo in practice*. Chapman and Hall/CRC, London
- Glendinning RH (2000) Estimating the inverse autocorrelation function from outlier contaminated data. *Comput Stat* 15:541–565
- Goldberg DE (1989a) *Genetic algorithms in search, optimization and machine learning*. Addison-Wesley, Reading, MA
- Goldberg DE (1989b) *Genetic algorithms in search, optimization and machine learning*. Addison-Wesley, Reading, MA
- Goldberg DE (1989c) Sizing populations for serial and parallel genetic algorithms. In: Schafer JD (ed) *Proceedings of the 3rd conference on genetic algorithms*. Morgan Kaufmann, San Mateo, CA
- Goldberg DE, Deb KE, Clark JH (1992) Genetic algorithms, noise and the sizing of populations. *Complex Syst* 6:333–362
- Goldberg DE, Lingle R (1985) Alleles, loci and the travelling salesman problem. In: Grefenstette JJ (ed) *Proceedings of an international conference on genetic algorithms and their applications*. Lawrence Erlbaum Associates, Hillsdale, NJ, pp 154–159
- Gordon AD (1981) *Classification*. Chapman and Hall, London
- Gorritz JM, Puntinet CG, Gomez AM, Pernia O (2005) Guided GA-ICA algorithms. In: Wang J, Liao X, Yi Z (eds) *ISNN 2005, LNCS 3496*. Springer, Berlin Heidelberg, pp 943–948
- Goswami G, Liu JS (2007) On learning strategies for evolutionary monte carlo. *Stat Comput* 17:23–38
- Gounder MK, Shitan M, Imon R (2007) Detection of outliers in non-linear time series: A review. In: *Festschrift in honor of distinguished professor Mir Masoom Ali on the occasion of his retirement*. 18–19, May 2007, Ball State University, Muncie, IN, USA, pp 213–224
- Gower JC, Ross GJS (1969) Minimum spanning trees and single linkage cluster analysis. *Appl Stat* 18:54–64
- Granger C, Andresen A (1978) *Introduction to bilinear time series models*. Vandenbroek and Ruprecht, Göttingen
- Greenshtein E (2006) Best subset selection, persistence in high-dimensional statistical learning and optimization under l_1 constraint. *Ann Stat* 34(5):2367–2386
- Greenshtein E, Ritov Y (2004) Persistency in high dimensional linear predictor-selection and the virtue of over-parametrization. *Bernoulli* 10:971–988
- Grefenstette JJ (1986) Optimization of control parameters for genetic algorithms. *IEEE Trans Syst Man Cybern* 16(1):122–128
- Grenander U, Rosenblatt M (1957) *Statistical analysis of stationary time series*. Wiley, New York, NY

- Guo Q, Wu W, Massart DL, Boucon C, de Jong S (2002) Feature selection in principal component analysis of analytical data. *Chemom Intell Lab Syst* 61:123–132
- Haggan V, Ozaki T (1981) Modelling nonlinear random vibrations using an amplitude-dependent autoregressive time series model. *Biometrika* 68:189–196
- Handl J, Knowles J (2007) An evolutionary approach to multiobjective clustering. *IEEE Trans Evol Comput* 11:56–76
- Hannan EJ, Rissanen J (1982) Recursive estimation of mixed autoregressive moving average order. *Biometrika* 69:81–94
- Hartigan J (1975) *Clustering algorithms*. Wiley, New York, NY
- Hartigan J, Wong M (1979) Algorithm as136: a k-means clustering algorithm. *Appl Stat* 28:100–108
- Heckerman D, Geiger D, Chickering D (1995) Learning bayesian networks: the combinations of knowledge and statistical data. *Mach Learn* 20:197–243
- Heredia-Langner A, Carlyle W, Montgomery D, Borrer C, Runger G (2003) Genetic algorithms for the construction of d-optimal designs. *J Qual Technol* 35(1):28–46
- Hettich S, Bay SD (1999) The UCI KDD archive. <http://kdd.ics.uci.edu>. Accessed 25 Jul 2009
- Holland JH (1975) *Adaptation in natural and artificial systems*. University of Michigan Press, Ann Arbor, MI
- Holmes CC, Mallick BK (1998) Parallel markov chain monte carlo sampling. mimeo, Department of Mathematics, Imperial College, London
- Hoppner F, Klawonn F, Kruse R, Runkler T (1999) *Fuzzy cluster analysis: methods for classification, data analysis and image recognition*. Wiley, Chichester
- Hornik K (1993) Some new results on neural network approximation. *Neural Netw* 6:1069–1072
- Hornik K, Leisch F (2001) Neural networks models. In: Peña D, Tiao GC, Tsay RS (eds) *A course in time series analysis*. Wiley, Hoboken, New Jersey, NJ, pp 348–362
- Hosmer D, Lemeshow S (1989) *Applied logistic regression*. Wiley, New York, NY
- Huber PJ (1981) *Robust statistics*. Wiley, New York, NY
- Huber PJ (1985) Projection pursuit. *Ann Stat* 13:435–475
- Hubert L, Arabie P (1985) Comparing partitions. *J Classif* 2:193–218
- Hyvärinen A, Karhunen J, Oja E (2001) *Independent component analysis*. Wiley, New York, NY
- Hyvärinen A, Oja E (2000) Independent component analysis: algorithms and applications. *Neural Netw* 13:411–430
- ISTAT (2008) *Italian statistical yearbook*. Rome, Italy
- Jaccard P (1901) Distribution de la florine alpine dans la bassin de dranses et dans quelques regions voisines. *Bull Soc Vaud Sci Nat* 37:241–272
- Jensen F (2001) *Bayesian networks and decision graphs*. Springer, New York, NY
- Jones DR, Beltramo MA (1991) Solving partitioning problems with genetic algorithms. In: Belew RK, Booker LB (eds) *Proceedings of the 4th international conference on genetic algorithms*. Morgan Kaufmann, San Mateo, CA, pp 442–449
- Kapetanios G (2007) Variable selection in regression models using nonstandard optimisation of information criteria. *Comput Stat Data Anal* 52:4–15
- Kargupta H, Deb K, Goldberg DE (1992) Ordering genetic algorithms and deception. In: Männer R, Manderick B (eds) *Parallel problem solving from nature*, vol 2. Elsevier, Amsterdam, pp 47–56
- Kaufman L, Rousseeuw PJ (2005) *Finding groups in data*. Wiley, Hoboken, NJ
- Kemsley EK (1998) A genetic algorithm approach to the calculation of canonical variates. *Trends Anal Chem* 17:24–34
- Kemsley EK (2001) A hybrid classification method: discrete canonical variate analysis using a genetic algorithm. *Chemom Intell Lab Syst* 55:39–55
- Kennedy J, Eberhart R (1995) Particle swarm optimization. In: *Proceedings of the IEEE Conference on neural networks*, Piscataway, NJ, pp 1942–48
- Kennedy J, Eberhart R (2001) *Swarm intelligence*. Morgan Kaufmann, San Mateo, CA
- Keogh E, Kasetty S (2003) On the need for time series data mining benchmarks: a survey and empirical demonstration. *Data Min Knowl Discov* 7:349–371

- Kim Hj, Shin Ks (2007) A hybrid approach based on neural networks and genetic algorithms for detecting temporal patterns in stock markets. *Appl Soft Comput* 7:569–576
- Koehler AB, Murphree ES (1988) A comparison of the Akaike and Schwarz criteria for selecting model order. *Appl Stat* 37:187–195
- Kohn R, Ansley CF (1983) Fixed interval estimation in state space models when some of the data are missing or aggregated. *Biometrika* 70:683–688
- Koza JR (1992) Genetic programming: on the programming of computers by means of natural selection. MIT Press, Cambridge
- Lance GN, Williams WT (1967) A general theory of classificatory sorting strategies: I. hierarchical systems. *Comput J* 9:373–380
- Larrañaga P, Lozano JA (2002) Estimation of distribution algorithms: a new tool for evolutionary optimization. Kluwer, Boston, MA
- Lauritzen SL (1996) Graphical models. Oxford University Press, Oxford
- Lazic Z (2004) Design of experiments in chemical engineering. Wiley-VCH, Weinheim, Germany
- Li CW, Li WK (1996) On a double-threshold autoregressive heteroscedastic time series model. *J Appl Econ* 11:253–274
- Liang F, Wong WH (2000) Evolutionary monte carlo: applications to c_p model sampling and change point problem. *Stat Sinica* 10(2):317–342
- Liang F, Wong WH (2001) Real-parameter evolutionary monte carlo with applications to bayesian mixture models. *J Am Stat Assoc* 96(454):653–666
- Liao TW (2005) Clustering of time series data – a survey. *Pattern Recognit* 38:1857–1874
- Liu GL (1968) Introduction to combinatorial mathematics. McGraw Hill, New York
- Liu LM, Hudak T (1992) Forecasting and time series analysis using the sea statistical system. Technical report, Scientific Computing Associates, DeKalb, IL
- Lozano JA, Larrañaga P, Inza I, Bengoetxea G (2006) Towards a new evolutionary computation: advances in estimation of distribution algorithms. Springer, Berlin
- Lund U (1999) Cluster analysis for directional data. *Commun Stat Simul Comput* 28(4):1001–1009
- Man KF, Tang KS, Kwong S (1999) Genetic algorithms: concepts and designs. Springer, London
- Mandic D, Chambers J (2001) Recurrent neural networks for prediction: architectures, learning algorithms and stability. Wiley, New York, NY
- Maravall A, Peña D (1989) Missing observations, additive outliers and inverse autocorrelation function. Technical Report 89/384, European University Institute, Florence
- Marinari E, Parisi G (1992) Simulated tempering: a new monte carlo scheme. *Europhys Lett* 19:451–458
- Marriott FHC (1982) Optimization methods of cluster analysis. *Biometrics* 69:417–422
- Maulik U, Bandyopadhyay S (2003) Fuzzy partitioning using real coded variable length genetic algorithm for pixel classification. *IEEE Trans Geosci Remote Sens* 41:1075–1081
- McCullagh P, Nelder JA (1989) Generalized linear models, 2nd edn. Chapman and Hall, London
- McCulloch WS, Pitts W (1943) A logical calculus of the ideas immanent in nervous activity. *Bull Math Biophys* 5:115–133
- McLachlan G, Krishnan T (1997) The EM algorithm and extensions. Wiley, New York
- McLachlan G, Peel D (2000) Finite mixture models. Wiley, New York
- Meinshausen N, Bühlmann P (2006) High-dimensional graphs and variable selection with the Lasso. *Ann Stat* 34(3):1436–1462
- Michalewicz Z (1996a) Genetic algorithms + data structures = evolution programs. Springer, Berlin
- Michalewicz Z (1996b) Genetic algorithms + data structures = evolution programs, 3rd edn. Springer, Berlin
- Miller AJ (1990) Subset selection in regression. Chapman and Hall, London
- Milligan GW, Cooper MC (1986) A study of the comparability of external criteria for hierarchical cluster analysis. *Multivar Behav Res* 21:441–458
- Minerva T, Paterlini S (2002) Evolutionary approaches for statistical modelling. In: Fogel DB, El-Sharkam MA, Yao G, Greenwood H, Iba P, Marrow P, Shakleton M (eds) Evolutionary

- computation 2002. Proceedings of the 2002 congress on evolutionary computation. IEEE Press, Piscataway, NJ, vol 2, pp 2023–2028
- Minerva T, Poli I (2001a) Building arma models with genetic algorithms. In: Boers EJW, et al (eds) *EvoWorkshop 2001, LNCS 2037*. Springer, Berlin, pp 335–342
- Minerva T, Poli I (2001b) A neural net model to predict high tides in Venice. In: Borra S, Rocci R, Vichi M, Shader M (eds) *Advances in data analysis and classification*. Springer, Berlin, pp 367–374
- Minervini G, Evangelista G, Villanova L, Slanzi D, De Lucrezia D, Poli I, Luisi P, Politicelli F (2009) Massive non natural proteins structure prediction using grid technologies. *BMC Bioinformatics* 10(6):S22
- Mitchell M (1996) *An Introduction to genetic algorithms*. The MIT Press, Cambridge, MA
- Mola F, Miele R (2006) Evolutionary algorithms for classification and regression trees. In: Zani S, Cerioli A, Riani M, Vichi M (eds) *Data analysis, classification and the forward search*. Springer, Heidelberg, pp 255–262
- Montgomery D (2009) *Design and analysis of experiments*. Wiley, New York, NY
- Mühlenbein H, Schlierkamp-Voosen D (1993) Predictive models for the breeder genetic algorithm: I. continuous parameter optimization. *Evol Comput* 1:25–49
- Muhlenbein H, Paas G (1996) From recombination of genes to the estimation of distributions I. Binary parameters. *Parallel Problem Solving from Nature – PPSN IV*, pp 178–187
- Murthy CA, Chowdhury N (1996) In search of optimal clusters using genetic algorithms. *Pattern Recognit Lett* 17:825–832
- Myers R, Montgomery D, Vining G, Borror C, Kowalski S (2004) Response surface methodology: a retrospective and literature survey. *J Qual Technol* 36(1):53–77
- Ng R, Han J (1994) Efficient and effective clustering methods for spatial data mining. In: Proceedings of the 20th conference on VLDB, Santiago, Chile
- Ong CS, Huang JJ, Tzeng GH (2005) Model identification of ARIMA family using genetic algorithms. *Appl Math Comput* 164:885–912
- Ozaki T (1982) The statistical analysis of perturbed limit cycle processes using nonlinear time series models. *J Time Ser Anal* 3:29–41
- Pasia JM, Hermosilla AY, Ombao H (2005) A useful tool for statistical estimation: genetic algorithms. *J Statistical Comput Simul* 75:237–251
- Pelikan M (2005) *Hierarchical Bayesian optimization algorithm*. Springer, New York, NY
- Peña D (1990) Influential observations in time series. *J Bus Econ Stat* 8:235–241
- Peña D, Tiao GC (2003) The SAR procedure: a diagnostic analysis of heterogeneous data. Manuscript submitted for publication
- Pepelyshev A, Poli I, VB M (2009) Uniform coverage designs for mixture experiments. *J Stat Plan Inference* 139:3442–3452
- Piccolo D (1990) A distance measure for classifying ARIMA models. *J Time Ser Anal* 11:153–164
- Pistone G, Riccomagno E, Wynn H (2000) *Algebraic statistics: computational commutative algebra in statistics*. Chapman & Hall/CRC, London
- Pittman J, Murthy CA (2000) Fitting optimal piecewise linear functions using genetic algorithms. *IEEE Trans Pattern Anal Mach Intell* 22(7):701–718
- Pizzi C, Parpinel F, Soligo M (2009) Spline regression for an evolutionary approach to experimental design. Working paper 25, European centre for living technology, Venice, 2nd Workshop of the ERCIM Working Group on Computing & Statistics, Cyprus
- Poli I (2006) Evolutionary design of experiments. Working paper 18, European Centre for Living Technology, Venice, PACE Report
- Poli I, Jones R (1994) A neural net model for prediction. *J Am Stat Assoc* 89(425):117–121
- Poli I, Roverato A (1998) A genetic algorithm for graphical model selection. *J Ital Stat Soc* 2: 197–208
- Price KV, Storn R, Lampinen J (2005) *Differential evolution, a practical approach to global optimization*. Springer, Berlin
- Priestley MB (1988) *Non-linear and non-stationary time series analysis*. Academic Press, London

- Rand WM (1971) Objective criteria for the evaluation of clustering methods. *J Am Stat Assoc* 66:846–850
- Reeves CR, Rowe JE (2003) Genetic algorithms – principles and perspective: a guide to GA theory. Kluwer, London
- Reinsel GC (1993) Elements of multivariate time series analysis. Springer, New York, NY
- Riani M (2004) Extensions of the forward search to time series. *Stud Nonlinear Dyn Econom* 8(2), Article 2
- Rissanen J (1987) Stochastic complexity. *J R Stat Soc B* 49:223–265
- Rissanen J (2007) Information and complexity in statistical modelling. Springer, Berlin
- Roberts GO, Gilks WR (1994) Convergence of adaptive direction sampling. *J Multivar Anal* 49:287–294
- Robles V, Bielza C, Larrañaga P, González S, Ohno-Machado L (2008) Optimizing logistic regression coefficients for discrimination and calibration using estimation of distribution algorithms. *TOP* 16:345–366
- Rosenblatt F (1958) The perceptron: a probabilistic model for information storage and organization in the brain. *Psychol Rev* 65:386–408
- Roverato A, Poli I (1998) A genetic algorithm for graphical model selection. *J Ital Stat Soc* 7:197–208
- Rudolph G (1997) Convergence properties of evolutionary algorithms. Verlag Dr. Kovač, Hamburg
- Rumelhart DE, Hinton GE, Williams RJ (1986) Learning internal representations by error propagation. In: Rumelhart DE, McClelland JL (eds) *Parallel distributed processing*. MIT Press, Cambridge, MA, pp 318–362
- Sabatier R, Reynés C (2008) Extensions of simple component analysis and simple linear discriminant analysis using genetic algorithms. *Comput Stat Data Anal* 52:4779–4789
- Sahni S, Gonzalez T (1976) P-complete approximation problems. *J Assoc Comput Mach* 23:555–565
- Sarle WS (1994) Neural networks and statistical models. In: *Proceedings of the 19th annual SAS users group international conference*. SAS Institute, Cary, NC, pp 1538–1550
- Schmitt LM, Nehainv CL, Fujii RH (1998) Linear analysis of genetic algorithms. *Theor comput sci* 200:101–134
- Schneider J, Kirkpatrick S (2006) Stochastic optimization. Springer, Berlin Heidelberg
- Schwarz G (1978) Estimating the dimension of a model. *Ann Stat* 6:461–464
- Sessions D, Stevans L (2006) Investigating omitted variable bias in regression parameter estimation: a genetic algorithm approach. *Comput Stat Data Anal* 50:2835–2854
- Shapiro J (2001) Statistical mechanics theory of genetic algorithms. In: Kallel L, Naudts B, Rogers A (eds) *Theoretical aspects of genetic algorithms*. Springer, Berlin, pp 87–108
- SI (2008) Statistical innovations, <http://www.statisticalinnovations.com/products/DemoData/diabetes.dat>
- Slanzi D, De March D, Poli I (2009a) Evolutionary probabilistic graphical models in high dimensional data analysis. In: Mola F, Conversano C, Vinzi V, Fisher N (eds) *European regional meeting of the international society for business and industrial statistics*, Cagliari, Italy, TAPILA editore, pp 124–125
- Slanzi D, De March D, Poli I (2009b) Probabilistic graphical models in high dimensional systems. In: Ermakov S, Melas V, Pepelyshev A (eds) *Simulation*. St. Petersburg VVM com., pp 557–561, Saint Petersburg, Russia
- Slanzi D, Poli I (2009) Evolutionary bayesian networks for high-dimensional stochastic optimization. Working paper 26, European centre for living technology, Venice, 2nd Workshop of the ERCIM working group on computing & statistics, Cyprus
- Slanzi D, Poli I, De March D, Forlin M (2008) Bayesian networks for high dimensional experiments. Working paper 20, European centre for living technology, Venice, workshop on Bayesian analysis of high dimensional data, 14–16 Apr 2008, Warwick, UK
- Smith RE, Forrest S, Perelson AS (1993) Population diversity in an immune system model: implications for genetic search. In: Whitley DL (ed) *Foundations of genetic algorithms 2*. Morgan Kaufmann, San Mateo, CA, pp 153–165

- Spears WM, De Jong KA (1991) An analysis of multi-point crossover. In: Rawlins GJE (ed) Foundations of genetic algorithms. Morgan Kaufmann, San Mateo, CA, pp 301–315
- Statlib (2008) The data and story library (DASL). <http://lib.stat.cmu.edu/DASL>
- Stock JH, Watson MW (2004) Combination forecasts of output growth in a seven-country data set. *J Forecast* 23:405–430
- Storn R, Price K (March 1995) Differential evolution – a simple and efficient adaptive scheme for global optimization over continuous spaces. Technical Report TR-95-012, ICSI. <ftp.icsi.berkeley.edu>
- Stützle T, Hoos HH (2000) Max–min ant systems. *Future Gen Comput Syst* 16(8):889–914
- Subba Rao T (1981) On the theory of bilinear time series models. *J R Stat Soc B* 43:244–255
- Sun ZL, Huang DS, Zheng CH, Shang L (2006) Optimal selection of time lags for TDSEP based on genetic algorithm. *Neurocomputing* 69:884–887
- Symons MJ (1981) Clustering criteria and multivariate normal mixtures. *Biometrics* 37:35–43
- Syswerda G (1989) Uniform crossover in genetic algorithms. In: Schaffer JD (ed) Proceedings of the 3rd international conference on genetic algorithms. Morgan Kaufmann, Los Altos, CA, pp 2–9
- Tan Y, Wang J (2001) Nonlinear blind source separation using higher order statistics and a genetic algorithm. *IEEE Trans Evol Comput* 5:600–612
- Teräsvirta T (1994) Specification, estimation and evaluation of smooth transition autoregressive models. *J Am Stat Assoc* 89:208–218
- Theis M, Gazzola G, Forlin M, Poli I, Hanczyc M, Packard N, Bedau M (2008) Optimal formulation of complex chemical systems with a genetic algorithm. Working paper 19, European centre for living technology, Venice
- Tolvi J (2004) Genetic algorithms for outlier detection and variable selection in linear regression models. *Soft Comput* 8:527–533
- Tong H (1990) Non linear time series: a dynamical system approach. Oxford University Press, Oxford
- Tsay RS (1986) Time series model specification in the presence of outliers. *J Am Stat Assoc* 81:132–141
- Tsay RS (1988) Outliers, level shifts and variance changes in time series. *J Forecast* 7:1–20
- Tsay RS, Peña D, Pankratz AE (2000) Outliers in multivariate time series. *Biometrika* 87:789–804
- Tseng LY, Yang SB (2001) A genetic approach to the automatic clustering problem. *Pattern Recognit* 34:415–424
- Turing AM (1950) Computing machinery and intelligence. *Mind* 59:433–460
- Van Emden MH (1971) An analysis of complexity. Mathematical Centre Tracts, Amsterdam
- Versace M, Bhatt R, Hinds O, Shiffer M (2004) Predicting the exchange traded fund DIA with a combination of genetic algorithms and neural networks. *Expert Syst Appl* 27:417–425
- Vitrano S, Baragona R (2004) The genetic algorithm estimates for the parameters of order p normal distributions. In: Bock HH, Chiodi M, Mineo A (eds) Advances in multivariate data analysis. Springer, Berlin Heidelberg, pp 133–143
- Vose MD (1999) The simple genetic algorithm: foundations and theory. The MIT Press, Cambridge, MA
- Wang X, Smith KA, Hyndman RJ (2005) Characteristic-based clustering for time series data. *Data Min Knowl Discov* 13:335–364
- Whitley D (1994) A genetic algorithm tutorial. *Stat Comput* 4:65–85
- Winker P (2001) Optimization heuristics in econometrics: applications of threshold accepting. Wiley, Chichester
- Winker P, Gilli M (2004) Applications of optimization heuristics to estimation and modelling problems. *Computat Stat Data Anal* 47:211–223
- Wolpert DH, Macready WG (1997) No free lunch theorems for optimization. *IEEE Trans Evol Comput* 1:67–82
- Wong CS, Li WK (1998) A note on the corrected akaike information criterion for threshold autoregressive models. *J Time Ser Anal* 19:113–124

- Wu B, Chang CL (2002) Using genetic algorithms to parameters (d,r) estimation for threshold autoregressive models. *Comput Stat Data Anal* 38:315–330
- Wu C, Hamad M (2000) *Experiments*. Wiley, New York, NY
- Xie XS, Beni G (1991) A validity measure for fuzzy clustering. *IEEE Trans Pattern Anal Mach Intell* 13:841–847
- Zani S (1983) Osservazioni sulle serie storiche multiple e l'analisi dei gruppi. In: Piccolo D (ed) *Analisi moderna delle serie storiche*. Franco Angeli, Milano, pp 263–274
- Zemella G, De March D (2009) The optimisation of building envelopes with evolutionary procedure. Working paper 27, European Centre for Living Technology, Venice, 2nd workshop of the ERCIM working group on Computing & Statistics, Limassol, Cyprus
- Zhou X, Wang J (2005) A genetic method of LAD estimation for models with censored data. *Comput Stat Data Anal* 48:451–466
- Ziehe A, Müller KR (1998) Tdsep – and efficient algorithm for blind separation using time structure. In: *Proceedings of the international conference on ICANN, perspectives in neural computing*. Springer, Berlin, pp 675–680

Index

A

Activation, 119–120
AIC (asymptotic information criterion), 68, 92–94, 105, 186–187, 197, 246
ANN (artificial neural networks), 118–124
Ant colony, 25–27
Antigens, 60
ARCH, 98, 169
ARIMA, 88, 95, 124, 167–181, 183, 189
AUC, 73

B

Backpropagation, 119–122
Backward operator, 89
BIC, 93, 95, 116, 133
Bilateral models, 168, 194
Bilinear, 88, 114–116, 168–169
Bin Packing Crossover, 230
Blocks design, 44, 52, 129, 243
Boltzman selection, 54, 94
Box-Cox-type transformation, 162
BSS, 75

C

Canadian lynx, 114, 116–117
Censored experiment, 69
Chromosomes, 8, 42, 102, 164
 chromosome legality, 186
 order – based chromosomes, 163
Classification, 13, 200–203, 248
 supervised, 201
 unsupervised, 201, 203
Clustering, 204, 219, 233, 249–254
 hierarchical, 244
 non-hierarchical, 204
Coding, 37–39, 92
Complete enumeration, 3, 55, 187, 221

Complexity, 10–11, 93
Conditional expectation, 88
Correlation, 68, 83, 249–250
 autocorrelation, 91, 174
 inverse autocorrelation, 174
 inverse correlations, 175, 197
Covariance
 autocovariance, 173, 183, 185
 inverse autocovariance, 173, 185
 inverse covariance, 182–183, 185
Cross-cumulant, 78
Crossover, 19, 27, 32–34, 82, 99–100, 163–164, 190–191, 220, 223–225, 228, 230, 238, 242, 245, 256, 260
Crowding, 41

D

Darwin, Charles, 7–8, 43
Deletion approach, 162, 178
De-mixing matrix, 76, 78, 80, 83–84
Design of experiments, 125–157
Diagnostic checking, 90–91, 169
Difference vectors, 23
Discriminant analysis, 118, 201, 226
Dispersion matrix, 16, 204–207
Dissimilarity, 199–202
 coefficients, 202
 matrix, 202, 221
Distance measure
 Cook’s squared distance, 167
 determinantal ratio, 167
 Euclidean distance, 164, 202–203, 212, 214, 226, 230, 235
 Mahalanobis distance, 162, 227
 Minkowski distance, 214
DTARCH, 97–99

E

- Elitist strategy, 20, 49–50, 66, 68, 84, 95–96, 99, 163, 190, 220, 223, 230, 238, 259–260
- Encoding, 35, 38, 41–42, 54–55, 72–74, 78, 84, 92–93, 104–105, 184–185, 189, 220, 228
- Environment, 7, 9, 60
- Evolutionary algorithm, 2–4, 36, 86, 227
 - convergence of, 3
 - evolutionary approach to industrial productivity, 1
- Evolutionary Bayesian network design, 126, 152–157
 - dependence relation, 130, 152
 - nodes, 152, 248
- Evolutionary computation, 5–61, 63–64, 69–70
 - differential evolution, 23–25
 - estimation of distribution algorithms, 20–23
 - evolutionary behavior algorithms, 25–27
 - evolutionary computing, 2–4, 85–87, 168, 239–247
 - evolutionary programming, 14–15
 - evolution strategies, 15–17
 - genetic algorithms, 4–5, 9–10, 18–20, 36–41
 - genetic programming, 15
- Evolutionary design, 126, 132–143, 152
- Evolutionary model based experimental design, 144–157
- Evolutionary neural network design, 144
 - neural networks, 144
 - predictive neural networks, 145
- Evolutionary operator, 72, 230
- Evolutionary paradigm, 126, 133–134
- Exhaustive solution enumeration, 160
- EXPAR, 88, 100–101, 106–107, 109–111, 117–118
- Experiment, 125–157
 - experimental errors, 127
 - experimental points, 126–128, 133–134, 144
 - factor levels, 135, 138
 - factors, 129–132, 135, 152
 - response, 135–136, 151, 154
 - treatments, 126
- Exploitation, 53
- Exploration, 53, 134
- External validity, 213
- Extremes, 160
- Extreme values, 160, 167

F

- Factorial experiments, 129–132
 - interactions, 130
 - main factor effects, 129–130
- FDA, 22
- Feedback, 122
- Fitness, 18–19, 26–27, 40, 45–47, 50–56, 68, 94–95, 164–166, 190, 222, 228
- Fitness scaling, 40
- Fixed point, 49
- Floating-point encoding, 35, 244–245
- Forecasts, 2, 107–108, 117–118
- Forward search, 162, 168
- Functional autoregressive models, 169
- Function optimizers, 4, 9, 219
- Fuzzy partition, 234–238

G

- Gene, 8, 18, 42–46
- Generation, 12–13, 18–20, 48–51, 134–136
- Generational gap, 106, 163
- Genetic algorithm design, 126, 135–143
- Genetic Clustering for Unknown K (GCUK), 227
- Goodness of fit, 64, 168
- Gradient descent, 77, 80, 82, 122
- Graphical model, 67, 152
- Gray code, 38

H

- Hamming distance, 38, 41, 54
- Hard (or crisp) partition, 200
- Heuristic, 3, 11–12
- Heuristic optimization, 11
- Hidden units, 120–121
- Hierarchical, 67
- High dimensionality, 125–126, 132–133
- Hybridization, 2, 42–44, 240
- Hybrid methods, 2

I

- ICA (independent component analysis), 76–84
- ICOMP, 93–94, 96
- Identification, 64–69
- Influential observations, 159, 167
- Integer loading, 68
- Internal validity, 207, 213
- Intra-cluster separation, 214
- Inversion, 20, 73, 102, 231
- IRLS, 71

K

- k*-means algorithm, 211–212, 214–215, 218–219, 227
- Kurtosis, 39, 78, 184

L

LAD (least absolute deviation), 69
 Lamarck, 43
 Large databases, 233
 Learning, 6, 126
 Leave-k-out, 168, 178–179
 Likelihood, 29–31, 70–71, 87, 90, 171, 183–184, 186–187, 239
 Limit cycles, 101
 Linear interpolator, 168, 173–176, 180, 182–183, 192–195
 Link function, 67, 70
 Locus-dependent coding, 41–42
 Logit, 70–71
 Long-memory, 95

M

MAD (median of absolute deviation), 29, 31, 35–36
 Markov chain, 48–49
 Masking, 168
 MCMC (Markov Chain Monte Carlo), 56–57, 59
 Memetic algorithms, 42
 Meta-heuristics, 96, 160
 Metric property, 202
 Minimum description length, 94, 124
 Missing data, 167, 173, 178
 Mixing matrix, 75, 80
 Model based Genetic Algorithm design, 126, 144, 147
 Model identification, 86, 168
 Multi-point crossover, 84
 Mutant, 24–25
 Mutation, 7–8, 17, 19–20, 34–35, 42, 45–46, 58, 93, 100, 136–137, 140
 Mutual information, 77

N

Nearest neighbor, 208
 Negentropy, 76–77
 Neo-Darwinism, 7
 No free lunch, 11, 43, 51
 Number of partitions, 200, 203, 210, 226

O

Offspring, 15–17, 19–20
 Omitted variable, 67
 Optimization, 1–4, 9–12, 25–27, 41–44
 Order crossover operators, 164
 Ordering crossover, 223
 Order selection, 92
 Orthogonality relationship, 182–183
 Outlier diagnostics, 160

Outliers, 28–29, 159–197

aberrant observation, 159–160
 additive, 169, 177, 182–183
 contaminants, 162
 global outlier, 191, 197
 gross error, 159, 161, 169
 innovation, 169–170, 178, 186
 level change, 176
 level shift, 169–170
 multiple outliers, 160–162, 172, 186–191
 outlier patch, 177–178
 outlying observations, 159–160, 162–164, 167–168, 173, 176–178, 187
 partial outlier, 191, 197
 volatility outliers, 169

P

Parameter estimation, 63, 69–74, 90
 Pareto optimality elitist strategy, 260
 Parsimony, 89–90
 Partially matched crossover, 223
 Particle swarm, 25–27
 Pattern design matrix, 182, 188
 Penalized fitness, 40
 Penalized likelihood, 93, 133, 187
 Perceptron, 2, 119–123, 125
 Permutation, 3, 75–76, 80, 163–165, 222–225
 Pheromone, 25–26
 PLTAR, 88, 103–114
 Polynomial models, 148
 first order polynomial model, 131–132
 second order polynomial model, 132
 Population, 12–13, 16–20, 23–24, 48, 252, 260
 Populations of experiments, 135, 144
 Projection pursuit, 75

Q

Quick partition algorithm, 221–222, 227

R

Randomization, 128–129
 Random numbers generation, 57
 Rank selection, 39–40, 54, 68
 Recombination, 8, 16–17, 136, 139
 Regression residual sum of squares, 167
 Replication, 128–129
 Reproduction, 7–8, 18–19
 Response function, 131–132
 Response surface methodology, 129–132
 method of steepest ascent, 132
 method of steepest descent, 132
 RMSE, 35–36, 106–110, 113

Robust statistics, 160
 ROC (receiver operating characteristic), 73
 Roulette wheel, 33, 66, 166, 248

S

Schema, 44–47
 Schwarz criteria, 93
 SDM (state dependent model), 87, 114
 Search space, 2, 38, 132–133
 Seasonal, 14, 95
 Selection, 13, 18, 32–33, 245
 Selection of variables, 63
 Self-adaptation, 17
 SETAR, 88, 97–99, 117–118
 Sigmoid, 120–121
 Similarity, 199–200, 226
 Simulated annealing, 42, 66
 Single linkage, 208
 Smearing, 168
 Snooker, 59
 STAR, 106
 State-dependent model, 168
 State – space, 168
 Stationarity, 85–86
 Statistical mechanics, 50
 Subset ARMA, 90
 Subset regression, 65–66
 Sunspot, 117–118
 Supermartingale, 50

T

Test set, 121
 Threshold accepting, 12, 42, 70, 97
 Time delay, 251, 253
 Tournament, 19, 73, 102, 245
 Training set, 121, 144–145
 Transfer function, 96, 195
 Traveling salesman problem, 2, 26
 Trimmed estimates of the covariance matrices, 187
 Trimmed mean, 195
 Truncation point, 183, 188, 195

U

UMDA (Univariate Marginal Distribution Algorithm), 21
 Uniform order crossover, 164

V

Validation, 39–40, 121
 VAR, 96, 194
 Variable string length genetic algorithm, 236
 VARIMA, 192, 197

W

White noise, 27–29, 86–87, 92, 96
 Within – class scatter, 213
 Wold decomposition, 89