

References

- [ABM03] C. Areces, P. Blackburn, M. Marx, “Repairing the interpolation theorem in quantified modal logic”, *Annals of Pure and Applied Logics*, 123 (1–3), pp. 287–299, 2003
- [AGM85] C. Alchourron, P. Gardenfors, D. Makinson, “On the logic of theory change: partial meet contraction and revision functions”, *Journal of Symbolic Logic*, Vol. 50, pp. 510–530, 1985
- [Ami02] E. Amir, “Interpolation systems for nonmonotonic reasoning systems”, *JELIA 2002*, pp. 233–244
- [BB94] S. Ben-David, R. Ben-Eliyahu, “A modal logic for subjective default reasoning”, *Proceedings LICS-94*, July 1994, Paris, France, S. Abramsky (ed.), pp. 477–486, IEEE Computer Science Press, 1994
- [BLS99] S. Berger, D. Lehmann, K. Schlechta, “Preferred history semantics for iterated updates”, *Journal of Logic and Computation*, Vol. 9, No. 6, pp. 817–833, 1999
- [BS85] G. Bossu, P. Siegel, “Saturation, nonmonotonic reasoning and the closed-world assumption”, *Artificial Intelligence 25* (1985), pp. 13–63
- [Bou90a] C. Boutilier, “Conditional logics of normality as modal systems”, *AAAI 1990*, Boston, p. 594
- [CP00] S. Chopra, R. Parikh, “Relevance sensitive belief structures”, *Annals of Mathematics and Artificial Intelligence*, vol. 28, No. 1–4, pp. 259–285, 2000
- [Cra57] W. Craig, “Three uses of the Herbrand-Gentzen theorem in relating model theory and proof theory”, *Journal of Symbolic Logic 22* (1957), No. 3, pp. 269–285
- [DP94] A. Darwiche, J. Pearl, “On the logic of iterated belief revision”, in: “*Proceedings of the Fifth Conference on Theoretical Aspects of Reasoning about Knowledge*”, R. Fagin (ed.), pp. 5–23, Morgan Kaufmann, Pacific Grove, 1994
- [DP97] A. Darwiche, J. Pearl, “On the logic of iterated belief revision”, *Journal of Artificial Intelligence*, Vol. 89, No. 1–2, pp. 1–29, 1997
- [FH96] N. Friedman, J. Halpern, “Plausibility measures and default reasoning”, *Journal of the ACM*, Vol. 48, pp. 1297–1304, 1996
- [GM05] D. Gabbay, L. Maksimova, “*Interpolation and definability*”, Clarendon Press, Oxford, 2005
- [GS08a] D. Gabbay, K. Schlechta, “Cumulativity without closure of the domain under finite unions”, *Review of Symbolic Logic 1* (3): pp. 372–392, 2008
- [GS08b] D. Gabbay, K. Schlechta, “Reactive preferential structures and nonmonotonic consequence”, *Review of Symbolic Logic*, Vol. 2, No. 2, pp. 414–450
- [GS08c] D. Gabbay, K. Schlechta, “Roadmap for preferential logics”, *Journal of Applied Nonclassical Logic*, Vol. 19/1, pp. 43–95, Hermes, Paris, 2009, see also hal-00311941, arXiv 0808.3073

- [GS08d] D. Gabbay, K. Schlechta, “A theory of hierarchical consequence and conditionals”, *Journal of Logic, Language and Information*, 19:1, pp. 3–32, Jan. 2010
- [GS08e] D. Gabbay, K. Schlechta, “Defeasible inheritance systems and reactive diagrams”, *Logic Journal of the IGPL*, 17:1–54, 2009
- [GS08f] D. Gabbay, K. Schlechta, “Logical tools for handling change in agent-based systems” Springer, 2009, ISBN 978-3-642-04406-9
- [GS08g] D. Gabbay, K. Schlechta, “A semantics for obligations”, hal-00339393, arXiv 0811.2754
- [GS09a] D. Gabbay, K. Schlechta, “Size and logic”, *Review of Symbolic Logic*, Vol. 2, No. 2, pp. 396–413
- [GS09c] D. Gabbay, K. Schlechta, “Semantic interpolation”, submitted, preliminary version: arXiv.org 0906.4082
- [GW08] D. Gabbay, J. Woods, “Resource-origins of nonmonotonicity”, *Studia Logica* 88:85–112, 2008
- [Gab04] D. M. Gabbay, “Reactive Kripke semantics and arc accessibility”, *Proceedings CombLog04*, July 28–30, 2004, W. Carnielli, F. M. Dionesio, P. Mateus (eds.), Centre of Logic and Computation, University of Lisbon, 2004, pp. 7–20
- [Gab08] D. M. Gabbay, “Reactive Kripke models and contrary to duty obligations”, *DEON 2008*, *Deontic Logic in Computer Science*, July 15–18, 2008, Luxembourg, R.v.d. Meyden, L.v.d. Torre (eds.), *Lecture Notes in Artificial Intelligence*, LNAI 5076, pp. 155–173, Springer, 2008
- [Gab85] D. M. Gabbay, “Theoretical foundations for non-monotonic reasoning in expert systems”. K. R. Apt (ed.), “*Logics and Models of Concurrent Systems*”, Springer, pp. 439–457, 1989
- [HM07] J. Hawthorne, D. Makinson, “The quantitative/qualitative watershed for rules of uncertain inference”, *Studia Logica* 86(2), pp. 247–297, 2007
- [Han69] B. Hansson, “An analysis of some deontic logics”, *Nous* 3, 373–398. Reprinted in R. Hilpinen (ed.) “*Deontic Logic: Introductory and Systematic Readings*”, pp. 121–147, Reidel, Dordrecht, 1971
- [KLM90] S. Kraus, D. Lehmann, M. Magidor, “Nonmonotonic reasoning, preferential models and cumulative logics”, *Artificial Intelligence*, 44 (1–2), pp. 167–207, July 1990
- [KM07] G. Kourousias, D. Makinson, “Parallel interpolation, splitting, and relevance in belief change”, *Journal of Symbolic Logic*, 72, pp. 994–1002, Sept. 2007
- [KM90] H. Katsuno, A. O. Mendelzon, “On the difference between updating a knowledge base and revising it”, *Univ. of Toronto Tech. Rept.*, KRR-TR-90-6
- [LMS01] D. Lehmann, M. Magidor, K. Schlechta, “Distance semantics for belief revision”, *Journal of Symbolic Logic*, Vol. 66, No. 1, pp. 295–317, March 2001
- [LMS95] D. Lehmann, M. Magidor, K. Schlechta, “A Semantics for Theory Revision”, *LIM Research Report 1995 - 126*
- [Lew73] D. Lewis, “*Counterfactuals*”, Blackwell, Oxford, 1973
- [Mon70] R. Montague, “Universal grammar”, *Theoria* 36, pp. 373–98, 1970
- [PV09] D. Pearce, A. Valverde, “Interpolation in equilibrium logic and answer set programming”, submitted
- [Pac07] O. Pacheco, “Neighbourhood semantics for deontic and agency logics” *CIC’07*, October 2007
- [Par96] R. Parikh, “Belief, belief revision, and splitting languages”, L. S. Moss, J. Ginzburg and M. de Rijke (eds.) *Proceed. Logic, Language and Computation*, CSLI 1999, pp. 266–278
- [SM94] K. Schlechta, D. Makinson, “Local and global metrics for the semantics of counterfactual conditionals”, *Journal of Applied Nonclassical Logics*, Vol. 4, No. 2, pp. 129–140, Hermes, Paris, 1994
- [Sch04] K. Schlechta, “*Coherent systems*”, Elsevier, 2004
- [Sch90] K. Schlechta, “Semantics for defeasible inheritance”, L. G. Aiello (ed.), “*Proceedings ECAI 90*”, Stockholm, Sweden, 1990, Pitman, London/Boston, Springer, pp. 594–597, 1990

- [Sch91-1] K. Schlechta, "Theory revision and probability", *Notre Dame Journal of Formal Logic* 32, No.2, pp. 307–319, 1991
- [Sch91-3] K. Schlechta, "Some results on theory revision", A. Fuhrmann, M. Morreau (eds.), "The Logic of Theory Change", *Lecture Notes in Artificial Intelligence, LNAI 465*, pp. 72–92, Springer, 1991
- [Sch92] K. Schlechta, "Some results on classical preferential models", *Journal of Logic and Computation, Oxford*, Vol.2, No.6, pp. 675–686, 1992
- [Sch93] K. Schlechta, "Directly sceptical inheritance cannot capture the intersection of extensions", *Journal of Logic and Computation, Oxford*, Vol. 3, No. 5, pp. 455–467, 1995
- [Sch95-1] K. Schlechta, "Defaults as generalized quantifiers", *Journal of Logic and Computation, Oxford*, Vol. 5, No. 4, pp. 473–494, 1995
- [Sch95-2] K. Schlechta, "Logic, topology, and integration", *Journal of Automated Reasoning*, 14:353–381, 1995
- [Sch96-1] K. Schlechta, "Some completeness results for stoppered and ranked classical preferential models", *Journal of Logic and Computation, Oxford*, Vol. 6, No. 4, pp. 599–622, 1996
- [Sch96-3] K. Schlechta, "Completeness and incompleteness for plausibility logic", *Journal of Logic, Language and Information*, 5:2, pp. 177–192, 1996
- [Sch97-4] K. Schlechta, "Filters and partial orders", *Journal of the Interest Group in Pure and Applied Logics*, Vol. 5, No. 5, pp. 753–772, 1997
- [Sch97] K. Schlechta, "Nonmonotonic logics: basic concepts, results, and techniques", *Lecture Notes in Artificial Intelligence, LNAI 1187*, Springer, 1997
- [Sco70] D. Scott, "Advice in modal logic", "Philosophical problems in logic", K. Lambert (ed.), Reidel, 1970
- [Sho87b] Yoav Shoham, "A semantical approach to nonmonotonic logics". *Proc. Logics in Computer Science*, pp. 275–279, Ithaca, NY, 1987, IEEE Computer Society, and *Proceedings IJCAI 87, Milan, Italy, August 1987*, J. P. McDermott (ed.), pp. 388–392, Morgan Kaufmann, San Francisco, 1987
- [Spo88] W. Spohn, "Ordinal conditional functions: a dynamic theory of epistemic states". W. L. Harper, B. Skyrms (eds.), "Causation in decision, belief change, and statistics", vol. 2, pp. 105–134, Reidel, Dordrecht, 1988
- [Sta68] Stalnaker, "A theory of conditionals", N. Rescher (ed.), "Studies in logical theory", Blackwell, Oxford, pp. 98–112
- [TH89] R. H. Thomason, J. F. Horty, "Logics for inheritance theory", M. Reinfrank, J. de Kleer, M. L. Ginsberg, E. Sandewall (eds.), "Non-monotonic reasoning", *Proceedings 2nd Int. Workshop, Grassau, 1988, Lecture Notes in Artificial Intelligence, LNAI 346*, pp. 220–237, Springer, 1989
- [THT86] R. H. Thomason, J. F. Horty, D. S. Touretzky, "A calculus for inheritance in monotonic semantic nets", *Tech. Rept. CMU-CS-86-138, Comp. Sci. Dept., Carnegie Mellon University*, 1986
- [THT87] D. S. Touretzky, J. F. Horty, R. H. Thomason, "A clash of intuitions: the current state of nonmonotonic multiple inheritance systems", *Proceed. IJCAI 1987*, pp. 476–482
- [TTH91] D. S. Touretzky, R. H. Thomason, J. F. Horty, "A skeptic's menagerie: conflictors, preemptors, reinstaters, and zombies in nonmonotonic inheritance", *Proceed. IJCAI 1991*, pp. 478–483
- [Tou86] D. S. Touretzky, "The mathematics of inheritance systems", Pitman, London/Morgan Kaufmann, Los Altos, 1986

Index

- (μCM) , 40
- (μCUT) , 38
- $(\mu \subseteq \supseteq)$, 40
- $(\subseteq \supseteq)$, 40
- $\overline{\overline{T}}$, 35
- \overline{T} , 35
- $\langle \alpha, k \rangle : x \rightarrow y$, 48
- $\langle M, \mathcal{N}(M) \rangle$, 154
- $\langle S, T \rangle^i$, 112
- $\langle \alpha, k \rangle : \langle x, i \rangle \rightarrow \langle y, i \rangle$, 48
- $\langle x, y, z \rangle_c$, 206
- $\langle x, y, z \rangle_d$, 206
- $\langle x, y, z \rangle_s$, 206
- $(-)$, 34
- (AND) , 58
- (CCL) , 73
- (GH) , 29, 173, 178
- $(GH1)$, 20, 22, 153, 158, 172, 173
- $(GH2)$, 20, 22, 153, 158, 173
- $(GH3)$, 172, 173, 175, 178, 184
- (GHD) , 176, 178
- $(GHD1)$, 176
- $(GHD2)$, 176
- (LLE) , 73
- (OR) , 58
- (Opt) , 155, 163, 170
- $(RatM)$, 163, 167
- (SC) , 73
- (T) , 104
- $(UpCum)$, 108
- (eMI) , 178
- (iM) , 155, 163, 166, 170, 178
- (ui) , 204
- (wOR) , 156
- A , 136
- GH , 172, 173, 175
- $\ll_{/s}$, 208
- \parallel , 34
- \parallel_c , 207
- \parallel_s , 207
- \mathfrak{N} , 146
- $\Lambda(X)$, 56
- Π , 33
- $\Pi(\mathbf{D}, \alpha)$, 73
- $\Pi(\mathbf{O}, \alpha)$, 73
- $\alpha(p, q, r)$, 145
- $\alpha : \langle x, i \rangle \rightarrow \langle y, i \rangle$, 48
- $\alpha : x \rightarrow y$, 48
- $\beta(p, s)$, 145
- \in -case, 207
- $\phi \vdash \alpha \vdash \psi$, 21, 157, 183, 190, 192
- $\phi \vdash \sim \alpha \vdash \psi$, 21, 157, 181, 191, 192
- $\phi \vdash \alpha \vdash \sim \psi$, 21, 157, 184, 191, 192
- ϕ_M , 204
- $\lambda(\alpha)$, 65
- $\mu(X)$, 68
- μ_M , 48
- $\sigma \sim_{j'} \sigma'$, 35
- \subset , 34
- \subseteq , 34
- \supseteq , 34
- \supset , 34
- \leq , 34, 44
- \vdash , 35
- $\vdash \circ \vdash$, 178
- \models , 35
- $\vdash \circ \vdash$, 178
- \mathbf{C} , 34
- $\mathbf{D}(\alpha)$, 73
- $\mathbf{D}_{\mathcal{L}}$, 35
- $\mathbf{D}_{\mathcal{L}}$ -smooth, 50
- $\mathbf{O}(\alpha)$, 73

- \mathcal{A} -ranked structure, 12, 107
- $\mathcal{D}(\mathcal{O})$, 204
- \mathcal{F} , 34
- \mathcal{I} , 34
- \mathcal{M}^+ , 164
- \mathcal{P} , 33
- \mathcal{Y} -essentially smooth, 71
- \mathcal{Y} -smooth, 49
- ∇ , 164
- \prec^* , 34
- $\prec_{l,c}$, 208
- $\prec_{l,s}$, 208
- \vdash , 2, 33, 47, 183, 185
- $(*CCL)$, 81
- $(*Con)$, 81
- $(*Equiv)$, 81
- $(*Loop)$, 81
- $(*Succ)$, 81
- $(1 * s)$, 155, 164, 165
- $(2 * s)$, 164, 165
- $(\prec \omega * s)$, 155, 164, 165, 170, 178
- (AND) , 38
- (AND_1) , 38, 165
- (AND_ω) , 165, 167
- (AND_2) , 165
- (AND_n) , 38, 165
- $(B1)$, 155
- $(B2)$, 155
- $(B3)$, 155
- $(B4)$, 155
- $(B5)$, 155
- (CCL) , 38, 52
- (CM) , 40
- (CM_2) , 40, 165
- (CM_n) , 40, 165
- (CM_ω) , 156, 165, 167
- (CP) , 38, 165
- (CUM) , 40, 52
- (CUT) , 38
- (DR) , 40
- $(EE1)$, 79
- $(EE2)$, 79
- $(EE3)$, 79
- $(EE4)$, 79
- $(EE5)$, 79
- $(F3')$, 34
- $(I3')$, 34
- $(I \cup disj)$, 38
- (I_1) , 38
- (I_2) , 38, 40
- (I_ω) , 38, 40
- (I_n) , 38, 40
- $(K * 1)$, 79
- $(K * 2)$, 79
- $(K * 3)$, 79
- $(K * 4)$, 79
- $(K * 5)$, 79
- $(K * 6)$, 79
- $(K * 7)$, 79
- $(K * 8)$, 79
- $(K - 1)$, 79
- $(K - 2)$, 79
- $(K - 3)$, 79
- $(K - 4)$, 79
- $(K - 5)$, 79
- $(K - 6)$, 79
- $(K - 7)$, 79
- $(K - 8)$, 79
- (LLE) , 38, 52
- $(Log \parallel)$, 40
- $(Log =')$, 40
- $(Log \cup')$, 40, 52
- $(Log \cup)$, 40, 52
- (NR) , 165
- (OR) , 38
- (OR_ω) , 165, 167
- (OR_2) , 165
- (OR_n) , 165
- (Opt) , 38, 164, 165
- (PR') , 165
- (PR) , 38, 52
- (REF) , 38
- (RW) , 38, 165
- $(RW)+$, 52
- $(RatM)$, 40, 52, 165
- $(RatM =)$, 40, 52
- $(ResM)$, 40
- $(S * 1')$, 170
- $(S * 1)$, 20, 169, 173, 183
- $(S * 2)$, 169, 172, 173, 183
- $(S * 3)$, 169, 183
- $(S * i)$, 170
- (SC) , 38, 52, 165
- (\approx) , 163–165
- $(\Delta \cap)$, 57
- $(\phi! \psi)$, 129, 130
- $(\phi? \psi)$, 131, 133
- $(\mu * 1)$, 7, 20, 21, 153, 157, 169, 170, 173, 175, 178, 185
- $(\mu * 2)$, 21, 158, 170, 173, 175, 176, 178
- $(\mu * 3)$, 170
- $(\mu * i)$, 170
- $(\mu =')$, 40
- $(\mu =)$, 40
- (μCM) , 165
- (μCUM) , 40, 52, 70, 73
- (μId) , 104
- (μOR) , 38, 165

- $(\mu PR')$, 38
- (μPR) , 38, 52, 165
- $(\mu RatM)$, 40, 52, 165
- $(\mu ResM)$, 40
- $(\mu S1)$, 102
- $(\mu S2)$, 102
- $(\mu \emptyset fin)$, 38, 52
- $(\mu \emptyset)$, 38, 52
- $(\mu \parallel)$, 40
- $(\mu \in)$, 40
- $(\mu \exists)$, 106
- $(\mu \subseteq \supseteq)$, 52, 70, 73
- $(\mu \subseteq)$, 38, 52, 73
- $(\mu \cup')$, 40
- $(\mu \cup)$, 40
- $(\mu disjOR)$, 38, 165
- (μdp) , 35, 52
- (μwOR) , 38, 165
- $(\mu =')$, 52
- $(\mu =)$, 52
- $(\mu \parallel)$, 52
- $(\mu \in)$, 52
- $(\mu \cup')$, 52
- $(\mu \cup)$, 52
- (\cap) , 34
- (\cup) , 34
- $(\subseteq \supseteq)$, 52, 73
- (\cap) , 34, 73
- (\cup) , 34, 52
- (C) , 34
- $(\mathcal{F} \cup disj)$, 164
- (\mathcal{F}_1) , 164
- (\mathcal{F}_2) , 164
- (\mathcal{F}_ω) , 164
- (\mathcal{F}_n) , 164
- $(\mathcal{I} \cup disj)$, 164
- (\mathcal{I}_1) , 164
- (\mathcal{I}_2) , 164
- (\mathcal{I}_ω) , 164
- (\mathcal{I}_n) , 164
- $(\mathcal{M}^+ \cup disj)$, 164
- (\mathcal{M}^{++}) , 40, 164, 165, 178
- (\mathcal{M}_ω^+) , 40, 164, 167, 178
- (\mathcal{M}_n^+) , 164
- (∇_1) , 164
- (∇_2) , 164
- (∇_n) , 164
- (∇_ω) , 164
- $(\mid *)$, 178
- $(\mid Con)$, 81
- $(\mid Loop)$, 81
- $(\mid Succ)$, 81
- $(big * 1 \Rightarrow big)$, 168
- $(big * big \Rightarrow big)$, 168, 169
- $(disjOR)$, 38, 165
- (eMF) , 40, 155, 163–166
- (eMT) , 38, 40, 155, 163–166
- $(f \uparrow J)$, 16, 127
- $(f \uparrow J)(m)$, 117
- $(f \downarrow J)$, 16, 127
- $(f \downarrow J)(m)$, 117
- (iM) , 38, 164, 165
- $(n * s)$, 164, 165
- $(s * s)$, 170
- $(small * 1 \Rightarrow small)$, 169
- $(small * x \Rightarrow small)$, 169
- (wCM) , 40, 165
- (wOR) , 38, 165
- $(x * s)$, 163
- $(big * medium \Rightarrow medium)$, 169
- $(medium * medium \Rightarrow medium)$, 169
- $+(f, J)$, 126
- $+(f, m, J)$, 121
- $-(f, J)$, 126
- $-(f, m, J)$, 121
- $1 * x \Rightarrow x$, 178
- $<$, 34
- $A \mid_d B$, 80
- $A \uparrow B$, 109
- $Con(\cdot)$, 35
- $D(\alpha)$, 65
- DC' , 155
- F , 137, 146
- $F(\mathcal{L})$, 35
- GTS' , 155
- $I(\Sigma)$, 35
- J , 136, 146
- J' small, 178
- $K * \phi$, 79
- $K - \phi$, 79
- K_\perp , 78
- L , 35
- M , 35
- $M(T)$, 35
- $M(\phi! \psi)$, 127
- $M(\phi)$, 35
- $M(\phi? \psi)$, 127
- $M_{\mathcal{L}}$, 35
- M_T , 35
- $O(\alpha)$, 65
- $R(\Sigma)$, 35
- RBC' , 155
- SRM' , 155
- $T \models_{\mathcal{M}} \phi$, 49
- $T \vee T'$, 35
- $T *_d T'$, 81
- $Th(X)$, 35
- $Th(m)$, 35

- UC' , 155
 V , 33
 $X \ll_l Y$, 208
 $X \prec_l Y$, 208
 $X \sqsubseteq X'$, 69
 $X \mid Y$, 80, 176
 $X \uparrow J$, 127, 128
 $X \uparrow Y$, 80
 $X \downarrow J$, 127, 131
 Z , 137, 146
 $[x, z]_c$, 206
 $[x, z]_d$, 206
 $[x, z]_s$, 206
 $\phi! \psi$, 16, 117
 $\phi? \psi$, 16, 117
 ≥ 1 copy, 52
 \mathcal{Y} -totally smooth, 71
 ∇ , 154
 $a \perp b$, 34
 $b * b \Rightarrow b$, 168, 178
 $b * b \Leftrightarrow b$, 178
 $b * m \Rightarrow m$, 178
 $big * big = big$, 3, 19, 156, 171
 $d(\alpha)$, 65
 $d_c(x, y)$, 205
 $d_s(x, y)$, 205
 $f \leq g$, 47, 121
 $f \uparrow J$, 130
 $f \downarrow J$, 132
 f^+ , 6, 47, 116, 121, 122, 124, 137
 f^- , 6, 47, 116, 121, 122, 124
 $f_{\phi! \psi}$, 127
 $f_{\phi} : M \rightarrow V$, 44
 $f_{\phi? \psi}$, 127
 $forget(J')$, 178
 $m \sim_L m'$, 47
 $m * b \Rightarrow m$, 178
 $m * m \Rightarrow m$, 178
 $m =_{(x)} m'$, 143
 $o(\alpha)$, 65
 $pr(b) = b$, 178
 $s * x \Rightarrow s$, 178
 $v(\mathcal{L})$, 35
 $x \sim y$, 205
 $x \parallel_d X$, 206
 $x < Y$, 208
 $x < y$, 205
 $x \leq y$, 205
 $x \uparrow \uparrow Y$, 109
 $x * 1 \Rightarrow x$, 178
 $x * s \Rightarrow s$, 178
 $(eM\mathcal{F})$, 40
 (1-fin) , 104
 (1-infin) , 104
 $(F1)$, 34
 $(F2)$, 34
 $(F3)$, 34
 $(I1)$, 34
 $(I2)$, 34
 $(I3)$, 34
 1-copy, 49, 52
 4 truth values, 150

 Additional requirements, 198, 200, 207
 Additional structure, 10, 87, 93
 Additive laws, 3, 155
 Additive laws about size, 18, 160
 AGM theory revision, 176
 Algebraic property, 178
 AND, 156, 165
 Antitone interpolation, 14, 113, 119, 133
 Approximation, 199
 Approximative reasoning, 25, 197
 Argumentation, 23, 194
 Arrows, 63
 Arrows of attack, 75
 Arrows of support, 75
 Attacking structure relative to η representing ρ ,
 72

 Benefits, 220
 Between, 206
 Big, 155
 Big set, 34
 Binary relations, 91
 Bold logics, 219
 Bubble structure, 9, 51

 Card, 33
 Cardinalities, 179
 Cartesian product, 115, 116
 Cautious monotony, 40, 156, 165
 cct, 112
 Ceteris paribus, 208
 Choice functions, 90
 Circumscription relation, 173
 Classical closure, 38
 Classical logic, 127, 134
 Classical semantics, 4
 Classification, 85
 Cofinal, 56
 Coherence, 60
 Coherence conditions, 19
 Coherence properties, 156
 Collective variant, 80

- Conditionals, 9, 85
- Consequence relation, 49
- Consistency preservation, 38
- Contraction, 79
- Copies, 48
- Costs, 220
- Countable, 42
- Counterfactuals, 11, 88, 99, 106
- Cumulativity, 40

- Default logic, 25, 197, 215
- Defeasible inheritance, 97
- Definability, 47
- Definability preservation (*dp*), 8, 35
- Definable, 35, 56, 133
- Definable model functions, 44
- Definition AGM revision, 78
- Definition algebraic basics, 33
- Definition distance, 80
- Definition distance representation, logics, 80
- Definition distance representation, semantics, 80
- Definition essentially smooth, 71
- Definition generalized preferential structure, 65
- Definition IBRS, 63
- Definition individual/collective distance, 80
- Definition logic, basics, 34
- Definition logical conditions, 36
- Definition neighbourhoods, 197
- Definition preferential logics, 49
- Definition preferential structure, 48
- Definition ranked relation, 50
- Definition relations, 34
- Definition size rules, 163
- Definition smoothness, 49
- Definition totally smooth, 71
- Deontic logic, 25, 197, 215
- Diagram $\phi \vdash \alpha \vdash \psi$, 184
- Diagram $\phi \vdash \alpha \vdash \psi$, 182
- Diagram $\phi \vdash \alpha \vdash \psi$, 185
- Diagram attacking structure, 72
- Diagram bubble, 54
- Diagram essential smoothness I, 70
- Diagram essential smoothness II, 70
- Diagram high-Cum, 77
- Diagram IBRS, 64
- Diagram independence in inheritance, 98
- Diagram information transfer, 99
- Diagram scenario 1, 166
- Diagram scenario 2, 168
- Diagram semantic interpolation, 123
- Distance based revision, 101, 188

- Dynamics of reasoning, 219

- Epistemic entrenchment, 79
- EQ, 23, 159, 188
- Equilibrium logic, 23, 159, 188
- Essentially smooth, 52, 71
- Example O-D, 65
- Exception set, 52
- Expressivity of language, 4
- Extensions, 203
- External monotony for filters, 164
- External monotony for ideals, 164
- Extreme interpolants, 187

- Factorization, 179
- Filter, 34, 162, 164
- Finite Goedel logics, 10, 17, 118, 134, 135
- FOL, 33

- Generalized Hamming distance, 176
- Generalized preferential structure, 65
- Generalized quantifiers, 154

- Hamming distances, 4, 5, 172, 176, 177, 205, 211
- Hamming quality, 205
- Hamming relations, 4, 6, 22, 158, 172, 183
- Here/There, 150
- Higher preferential structure, 74
- HT, 150, 159

- IBR, 63
- Ideal, 34, 162, 164
- Improving proportions, 164, 165
- Independence, 1, 4, 26
- Independent, 204
- Individual variant, 80
- Information transfer, 99
- Inheritance systems, 11
- Injective, 49
- Insensitive, 47
- Internal monotony, 164
- Interpolation, 1, 12, 17, 19, 156, 178
- Interpolation for argumentation, 160
- Interpolation for revision, 160
- Interpretation of neighbourhoods, 202
- Interval of interpolants, 15, 116
- Irreflexive, 49
- Irrelevant, 47

- Justification, 220
- Keeping proportions, 164, 165
- Kill, 49
- Language change, 1, 4, 23, 28, 160, 179
- Laws about size, 4, 17
- Left logical equivalence, 38
- Level n arrow, 65
- Level n structure, 65
- Limit condition, 99
- Limit variant, 25, 55
- Limit version, 74, 105
- Logical property, 178
- Many-valued, 127
- Many-valued case, 121, 127, 130, 132
- Many-valued logics, 1, 8, 43, 46, 59, 83, 116
- Many-valued semantics, 6
- Medium size set, 34
- Minimal element, 48
- Minimize, 49
- Minimizing initial segment, 55
- MISE, 55, 60
- Modularity, 1, 4, 26
- Monotone interpolation, 14, 113, 119, 133
- Monotonic case, 6
- Monotony, 164, 165
- Multiplication law, 178
- Multiplication laws for subsets, 166
- Multiplication laws for subspaces, 167
- Multiplicative laws, 3, 155
- Multiplicative laws about size, 18, 163
- Neglecting a variable, 138, 139
- Neighbourhood, 4
- Neighbourhood semantics, 1, 24
- NML, 33
- Nodes, 63
- Non-existence of interpolation, 145
- Non-monotonic interpolation, 20
- Non-monotonic logic, 7, 17, 178, 180
- Normal characterization, 51, 52
- Normal form, 28, 137, 181
- Optimal proportion, 164, 165
- OR, 165
- Parallel interpolation, 119
- Partial order, 100
- Points, 63
- Preference relation, 3
- Preferential logics, 197
- Preferential model, 48
- Preferential structure, 48
- Principal filter, 19, 34
- Pseudo-distance, 80
- Ranked, 50, 52, 178
- Ranked order, 100
- Rational monotony, 7, 40, 156, 165, 178
- Rationality postulates, 78
- Reactive, 52
- Refined approach, 192
- Reflexivity, 38
- Relation property, 178
- Relevant, 47
- Representable, 81
- Representation, 177
- Restricted monotony, 40
- Revision, 11, 23, 79, 88, 99, 176
- Rich, 121, 122
- Right weakening, 38, 156
- Robustness of \mathcal{M}^+ , 164, 165
- Robustness of proportions, 164, 165
- Ross paradox, 215
- Scenario 1, 178
- Scenario 2, 178
- Semantical interpolation, 2, 4, 12, 14, 113, 119, 180
- Semantical level, 13
- Set variant Hamming relation, 175
- Simple formula, 114
- Simple model set, 6, 14, 114
- Singletons, 52
- Size, 1, 156
- Small, 155
- Small set, 34
- Small subspaces, 29
- Smooth, 50, 52
- Smoothness, 68
- Softening concepts, 96
- Standard interpolants, 124
- Structural properties, 100
- Structure on language, 4, 6
- Structure on truth values, 4, 6
- Sublanguage, 4
- Supraclassicality, 38
- Syntactic interpolation, 2, 4, 12, 16, 113, 133
- Systems of sets, 91

- Table multiplication laws, 178
- Theory, 35
- Theory revision, 56, 178
- Tools to define neighbourhoods, 199, 203
- Totally smooth, 71
- Transitive, 49
- Two-valued case, 119, 127, 128, 131

- Update, 11, 88, 99, 106

- Uses of neighbourhood semantics, 26, 198

- Valid $X \Rightarrow Y$ arrow, 66
- Valid $X \mapsto Y$ arrow, 66
- Variants of interpolation, 157

- Weak filter, 34, 154
- Weak ideal, 34