

Name Index

- Abramowitz, 121, 129, 133
Adams, 428, 448, 478
Allen, 425
Ambühl, 338
Antenucci, 46, 118, 120, 122–131, 142,
145–147, 152, 197, 266, 281–284
Appt, 179, 252, 266, 275, 278, 280
Aracawa, 233
- Bäuerle, 169, 179, 182, 183, 187, 197, 251,
337, 367, 371, 376, 455, 468, 508,
538
Ball, 356, 375, 413–415, 417, 418, 420,
421, 423, 431, 447, 471, 473, 479,
482–484, 487–490, 495, 498, 508,
510–512, 530
Barrondale, 260, 291
Bauer, 276
Beardsley, 214
Bender, 458
Bennet, 126
Benney, 214
Bessel, 120–123, 152, 599
Birchfield, 356
Bitsch, 179
Bjerknes, 357
Bloomfield, 236
Boegman, 197, 252, 266, 283, 284
Bohle-Carbonell, 164
Boussinesq, 19–21, 28, 29, 32, 47, 103, 115,
156, 166, 186, 191, 213, 215, 256,
267, 277, 381, 399
Brink, 425
Brown, 73
Brunt, 20, 384, 386
Bryan, 88
Buchwald, 428, 432, 448
Burger, 122, 139
- Bührer, 338
- Caloi, 542
Camassa, 215
Cartwrite, 96
Casulli, 267
Cattani, 267
Cauchy, 478, 555, 576, 585, 592, 593, 612,
613, 615–617
Chamberlain, 251
Chapman, 102
Charney, 45, 544
Chebychev, 260
Cheng, 267
Choi, 215
Chrystal, 157, 537–539, 541, 547, 567, 570,
572, 574, 616
Clarke, 378
Comstock, 161
Coriolis, 2–4, 10–12, 15, 20, 28, 30, 46, 49,
51, 54, 60, 88, 101, 143, 184, 187,
212, 267, 275, 296, 336, 337, 355,
361, 370, 454, 459, 555, 565, 572
Corkan, 78, 79
Courant, 450
Csanady, 122, 144, 366, 585
- D'amado, 165
Dallimore, 277
Daniell, 236, 333
Defant, 55, 77, 260, 350, 542, 548–550, 552,
577
Defant A., 159, 160, 163
Defant F., 158–160
Diebels, 199, 203
Dirac, 39, 102, 558
Dirichlet, 105, 106

- Djordjevic, 215
 Djurfeldt, 425, 431, 468
 Doodson, 78, 79
- El-Sabh, 425
 Ekman, 3, 46
 Endoh, 191
 Engeln-Müllges, 233
 Erickson, 260, 291
 Ertel, 357
 Euler, 24, 267, 449, 478, 485, 487
- Fabijonas, 102
 Fatio-de-Duillier, 164
 Fee, 157–160, 163, 538
 Finlayson, 449
 Forel, 157, 164
 Fourier, 53, 73, 75, 100, 102, 138, 166, 236,
 260, 281, 291, 607
 Froude, 203, 204, 219, 223
- Galazii, 25
 Galerkin, 456, 559, 571, 608
 Gauss, 470, 622
 Gear, 215
 Gill, 38, 366
 Gloor, 198, 254
 Goldsbrough, 78
 Goldstein, 118, 129, 135, 139–143, 147–153,
 283
 Gómes-Giraldo, 197
 Gonella, 25
 Gradshteyn, 518
 Graf, 164, 371, 376
 Gram-Schmidt, 611
 Gratton, 372, 374, 392, 399, 425, 455, 468,
 469
 Green, 560
 Grimshaw, 215
 Grue, 215
 Gustafson, 25
- Hahn, 550
 Hamblin, 157, 179, 612
 Hamzah, 600
 Heaps, 45, 227, 234, 251, 254
 Helmholtz, 91, 98, 103, 105, 315
 Hendershott, 102
 Hermite, 186, 187
 Hickie, 356
- Hilbert, 450
 Hodges, 277
 Hogg, 432
 Hollan, 157, 179
 Horn, 197, 251, 337, 349
 Howard, 598
 Huang, 358, 408
 Huthnance, 378, 425, 429, 430
 Hutter, xii, 157, 197, 199, 219, 223, 233, 234,
 236, 237, 241, 244, 251, 275, 296,
 337, 349, 350, 356, 358, 363, 365,
 367, 371, 376, 380, 432, 449, 455,
 457, 458, 465, 468, 473, 474, 495,
 553, 570, 571, 583, 591, 599
 Hüttemann, 199, 218
- Imberger, 46, 118, 120, 122, 129–131,
 144–147, 152, 186, 187, 191, 197,
 266–269, 271–273, 282–284
 Ivanov, 215
- Jacobi, 10, 11, 14, 15, 214, 384, 387, 388, 418,
 490, 554
 Jeffreys, 77, 118, 129, 137, 140, 283
 Johns, 600
 Johnson, 356, 402, 422, 423, 437, 439, 440,
 442, 519, 522–524, 526, 527
 Joule, 53
- Kanai, 430
 Kanari, 191, 271
 Kaoullas, 356, 526, 527
 Kaufmann, 288
 Kelvin, viii, 58, 76, 77, 96, 102–104, 171, 177,
 271, 272
 Kielmann, 367
 Kobus, 179
 Korteweg-de Vries, 214, 215
 Korteweg-de Vries, 207
 Koutitonsky, 425
 Krauss, 102
 Kullenberg, 25
 Kumagai, 186
 Kummer, 468
 Kutta, 478, 496, 505
- Lagrange, 24, 267, 449, 485
 Laguerre, 431
 Lamb, 77, 78, 118, 119, 122, 129, 140, 148,
 152, 215, 356, 407, 408, 598

- Lanczos, 297, 299, 310, 312, 313
 Laplace, 91, 102, 129, 130, 599
 Larsen, 430
 Lauwerier, 78, 79
 Laval, 277
 Lawrence, 197
 LaZerta, 251
 LeBlond, 36, 38, 64, 356, 372, 425, 455, 468, 469
 Lee, 214
 Leibniz, 8, 40, 532
 Lemmin, 166–168, 172, 173, 176, 178, 186, 192, 251, 547–549, 551
 Lie, 425, 468
 Lifschitz, 102
 Lifshits, 290
 Lighthill, 45, 140, 142
 Liouville, 36
 Longuet–Higgins, 45, 227, 232, 234, 238, 241, 254

 Maas, 87, 88, 90, 96, 98, 100, 102, 104, 111
 MacIntyre, 282
 Malinina, 287, 288, 290–292, 302, 303, 305, 306
 Marcelli, 542
 Marmorino, 366
 Martin, 233
 Mathieu, 131, 133–135, 139, 140, 147, 152
 Maurer, 199, 203
 Maxwell, 119
 Melville, 432
 Merian, 288, 290, 303, 308
 Merz, 550
 Miles, 215
 Miller, 356, 366
 Molchanov, 288
 Monismith, 46, 123, 144, 186
 Mooers, 378
 Mortimer, vii–ix, 24, 25, 38, 45, 57, 62–64, 68, 89, 157–161, 163, 164, 190, 192, 197, 198, 227, 234, 246, 251, 254, 275, 349, 538, 547–549, 551, 577
 Mow, 129, 132, 133, 135
 Mühleisen, 274
 Münnich, 251, 252, 254–258
 Mysak, xi, 36, 38, 64, 236, 237, 349, 356, 363, 370, 371, 375, 378, 392, 418–420, 422, 423, 425, 431, 432, 442, 449, 473, 508, 512, 532

 Navier, 267, 277

 Neumann, 105, 106
 Newton, 140, 540, 555

 Ogihara, 268, 273
 Okamoto, 191
 Ollinger, 274
 Orovan, 74
 Orszag, 458
 Ostrovsky, 215
 Ou, 126, 425

 Paige, 297
 Pao, 129, 132, 133, 135
 Parceval, 108
 Parker, 319
 Parlett, 233
 Pearson, 401
 Pekeris, 598
 Peters, 233
 Petrov, 302
 Phillips, 324
 Platzman, 38, 55, 63, 89, 157, 163, 186, 187
 Pnuelli, 598
 Poicaré, 539, 594
 Poincaré, 4, 37, 38, 47, 50, 64–74, 76, 77, 87, 89, 90, 93, 94, 96–99, 101–104, 115, 116, 118, 123–129, 145–147, 150–153, 155, 161, 163, 172, 177–179, 184, 185, 190, 192, 265, 267, 268, 271–273, 275, 277, 278, 280, 281, 283, 284, 356, 370, 448, 567, 574, 579–583, 585–587, 592–597, 600, 601, 603, 604, 606
 Polanyi, 74
 Prandle, 100
 Prandtl, 140, 147, 148
 Proudman, 77–79, 87, 98, 100, 103, 104, 111, 186

 Raggio, 350, 449, 553, 555, 570, 571, 583, 591, 599, 612, 613, 617
 Rao, 55, 77–79, 81, 85–87, 98, 100, 103, 104, 111, 157, 159, 161, 163, 336, 537, 542, 597
 Rayleigh, 77–79, 103, 119, 419
 Redercopp, 215
 Reid, 408, 431
 Reinsch Wilkinson, 233
 Reuter, 233
 Reynolds, 140, 622
 Rhines, 432

- Rieutord, 88
 Ripa, 449
 Rockwell, 159, 163
 Roget, 251, 258, 260, 262, 265
 Rossby, 5, 6, 11–16, 18, 19, 27, 31, 32, 39,
 46, 47, 51, 52, 59–61, 88, 103, 116,
 117, 123, 124, 126, 165, 198, 214,
 235, 266, 273, 275, 283, 284, 296,
 336, 337, 349, 355–357, 368, 369,
 373, 375, 391, 399, 402, 408, 409,
 458, 459, 481, 512, 538, 547, 617
 Rudnev, 287, 291, 302
 Runge, 478, 496, 505
 Russel, 29
 Ryzhik, 518
- Saggio, 186, 187, 191, 197, 266–269, 271–273
 Saint Venant, 29
 Saint-Guilly, 432
 Salvadè, 187, 198, 225, 227, 233, 234, 306,
 318, 326
 Sato, 25
 Saylor, 356, 358, 361, 366, 408, 410–412, 417,
 418, 455
 Scheiwiller, 449
 Schumann, 366
 Schuster, 199
 Schwab, viii, 157, 159, 163, 197, 297, 298,
 309, 313, 336, 537, 542, 552
 Sears, 130
 Serruya, 126, 179, 276
 Servais, 542
 Sezawa, 430
 Shimizu, 186, 187, 190, 197, 251, 252, 266,
 538
 Simons, 179, 374
 Sirkes, 164, 302
 Smith, 338
 Snodgrass, 430
 Solberg, 102
 Solntseva, 287, 288, 290, 302, 303, 305, 306
 Stabrowskiy, 288
 Stegun, 121, 129, 133
 Stevens, 197
 Stewart, 179
 Stocker, 197, 251, 315, 318, 326, 349, 356,
 358, 363, 365, 367, 432, 438, 442,
 449, 455, 457, 458, 465, 468, 473,
 474, 487, 493, 495, 497, 499, 502,
 503, 519, 522–524, 526
 Stokes, 119, 267, 277, 486, 487, 489, 490
 Stranz, 274
 Stratton, 133
- Sturm, 36
 Sverdrup, 27, 38, 50, 62–64, 81, 87, 90, 93,
 101, 104, 581, 582, 592–594
 Szidarovszky, 478
- Tait, 53
 Takeda, 425, 468
 Taylor, 70, 73–75, 77, 79, 87, 97, 100, 103,
 123, 145, 149, 152, 448, 486, 499,
 513, 540, 541, 543, 576, 578, 580,
 588, 589, 600, 602
 Thomson (Lord Kelvin), 4, 27, 47, 51–55,
 57–60, 62, 70, 73, 74, 76, 77, 81,
 85–88, 92–94, 96, 97, 99, 102–104,
 115, 116, 118, 122–129, 145, 146,
 150–153, 155, 159–161, 163, 170,
 171, 173, 176, 178, 190–192, 265,
 267, 268, 270–273, 275, 278, 279,
 283, 284, 336, 337, 349, 363, 370,
 371, 448, 499, 513, 537–539, 542,
 551, 567, 574, 577, 578, 581–583,
 585, 587, 589, 592–594, 596–598,
 601–604, 606, 613, 617
 Thorpe, 349
 Tison, 157
 Trampe, 260
 Trösch, 349, 363, 392, 442, 482, 508, 532
- Väisälä, 20, 384, 386
 Van Danzig, 78, 79
 van Senden, 164
 Vieta, 592
 Vlasenko, 199, 219, 223
- Wang, 336, 378
 Watts, 611
 Wenzel, 356, 367, 408, 412, 413
 Wessels, 199
 Whewell, 96
 Whitehouse, 53
 Wiegand, 251
 Willmott, 356
 Wilson–Bradley, 233
- Yakowitz, 478
 Yan, 215
- Zamboni, 306
 Zenger, 274, 275

Lake Index

- Adria, 157
Alpnach, 251–255, 257, 258, 283, 284
- Baikal, 12, 25, 88, 104, 157
Baldegg, 548
Baltic Sea, 5, 12, 25, 52, 157, 366, 412
Banyoles, 251, 258, 259, 262–266, 283, 284, 317
Biwa, 186–188, 191, 265, 267, 268, 271–273, 283, 284, 538
Black Sea, 157
- Caspian Sea, 5, 12, 16, 17, 52, 157
Constance, 2, 5, 12, 179–181, 266, 274, 276, 277, 280–284, 317, 337
 Lower, 274
 Upper, 179, 182, 274–277
- Erie, 55, 157, 366
- Geneva, 5, 12, 163–166, 169–172, 174–178, 192, 317, 337, 371, 376, 548, 551
Grand Lac, 165
Great Lakes, 5, 12, 42, 52, 157, 163, 409
Green Bay, 158, 160, 162, 163
Gulf of Bothnia, 367
- Huron, 157, 159, 163, 366
- Island Mainau, 179
- Kinneret, 123, 124, 126–129, 145, 147, 153, 266, 281, 283, 284
- Lac Léman, 164
Ladoga, 5, 52, 288
Lago Maggiore, 226
- Lucerne, 254
Lugano, 198, 224–226, 228, 233–246, 248, 258, 283, 306, 315–317, 337, 339, 340, 350–352, 362, 363, 365, 371–376, 392, 415, 442, 447, 469, 482, 490, 508, 532, 548, 612, 613, 615, 617
- Mediterranean Sea, 25, 157
Michigan, 25, 55, 157–163, 191, 358, 362, 411, 538, 577
 Southern, 359, 360, 410, 412, 455
Mono, 282
- Onega, 5, 52, 287–290, 293, 299–301, 304–308
Ontario, 157, 317, 337, 366
- Pond at Ponte Tresa, 225
- Superior, 157, 538
- Tanganyika, 5
The four Cantons, 251
- Überlingen, 179–186, 274, 275, 277, 279, 538
- Victoria, 5
Vostok, 88, 104
- Windermere, 198, 227, 251
- Zug, 548
Zurich, 26, 317, 337, 365, 371, 374, 376, 425, 442, 548, 549, 551, 552

Subject Index

- A priori estimate, 156
- Aanderaa, 260
- Acoustic Doppler Current Profiler (ADCP), 127
- Acoustic waves, 21
- Acronym ($HmVn$)_{wl}, 261
- Additional eigenfrequency, 479
- Adiabatic Boussinesq equation, 399
- Adiabatic condition, 212
- Adiabatic equation, 381
- Adiabatic heat equation, 381
- Adiabaticity, 6
- Advection
 - tributary affected, 2
- Advection diffusion, 380
- Air temperature, 318
- Alias, 159
- Along thalweg, 346
- Amphidrome, 56, 73, 99, 100, 158, 163
- Amphidromic
 - cell, 177
 - mode, 82
 - point, 56, 57, 70, 81, 82, 84, 159, 160, 170, 191, 537, 578, 594, 597, 613, 614, 617
 - structure, 176
 - system, 58, 73, 75, 84, 96, 158, 171, 172, 191, 538, 594, 614–616
 - wave, 57
- Amphidromic point, 116
- Amplitude, 81
- Anemometer, 277, 318, 320
- Annulus, 492
- Anti-cyclonic oscillation, 361
- Anti-symmetric mode, 79, 80, 84
 - negative, 86
 - positive, 86
- Anticyclonic barotropic velocity field, 464
- Anticyclonic elliptical gyre, 417
- Approximation
 - β -plane, 10, 31
 - f -plane, 10, 14
 - adiabatic, 118, 230
 - hydrostatic, 118, 230
 - shallow water, 5–7, 30, 34, 36, 42, 49, 64, 267
 - three-layer, 124
 - two-layer, 39, 251
- Aspect ratio, 214, 413, 416, 420, 425, 472, 580, 582, 600, 602–605
 - effect, 484
- Aspect ratio effect, 424
- Assumption
 - adiabaticity, 9, 20
 - Boussinesq, 20, 32
 - hydrostatic pressure, 6, 7, 9, 267
 - rigid lid, 11, 13, 45, 87
 - shallow water, 27
- Atmospheric
 - front, 8
 - pressure, 8
- Atmospheric pressure, 620
- ATSIT instrument, 293
- Balance law
 - of energy, 212
 - of mass, 212
 - of momentum, 212
- Ball-mode, 487, 488, 495, 498
- Ball-type, 479, 483, 484
 - mode, 490
 - wave, 484
- Baroclinic, 49, 156, 197, 208
 - barotropic coupling, 370
 - coupling, 368
 - dynamics, 226
 - Kelvin wave, 363

- mode, 44, 66, 215, 216, 223, 265, 385, 537, 546, 552, 603
 - vertical, 77
- motion, 164, 191
- oscillation, 192
- pressure, 380
- processes, 42, 43, 46
- response, 544
- seiche, 261
- wave, 5
- Baroclinic eigenmodes, 36
- Baroclinic oscillation, 317
- Baroclinic wave, 125, 128, 212, 223
 - first reflected, 224
 - first transmitted, 223
 - fundamental reflected, 222
 - solitary, 199
 - speed, 214
- Barotropic, 49, 156, 191
 - baroclinic coupling, 369, 370, 389, 391
 - term, 391
 - basin-wide oscillation, 157
 - eigenmodes, 36
 - eigenvalue problem, 296
 - free mode, 299
 - gravitational seiche, 302
 - gravity waves, 5
 - mode, 44, 66, 288, 385, 546
 - vertical, 77
 - motion, 553, 561
 - oscillation, 598, 606
 - processes, 42, 43, 46
 - seiche behavior
 - first-mode, 302
 - seiches, 548, 594, 612
 - wave, 87
- Barotropic fluid, 9
- Barotropic gravitational seiche, 350
- Barotropic mode, 45, 351
- Barotropic oscillation, 351
- Barotropic response, 315
- Barotropic TW-equation, 399
- Barotropic-baroclinic coupling, 351
- Barotropic potential vorticity, 355
- Barotropicity, 6
- Basal surface equation, 564
- Basin
 - circular, 598, 600
 - curved rotating elongated, 567
 - curved, elongated rotating, 538
 - curved, narrow, 567
 - elongated, 544, 597
 - elongated narrow, 567
 - natural, 606
 - non-rotating, 568
 - rectangular, 594
 - ring-shaped, 598
 - rotating, 561
- Basin modes, 356
- Basin with central island, 417
- Basin without island, 422, 424
- Basin-filling solution, 473
- Basin-scale mode, 116
- Basin-scale wave dynamics, 155
- Basin-wide mode period, 160
- Basis function, 450
- Bathymetric chart, 289, 299
- Bathymetric map, 259
- Bathymetry, 28, 127, 180, 184, 267, 317, 359, 424, 491, 502
- Bay mode, 162, 356, 448, 487, 495, 498
 - of TWs, 499
- Bay resonance, 162
- Bay-trapped mode, 484
- Bay-trapped topographic wave, 508
- Bay-type, 483, 484
 - mode, 484
- Bay-type waves, 479
- Beat pattern, 508
- Bell-shaped surface, 460
- Bentic boundary layer, 258
- Bessel
 - differential equation, 120
 - function, 121, 122
 - modified, 121
- Bessel function
 - modified, 123
- β -effect, 16, 17, 19, 27
- Bilinear form, 560
- BITEX, 267, 270, 273
- Bottom friction stress, 166
- Bottom shear stress, 380
- Bound mode, 508
- Bound state of TWs, 506
- Boundary condition, 376, 541, 542, 555–557
- Boundary value problem
 - initial, 558
 - spatially one-dimensional, 539
 - weak form, 559
- Boussinesq
 - assumption, 156
 - equation, 166
- Boussinesq approximation, 213, 215, 277
- Boussinesq assumption, 267
- Boussinesq fluid, 19–21, 28
- Brunt-Väisälä (buoyancy) frequency, 20, 39
- Brunt-Väisälä frequency, 20, 384
- Buoyancy

- force, 214
- frequency, 214
- mode, 388
- Buoyancy frequency, 117, 214

- Cartesian-coordinate correspondence principle, 434
- Cauchy series, 570, 612, 615–617
- Cellular wave pattern, 89
- Central island, 419
- Channel, 435
 - mode, 487, 498
 - type, 479, 483, 484
 - mode, 495, 498
 - with one-sided topography, 427
- Channel model, 538, 542, 547, 552, 572, 580, 584, 586, 587, 592–594, 597, 600, 603, 604, 606, 607, 612–616, 618
 - N -th order, 606, 612
 - extended, 538
 - first-order, 539, 582, 591, 601, 606
 - low-order, 567
- Channel-like basin, 179
- Characteristic number, 133
- Chemical stratification, 247
- Chemocline, 198, 224, 227, 229, 233–235, 240–243, 283
 - boundary, 232
 - shore, 243
- Chrystal
 - equation, 537, 538
 - model, 538, 616
- Chrystal equations, 539, 541, 547, 567, 570, 572, 574
- Chrystal-type equation, 537, 539, 570
- Chrystal-type model
 - higher order, 606
- Circular
 - container, 118, 147
 - cylindrical geometry, 118
- Circular basin, 399
 - with parabolic bottom, 407, 409
- Circular frequency, 51
- Circulation
 - wind-induced, 3
- Clockwise phase progression, 161
- Clockwise rotation, 182
- Co-amplitude line, 81
- Co-oscillation, 351
- Co-phase, 170
- Co-phase lines, 158, 160, 171, 172, 176, 191, 597
- Co-range lines, 56, 158–162, 170–172, 175, 191, 578, 613, 614, 617
- Co-spectral analysis, 160
- Co-tidal lines, 56, 81, 176, 537, 577, 578, 613
- Coastal strip model, 366
- Coastal trapped wave, 336
- Coherence, 166, 238, 253, 360
 - angle, 175
 - plot, 358
- Complete reflection, 440
- Complex dispersion relation, 459
- Component
 - natural, 554
 - physical, 554, 555
- Condition, 440
- Conductivity
 - gauge, 201
 - measurement, 227, 233, 238
 - profile, 226, 227
- Confidence limit, 241
- Confocal
 - ellipse, 418, 434
 - hyperbolas, 434
- Confocal ellipses, 130
- Conformal transformations, 14
- Conservation law
 - of potential vorticity, 370, 381
- Constant elevation amplitudes, 578
- Constant phase, 578
- Constant vorticity, 414
- Continental shelf, 459
- Continuous
 - depth line, 503
 - slope parameter, 503
 - spectrum, 506
 - stratification, 377
- Convection, 19
- Convective approximation, 212
- Convergence
 - of the approximate dispersion, 462
- Convergence property
 - of the eigenfrequency, 483
- Convex stream function surface, 464
- Corange line, 142, 143
- Coriolis
 - acceleration, 28, 49
 - effect, 3, 101
 - force, 2–4, 54, 60
 - parameter, 2, 10, 11, 15, 20, 28, 51
- Correlation function, 263
- Correspondence principle, 407
- Cosine bell window, 236
- Cotidal line, 142, 143
- Counter-clockwise phase propagation, 159

- Counter-clockwise progression, 158
- Counter-phase, 253
- Critical
 - frequency, 430
 - wave number, 442
- Critical condition, 126
- Critical layers, 26
- Critical velocity, 216
- Cross spectral analysis, 159, 174
- Cross-correlation analysis, 363
- Cross-sectional integral, 559, 562, 565
- Cross-spectral analysis, 333
- Crude lake model, 469, 471, 472, 498
- Crude-lake assumption, 492
- Current, 322
 - ellipse, 485
 - meter, 316, 318, 350
 - pattern, 485
 - record, 320
 - reversal, 324
 - structure, 344
 - velocity, 358, 360
- Current ellipse, 73
- Current measurements, 23
- Current meter, 42, 164, 287
 - Aanderaa RCM9, 177
 - data, 302
- Current-time series, 293
- Curved channel, 434, 490
- Curvilinear coordinate, 538, 554, 555, 557, 562, 605, 606
- Curvilinear orthogonal coordinate system, 400
- Cut-off frequency, 67, 73, 77, 97, 499
- Cyclonic
 - rotating, 360
 - rotation, 361
- Cyclonic rotation, 171
- Cylindrical coordinates, 403

- Degree of blocking, 203, 219, 223
- Density
 - anomaly field, 221
 - profile, 201
 - piecewise linear, 217, 219
 - sigmoidal, 217–219
 - transition, 199
- Density-jump interface, 197
- Depth of the 8°C-isotherm, 328
- Depth scale, 214
- Depth variation, 352
- Diffuse, 212
 - interface, 197, 216, 217
 - metalimnion, 197
- Diffusive
 - boundary layer, 199
 - interface, 198, 199, 222
- Diffusive interface, 251
- Dimensional reasoning, 1, 6
- Dimensionless curvature, 491
- Direct wind forcing, 180, 279
- Disclinations, 18
- Discrete spectrum, 506
- Dispersion, 214
 - rotational, 214
- Dispersion curve, 469
- Dispersion relation, 22, 37, 49, 92, 93, 121, 138, 139, 149, 429, 431, 458, 460, 473, 493, 494, 499, 575, 580–583, 585, 590, 596, 597, 599–601, 603
 - approximate, 580, 583
- Dispersive waves, 37
- Dissolved oxygen, 226
- Distribution of the current fields, 340
- Diurnal tide, 157
- Downstroke, 320, 349
- Drift, 200
 - correction, 202
- Drift of hypolimnetic water, 321
- Dynamic
 - baroclinic pressure, 380
- Dynamic pressure gradient, 87
- Dynamical pressure, 101

- Eddy, 349
- Eddy diffusion coefficient, 247
- Edge waves, 430
- Effect of
 - stratification, 22
- Effect of the rotation of the Earth, 336
- Eigenfrequency, 80, 288, 297, 420, 423, 424, 433, 471
 - surface seiches, 594, 613
- Eigenmodes, 42, 308, 315, 363
- Eigenoscillation, 315
- Eigenperiod, 298, 315, 472
- Eigenvalue, 34, 35, 338
 - problem, 34, 36
 - of Sturm-Liouville type, 36
- Eigenvalue problem, 296, 299, 309, 449
 - Dirichlet, 106
 - Neumann, 106
 - of internal waves, 386
 - selfadjoint elliptic, 99
- Eigenvectors, 42, 338
- Ekman
 - boundary layer, 3

- depth, 3
- layer, 3
- ELA, 267
- ELCOM, 277, 278
 - model, 280
 - simulation, 279, 282
- Electrical conductivity, 226, 251
- Electrolysis, 200
- Elevation amplitude, 235
- Elevation time series, 191
- Ellipse, 437
- Elliptic
 - basin, 399
 - with exponential bottom, 417
 - with parabolic bottom, 413
 - island, 432
 - paraboloid, 375
 - shore-line, 418
- Elliptic coordinate system, 130
- Elliptic equation, 105
- Elliptic integral, 447
- Elliptic operator, 14
- Elliptical
 - basin, 135, 423
 - with a barrier, 424
 - with exponential depth profile, 425
 - container, 118, 129, 143, 145–147
 - cylindrical, 129
 - coordinates, 403
 - cylinder, 404
 - cylindrical coordinates, 129
 - particle orbit, 145
 - ring
 - of cyclonically rotating fluid, 417
 - rotation, 414
- Elliptical orbit, 22, 52, 192
- Energy density, 292, 333
- Energy spectra, 253, 263, 329, 334, 351
- Energy-propagation speed, 586
- Epilimnetic
 - current, 320, 322, 346
 - velocity, 340
- Epilimnion, 4, 179, 197, 212, 224, 227, 251, 255, 259, 284, 316, 318, 319, 333, 344
 - current, 344
- Equation
 - topographic wave, 15
- Equations
 - linearized adiabatic, 40
 - linearized Boussinesq, 28
 - shallow water
 - baroclinic linear, 287
 - barotropic linear, 287
 - two-layer, 40
- Equivalent depth, 33, 58, 59, 117, 168, 547, 548
 - model, 546, 548, 586
- Equivalent water depth, 206
- Error estimation, 202
- Estuary and Lake Computer Model, 277
- Eulerian
 - velocity vector, 487
- Eulerian description, 24
- Eutrophic lake, 224
- Exponential
 - profile, 411
 - depth, 418
 - shelf, 428
- External
 - pressure, 380
 - Rossby radius, 402, 409
- Föhn, 274
- Fast Fourier Transform (FFT), 166
- FD, 156, 260, 261, 268
- FD-method, 468
- FE, 156
- FFT, 260
- Field campaigns, 155
- Filter, 291
- Filtered time series, 173
- Finite difference, 260
- Finite shoreline depth, 420
- First baroclinic mode, 198, 386
- First higher-mode soliton, 210
- First internal transverse mode, 186
- First order baroclinic mode, 198
- First order baroclinic soliton, 198
- First-order in other variables, 571, 572
- First-order model, 458, 459
- Fission, 223
- Fissure, 198
- Fluid
 - non-Boussinesq, 32
 - stratified, 27
 - vertically stratified, 30
- Fluid stratification, 215
- Focal point, 420
- Force, 454
 - centrifugal, 2
 - Coriolis, 2
- Fourier mode, 100
- Free state, 506
- Free surface, 166, 212, 229
- Free transverse oscillation, 180
- Frequency, 424, 494

- linear Ball-mode, 415
- quadratic Ball-mode, 415
- Froude number, 219
- Function, 123, 135
 - cosh-elliptic, 135
 - sinh-elliptic, 135
- Fundamental Ball-mode, 487
- Fundamental lemma
 - of the Calculus of Variation, 450
- Fundamental mode, 302, 326, 423
 - seiche, 329
- Fundamental theorem of the MWR, 560
- Fundamental theorem of weighted residuals, 557
- Fundamental TW mode, 431
- FV, 156

- Galerkin procedure, 559, 608
- Galvanic coupling, 201
- Gauss
 - algorithm, 470
- Generalized separation
 - of variables procedure, 448
- Geometric optics approximation, 377
- Geostrophic balance, 337, 349
- Geostrophic-waves, 6, 355
- Gram-Schmidt orthogonalization procedure, 611
- Gratton's scaling, 372
- Gravitational oscillations, 79, 87
- Gravity
 - waves, 355
- Gravity induced rotational mode, 111
- Gravity oscillation, 190
- Gravity seiche, 116, 147
- Gravity wave, 52, 115, 349, 567
 - in channel, 574
 - in circular container, 115
 - in elliptical container, 115
 - rotational, 100
- Gravity waves, 6, 32
- Group
 - speed, 92
 - velocity, 93
- Group speed, 18
- Group velocity, 22, 37, 461, 501, 580–582, 584, 585
- Group-velocity correcting factor, 585
- Gulf, 367
- Gulf of Mexico, 3
- Gyration-waves, 355
- Gyre, 367

- H1V1-mode, 258
- H1V2-mode, 258
- Heat diffusion, 6
- Helmholtz
 - decomposition, 98
 - equation, 91
 - theorem, 105
- Higher baroclinic response, 317
- Higher order
 - baroclinic response, 283
 - baroclinic seiche, 258
 - baroclinicity, 251, 274
 - horizontal mode, 258
- Higher-order baroclinic mode, 198
- Higher-order baroclinic wave, 197, 198
- Higher-order baroclinicity, 197, 223, 224
- Higher-order solitary internal wave, 198
- Hodograph, 24, 183, 358, 360
- Holomorphic, 259
- Homogeneous fluid, 79
- Homogeneous water, 191
- Horizontal gradient operator, 28
- Horizontal momentum equation, 118
- Horizontal transport, 63
- Horizontal velocity, 222
- Hydrographic data, 165
- Hydrostatic
 - pressure assumption, 381
- Hyperbolas, 434
- Hyperbolic elliptic function
 - cosine, 134
 - sine, 134
- Hyperbolically curved channel, 434, 435
- Hyperbolically curved shelf, 435
- Hypergeometric, 468
 - polynomial, 408, 447
- Hypergeometric function, 218
- Hypolimnetic
 - current, 344
 - velocity, 340
 - water, 318
- Hypolimnion, 4, 179, 197, 212, 224, 227, 251, 255, 259, 272, 284, 316, 318, 333, 344

- Ideal fluid, 212
- In-phase, 253
- Inertial
 - frequency, 61
 - period, 302
 - wave, 60, 61, 87, 302
 - proper, 88, 100, 101
 - Sverdrup (Poincaré), 101

- waves proper, 87
- Inertial wave, 302, 567, 574, 582, 592
- Inertial-type wave, 582, 583, 585, 592, 600, 601, 603, 606
- Infinite domain, 425
- Initial boundary-value problem, 156
- Initial condition, 555, 557
- Initial-value approach coupled with orthonormalization, 611
- Inner product, 559, 561, 617
- Integrated potential energy, 278
- Integrated transport, 369
- Interaction, 219
 - of solitary waves, 202, 219
- Interface, 229
 - deflection, 207
- Interface displacement, 170, 184, 340
- Intermontane lake, 335
- Internal
 - dynamics, 261
 - gravity, 371
 - gravity wave, 356, 363
 - oscillation, 164, 169
 - pressure, 380
 - Rossby radii, 284
 - Rossby radius, 165, 373
 - seiche mode, 252
 - seiche period, 371
 - wave, 179
 - dynamics, 163
 - Kelvin-type, 170
 - wave dynamics, 251
- Internal dynamics, 316
- Internal gravity mode, 320
- Internal gravity wave, 337
- Internal seiche, 324, 339, 344
 - mode, 344
 - longitudinal, 326
 - oscillation, 315
- Internal soliton, 198
- Internal wave, 197, 212
- Interstation coherence, 157
- Invariance of the TW-operator
 - under conformal mappings, 434
- Invariant
 - under conformal mappings, 402
- Inverse isotroph contours, 17
- Irrational motion, 86
 - field, 109
- Isobaths, 15, 127, 288, 407
- Isoline of surface-elevation amplitudes, 301
- Isopycnal, 221
 - displacement, 222
 - counter-phase, 222
- Isopycnal velocity, 281
- Isotherm, 325
 - depth, 324, 329, 334, 349
 - distribution, 320, 326
 - fluctuation, 330, 335, 340
 - plot, 324, 325, 339
 - time series, 331, 339
- Isotherm-depth, 260, 364
 - displacement amplitude, 275
 - spectra, 269
 - time series, 253, 261
 - spectra, 271
- Isotherm-depth-time series, 127, 147, 362
- Isotroph depth, 16
 - scaled, 16
- Isotrophs, 15, 474
- Isthmus, 434
- Jacobi polynomial, 384
- Jacobian operator, 10, 11, 14, 214
- Jet, 2
- K-dV soliton, 221, 223
- Kelvin
 - wave, 448
- Kelvin wave, 50–52, 54, 58–60, 62, 73, 77, 81, 115, 272, 537, 539, 577, 578, 581, 587, 589, 593, 594, 597, 602
 - amplitude, 52
 - baroclinic, 58
 - classical, 577
 - dynamics, 55, 85, 537, 542, 551, 577, 617
 - inertial, 92–94, 97, 102
 - pseudo-standing, 55
 - quasi-standing, 70, 96, 115
 - reflected from the closed end of a channel, 76
- Kelvin waves, 27
- Kelvin-like, 77
- Kelvin-like behavior, 116
- Kelvin-type, 116, 118, 123–126, 145, 171, 172, 176, 192, 267, 593, 594, 613
 - behaviour, 273, 593
 - horizontal seiche mode, 284
 - mode behavior, 192
 - seiche, 145, 278
 - structure, 191
 - wave, 126, 273, 279, 539, 574, 578, 582, 583, 585, 592–594, 596, 601, 603, 604, 606
 - positive, 150
 - wave in curved channels, 601

- wave mode, 178
- Kelvin-wave dynamics, 86
- Kinematic equation, 563
- Kinetic energy, 109
 - spectra, 360
- Kissing mode, 583, 585
- Korteweg-de Vries equation
 - extended
 - eK-dV, 215
 - K-dV, 207, 208, 214–216
- Kummer function, 468

- Laboratory experiment, 86, 199
- Laczos' procedure, 309
- Lagrangean description, 24
- Laguerre polynomial, 431
- Lake
 - geometry, 473
 - with curved thalweg, 490
- Lake Biwa Transport Experiment, 267
- Lake Diagnostic System, 274
- Lake Geneva level, 175
- Lake Michigan surface seiche, 158
- Lake morphology, 165
- Lake-land wind, 324
- Laplace operator, 91
- Layer thickness, 263
- LDS, 274, 277
- Leakage
 - of wave activity, 509
 - of wave energy, 503
- Leibniz rule
 - of differentiation, 8
- Leibniz rule of integration, 532
- Leibniz's rule, 40
- Lemma of Vieta, 592
- Length scale, 214
- Level line, 301
- Limnigraph, 191, 192
 - recorder, 192
- Limnigraph recording, 238
- Limnigraph station, 350
- Limnigraphs, 287, 303
- Line of constant f/h , 440
- Linear Ball-mode, 414
- Linear phase velocity, 219
- Linear stratification, 21
- Linear wave dynamics, 229
- Linearised adiabatic equation, 218
- Localized TW-mode, 469
- Longitudinal
 - component, 182
 - oscillation of the lake, 183
 - seiche mode, 159, 160
- Low-frequency approximation, 371

- Macroscopic atmospheric pressure gradient, 619
- Macroscopic bottom-friction coefficient, 619
- Macroscopic stress resultants, 620
- Macroscopic turbulent surface pressure, 620
- Macroscopic wind load, 619
- Mass
 - transport stream function, 365, 370, 410, 417, 431, 453
 - transport stream line pattern, 362
 - transport streamline, 416
- Mass balance, 540, 543, 562, 601, 607, 621, 624
- Mass transport
 - stream function, 13
 - streamlines, 14
- Mathieu equation, 131, 133
 - modified, 131
- Mathieu function, 131, 133, 134
 - cosine-elliptic, 133
 - even order, 134
 - even periodic, 134, 135
 - modified, 135
 - odd order, 134
 - odd periodic, 134, 135
 - sine-elliptic, 133
- Matrix-eigenvalue problem, 288
- Mean
 - chemocline, 229
 - thermocline, 229
 - velocity distribution, 239, 243, 245
 - vertical displacement, 228
- Mean epilimnion, 318
- Mean hypolimnion, 318
- Mean thermocline depth, 318, 327
- Mean thermocline temperature, 318
- Measurement, 198
- Merian formula, 290
- Meromixis, 224, 227
- MESA, 260, 261, 263
 - energy spectra, 264
- MESA technique, 291
- Metalimnion, 26, 39, 197, 224, 238, 252, 255, 259, 261, 264, 268, 269, 284, 324
 - of finite thickness, 283
- Meteorological buoy, 316
- Meteorological data, 318
- Method
 - of separation, 447
 - of weighted residuals, 448, 449

- Method of Kelvin wave dynamics, 159
- Method of weighted residuals, 538, 557
- Mineralisation, 274
- Mineralization, 198, 233
- Mississippi River, 3
- Modal analysis, 169
- Modal method, 448
- Modal structure, 81
- Mode 1, 233
- Mode 2, 240
- Mode 3, 242
- Mode 4, 244
- Mode 5, 244
- Mode period, 420
- Mode structure, 218, 337
- Mode unit, 460
- Modes
 - longitudinal, 4
 - transverse, 4
- Momentum balance, 543, 564, 572, 601
 - global, 564
 - in the s -direction, 565
- Momentum diffusion, 6
- Monochromatic waves, 35, 37
- Mountain lake, 336
- Multi-layer model, 251
- Multistep forward integration technique, 478
- Multistep method, 478
- MWR, 383, 448, 449, 453, 455, 466, 490
 - approximation, 465
 - method, 468
 - solution, 463
- MWR-procedure, 560

- Natural base vector, 554
- Natural basis vector, 554
- Natural coordinate system, 405
- Negative amphidrome, 161
- Negative wave, 142
- Nodal line, 49, 69, 324, 329, 340
- Node, 341
- Noise in the electrical circuits, 202
- Non-inertial frame, 11
- Normal mode analysis, 135
- Normalization condition, 107
- Numerical modeling, 219

- Oblong basin, 77
- One-dimensional
 - model, 559
- One-dimensional model, 557, 561
- One-sided shelf, 426

- Orbital
 - motion, 38
 - trajectory, 23
- Orthogonal
 - coordinate system, 400
- Orthogonality, 106, 107
- Orthogonality relation, 386
- Oscillating gravity affected motion, 155
- Oscillating wave train, 208
- Oscillations
 - inertial, 38
 - near-inertial, 38
- Oscillatory wave train, 203
- Oxygen depletion, 224

- Parseval relation, 108
- Particle trajectory, 61, 125, 177, 184, 186, 485, 487
- Patched-up elongated basin, 437
- Perfect soliton, 206
- Period, 339, 350, 423, 424
 - in a first-order model, 459
 - linear Ball-mode, 415
 - quadratic Ball-mode, 415
- Period of surface oscillations, 299
- Period of TW's, 409
- Perturbation pressure, 117
- pH-value, 226
- Phase, 81, 166, 360
 - angle, 159, 160, 175, 176, 361
 - difference, 157
 - of cross spectra, 192
 - plot, 361
 - progression, 157, 158, 160, 161, 192
 - propagation, 159
 - shift, 95
 - speed, 51, 61, 92
 - velocity, 93, 461, 501
- Phase angle, 335, 341
- Phase difference, 238
- Phase lag, 344
- Phase spectra, 253
- Phase speed, 4, 218, 577, 581, 601
- Phase structure, 333, 335
- Phase velocity, 22, 37
- Physical explanation
 - for Ball-mode, 510
 - for bay-mode, 510
 - for channel mode, 510
- Piecewise linear profile
 - density, 216
 - temperature, 211
- Piecewise linear transition, 212

- Piston, 201
- Plane linear waves, 19
- Planetary Rossby waves, 356
- Planetary vorticity waves, 18
- Planetary waves, 16
- Poincaré
 - mode, 126
 - wave, 115
 - quasi-standing, 115
- Poincaré mode, 73
 - quasi-standing, 73
- Poincaré wave, 62, 64, 66, 67, 69–71, 73, 77, 90, 272, 448, 581
 - 'standing', 72
 - inertial, 94, 96–99
 - progressive, 67, 68
 - component, 72
 - pseudo-standing, 70
 - trinodal, 68
 - uninodal, 68
- Poincaré waves, 37, 38
 - progressive, 38
- Poincaré-like, 192
- Poincaré-like behavior, 116
- Poincaré-like V1-wave, 275
- Poincaré-Sverdrup-wave, 50
- Poincaré-type, 116, 118, 123, 125, 127, 145, 147, 172, 179, 192, 267, 278, 280, 594
 - behavior, 274
 - behaviour, 177
 - frequency, 586
 - horizontal seiche mode, 284
 - mode, 128, 597
 - mode behavior, 192
 - seiche, 124, 145
 - wave, 273, 574, 579, 582, 583, 585–587, 592–594, 596, 600, 601, 603, 604, 606
- Polar coordinates, 118
- Polarized waves
 - circularly, 23
 - elliptically, 23
 - linearly, 23
- Poly-chromatic
 - validity, 32
 - waves, 31, 35
- Positive amphidrome, 161
- Positive wave, 142
- Potential energy, 109
- Potential vorticity, 369
- Power spectra, 157, 614
- Power-law bottom profile, 411
- Principle of weighted residuals, 383, 392
- Profile
 - of conductivity, 228
 - of the temperature, 226
- Progressive vector diagram, 24, 358
- Projection
 - method, 448
- Pseudo-standing wave, 68, 71
- Pycnocline, 252
 - displacement, 275
- Pycnocline displacement, 164
- Quadratic, 483
 - Ball-mode, 415
 - mode, 416
- Quadratic drag law, 278
- Quasi-standing channel solution, 463
- Quiescent stratified fluid, 212
- Radius of curvature, 492
- Radius of deformation, 275
- Ramp, 203
- RCM-4, 293
- Rectangle of constant depth, 73
- Rectangular cross section, 574, 597
- Reflected signal, 208, 220
- Reflected wave, 221
- Reflected wave signal, 223
- Reflection, 198, 219
 - at a barrier, 588
 - at a channel end, 503
 - at a gulf end, 502
 - at a vertical wall, 499
 - coefficient, 506, 507, 509
 - complete, 73, 116, 123, 589, 591
 - incomplete, 73, 116, 588, 589, 591
 - Kelvin-type wave, 587
 - of topographic waves, 498
 - of TW's, 512
 - pattern, 504, 506, 511
- Reflection from the end of a channel wall, 70
- Relative density difference, 338
- Residue function, 450
- Resistivity gauge, 199, 200
- Resistivity measurement, 227
- Rigid lid boundary condition, 218
- Rigid lid model, 351
- Rigid-lid
 - approximation, 369
 - assumption, 380
- Rossby
 - number, 369

- radius of deformation, 5, 6, 12, 51, 52, 59, 296
 - internal, 12, 59, 60
- steady current, 15
- wave, 19
 - equation, 11, 13, 15
 - motion, 16
 - planetary, 19
- waves, 6, 11, 13, 14, 27, 32, 459
 - baroclinic, 12
 - barotropic, 12
 - planetary, 15, 18
 - topographic, 15, 31, 39
- Rossby radius
 - external, 116
 - internal, 117, 123, 124
 - of deformation, 61
- Rossby radius of deformation, 5
- Rossby wave
 - topographic, 538, 617
- Rotary behavior of the current vector, 180
- Rotary power spectra, 127
- Rotary spectra, 280, 365
 - power, 281
- Rotating chamber, 147, 149
- Rotating rectangle, 111
 - of constant depth, 77
- Rotating stratified fluid, 19
- Rotation
 - anticyclonic, 147
 - cyclonic, 145
- Rotation affected wave, 155
- Rotation of the Earth, 1, 4, 19, 50, 297, 337
- Rotational motion, 86
- Rotational waves, 23

- Scale analysis, 389
- Scale invariance, 12
- Scale invariant, 402
- Second baroclinic mode, 198
- Second class inertial wave, 88, 101
- Second class waves, 356
- Second Coriolis parameter, 88
- Second mode, 174, 303
- Second order baroclinic mode, 198
- Second order model, 460, 471, 472, 479, 480
- Seiche, 278
 - current, 159
 - frequency, 157
 - period, 159
- Seiche eigenvalue problem, 131
- Seiche period, 246
- Semi-axes, 413
- Semi-diurnal tide, 157
- Semi-infinite
 - channel, 440, 499
 - gulf, 437
 - strip, 437
- Separation constant, 33
- Separation of variables, 32
- Set-up lifetime, 210
- Setup, 320
- Shallow water equation
 - Boussinesq approximated, 191
- Shallow water theory, 148
- Shallow water waves, 6, 73
- Shape function, 385, 386, 539, 559, 570, 576
 - expansion, 382, 561–563, 570, 606, 608
- Shape, basis or trial functions, 559
- Sharp interface, 197, 198, 212
- Sharp thermocline, 260
- Shelf, 428, 429
 - bathymetry, 399
 - profile, 422
 - wave analysis, 366, 411
 - waves, 458
- Shelf-waves, 15
- Shooting method, 610
- Shore, 336
- Shoreline depth, 425
- Shoreline station, 157
- Short wavelength, 498
- Sigmoidal, 212
- Sigmoidal density function, 216
- Sigmoidal density profile, 216
- Sill, 206, 208, 219, 220, 223
 - triangular, 219
- Simple steady gyre, 414
- Single-step shelf, 430
- Small-scale oscillation, 327
- Solar irradiation, 318
- Solenoidal motion field, 109
- Solitary wave, 208–210, 220, 252
 - generation, 199
 - incoming, 211
 - signal, 209
- Soliton amplitude, 203
- Soliton wave length, 219
- Soliton-like displacement, 199
- Species diffusion, 6
- Spectra, 173
- Spectral analysis, 157, 159, 166, 173, 192, 236, 237, 239, 244, 261, 278, 279, 287, 291, 299, 319
- Spectral decomposition, 382
- Spectral method, 448
- Spectral plot, 237, 241

- Spectral window, 236, 291
- Spectrum of TW, 479
- Spurious peak, 159
- Stability, 206
- Stably stratified lake, 26
- Standing wave, 49
- Station-pair elevation, 192
- Statistical analysis, 344, 349
- Statistical confidence, 299
- Stick
 - diagram, 322
 - plot, 328
 - diagram, 330, 331
- Stick plot diagram, 240
- Stokes
 - drift, 487, 490
 - drift velocity, 486
- Straight infinite channel, 425, 458
- Stratification, 46, 259, 261, 262, 276, 315, 318, 333, 336, 339
- Stratified water, 191
- Stream
 - function, 429, 507
 - line
 - contour, 424
- Stream function, 98, 105, 213, 418, 420, 421, 429, 440, 460, 462, 465, 466, 472, 473, 488, 506
 - of TWs, 440
 - surface, 464
- Streamline, 420, 485
 - contour, 423
- Subinertial, 80
 - frequency, 88, 121, 123
 - wave, 122
- Sulphate, 224
- Summer stratification, 6, 27, 165, 179, 227
 - thermal, 234
- Super-inertial, 67, 81
 - frequency, 50, 68
 - wave, 64
- Superinertial, 171
- Superinertial frequencies, 27, 37, 121, 123
- Surface
 - elevation, 159, 173
 - elevation amplitude, 159
 - oscillation, 164
 - seiche, 157, 161, 162
- Surface elevation, 63, 413
- Surface elevation amplitude, 303
- Surface elevation time series, 613
- Surface seiche, 288, 301
 - period, 290, 300
- Surface structure, 298
- Surge, 349
- Sverdrup wave, 63, 64, 81, 90, 581, 592, 593
- Sverdrup waves, 27, 38
- Symmetric mode, 79, 80, 84
 - positive, 84
- Symmetrisation, 453
- Synoptic
 - deployment, 192
 - field campaigns, 156
 - measurement, 156
- Taylor reflection problem, 448
- TCDM, 156, 166
- TEDM, 156, 166, 169, 170
- Temperature, 352
 - profile, 319
 - time series, 324
- Temperature measurement, 176, 238, 358
- Temperature profile, 226, 227
- Temperature-time series, 237, 238, 260
- Thalweg, 405, 490, 492
 - profile, 476
- THCDM, 156
- THEDM, 156
- Theoretical soliton, 206
- Thermistor chain, 42, 126–128, 164, 192, 254, 258, 260, 267, 268, 277, 316, 318
- Thermocline, 4, 42, 164, 179, 197, 198, 224, 229, 233, 234, 240–243, 259, 272, 283, 316, 318, 319, 329, 349, 358
 - deflection, 332
 - boundary, 233
 - deflection, 327
 - depression, 165
 - depth, 183, 338
 - displacement, 166, 276
 - erosion, 318, 319, 326, 349
 - excursion, 178, 326, 328
 - interface, 166
 - location, 349
 - oscillation, 247
 - shore, 156, 243, 335, 336
 - zone, 227
- Thermocline shore line, 40
- Third order model, 479, 481, 494
- Third-order-dispersion relation, 461
- Three fluid layer, 197
- Three-layer
 - basin, 256
 - configuration, 251
 - fluid, 124, 125
 - model, 144, 258
 - stratification, 123

- Three-layer approximation, 198
- Three-layer fluid system, 231
- Three-layer model, 198, 224, 227, 229, 363
- THVDC, 233, 234, 241, 242, 260, 264, 265
 - model, 261–263
- THVDMC, 156
- Tidal motion, 104
- Tidal operator, 538, 580
 - two-dimensional, 578, 583, 584, 586–588, 592, 604
- Tidal theory, 148, 149
- Time series, 156, 181, 192, 207, 253, 364
 - for water elevation, 292
 - of water level, 287
- To quasi-static pressure condition, 385
- Topographic Rossby waves, 399, 458
- Topographic wave, 277, 337
 - Rosby, 337
- Topographic waves, 356, 371, 447, 482
 - in infinite channels, 454
 - in rectangular basins, 469
- Topography, 336
- Topography effect, 484
- Topological property of the sphere, 19
- Toroidal mode, 88
- Total mass flux, 376
- Trade winds, 19
- Trailing oscillating chain, 206
- Transmission, 198, 219
- Transmitted
 - fundamental soliton, 221
 - fundamental-mode, 210, 211
 - signal, 220
 - wave, 203, 221
 - wave signal, 222, 223
 - wave train, 203
- Transport ellipse, 485, 487, 488
- Transport stream function, 380, 448, 465, 466
- Transverse
 - component, 182
 - mode, 174
 - oscillation, 180
 - baroclinic, 179, 185
 - velocity component, 181
- Transverse slope, 349
- Transverse wavenumber, 62
- Trapped long waves, 430
- Trapped modes, 448
- Trench, 429
- Tributary, 2
- Tridiagonal, 297
 - symmetric matrix, 310
- TRIM-3D, 267
- Trinodal, 69, 72
- Trough, 206
- True reflection mechanism, 509
- Truncation number, 298
- Turbulent
 - diffusion, 380
- Turbulent stress, 620
- Turbulent viscosity, 4
- TVD, 234
- TVD model, 336, 338, 340–342, 344, 348
- TVDC, 260, 265
 - model, 261
- TVDM, 156, 182
- TVDMC, 156
- TW, 356, 358, 361, 363, 366, 367, 391, 437, 442, 497
- TW-equation, 356, 363, 371, 402, 413, 418, 449, 461
 - in cylindrical coordinates, 403
 - in elliptic coordinates, 404
 - in natural coordinates, 406
- TW-mode, 366
- TW-model, 367
- TW-operator, 399, 448
- TW-wave mode
 - in wedges of annuli, 495
- Two fluid layer, 197
- Two-layer
 - channel equation, 537
 - channel model, 544
 - Defant procedure, 548, 549
 - equivalent depth, 552
 - equivalent depth model, 585
 - fluid, 146
 - model, 145, 549, 585
 - parameter, 549
 - solution, 145
 - system, 544
 - variable-depth, 552
- Two-layer approximation, 339
- Two-layer configuration, 197
- Two-layer equivalent depth model, 45
- Two-layer fluid, 217
- Two-layer fluid system, 199
- Two-layer model, 39, 184, 197, 215, 233, 241, 317, 368
 - constant depth, 156, 166
 - equivalent depth, 156, 168
 - linear, 179
 - variable-depth, 42, 156, 333
- Two-layer stratified, 215
- Two-layer system, 12, 216
- Two-layer theory, 209
- Two-point boundary-value problem, 606–609

- Unidirectional motion, 49
- Uninodal line, 69
- Unrolled thalweg, 323, 327, 332, 333, 335
- V2-vertical mode, 252
- Vanishing group velocity
 - for finite k_0 , 430
- Variable depth bathymetry, 156
- Variable depth model, 337
- Variable topography, 212
- Variational principle, 449
- Vector stick plot, 325
- Velocity
 - field, 418
- Velocity distribution, 238
- Velocity potential, 98, 105
- Velocity scale, 214
- Vertical baroclinic mode
 - first-order, 235
 - second-order, 235
- Vertical displacement, 229
- Vertical interface displacement, 185
- Vertical mode
 - baroclinic, 39
 - barotropic, 39
- Vertical mode-one structure, 281
- Vertical mode-two structure, 271, 281
- Vertical profiles of temperature, 319
- Vertical velocity, 352
- Volume flux, 8, 9
- Vortex sheet, 200
- Vortex-waves, 355
- Vorticity, 19
 - generation, 367
 - motions, 15
 - waves, 6
- Vorticity equation, 213
- Vorticity vector, 213
- Vorticity wave, 88, 115
- Water
 - current, 365
- Water current, 291
 - time series, 299
- Water level, 157, 174
 - record, 159
 - recorder, 164
- Water-level
 - amplitude, 303
 - displacement, 303
 - elevation-time series, 291
 - fluctuation, 291
 - measurement, 305
 - spectra, 299
 - time series, 288
 - variation, 302
- Wave, 458
 - amplitude, 214
 - approaching the wall, 97
 - equation, 89
 - generator, 199, 201
 - hump, 49, 206
 - length scale, 214
 - speed, 211
 - trough, 49
- Wave dynamics, 4
- Wave guide, 26
- Wavenumber, 22, 51, 61, 458, 577, 593, 600
 - in a first-order model, 459
 - longitudinal, 580
 - transverse, 580, 581
 - vector, 36
 - horizontal, 37
- Waves
 - equatorial planetary, 15
 - equatorial topographic, 15
 - Kelvin, 27
 - of the first class, 11, 12, 19
 - of the second class, 11, 12
 - planetary topographic, 15
 - quasi-geostrophic, 11
 - Rossby, 11, 27
 - second class, 19
 - shallow water, 19
 - superinertial, 26
 - Sverdrup, 27
 - vorticity, 11
- Weak stratification, 177, 377
- Weakly non-linear baroclinic wave, 216
- Weakly nonlinear theory, 212
- Wedge, 492
- Weighting function, 383, 386, 558–563, 617, 624
- Whole-basin seiche mode, 163
- Whole-lake mode, 306
- Wind, 253, 318
 - induced circulation, 366
 - induced oscillation, 399
 - force, 318
 - forcing, 372
 - impulse, 320
 - rosette, 321
 - speed squared, 322, 325, 328
 - stress, 317, 320, 324, 380, 382
 - stress curl, 374, 375
 - uniform, 268
- Wind-stress, 166, 620
- WKB perturbation procedure, 458
- Zeroth-order model, 567, 570, 572