

Index

A

- Alaskite, 12, 18
- Al (aluminum), 32, 37, 40, 74, 76, 78, 129, 151, 253, 278, 282–283, 333–335
- Amorphous, 3, 5, 162, 164, 171, 239, 248–262
- Analytics, 37–45, 84–85, 123–129, 191–215, 219–234, 269, 289, 317
- Authigenic, 8–9, 13, 82, 268, 270, 272–276, 281, 287–303, 338
- Autoclave, 20, 55
- Application, 2, 9, 11, 18, 31–35, 193, 238

B

- Beam, 76, 84, 131, 194–206, 214, 223, 238, 282, 323
- Brazil, 30, 139–156, 199
- Brick, 54–58, 60–62, 69
- Building industry, 53–69, 143

C

- Calibration, 84, 123–124, 211, 214, 224, 228–230, 269
- Cathodoluminescence (CL), 6–9, 85, 91, 123–124, 126, 237–262, 270, 293–296, 307–325, 337–341
- Cement, 14, 16, 54, 59–60, 270, 272, 275, 288, 338
- Centers, 41, 43, 149, 153–154, 161–172, 177–188, 237–262
- Chalcedony, 3, 5, 7, 13, 288, 300–301
- Chemical analysis. *See* analytics
- Chemistry, 3, 18, 57, 59–61, 76, 83, 88, 92, 105, 108, 110, 128–129, 131–133, 183, 199, 217, 231, 240, 271, 273, 277, 296–299

- Chert, 13, 15, 323
- Clay, 59–62
- Color treatment, 139–156
- Coesite, 3, 250, 259–261
- Concentration, 10–11, 18, 45, 74–76, 79, 82–83, 92, 102, 123, 128, 154, 191–215, 231, 240, 296–299, 324
- Concrete, 54–56, 62–63, 69
- Cristobalite, 3, 5, 18, 20
- Cryptocrystalline, 18, 20
- Crystal
 - growth, 19–21, 81, 178, 308, 334
 - structure, 3, 5–6

D

- Damage, 8–9, 193, 197–206, 214, 251
- Defects, 3–7, 73–75, 100, 156, 178, 181, 183, 203, 237–262, 277–283
- Deposit, 30–31, 67–69, 85–111, 119–135, 139–149
- Dislocation, 3, 6, 48
- Detection limit. limit of detection

E

- E' center, 5, 161–172, 181, 248, 254, 258
- Emission, 6–7, 10, 183, 206, 238, 249–250, 270, 277–283, 295–296, 302, 309, 320–323
- EPR, 40, 161–172, 177–188, 266

F

- Fluorescence, 39, 76, 124, 130, 206–208

F (*cont.*)

Fluids, 8–9, 35, 81–82, 106, 109, 112, 144,
147, 298–303, 312, 316, 334,
336–337, 341–345

Flint, 13, 67

Foundry industry, 18–19, 54, 69

G

Gamma irradiation, 5, 150–155, 162,
177–188, 192–193,
238, 270

Gemstone, 139–156

Genesis, 10, 18, 85–135, 183,
287–303, 338

Geochemistry. *see also* chemistry, 266,
287–303

Germany, 8–9, 14, 17, 19, 56, 58, 207, 268,
290, 333–337

Glass industry, 12, 19, 54, 142, 148

Growth. crystal growth

H

Hydrothermal, 7, 11–12, 18, 20, 36, 91, 93–94,
103, 107–112, 120, 140, 142–143,
145–148, 193, 221, 267–268, 273,
275, 280, 307–325, 333–337
alteration, 281, 333–342, 347–348

I

Imaging, 85, 239, 309, 320, 337–341, 348

Impurities, 8–9, 12, 18, 32–33, 35, 39, 49,
73–82, 120, 134, 153, 178–180,
220–221, 238, 240, 253, 267, 277,
280, 282, 309, 334

Inclusions, 11, 37, 72, 75, 77–81, 90–91,
85–111, 152, 178, 192, 318
fluid, 11, 42–45, 76, 81, 129–134, 288,
308, 325, 334, 341–345,
347–350
liquid, 42–45, 300
melt, 81–82
mineral, 11, 39–42, 81–82, 210, 250, 259,
293–295, 345–347

Industry, 2, 12, 16–18, 31–35, 53–69,
142, 148

Industrial application, 2, 9, 11, 18, 31–35, 193,
238

In situ, 76, 84, 111, 191–215, 219–234, 241,
288, 317

Intergrowth, 14–15, 99, 291–295, 345–347

Iota, 18, 39, 73, 82–83

K

Keatite, 3

L

Lascas, 18, 21, 30, 140, 143, 156

Laser Ablation ICP-MS, 12, 39, 75–76, 84–85,
92, 111, 123, 127–129, 134,
192–196, 199, 219–234, 274,
317–318, 320

Lattice, 4, 8–10, 39–40, 43, 72–77, 81, 83, 85,
111–113, 120, 126, 134, 162, 178,
197, 220–221, 234, 238, 246, 251,
259, 279, 282, 308, 316–317, 333

Lechatelierite, 3, 5, 21

Lighting industry, 33–34

Limit of detection, 40, 76, 99, 102, 128–129,
192, 208–214, 224, 231, 234, 269,
317–318

Luminescence, 3–4, 6–10, 99, 126–127,
177–188, 237–262, 265–283,
287–303, 337–341

M

Macrocrystalline, 4, 288, 299

Magmatic, 12–13, 17–19, 78, 103, 192,
267–268, 271, 273, 279, 282–283,
333, 337–338, 348

Mass spectrometry. *See also* laser ablation
ICP-MS, 39, 76, 192, 334

Melanophlogite, 3

Metamorphic, 7, 12–13, 17–19, 21, 36, 77, 82,
96, 112, 122, 134, 146, 267–268,
272–276, 279, 283, 308–311, 324,
333–337, 347–350

Microanalysis, 41, 228, 237–262

Microprobe (electron microprobe), 191–215,
228, 273–274, 318, 321,
322, 334

Microinclusion, 4, 10–11, 178, 290, 294–297,
302

Microstructure, 5, 9, 14, 17, 237–262

Mineralogy, 2–5

Mining, 46, 64, 101, 111, 140, 147

Moganite, 3, 5, 293

Mortar, 54, 63–64, 69, 134

Mortar texture, 126

N

Nomenclature

SiO₂ rocks, 12–16

SiO₂ system, 3

- Non-bridging oxygen hole center (NBOHC),
5, 7, 171, 247, 249, 251, 254, 260,
280, 295
- Norway, 30, 85–111, 120
- O**
- Opal, 3, 5, 13–15, 154, 288, 299–300
- Optical fibers, 32, 35
- Optical microscopy, 40, 45, 85, 126, 337
- Oxygen, 125, 154, 180, 206, 241
- Oxygen vacancy, 5–7, 161–172, 178–181,
185–186, 238, 250–251, 256, 259,
261–262, 278, 293, 295
- P**
- Paramagnetic centers, 5, 40, 165, 171,
177–187
- Pegmatite, 2, 7, 12, 18–19, 21, 36–37, 71, 78,
81, 86–87, 89–92, 100–103, 112,
120, 126, 139–144, 156, 184, 221,
224, 232, 233, 270, 275, 334–335,
338
- Petrography, 87, 98, 101, 103, 107, 110, 126,
129, 308, 324, 344
- Photovoltaic industry, 32–34
- Plutonic rocks, 267
- Point defect, 2–6, 161, 178, 237, 246, 248,
251, 254, 256, 260–261, 266–267,
272, 277, 282–283
- Porcellanite, 2, 13
- Postmagmatic, 12, 17–18
- Precipitation, 13, 15, 288, 300–302, 307, 308,
311–313, 316, 324–325, 341,
343–344, 347, 349
- Preparation, 19, 47, 60, 64, 119–120, 134–135,
151, 193, 220–221, 228, 291, 318,
334
- Processing, 30–31, 35, 39, 45–49, 61, 64–65,
67, 71–72, 75, 84–85, 99, 106, 111,
113, 120, 140, 150–151, 214, 240
- Properties
 chemical, 3, 20–21
 physical, 2–4, 148
 typomorphic, 1–3
- Provenance, 9–10, 192–193, 221, 288, 331,
337–338, 341, 348
- Q**
- Quartz
 authigenic, 9, 82, 268–270, 273, 275–276,
287–303, 338
 deposits, 30–31, 36, 71–113, 120, 125,
139–156, 192
 formation, 4, 267, 297–303, 308, 324, 332,
341, 343, 346–347
 high-purity, 9, 11–12, 16, 18–19, 35,
71–113, 119, 219–220, 232
 hydrothermal, 2, 7, 9, 11, 18–19, 71, 77,
79, 91–92, 94, 103–113, 120, 143,
145–148, 221, 266–268, 270–271,
273, 275–276, 278, 307–325,
334–335, 338
 igneous, 7, 78–79, 82, 315, 321–322
 Iota, 18, 39, 73, 82–83
 magmatic, 17–19, 265, 267–269, 271, 273,
275, 281
 metamorphic, 7, 12–13, 17, 19, 21, 36, 82,
112, 265, 268–270, 272–273,
275–276, 278–279, 281, 283,
310–311, 334–337, 348
 milky, 4, 45–47, 109, 145, 154
 pebbles, 63, 66, 146, 148, 337–341, 343,
348
 postmagmatic, 12, 17–18
 sand, 2, 9, 16–19, 21, 36, 53–69, 72, 83–84,
139–140, 142, 147–148, 150, 156
 sedimentary, 18, 289
 smoky, 3–6, 48, 100, 145, 149–154
 synthetic, 2, 7, 9, 20–21, 35, 145, 199–201,
203, 247, 277–278, 281, 308, 325,
349–350
 varieties, 4, 150–151
 vein, 12, 18, 36, 108–112, 142, 182–183,
185–187, 307–325, 334–335, 341,
343–347, 349
 volcanic, 7–8, 210, 270, 275–276, 291,
309, 311
- Quartzite, 2, 12–14, 16–20, 36, 66–68, 71, 82,
85–100, 106–107, 112–113, 141,
143, 145–148
- R**
- Rare earth elements, 333
- REE, 10, 101, 178, 288, 298–299, 303,
333–338
- Raw materials, 1–3, 9–12, 16–21, 30–31, 37,
46, 53–69, 72, 81–83, 111, 120,
148, 192, 251, 332
- Real structure, 3–4, 265, 267, 332, 348
- Refinement, 30, 73, 75, 112–113
- Resources, 29, 99, 103, 107, 139–140, 148,
156, 219, 221
- Rocks
 magmatic, 12, 17, 267, 345

R (*cont.*)

- metamorphic, 12, 13, 19, 82, 148, 221, 267, 316, 337–339, 348
- igneous, 311
- plutonic, 267
- sedimentary, 2–3, 12–13, 16, 19, 21, 145, 192, 287–303, 319, 338, 348
- siliceous, 2, 13–14, 21
- siliciclastic, 13–17, 21, 289
- volcanic, 17, 96–97, 145, 311, 337

S

- Sandstone, 2, 9, 13, 16–17, 63, 89, 146, 148, 268, 270, 272, 287–290, 292–293, 295–303
- Sediment, 13–14, 16–17, 56, 67–68, 97, 108, 144–146, 221, 280, 288, 290, 293, 298–303, 348
- Semiconductor, 9, 11, 17–18, 29, 31, 33–35, 49, 83, 238
- Seifertite, 3
- Self-trapped exciton, 7, 237, 246, 248, 251, 254, 261, 279
- Silanol group, 6, 74, 295, 303
- Silcrete, 14–16, 20
- Silica, 1–5, 9, 12–15, 17–21, 29, 31–32, 34–36, 45, 49, 60, 62–63, 82, 143, 171, 220, 228, 240, 251, 280–281, 288, 291, 293, 297–303
- Siliceous sinter, 13–14
- Slicification, 14, 280, 288
- SiO₂
 - amorphous, 3–5, 123, 162, 164, 171, 237, 251, 253–254, 256, 260–262
 - classification, 2–3
 - high-purity, 18–19
 - modifications, 2–4
 - minerals, 1–21

- polymorphs, 2–5, 237–238, 242, 244, 246, 252–253, 261–262
- rocks, 1–3, 12–19, 21
- system, 3
- varieties, 4

- Spatial resolution, 191, 193, 237, 266, 269, 317–318, 333
- Spectroscopy, 4, 9, 12, 4, 45, 74, 119, 122, 124, 130–131, 134, 154, 177, 181–182, 240, 258, 259–260, 265, 269–270, 293, 302, 332, 343
- Standards, 18, 31, 36, 39, 62, 220, 222, 224, 226, 228–232, 234, 318

Stishovite, 3

T

- Texture, 15, 21, 40, 99, 126, 148, 301, 303, 307–325, 341
- Thermoluminescence, 177, 180, 183
- Trace elements, 9–12, 19, 36, 38–40, 71, 73–78, 82–83, 85, 90, 92, 98, 100, 103, 106, 111–113, 120, 123, 125–126, 128–129, 178, 181–183, 191–215, 219–234, 265–283, 287, 291, 296–298, 301, 307–309, 316, 317–325, 331–337, 339, 341, 347–349
- Treatment
 - chemical, 47–49, 120
 - physical, 45
 - thermal, 6, 45, 49–50, 81, 120, 149–154, 181
- Tridymite, 3, 5, 7, 20, 282
- Tripoli, 3, 14

X

XRD, 291, 293