

Index

A

Abiotic stress, 13
Abscission, 215
Activation loop, 148
Adaptive evolution, 14
Ancestral kinase, 3
Arabidopsis EFR, 72, 74
Arabidopsis receptor-like kinases (RLKs), 228
Arabidopsis thaliana, 135–138
Arabidopsis thaliana MERISTEM LAYER 1 (AtML1), 43
ARM-repeat containing 1 protein (ARC1), 157
Asymmetric cell divisions, 42, 208
ATPase, 163
AtPep1, 159
Auxin, 42
Avirulence gene (*AvrPto*), 68
AvrPtoB, 73
AvrXa21 protein, 178

B

BAK1. *See* BRI1-associated receptor kinase (BAK1)
Barely any meristem 1 (BAM1), 154
Bimolecular fluorescence complementation (BiFC), 152
Binding, 201
Bioactive compounds, 196
Biochemical approach, 196
Biotic factors, 16
Biotic stress, 13
BKK1, 148
BKK1 (BAK1-like), cell-death, 81–88
Botrytis-induced kinase 1 (BIK1), 160
Brassica, 126, 127, 129, 131

Brassinosteroid insensitive 1 (BRI1), 147, 256–258, 260, 261, 264, 265, 267, 268
endocytosis, 258
kinase inhibitor 1 (BKI1), 148
Brassinosteroids (BR), 46, 47, 80–82, 84–87, 147
BRI1. *See* Brassinosteroid insensitive 1 (BRI1)
BRI1-associated receptor kinase (BAK1), 80–88, 147, 256–258, 262, 264–266
BRI1/BAK1 model, 232–234
bri1-5 fusion protein, 288
BR signalling kinases (BSKs), 149

C

CAPRICE (CPC), 48
Cell
expansion, 109–121
fate, 42
wall, 109–121
Cellulose, 110–112, 118
Chimeric RLKs, 6
Chitin, 181–182
Chitosan, 180
CLAVATA 2 (CLV2), 153
CLAVATA 3 (CLV3), 153
CLE. *See* CLV3/embryo-surrounding-region (CLE)
CLV1, 153
CLV3/embryo-surrounding-region (CLE), 153
domain, 216
peptide, 23, 27, 29–35
CLV pathway, 27, 30, 32
Co-immunoprecipitation, 206
Co-option, 12
CORYNE/SOL2 (CRN), 153
Crinkly4, 264–265

Cys69Tyr mutation, 288
Cytosolic HSP90, 292

D

Damage-associated molecular patterns (DAMPs)
 functional definition of, 174–176
 pectin fragments, 184–185
Danger-associated molecular pattern (DAMP), 159
Domain content, 5, 7
Domain gain and loss, 7
Duplication mechanisms, 10

E

Effector-triggered immunity (ETI), 68
EF-Tu receptor (EFR), 158
Elf18, 160
E3 ligase, 157
Elongation factor Tu (EF-Tu), 72, 177–178
Embryogenesis, 42
Endocytosis, 254–268
Endosomes, 255–257, 259–261, 263–268
Epidermal cell differentiation, 48, 50
Epidermal patterning, 43
ER-associated degradation (ERAD), 276
ER quality control (ERQC) systems, 276
Ethylene inducing xylanase (EIX), 179
Exocyst complex subunit Exo70A1, 157
Expansion, 5, 8
Export, 201
Extended PIP motif (EPIP), 216

F

FERONIA, 262, 263
Flagellin, 176
Flagellin sensing 2 (FLS2), 158, 256–262, 265–266, 268
 endocytosis, 259–262, 265
Flg22, 160, 177
FLS2. *See* Flagellin sensing 2 (FLS2)
Fluorescence resonance energy transfer (FRET), 153
Functional redundancy, 202, 203
Function and duplication mechanism, 13
Functions, 11
Fungi, 3

G

Gene duplication, 9
Genetics, 196
Genetic screen, 196

Genome drift, 11
 β -Glucan oligosaccharides, 180
GmSubPep, 185
Green algae, 5
Growth-promoting activity, 199
GRP, 118

H

Horizontal transfer, 4
Hydroxyproline, 216

I

Innate immunity, 6, 71, 74
Innovation, 8
Intercellular signaling, 42
Interleukin receptor-associated kinases (IRAKs), 2, 6
Intraspecific variation, 15
Invertase, 115, 116
IRAKs. *See* Interleukin receptor-associated kinases (IRAKs)

K

Kinase, 93–104
Kinase-associated protein phosphatase (KAPP), 148

L

Ligand-induced endocytosis, 261
Ligand-receptor interactions, 196
Ligand-receptor pairs, 198
Lineage-specific expansion, 9
Lineage-specific RLK/*Pelle* subfamilies, 8
Lipo-chitooligosaccharides
 Myc factors, 183
 nod factors, 183
 receptors for, 184
LRR-receptor-like protein (RLP), 153
LRR-RLK, 147
Luminal binding protein (BiP), 163
LysM domain, 94–100, 104
LysM-type receptor-like kinase (LYKs), 184

M

Male sterility, 206
MAMPs. *See* Microbe-associated molecular patterns (MAMPs)
MAPK. *See* Mitogen-activated protein kinase
Membrane trafficking, 253, 254, 256, 259, 261

- Meristem, 23–35
- Microbe-associated molecular patterns (MAMPs), 68
- functional definition of, 174–176
 - microbial cell walls, 179–188
 - polypeptide, 176–179
- Microsporocytes, 206, 207
- Mitogen-activated protein kinase, 120
- M-locus protein kinase (MLPK), 156
- N**
- Natural selection, 16
- Neofunctionalization, 12
- Neutral processes, 14
- NFR1, 94–101, 103
- NFR5, 94–101, 103
- Nod factor receptor, 94, 95, 97, 99, 101, 103, 104
- Nod factor signalling, 97, 100, 102
- Noncell-autonomous, 212
- Novel RLKs, 7
- N-terminal signal peptide (NSP), 204
- O**
- Origin, 3
- OsWRKY62, 162
- Overexpression, 215
- P**
- PAMP-triggered immunity (PTI), 68, 158
- Pathogen-associated molecular patterns (PAMPs), 158
- receptors, 14
- Pathogen effectors, 73
- Pathogen response, 111, 112, 119
- Pattern recognition receptors (PRRs), 158
- PBS1-like (PBL) protein, 160
- Pectin, 110, 112, 114–118, 120, 121
- Pelle*, 2, 6
- Peptides
- CHALLAH (CHAL, EPFL6), 209
 - CLAVATA 3 (CLV3), 196
 - CLAVATA3/ENDOSPERM SURROUNDING REGION (CLE), 210
 - CLE19, 216
 - CLE40, 213
 - CLE41, 213
 - CLE42, 213
 - CLE44, 213
 - cps13, 69
 - cysteine-rich peptides (CRPs), 204
 - elf18, 69, 72
 - EPF1, 209
 - EPF2, 208
 - EPF-LIKE (EPFL) proteins, 208
 - EPIDERMAL PATTERNING FACTORS (EPFs), 196
 - flg22, 69
 - IDA-LIKE, 210
 - INFLORESCENCE DEFICIENT IN ABSCISSION (IDA), 57, 196
 - PEP1-6, 198
 - pep13, 69
 - plant peptide containing sulfated tyrosine (PSY1), 196
 - proline-rich peptides, 202
 - S-locus cysteine-rich peptides (SCR), 207
 - S-locus protein 11 (SP11), 207
 - STOMAGEN (EPLF9), 209
 - sulfated peptides, 202
 - systemin, 202
 - TAPETUM DETERMINANT1 (TPD1), 196
 - tapetum determinant 1 (tpd1)*, 206
 - tracheary element differentiation inhibitory factor (TDIF), 196
- Perception, 176, 201
- Phosphorylation, 146
- Phylogenetic relationships, 4
- Phytohormones, 195
- auxin, 195
 - cytokinin, 195
 - giberellin, 195
- Plant-pathogen interactions, 74
- Pollen, 111, 116, 117
- Pollen–pistil interactions, 125–139
- POLTERGEIST (POL), 155
- Postembryonic radial patterning, 50
- Precursor proteins, 203
- Protein
- domains, 2
 - kinase, 120
- PROTODERMAL DETERMINING FACTOR 2 (PDF2), 43
- Protoderm cell identity, 44
- Prototypical receptor-like kinase, 1
- PRRs. *See* Pattern recognition receptors (PRRs)
- Pseudogenes, 15

Pseudokinase, 95–97
Pseudomonas syringae pv. *tomato* DC3000,
 160
 PTI. *See* PAMP-triggered immunity (PTI)

R

Reactive oxygen species (ROS), 175–176
 Receptor kinases, 23–35, 131–135
 localization, 263
 trafficking, 256
 Receptor-like cytoplasmic kinases (RLCKs),
 2, 42, 152
 Receptor-like kinases (RLKs), 79, 80, 85–88,
 112, 145, 196
 ABNORMAL LEAF SHAPE 2 (ALE2), 45
 anther patterning, 54
 ARABIDOPSIS, 1, 24, 42, 68, 79–88,
 93, 113, 126, 147, 177, 196, 228,
 259, 275
 AtPSKR2, 204
 BAM2, 24, 30, 53, 54, 56, 154,
 212, 217
 BARELY ANY MERISTEM (BAM),
 11, 30, 31, 34, 35, 53, 150, 154,
 156, 212
 BRASSINOSTEROID INSENSITIVE 1
 (BRI1), 11, 46, 80, 96, 147, 186, 200,
 232, 256, 276
 BRI1-LIKE receptors (BRL1 and BRL3),
 50, 148, 201
 CAST AWAY (CST), 60
 CLAVATA1, 6, 11, 23, 53, 211, 276
 CRINKLY4 (ACR4), 12, 24, 32–33,
 44, 45, 197, 213, 219, 257, 260,
 264, 265
 CRINKLY LEAF-4 (CR4), 44
 ERECTA-family (ERF), 197, 209, 210,
 218, 219
 EVERSHED (EVR), 57, 264
 EXS/EMS1, 199
 extracellular domain, 200
 HAESA (HAE), 57, 59, 215
 HAESA-LIKE2 (HSL2), 57, 59, 215
 LRR-RLKs, 29, 30, 50, 53, 57, 59,
 80, 147, 158, 159, 161, 185, 186,
 198, 202, 209, 210, 215, 217,
 287–289, 294
 PEPR1/2, 159, 198
 PHLOEM INTERCALATED WITH
 XYLEM (PXY), 24, 34, 35, 197, 214,
 218, 219
 PSKR1, 204

PSKRs, 199
 PXL1, 214
 PXL3, 214
 RECEPTOR-LIKE PROTEIN KINASE 2
 (RPK2), 29, 30, 31, 35, 44, 56, 150,
 155, 212
 RECEPTOR PROTEIN KINASE 1
 (RPK1), 44, 45, 46
 SERK1/2, 55, 56
 S-locus receptor kinase (SRK), 113,
 126–131, 138, 150, 151, 156–158, 164,
 197, 207, 208, 256, 265
 TDIF Receptor (TDR), 34, 35, 214, 217
 TOADSTOOL2 (TOAD2), 29, 44–46, 52,
 56, 57, 155, 212
 RECEPTOR-LIKE PROTEIN KINASE 2/
 TOADSTOOL2 (RPK2/TOAD2), 155
 Receptor-like proteins, 6
 Receptor-mediated endocytosis, 262, 263,
 265, 268
 Receptor tyrosine kinases, 1
 RLCKs. *See* Receptor-like cytoplasmic kinases
 (RLCKs)
 RLK/*Pelle* subfamilies, 13
 RLK phosphorylation
 BRI1/BAK1 model, 232–234
 database, 236–237
 gel-based mass spectrometry analysis,
 230
 liquid chromatography, 231
 phosphopeptide enrichment, 231–232
 phosphoproteomic studies, 235–236
 quantitative analysis, 243
 RLKs. *See* Receptor-like kinases (RLKs)
 Root meristem, 213
 ROS. *See* Reactive oxygen species (ROS)

S

SAM. *See* Shoot apical meristem (SAM)
 SCD1. *See* Stomatal cytokinesis defective 1
 (SCD1)
 SCR/SP11. *See* S-locus Cys-rich/S-locus
 protein 11 (SCR/SP11)
 SDF2. *See* Stromal derived factor 2 (SDF2)
 Self-incompatibility (SI), 126–128, 130–132,
 156, 207
 SERK1, 257, 260, 263–264
 SERKs. *See* Somatic embryogenesis receptor
 kinases (SERKs)
 Shoot apical meristem (SAM), 46, 153, 210
 Signalling, 26–35, 126–129, 132, 138
 endosomes, 267

- S-locus Cys-rich/S-locus protein 11 (SCR/SP11), 156
- Solanum lycopersicum, 126, 132–135
- Somatic embryogenesis receptor kinases (SERKs), 80, 81, 147
- S receptor kinase (SRK), 156, 256, 265
- Stamen specification, 51
- Stem cells, 24–27, 32–34
- Steroids
 brassinolide (BL), 199
 brassinosteroids (BRs), 196
- Stomata, 208
- Stomatal cytokinesis defective 1 (SCD1), 160
- Stress response, 109–121
- Stromal derived factor 2 (SDF2), 163
- Subfunctionalization, 12
- Substrate retrotranslocation, 282
- Sulfation, 202
- Symbiosis, 93, 100–103
- SYMRK, 95, 101–103
- Systemin, 185
- T**
- Tandem duplication, 10
- Tapetum, 206
- TAPETUM DETERMINANT1 (TPD1), 53
- TGF- β receptor interacting protein 1 (TRIP-1), 149
- Thioredoxin-H-like 1 (THL1) protein, 157
- TPD1. *See* TAPETUM DETERMINANT1 (TPD1)
- Trafficking inhibitors
 Brefeldin A, 261
 Tyrphostin A 23, 260
 Wortmannin, 261
- Transforming growth factor-b (TGF-b) receptor, 149
- Transport, 201
- Transthyretin-like (TTL) protein, 149
- TRIP-1. *See* TGF- β receptor interacting protein 1 (TRIP-1)
- Two-dimensional difference gel electrophoresis (2D-DIGE), 152
- Tyrosine sulfation
 tyrosylprotein sulfotransferase (*Ar*TSPT), 204
- U**
- Ubiquitination, 282
- UGGT-CRT3 system, 286–288
- W**
- WAK. *See* Wall associated kinase (WAK)
- WAKL, 114, 115, 119, 120
- Wall associated kinase (WAK), 109–121
- Whole genome duplications, 10
- Wound hormones, 185–186
- Wounding, 116, 119
- WUSCHEL (WUS), 153
- X**
- XA21, 256–258, 266
- Xa21, 70, 161
- XB3, 162
- XB10, 162
- XB15, 162
- XB24, 163
- Xylem, 213
- Y**
- Y2H, 158
- Z**
- Zygote, 42