

Index

A

Affinity chromatography (AC), 223, 228–229
AGI. *See Arabidopsis genome initiative (AGI)*
1-Aminocyclopropane-1-carboxylate (ACC)
 synthase, 171
Analysis
 x-ray, 119, 125
Antirrhinum, 34
Apoplastic space, 245
Arabidopsis, 166
Arabidopsis genome initiative (AGI), 261
Arabidopsis lyrata, 79–81, 84–85, 88
AtPeps, 168
Autocrine, 12
Auxin, 137, 139, 142

B

Barely any meristem (BAM1-3), 32
Basic helix–loop–helix (bHLH) transcription
 factors, 97
Bioassay-guided extraction, 219
Bioassays, 248–250
Biphasic column, 231
Bond
 disulfide, 110, 111, 113, 118, 121, 123–126
Brassicaceae, 166
BR11-associated kinase 1 (BAK1), 169
Brought up, 35

C

Calcium-dependent protein kinases (CDPKs),
 170
Callose, 109
Carboxypeptidase, 201, 203, 204
Central zone, 26

Channels, 183, 185, 186, 188, 189, 191–193
Chitin
 binding, 107, 123–125
CLAVATA1 (CLV1), 169
CLAVATA 3 (CLV3), 6
CLAVATA (CLV), 141
CLAVATA peptide, 202
CLE, 7, 11
 family, 6, 10, 16
 peptides, 14, 30, 139–145, 148–150,
 201–204
CLE40, 31
CLE-box, 30
CLV1, 27, 172
CLV2, 27, 172
CLV3, 28
CLV-like pathways, 34
CLV3 peptide, 35
Co-correlation scatter plot, 266
Co-immunoprecipitation, 249
Cold shock protein, 167
Compound
 antimicrobial, 107–128
 polypeptide-based, 109
Computational-based analysis
 Arabidopsis databases, 263
 cellular responses, 258
 co-correlation scatter plot, 266
 endogenous phytohormones, 257
 expression correlation, 261–263
 gene expression, 258
 genes annotation, 266
 genes transcription, 259
 GOI, 259
 MAMPs, 266
 metabolic enzymes, 259
 N-terminal signal sequence, 257–258

Computational-based analysis (*cont.*)
 PEPR signaling, 267–268
 Pep signaling components, 267
 PR genes, 267, 268
 prohormones, 258
 promoter enrichment analysis, 271–273
 PROPEP2-ECGG, 263–265
 PROPEPs and defense signaling, 259–260
 salicylic acid and jasmonic acid, 267
 stimulus-specific expression profile,
 268–270
 TFBS, 260
 Web-based tools, 259

CORYNE (CRN), 27
 Csp15, 167
 C-terminally encoded peptide 1 (CEP1), 6
 Cyclic nucleotides, 185, 191
 Cyclotide, 108, 126–127
 Cytokinin, 137, 139
 Cytokinin signaling
Arabidopsis, 68
 ARRS, 67
 plant hormones, 67
 procambial proliferation, 67
 protoxylem vessel formation, 68

Cytosolic Ca²⁺, 170

D

Damage-associated molecular patterns
 (DAMPs), 164

Defensins, 8
 activity, 112, 114–117, 127
 cereal, 115
 conservation, 114, 118
 gene, 108, 109, 116–118
 intracellular target, 107, 112, 117
 mechanism of action, 112, 115, 117
 precursor, 112, 117
 role in development, 110, 117, 122, 127
 sequence, 109, 113, 114, 116
 three-dimensional structure, 114, 119
triticum kiharae, 111, 115

Differentiation, 42–44, 46, 47, 53

Divisions, 45, 49, 51

DNA methylation, 86–88

DVL, 147

E

Early nodulin 40 (ENOD40), 139, 144–146, 150
 ECGG. *See* Expression correlated gene group
 (ECGG)

Effector-triggered immunity, 164

Electrospray ionization mass spectrometry
 (ESI-MS), 232

Elf18/26, 166

Elicitins, 167

Elongation, 48, 49, 51, 52

Elongation factor EF-Tu, 166

Endoplasmic reticulum (ER), 103

ENOD40, 70

Enzyme
 chitinase, 109, 110
 glucanase, 109
 peroxidase, 110
 protease, 109

EPF-like peptides, 93

Epidermal development, 94

Epidermal Patterning Factor 1 (EPF1), 97, 98,
 101, 104

Epidermal Patterning Factor 2 (EPF2), 99, 101,
 104

Epidermal patterning factors (EPFs), 7, 11, 94

ERECTA (ER), 93, 96

Ethylene, 137, 138, 145, 146, 171

ETI, 164

Expression correlated gene group (ECGG),
 260, 262, 263, 273

Extraction of peptides, 221

F

Flagellin, 166

FLAGELLIN-SENSING 2 (FLS2), 166

Flg22, 166

Fluorogenic peptide, 205, 206, 212

Functional redundancy, 247

G

Gel filtration chromatography (GFC), 227

Gel-permeation chromatography (GPC), 227

Gene
 defense-related, 108, 123
 expression, 171

Gene of interest (GOI), 259–261

General fractionation protocol, 224

Genetic screens, 243, 248, 250

GFC. *See* Gel filtration chromatography (GFC)

Glycopeptide, 31

Glycosylation, 249, 250, 253

GmSubPep, 168

GOI. *See* Gene of interest (GOI)

GPC. *See* Gel-permeation chromatography
 (GPC)

Gradient elution, 227, 230

Guard cells, 93, 94

H

- Hevein
 - domain, 107, 123–126
- HIC. *See* Hydrophobic interaction chromatography (HIC)
- High-performance liquid chromatography (HPLC), 222
- HILIC. *See* Hydrophilic interaction liquid chromatography (HILIC)
- Hormones, 183–186, 189, 193
- HPLC. *See* High-performance liquid chromatography (HPLC)
- Hydrophilic interaction liquid chromatography (HILIC), 223, 229–230
- Hydrophobic interaction chromatography (HIC), 223, 230–231
- Hydroxyproline, 31
- Hydroxyproline (Hyp) residues, 208
- HypSys, 168

I

- Identification techniques, 232–233
- IEC. *See* Ion-exchange chromatography (IEC)
- IMAC. *See* Immobilized metal ion affinity chromatography (IMAC)
- Immobilized metal ion affinity chromatography (IMAC), 229
- Inflorescence deficient in abscission (IDA), 10, 11
- Innate immunity, 249
- In silico, 35
- Ion-exchange chromatography (IEC), 223, 226–227
- Ion fluxes, 170
- Isocratic elution, 227
- Isoelectric point (PI), 226

J

- Jasmonate, 172

K

- Kinase-associated protein phosphatase (KAPP), 33, 141

L

- Lectin, 123, 125
- Leucine-rich repeat (LRR) receptor, 27, 61–63, 97
- Leucine-rich repeat receptor-like kinase (LRR-RLK), 166

Ligand-receptor interactions

- acridinium ester labeling, 251
- cross-linking, 251–253
- dissociation constant (K_d), 251
- half maximal inhibitor concentration (IC₅₀), 251
- photoaffinity labeling, 252
- radiolabeled ligands, 251
- Ligand-receptor pairs, 243, 248, 253
- Lignin, 109
- Low-molecular-weight cysteine-rich (LCR)/pollen coat protein, 8
- LRR. *See* Leucine-rich repeat (LRR) receptor
- LRR receptor-like kinase (RLK), 27
- LRR receptor-like protein (RLP), 27
- Lyophilization, 222

M

- MAMPs. *See* Microbe-associated molecular patterns (MAMPs)
- Mass assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI-TOF-MS), 232
- Meristem, 136, 140–146, 149, 150
- Metabolism, 184
- Microbe-associated molecular patterns (MAMPs), 164, 259, 260, 266, 268, 270
- Mitogen-activated protein kinase (MAPK), 170
- Motif
 - cysteine, 110, 113, 114, 123, 124
- Multidimensional separation approach, 231–232

N

- 1-Naphthylphthalamic acid (NPA), 67
- NASC/GARNet microarray, 261
- Nematode, 140, 148–150
- Nicotiana benthamiana*, 166
- Nod factor, 136, 138, 143, 146, 147, 150
- Nodule, 136–139, 142, 143, 145–148
- Nodule-specific cysteine-rich (NCR), 138, 139, 148, 150
- NPA. *See* 1-Naphthylphthalamic acid (NPA)
- N-terminal signal peptide (NSP), 242, 246

O

- Oligogalacturonides (OGA), 167
- Oryza sativa*, 35
- Oxidative burst, 248, 249

P

- Paracrine, 12, 15
- Pathogenesis-related (PR) genes, 267, 268
- Pathogens, 183, 187–190
 - human, 107, 115, 120
 - plant, 108–110, 112–116, 118–122, 125–128
- Pattern
 - damage-associated molecular, 108
 - pathogen-or microbe-associated molecular, 108
 - recognition receptors, 164
- Pattern-triggered immunity (PTI), 164
- Pep13, 167
- PEPR1 and 2, 169
- Peptide 1 (Pep1), 6, 14
- Peptides
 - antimicrobial
 - application, 127–128
 - families, 109–127
 - genes, 108–110, 112–114, 116–118, 120–125, 127, 128
 - hevein-like, 111, 119, 123–126
 - knottin-like, 111, 126–127
 - macrocyclic, 111, 126–127
 - mode of action, 112, 117, 122, 125
 - precursor, 107–128
 - epidermal patterning factor (EPF), 242
 - flagellin22 (flg22), 249, 250, 252, 253
 - ida-like (IDL), 245, 247
 - inflorescence deficient in abscission (IDA), 242, 244, 245, 247
 - libraries, 210–211
 - ligand receptors, 12–15
 - lure2, 251
 - phytosulfokine (PSK), 242, 246, 250–253
 - plant peptide containing sulfated tyrosine (PSY), 242
 - systemin, 248
 - tapetum determinant1 (TPD1), 242, 243, 245, 249, 250
 - tracheary element differentiation inhibitory factor (TDIF), 242, 245, 246
- Petunia hybrid, 34
- Phage display, 212
- Photosynthesis, 183, 185, 189, 190
- Phytoalexin, 109
- Phytoanticipin, 109
- Phytophthora megasperma*, 167
- Phytosulfokines (PSKs), 3, 7, 14, 69, 139, 183, 187, 191, 193, 204–205
- Plant natriuretic peptides (PNPs), 7, 9, 10, 183, 185, 187–190, 193
- Plant peptide containing sulfated tyrosine (PSY), 6
- Plant vascular development
 - CLE peptides
 - Arabidopsis* genome, 66
 - cytokinin signaling, 67–68
 - metaxylem, 66
 - protoxylem, 66
 - TDIF, 60–66
 - transcripts, 67
 - WOX4, 66–67
 - Zinnia* cell culture, 67
 - ENOD40*, 70
 - perspectives, 71–72
 - PLS, 69–70
 - procambial and cambial cell, 59
 - PSK, 69
 - putative peptide ligands, 71
 - radial patterns, 60
 - xylogen, 70–71
- POLARIS (PLS), 10, 69–70
- Pollen tube attractants (LURE), 7
- Poltergeist (POL), 33
- Pore volume, 228
- Post-translational modifications, 199, 200, 208–210, 212, 249, 253
- Presequence, 201
- PR genes. *See* Pathogenesis-related (PR) genes
- Processing
 - post-translational, 126
- Promoter enrichment analysis
 - cis*-regulatory sequences, 271
 - computationally, motifs, 272–273
 - PROPEP2-ECCG, 272, 273
 - putative regulatory motifs, 271
 - visualization tool, 271
 - WRKY transcription factors, 272
- PROPEP1, 173
- PROPEP2, 262, 263
- PROPEP2-ECCG, 263–265
- Propeptides, 199–201, 203–205
- Prosystemin, 167
- Protease-processing, 209
- Protein
 - chitin-binding, 123–125
 - hydroxyproline, 109
 - lipid-transfer, 110–113, 119–121
 - pathogenesis-related, 109
- Proteolytic profiling assay, 212
- Proteome, 183, 187, 188, 193
- PSKs. *See* Phytosulfokines (PSKs)
- Putative peptide ligands, 71

R

- RALF-like (RALFL), 6, 11
 RAM. *See* Root apical meristem (RAM)
 Rapid alkalization factors (RALFs), 6, 7,
 139, 146–147, 150, 168, 183, 192,
 193, 205–207
 Reactive oxygen species (ROS), 165
 Receptor-like kinases (RLKs), 62–63, 71, 168
 AtPEPR1, 252
 barley any meristem (BAM), 247
 chimeric receptors, 249
 clavata1 (CLV1), 243, 245, 250
 ectodomain, 250, 253
 excess microsporocytes1 (EMS1), 243,
 245, 250
 extra-cellular domain, 241, 253
 flagellin sensitive 2, 249
 haesa (HAE), 244
 haesa-like2 (HSL2), 244
 kinase domain, 241, 243
 LePRK, 250
 phyto-sulfokine receptor (PSKR), 252
 ploem intercalated with xylem (PXY), 245
 receptor-like protein kinase2 (RPK2), 243
 sensitive 2, 249
 TDIF receptor (TDR), 245
 Receptor-like protein kinase 2/toadstool
 2 (RPK2/TOAD2), 33, 141
 Response
 hypersensitive, 108, 122
 immune, 108
 Reversed-phase high-pressure liquid
 chromatography (RP-HPLC),
 223, 225
 Rhizobia, 136, 143, 144, 146–148
 RLKs. *See* Receptor-like kinases (RLKs)
 Root apical meristem (RAM), 66
 Root cap, 41, 42, 45, 47, 53, 54, 56
 Root growth factors (RGFs), 7, 10, 17
 Root meristem, 247
 Rotundifolia4 (ROT4), 139, 147, 150

S

- Salicylic acid, 171
 SCR. *See* S-locus cysteine-rich protein (SCR)
 SCR-like (SCRL) protein, 8
 SEC. *See* Size-exclusion chromatography
 (SEC)
 Self-fertilization, 77, 78, 84, 88–89
 Self incompatibility (SI), 78–89
 domains, 82

Sequencing

- genome-scale, 113
 Shoot apical meristem (SAM), 243
 Size-exclusion chromatography (SEC), 223,
 227–228
 S-locus cysteine-rich (SCR) protein, 8, 77–89
 S-locus receptor kinase (SRK), 78–84, 86,
 88, 89
 Small RNA, 86–88
 Solvent system, 222
 Soybean, 167
 Speechless (SPCH), 97
 SRK. *See* S-locus receptor kinase (SRK)
 Stationary phases, 229, 230
 Stem cell, 26
 Stereoisomeric forms, 220
 Stimulus-specific expression profile
 anatomy and development tabs, 269
 conditions tab, 269
 geneinvestigator tool, 269
 genotype tab, 269
 GOI, 268
 MAMP elicitors, 270
 pathogens, 270
 PROPEP2-ECGG, 269, 270
 Stomagen, 94, 99–102, 104
 Stomata, 93–95, 98
 Stomatal density, 94
 Structure, shoot apical meristem, 26–27
 Subtilase, 168
 Subtilisin-like protease, 206, 207
 System, 108, 112, 113, 115
 Systemic resistance, 177
 Systemin, 3, 7, 139, 146, 167, 201–203, 209

T

- Tapetum, 242, 243, 245, 249
 TDIF. *See* Tracheary element differentiation
 inhibitory factor (TDIF)
 TFBS. *See* Transcription factor binding sites
 (TFBS)
 Too many mouths (TMM), 93, 96, 98, 103, 104
 Tracheary element, 139, 142
 Tracheary element differentiation inhibitory
 factor (TDIF)
 characteristics
 CLE peptides, 60
 dodeca-amino acid peptides, 61, 62
 structures and signaling pathway, 60, 61
 xylem cells, 60
Zinnia xylogenic culture, 61

Tracheary element differentiation inhibitory
factor (TDIF) (*cont.*)
function, 64
receptor
 CLAVATA loci, 62–63
 LRR-RLK, 61, 63
 SAM, 63
 stem cell fates, 64–66
 transcription factor, 63–64
Transcription factor binding sites (TFBS),
 260, 271, 272
Tyrosine-sulfated glycopeptides, 208

V

Void volume, 228

W

WUSCHEL (WUS), 29

X

Xylem, 245, 249

Xylogen, 70–71

Y

Yeast-two-hybrid interactions (Y-2-H), 249–250

Z

Zea mays, 35

ZmPep1, 177

Zwitterion, 220, 226