

Index

- A**
Accretionary complexes, 9, 289, 313, 570, 572
Accretionary prism, 111, 310, 315, 316, 357
Actinolite, 24, 25, 37, 114, 117, 129, 130,
212, 213, 222, 226, 228, 244,
259, 261, 262, 436, 449–453
Activity gradients, 203, 204, 255, 268, 272,
296, 395
Adirondacks, 418, 430
Advection, 3, 5, 93–98, 104–106, 108, 133,
243, 300, 314, 316, 582
Age dating
 using Al–Mg isotope system, 722, 747,
 748, 752, 761
 using I–Xe isotope system, 726
 using Mn–Cr isotope system, 724, 725
Age mapping, 179, 187, 193
Age resetting, 193, 195
Åkermanite, $\text{Ca}_2\text{MgSi}_2\text{O}_7$, 663
 in CAIs in CV chondrites, 675, 681, 683
Åkland, 424, 435
Albite, 6, 15, 25, 29, 33, 34, 37, 40, 43, 65,
262, 432, 434, 449–452, 671
 in unequilibrated ordinary chondrites,
 769, 771, 774
Albite–jadeite–quartz reaction, 6, 150
Albitisation, 4, 6, 10, 15, 25, 27, 33, 44
Albitite, 449–452
Albitization, 54, 64–65, 152–155, 430,
445–452, 454
 in ordinary chondrites, 660, 774
Aldan shield, 426
Algeria, 425, 429
Alkali element exchange, 303
Alkali-bearing fluids, 443–445
Alkali metasomatism, 7–8, 206–209,
214–215, 235
 Ca-metasomatism, 241
 sodic (albitisation), 210–215
Alkaline complexes, 7
Allanite, 114, 194, 195, 242, 443
Allende, 663, 669, 670, 703
 CAIs, 669, 675–677, 679, 680, 682–685,
 687, 696, 704, 720, 727, 728
 chondrules, 693, 694, 699, 701, 727
 dark inclusions, 696–703, 705, 710,
 717–721, 727, 729
 I–Xe isotopes, 727
 magnesium isotopes, 722, 723, 726
 matrix, 672, 696, 699, 700, 703, 704,
 718–721
 oxygen isotopes, 670, 705–710
 thermal metamorphism, 703, 705
Almirez, 312
Almklovdalen massif, 485–486
Alta aureole, USA, 98
Altered oceanic crust (AOC), 317, 321
Aluminum diopside
 in CAIs in CV chondrites, 674, 675, 681,
 683–685, 720, 723, 724
Aluminum–magnesium dating, 722
 CO chondrites, 750
 CV chondrites, 722
Amoeboid olivine aggregates (AOAs), 14, 15,
659, 660, 662, 663, 669
 in CO chondrites, 729, 740, 753–756, 760,
 762, 765
 in CV chondrites, 673, 674, 706
Amphibole, 2, 3, 7, 25, 26, 38, 40, 59, 64, 76,
114, 161, 171, 181–183, 206, 210,

- 211, 219, 221–223, 229, 230, 242, 274, 263, 266, 270, 272, 300, 306, 362–366, 369, 382, 397, 422, 439, 441, 447, 474, 476, 486, 495, 502–506, 508, 558, 559, 569, 561, 694
- Amphibolite-facies, 2, 10, 19, 43, 64, 76, 94, 146, 192, 193, 229, 230, 239, 254, 257, 275, 279, 298, 304, 306, 311, 313, 319, 322, 332, 381, 415–455, 543, 601, 623, 626, 633, 638, 643
- Anápolis-Itaçu complex, 428
- Andalusite, 120, 122–124, 128, 144, 145, 229, 230, 432
- Andradite, 14, 24, 104, 106, 222–224, 226, 659, 670–672, 674, 677, 679, 682–684, 690–692, 696–699, 701, 706, 707, 710–714, 717–721
- in AOAs in CO chondrites, 740, 754
- in CAIs in CO chondrites, 733–736, 738, 749–751, 759, 760, 765
- in CAIs in CV chondrites, 673–676
- in chondrules in CO chondrites, 742
- in chondrules in ordinary chondrites, 775
- in CO chondrites, 710, 734, 737
- in CV chondrite CAIs, 675, 677, 679, 680, 682, 684, 686
- in CV chondrite chondrules, 690–692, 701, 711
- in CV chondrite dark inclusions, 696–699, 701
- in CV chondrite matrix, 672, 692, 706
- in fine-grained CAIs in CV chondrites, 679, 680
- magnesium isotopes in CAIs, 723, 749
- oxygen isotopes in CAIs in CO chondrites, 749–751
- oxygen isotopes in CAIs in CV chondrites, 708–710
- oxygen isotopic composition, 706–707
- in type B CAIs in CV chondrites, 675–679, 681–685, 687, 720
- in type C CAIs in CV chondrites, 675, 676, 704, 705
- Anhydrite, 29, 215, 234, 259
- Anorthite, 14, 81, 128, 160, 213, 278, 441, 659, 660, 663, 668, 671, 758, 772
- Ansignan, 435, 436, 438
- Antarctica, 425
- AOAs. *See* Amoeboid olivine aggregates (AOAs)
- AOC. *See* Altered oceanic crust (AOC)
- Apatite, 2, 3, 6, 38, 64, 141, 156–158, 186, 191, 195, 215, 220, 222, 227, 237, 242, 374, 382, 387, 388, 391, 424, 444, 447, 452, 474, 502–505, 772
- Apatite-amphibole suite, 503
- Aqueous fluid, 353, 369, 371–375, 380, 383, 386, 387, 394, 395, 397
- Aqueous solutions, 660
- in CV chondrites, 673, 690, 706, 711, 713, 715, 718
- in ordinary chondrites, 775
- Aquifers, 96, 101
- Aquitards, 102, 103
- Aragonite-calcite, 6, 147–150, 163
- ³⁹Ar-⁴⁰Ar dating, 179, 181
- Archie's Law, 544
- Arc magmatism, 9, 290, 329
- Ar diffusion, 193
- Arendal, 419, 445
- Arrested charnockite, 440
- Arunta block, 432
- Asheimvatn, 434
- Asteroidal alteration, 661, 665–667
- CO chondrites, 753, 757, 759, 760, 762
- CV chondrites, 673, 699, 726
- unequilibrated ordinary chondrites, 767, 775
- Asteroid belt, 661
- Asteroids, 666, 667, 765, 766
- CV chondrite, 673, 702, 715
- Australia, 419, 421, 431, 432, 446, 449, 452
- Awaruite, 14, 671
- in CV chondrites, 661, 674, 692
- B**
- Background flux, 623
- Background permeability, 644
- Bamble municipality, 447
- Bamble sector, 417–420, 424, 425, 430–432, 435, 436, 439, 441, 445, 446, 448–453
- Barlindåsen, 451
- Barrovian metamorphics, Scotland, 98, 107–111, 132
- Basalt, 8, 9, 11, 12
- Beinn an Dubhaidh aureole, Scotland, 99
- Bergen Arcs, 144, 146, 159, 161
- Biopyriboles, 694
- in Allende, 694
- Biotite, 3, 7, 20, 59, 67–70, 72, 74, 105, 110, 114, 118–130, 182, 183, 186, 187, 193, 205, 211, 215, 222, 223,

- 228–232, 236, 237, 242, 270, 272,
277, 273, 362, 418, 422, 432, 433,
436–440, 559
- Bjurböle LL chondrite, 773–775
- Blackwall, 242–243, 266
alteration, 7–8
- Blengsvatn, 448
gabbro, 420
- Blueschist, 2, 9, 80, 81, 94, 157, 299, 300, 302,
306, 307, 309, 311, 315, 317, 319,
356–360, 363, 364, 369, 374–381,
385, 388–393, 395, 561
eclogite transition, 309
- Boron, 320
metasomatism, 7
- Bo Xian LL chondrite, 771, 772, 775, 776
- Brazil, 428
- Breccia pipe, 8, 236, 239
- Breccias, 113, 114, 117, 118, 124–126, 130
- Brines, 4, 10–12, 19–21, 23, 25, 28, 29,
31–39, 43, 44, 101–103, 219, 239,
357, 381–383, 416, 422, 424–426,
428–433, 435, 436, 438, 439, 442,
443, 446, 447, 449, 450, 452, 454,
471, 475, 509–511, 523
bittern, 29, 31–35, 42, 44
- Brittle, 605
- Brittle-ductile transition, 608, 613, 643
- Broken Hill, 419, 421
- Brownstone facies, 255, 257
- Brucite, 145, 240, 259, 267, 268, 271, 275,
278, 337, 558, 559
- Buchan metamorphics, Scotland, 107
- Bukowiec, 442
- C**
- CAI. *See* Calcium-Aluminum-rich inclusions
(CAI)
- Calcite, 6, 24, 29, 57, 100, 101, 103, 105,
114–118, 124, 125, 141, 147–150,
160, 163, 205, 208, 210, 214,
222–224, 226, 229, 230, 237, 244,
255, 266, 306, 311, 316, 387, 433,
434, 452, 514
- Calcium-Aluminum-rich inclusions (CAI),
14, 15, 662, 663, 666, 767
in CO chondrites, 732–740, 747–762,
766, 767
in CV chondrites, 663, 669, 673–687,
696, 703–710, 715, 720,
722–724, 726–729
- Calcutta, 439
- Callisto, 3
- Canada, 419
- Carbides, 663
- Carbonaceous chondrites
CO chondrites, 14, 15, 660, 710, 729–734,
736, 738, 740, 741, 744, 745,
747–750, 756, 759–761
CV chondrites, 14, 15, 659, 669–729, 740
- Carbonates, 17, 20, 40–42, 54, 62, 95, 96, 101,
104–106, 109, 110, 196, 205, 207,
213, 219–226, 232–234, 237, 239,
240, 243, 244, 255, 260, 266–269,
293, 310, 333, 335, 354, 375, 380,
388, 396, 429, 430, 433, 445,
452–455, 471, 474, 477–479,
502–504, 509, 511, 514, 515, 520,
523, 766
- Carbonatite, 7, 12, 25, 38, 39, 204, 207, 208,
211, 215, 217–222, 245, 444, 454,
471, 475, 490, 510, 511, 513, 514,
516, 517, 520, 523
ferroan carbonatite, 221
Gifford Creek, 221
- Carbon cycling, 290, 292
- Carbon dioxide (CO₂), 10, 17, 27, 28, 38, 39,
42–44, 57, 83, 96, 105, 110, 125,
204, 205, 212, 215, 218, 219,
222–224, 229, 230, 232, 234, 240,
243, 244, 262, 266–269, 291, 313,
316, 333–335, 361, 364, 375,
380–383, 394, 415, 416, 422, 423,
425–431, 433, 434, 439, 441, 442,
444, 445, 449, 454, 475, 478–480,
501, 502, 516, 517, 523, 539, 542
- Carpathians, 442
- Cascadia subduction zone, 569–578
- Cataclasis, 606
- Catalina Schist, 298, 300, 302, 304, 306, 308,
310, 311, 318, 320, 324
- Celadonite, 214
- Cerium, 322–324
- Cesium, 320
- CH₄. *See* Methane (CH₄)
- Chainpur LL chondrite, 768, 770, 772, 775,
776
- Channelized fluid flow, 13, 132, 386, 388, 398,
599, 637, 645
- Charnockite, 416, 417, 435, 436, 439, 440, 442,
453
- Charnockitization, 441, 453
- Chemical potential gradients, 54, 95, 104, 160,
161, 268, 269, 275, 278
- Chemical tomography, 495–499

- Chlorite, 260–263, 270, 273–276, 278
 Chlorite (blackwalls), 271
 Chlorite-quartz schist, 256
 Chloritisation, 8, 261, 262, 276
 Chondritic meteorites, 14–15, 659, 661, 662
 classification, 664
 Chondrules, 14, 15, 659, 662–664
 in CO chondrites, 729, 730, 733, 740–746,
 752–755, 758, 762, 764
 in CV chondrites, 669, 687–694, 696,
 699, 703, 706–708, 710, 711,
 725–727, 729
 in ordinary chondrites, 768–772, 774–776
 Chottanagpur complex, 425
 Chromatographic model, 95, 506
 Chromatographic theory, 5, 93
 Chromite
 in CV chondrites, 699, 700, 702
 in dark inclusions in CV chondrites, 699,
 700, 702
 in feldspar in ordinary chondrites, 774
 Clay mineral transitions, 315
 Clinopyroxene, 3, 11, 12, 59, 76, 106, 114,
 125, 130, 160, 208, 213, 228,
 240, 270, 272, 273, 326, 363,
 365, 373, 417, 433, 449, 451,
 452, 471, 473, 475, 480, 481,
 485, 488–490, 494, 495, 499,
 503–508, 515, 518, 543
 Closepet granite, 439
 Coastal quartzite complex (Kragerø), 446
 C-O-H fluids, 12, 310, 475, 478, 501, 523
 Colorado Front Range, 425
 CO₂-metasomatism, 266–269
 Compaction, 603
 rate, 608
 rheologies, 605
 scales, 623
 Compaction-driven fluid flow, 13, 600
 Compartmentalization, 614
 Components
 immobile, 18
 mobile, 18
 Compositional mapping, 192
 Connectivity, 96, 105, 106, 611
 Connemara, Ireland, 100, 111, 132
 Continental crust, 416–418, 424, 455
 Control of state, 430
 Cooling, 257
 Copper (Cu), 114, 221, 239, 452
 Cordierite, 94, 113, 120–122, 126–129, 131,
 132, 229, 232, 418, 424, 431, 432,
 435, 436, 438, 446
 Cordierite-anthophyllite rocks, 127, 129, 131,
 432, 659, 663, 671
 Corona, 6, 422, 432, 433
 structure, 160–163
 Coronitic gabbro, 422
 Corundum, 14, 29, 64, 242, 432, 663, 671,
 674, 685, 723
 Coupled dissolution-precipitation, 2, 6
 Crack propagation, 476–477
 Cratonic lithosphere keel, 11
 Cratonic SCLM, 486–500, 510, 514
 Crenulation, 55, 65–69
 Critical fluids, 3
 Crust-ocean exchange budgets, 260
 Cryptic metasomatism, 474, 475, 477, 482,
 494, 502, 505, 517, 519
 Cummingtonite, 126, 451
 Curnamona Province, Australia, 130
- D**
 Dalradian metamorphic rocks, Scotland,
 110, 132
 Darcy's law, 603
 Dark inclusions
 in Allende, 672, 697, 698, 702, 703,
 717–721, 727, 729
 in CV chondrites, 670, 673, 690–693, 696,
 697, 699, 701–703
 in Efremovka, 691
 oxygen isotopic compositions in CV
 chondrites, 670, 705–707, 710
 Dating, 479–481
 Re-Os, 481
 Sm-Nd, 479
 U-Pb, 480
 Daughter mineral, 432
 Decarbonation, 316, 335, 430
 Decompression-weakening, 635
 Decompression, 426
 Deformation, 5, 11, 13, 57, 65, 68, 70, 71,
 75–77, 81, 83, 93, 96, 107, 110, 111,
 113, 114, 117–119, 122, 127, 128,
 132, 142–144, 163, 172, 188, 189,
 228, 244, 255, 256, 273–275, 278,
 296, 304, 315, 324, 371, 417, 422,
 434–436, 442, 449, 472, 487, 543,
 546, 563, 564, 599, 600, 602,
 604–606, 608–610, 612, 616, 617,
 619, 620, 623, 626, 627, 634,
 640–644
 Dehydration bands, 439–441
 Dequartzification, 449, 452

- Detachment faults, 8, 269, 274, 275, 278
 Devolatilization kinetics, 627
 Dharwar craton, 439, 443
 Diagenesis, 25, 33, 43
 Diamond, 38, 39, 217, 218, 310, 375, 394,
 454, 489–491, 510–518, 537,
 539, 585
 inclusions, 510, 511
 Diamondites, 510
 Diffusion, 94–99, 104, 105, 108, 110, 111
 bimetasomatic, 98, 104, 105
 cross layer, 105, 108, 111
 metasomatism, 19, 269–273, 276
 Dihedral angle, 542–543
 Dilatancy pumping, 5, 93, 97, 98, 108, 117, 133
 Dilational strain, 603, 615–618
 Diopside, 14, 15, 24, 41, 100, 104, 105, 116,
 117, 205, 222–224, 226, 240–242,
 271, 272, 276, 441, 486, 495, 501,
 514, 516, 659, 660, 669–690,
 692–702, 707, 709, 710, 720–724,
 733–740, 749–752, 754, 767, 772
 in AOA in CV_{OxB} chondrites, 674
 in CAIs in CV chondrites, 669, 673–685,
 720, 721
 in chondrules in CVO_{xA} chondrites, 692,
 693, 695, 699
 in CO chondrites, 733, 735–738, 740,
 745, 752
 in CV_{OxA} chondrites, 701
 in CV_{OxB} chondrites, 670, 688–690, 692
 in dark inclusions in CV_{OxA} chondrites,
 692, 693, 696–699
 diopside-hedenbergite, 721, 767
 magnesium-aluminum isotopes, 723, 724
 in matrices of CV chondrites, 672, 686, 767
 oxygen isotopes in CO chondrites,
 749–752, 754
 oxygen isotopes in CV chondrites, 707,
 709, 710
 in unequilibrated ordinary chondrites, 772
 Disequilibrium, in isotope systematics,
 178, 189
 Dislocation densities, 109
 Dispersion, 95, 96, 101, 102
 Dissolution, 422, 423, 442
 precipitation, 57, 58, 61, 62, 65, 66, 68, 79,
 83, 147–150
 reprecipitation processes, 2, 6, 56, 141, 171,
 173, 183, 186, 187, 190–192, 195,
 196, 393, 443
 Dodabetta, 425
 Dolerite, 8
 Dolomite, 35, 41, 44, 128, 205, 210, 224, 243,
 244, 452, 453
 Dolomitisation, 25, 33, 44
 Ductile, 13, 68, 80, 96, 100, 106, 107, 111, 117,
 122, 127, 128, 132, 229, 240, 599,
 605, 607–609, 612–614, 632, 634,
 642–645
 Dunite, 485
 Dun Mountain, 240
- E**
 Eastern Australia, 501–504, 509
 Eclogite, 2, 9–12, 54, 56, 81, 146, 158, 161,
 188, 241, 298, 301, 309, 323, 327,
 332, 352–398, 417, 419, 473, 474,
 476, 485, 498–500, 517, 560–562,
 575, 601
 Eclogitization, 80, 81, 158–159, 359, 377, 385,
 388, 392, 393
 Effective permeability, 618
 Effective pressure, 603
 Effective rheology, 640
 Efremovka CV chondrite, 672, 680, 690, 692,
 699, 703, 710
 Elastic compaction, 606
 Electrical anisotropy, 546–547
 Electrical resistivity, 3, 12, 13, 536–547
 Element
 exchange, 300
 transport, 369, 389, 396
 EM-1, 332–333
 EM-2, 332–333
 Enceladus, 3
 Endothermic, 4
 Enstatite, 64, 365, 441, 447, 662, 664, 694, 700,
 702, 741, 743, 745, 747, 760, 770,
 772, 775
 chondrites, 664
 in CO chondrites, 741, 743, 745, 760
 replacement in CV chondrites, 694,
 700–702
 in unequilibrated ordinary chondrites,
 770, 772, 775
 Epidosites, 256, 261
 Epidote, 259, 261, 262, 273
 Epidotization, 8, 261, 262
 Episyenitization, 449
 Equilibrated ordinary chondrites, 703, 773, 777
 Erongo granite, 239
 Europa, 3
 Eustatic compaction front, 612
 Evaporites, 32, 34, 37, 42–44

F

- Fast devolatilization, 627
- Fault
- detachment, 8, 254, 256, 269, 274, 275, 278, 279
 - rocks, 269
 - schists, 274, 275
- Fayalite, 14, 431, 660, 668, 670–674, 688–693, 696, 699, 702, 706–708, 711–717, 721, 724, 725, 746, 755, 760
- in CO chondrites, 746, 755, 756, 760
 - in CV_{OxB} chondrites, 670–672, 674, 689, 690, 692, 693, 696, 699–702
 - in dark inclusions, 717
 - manganese-chromium isotopes, 724, 725, 735
 - oxygen isotopes, 706–708
 - stability, 711–716, 721
- Fe-alkali-halogen metasomatism, 14, 659, 769
- Feldspar, 22, 33, 34, 39, 40, 43, 65, 66, 154, 165, 426, 428, 433, 436, 438, 441, 442, 447
- Fe, Ni metal, 662, 663, 671, 715
- in AOAs in CO chondrites, 740
 - in chondrules in CO chondrites, 741, 742, 761
 - in CV chondrites, 670, 688, 689, 692
 - in unequilibrated ordinary chondrites, 768
- Fe, Ni sulfides
- in CV chondrites, 672, 674, 686, 688, 689, 692, 693, 696
 - in dark inclusions in CV chondrites, 697, 698
 - in unequilibrated ordinary chondrites, 768
- Fenite, 7, 25, 37–39, 206
- fenitic alteration, 208, 218–219, 221
- Ferroan olivine, 660, 667, 668, 671, 699, 715
- in AOAs in CV chondrites, 674
 - in CAIs in CV chondrites, 674, 676, 677, 679, 683, 686
 - in chondrules in CV chondrites, 689–693, 695, 699, 701, 702
 - in CO chondrites, 735, 744–747, 754
 - conditions of formation in CV chondrites, 715, 716, 719–721
 - in CV chondrite matrices, 688, 699, 703
 - in CV chondrites, 670
 - in CV_{OxA} chondrites, 671
 - in CV_{OxB} chondrites, 671, 672
 - in dark inclusions in CV chondrites, 696–698, 701, 703
 - in unequilibrated ordinary chondrites, 768–770, 772
- Fe-Ti oxide, 428
- Fibrous diamonds, 510–512
- Finland, 419, 426
- Fiordland, 426
- Flosta gabbro, 420
- Fluids, 415–455, 602
- basinal, 101
 - Br-Cl relationships, 19, 29, 33, 44
 - buffered, 19, 29, 33
 - Ca-Na relationships, 43
 - cation composition, 31, 32, 34, 38
 - crustal, 18–21, 27–43
 - devolatilization, 96, 97, 100, 108, 110, 111, 117, 131, 133
 - evaporitic brines, 101
 - expulsion, 601
 - flow, 368–371, 386, 388, 392, 395, 396, 398, 426, 449
 - advection, 94–98, 104–106
 - channelized, 132
 - convection, 97–98
 - dilatancy pumping, 97–98, 108, 117, 133
 - dispersion, 95
 - fluid fluxes, 96
 - infiltration, 95, 97, 98, 100, 104, 108
 - layer-parallel flow, 105, 111
 - pervasive, 100
 - porosity waves, 98
 - seismic pumping, 101
 - single pass, 97–98, 117, 133
 - time-integrated fluid fluxes, 94, 103, 105, 106, 108, 130
 - topography-driven, 101
 - flux, 603
 - formation waters, 125
 - inclusions, 55, 58, 63, 65, 310, 374–383, 394–396, 423, 425–428, 432–435, 437, 439, 443–447, 449, 450, 454, 477, 480, 511, 515
 - analysis, 27
 - in diamonds, 38, 39
 - induced fracturing, 427
 - hydrocarbon, 37
 - immiscible, 31
 - kinetically limited, 19
 - K-Na relationships, 33, 34, 39
 - magmatic, 20, 37, 38, 41, 97, 98, 103–106, 117, 122, 123, 125
 - mantle, 25, 38–39, 44
 - mass limited, 19, 33
 - metamorphic, 20, 22, 25, 26, 41–44, 123
 - meteoric, 97, 101–104, 107

- overpressure, 603
 - pore fluids, 99
 - pressure, 26
 - production, 615–618
 - P-T paths, 297, 298
 - rock interactions, 55, 58, 64, 68–70, 79, 83, 84
 - rock ratios, 96–98, 108, 117, 118
 - sedimentary, Basinal, 25, 29, 32, 36, 43
 - subduction fluids, 97, 111, 117
 - systems, 37
 - transport, 163–166
 - Fluorite, 7, 205, 210, 220, 221, 223, 231, 232, 235–237
 - Foliation, 5, 109, 132
 - reactivation, 121, 132
 - Forearc fluid
 - flux, 314–315, 327
 - venting, 314
 - Forsterite, 14, 242, 297, 365, 660, 673–676, 681, 683, 685, 687–690, 692, 704, 705, 709, 723, 750
 - in AOA's in CV chondrites, 674
 - in CAIs in CV chondrites, 673, 675, 676, 681, 683, 685, 687, 692, 705
 - in chondrules in CV chondrites, 688, 689, 692
 - in CO chondrites, 750
 - in dark inclusions in CV chondrites, 691, 692
 - magnesium-aluminum isotopic composition, 723
 - oxygen isotopic composition in CV chondrites, 709
 - Fractures, 3, 5
 - Franciscan complex, California, 317
 - Froland, 446, 450, 452
 - Full-thin-section maps, 186
 - Furua, 426
- G**
- Gabbro, 8, 422, 446, 447
 - GAG. *See* Gjerstad augen gneiss (GAG)
 - Gandese charnockites, 425
 - Ganymede, 3
 - Garnet, 6, 11, 12, 24, 40, 41, 56, 58, 59, 62, 67–69, 76, 77, 95, 100, 103–105, 110, 114, 120–122, 130, 132, 158–163, 177, 186, 192, 195, 205, 207, 222, 224, 228–230, 240, 241, 268, 272, 273, 326, 335, 359, 362, 363, 373, 379, 381–383, 386–388, 393, 394, 416–419, 423, 426, 433, 436, 437, 440, 445, 473, 475, 479–481, 485–499, 502, 504, 512–514, 518, 740
 - Gehlenite $\text{Ca}_2\text{Al}_2\text{SiO}_7$, 663, 704
 - Gemstone, 445
 - Geochemical potential gradient, 278
 - Geohyrometry, 187
 - Geophysical signatures, 473, 519–520
 - density, 519
 - electrical, 520
 - seismic, 519
 - thermal, 519
 - GG. *See* Grimstad granite (GG)
 - Ghana, 431
 - Ghats, eastern, 425
 - Gjerstad augen gneiss (GAG), 420
 - Gjeving augen gneiss (GVAG), 420
 - Gold (Au), 4, 8, 23, 26, 42, 44, 114, 229, 244, 452, 453
 - Gold lodes, 229
 - Graftonite ($[\text{Fe}, \text{Mn}, \text{Ca}]_3[\text{PO}_4]_2$), 671, 733
 - Grain-boundary
 - infiltration, 477–479
 - microtexture, 422
 - Granite, 417, 420, 421, 425, 428, 434, 439, 442, 449
 - Granitic cupolas, 7
 - Granophyric intergrowth, 206
 - Granulite, 2, 10, 11, 158–161, 415–455
 - facie, 275
 - facies island, 420, 424, 430–433
 - scapolite-bearing, 426
 - two pyroxene, 418, 428
 - Graphite, 301, 417, 422, 430, 431, 455, 491, 510, 518, 520, 537, 539, 546, 547, 580, 584
 - Greenschist, 8, 37, 44, 189, 311, 419, 433, 442, 449
 - facies, 94, 102, 109–111, 128, 188, 194, 212, 229, 253, 254, 257, 258, 260, 261, 263, 269, 356, 360, 369, 376, 581, 611, 636
 - Greisen, 2, 4, 7, 8, 17, 25, 37, 39–40, 205, 207, 208, 217, 231–239, 245
 - endo-exogreisen, 233
 - Grenville province, 443

Grimstad granite (GG), 420
 Grossular, 14, 671, 703–705
 in CAIs in CO chondrites, 737
 in CAIs in CV chondrites, 674, 675, 677, 685, 687
 in dark inclusions in CV chondrites, 692
 magnesium isotopes, 722–724
 oxygen isotopes, 709–710
 stability in CV chondrites, 703–705, 720
 in veins in CV chondrites, 675, 681, 723
 Group of synchronous inclusions (GSI), 427
 GVAG. *See* Gjeving augen gneiss (GVAG)

H

Haast Schist, New Zealand, 109
 Halite, 4, 17, 19, 20, 31–35, 37, 42–44, 125, 381, 395, 432
 Halmstad, 440
 Harzburgite, 11, 473, 482
 metasomatism, 489–491
 Hastingsite, 433
 Hauglandsvatn, 424, 432
 Havsøya, 439
 H chondrite, 15
 Heat conduction time scale, 615
 Hedenbergite, 14, 15, 223, 224, 434, 449, 659, 660, 669–674, 677, 680–684, 686, 688–690, 692, 693, 695–697, 699, 701, 702, 707, 710, 712–714, 717–721, 733, 737, 745, 767, 769
 in CAIs in CO chondrites, 737
 in CAIs in CV chondrites, 669, 674, 677, 679, 680, 682–684
 in chondrules in CV_{OxA} chondrites, 695
 in CV chondrites, 699, 701, 767
 in CV_{OxB} chondrites, 670, 672, 688–690, 692
 in dark inclusions in CV chondrites, 692, 693, 695–698, 702, 717–721
 in matrix in CV chondrites, 686, 696, 699
 oxygen isotopes, 707–710
 stability in CV chondrites, 712–714
 in unequilibrated ordinary chondrites, 745
 Helium (He), 416, 430
 Hematite, 431
 Hercynite, in CAIs in CO chondrites, 733, 739
 Herefoss granite (HG), 420
 Hibonite, 14, 660
 in CAIs in CO chondrites, 733, 738
 in CAIs in CV chondrites, 663
 oxygen isotopic composition, 710, 749
 Himalaya, 426, 431, 585

HIMU, 331
 Hornblende, 105, 237, 300, 302, 303, 433, 442
 Hosphates, in CV chondrites, 674, 766
 Hovdefjell, 435, 436
 Hovdefjell-Vegårshei augen gneiss (HVAG), 420
 Hove, 418
 Hydrofracturing, 634
 Hydrogrossular, 272
 Hydrologic regimes, 612
 Hydrothermal alteration, 216, 254
 argillic, 216, 226, 234
 phyllitic, 217
 potassic, 215
 Hydrothermal upflow zones, 257
 Hydrothermal vents, 8
 Hydrous melts, 299, 371–374, 383, 396–398
 Hyperite, 422
 HVAG. *See* Hovdefjell-Vegårshei augen gneiss (HVAG)

I

Ilmenite, 14, 15, 67, 68, 76, 220, 232, 237, 242, 382, 428, 443, 474, 486, 495, 503, 659–661, 671, 679, 699, 702, 738
 in CAIs in CO chondrites, 738
 in CAIs in CV chondrites, 674, 679, 699, 702
 Immobile elements, 443
 Incipient charnockite, 10, 423, 430, 437–442
 Inclusions, 156–158
 India, 417, 425, 433, 436, 445, 452
 Infiltration metasomatism, 18, 19, 26
 In Ouzzal, 425, 429
 Interface-coupled dissolution-precipitation, 96
 Iron (Fe), 432, 444, 452
 Iron-oxide copper-gold (IOCG) deposits, 107, 114, 123
 IRS fluids, 307
 Isochron, 174–179
 Isograd, 418–420, 431, 443, 445
 Isotope mobility, 187
 Isotopic closure, 182–191
 Isotopic exchange, 300–303
 Isotopic inheritance, 182
 Italy, 442

J

Jomåsknutene gabbro (JG), 420
 Juan de Fuca Ridge, 259

K

- Kaapvaal craton, 520–521
 Kaba CV chondrite, 669–672, 674, 688, 689, 703, 704, 707, 710, 713, 714, 725
 Kainsaz CO chondrite, 733, 738, 740–745, 749–752, 756, 760, 761, 764
 kamacite, 662
 Kammerfoss, 453
 Kaolinite, 14, 191, 212, 214, 215, 226, 234, 659, 671, 674, 677, 723
 in CAIs in CV chondrites, 674
 Keene Basalt, 214
 Kerala, 425, 433
 Kerimasi carbonatite, 444
 K-feldspar, 25, 33, 40, 44, 70–72, 74, 116, 145, 153, 171, 182, 183, 187, 206, 208–210, 212, 215, 219, 221, 231, 234, 237, 315
 micro-veins, 10, 415, 416, 430–439, 441, 442
 Kimberlite, 11, 38, 217
 King Island, Australia, 104
 Kirschsteinite, 671
 in CV chondrites, 692, 696, 698, 701, 712, 714, 717, 719
 in CV dark inclusions, 698
 Kirwans Hill, 237
 Kleivane, 451, 453
 Kohistan arc, 426, 431
 Kola peninsula, 444
 Kongsberg sector, 449
 Kornerupine, 419, 432
 Kovdor, 444
 Kragerø, 424, 446
 Kurunegala, 437, 442
 Kushiroite, 14, 671
 in CAIs in CV chondrites, 674, 675, 710
 Kyanite, 56, 57, 100, 107, 110, 120, 144, 161–163, 191, 242, 381–383, 387, 389, 394, 446
- L**
- Lago di Cignana, 310, 319
 Lancé CO chondrite, 734, 741, 742, 744, 745, 749, 756, 760, 761, 764
 Large-ion lithophile elements, 320
 Lateral fluid flow, 639
 Laumontite, 259
 L chondrite, 15
 Leaching, 304
 Lead (Pb), 322–324, 443
 diffusion, 183

- Lebowa granite, 237
 Leka ophiolite, 273
 Leoville, 669, 672, 680
 CAIs, 669, 680
 thermal metamorphism, 703
 Leucosomes, 304–308
 Lewisian complex, 421
 Lherz massif, 481–485
 Lherzolites, 11, 418, 473, 481
 Liguria, 442
 LILE depletion, 453
 Limpopo belt, 419
 Listvenites, 7, 8, 207, 243–244, 266
 Lithium, 320
 Lithological boundaries, 269
 Lithospheric keel, 11
 Localized compaction, 613
 Long distance action, 430, 452–454
 Low-Ca pyroxene, 662, 668
 in chondrules in CO chondrites, 730, 753, 755
 in chondrules in CV_{OxA} chondrites, 692, 694, 701, 702
 in chondrules in CV_{OxB} chondrites, 688, 689, 692, 711
 in dark inclusions in CV_{OxA} chondrites, 696
 Lykkens mine, 424

M

- Madagascar, 417, 443, 445, 452
 Magnesite, 267, 4237
 Magnesium isotopes
 in CO chondrites, 747
 in CV CAIs
 722, 724
 Magnetite, 7, 14, 114, 125, 207, 215, 220–223, 226–228, 240, 268, 270, 275, 357, 365, 431, 503, 508, 559, 577, 578, 659, 660, 670–672, 674, 688–692, 696, 699, 701, 706–708, 711–721, 725, 768
 in CV chondrites, 660, 671, 672, 675, 688, 692, 696, 699, 701, 706, 707, 711–721, 725
 in Ordinary chondrites, 768
 Magnetotellurics (MT), 11, 12, 547–553
 Malopolska block, 442
 Mantle, 418, 423, 425, 430, 444, 452, 454
 chromatography, 504–507
 geochemical heterogeneity, 319, 331–333
 metasomatism, 11–12, 25

- Mantle (*cont.*)
 wedge, 2, 9, 290–293, 295, 299, 310, 312, 313, 317, 319, 324, 326–331, 335, 337, 338, 351–354, 359, 362, 370, 378, 393, 536, 564, 570, 572, 574, 576–579
- Margarite, 14, 671, 675, 676, 678, 679, 681, 684, 720, 724
- Marianas margin, 313, 317
- Marianas trench, 9
- MARID, 495
- Mars, 3
- Mary Kathleen, Australia, 98, 106, 113–120
- Mary Kathleen fold belt, 446, 449, 452
- Mass
 transfer, 54–58, 65, 66, 68, 70, 71, 74, 75, 77–80, 84
 transport, 94
- Massif Central, 418, 425
- Massif de l'Agly, 435, 438
- Matrix
 in chondrites, 659, 663, 666, 668, 775
 in CO chondrites, 735, 739, 742, 744–746, 753, 754, 759, 761, 764
 in CV chondrites, 669, 670, 672, 677, 681–683, 686, 687, 692, 694–705, 713–715, 717, 719–721, 726, 730, 767
 in unequilibrated ordinary chondrites, 768, 769, 771, 774
- McArthur River, Australia, 102
- Mean stress, 603
- Mechanical mixing, 306, 324, 338
- Mélange zone, 9, 296, 304
- Melilite, 14, 660, 668, 671
 äkermanite, $\text{Ca}_2\text{MgSi}_2\text{O}_7$ gehlenite, $\text{Ca}_2\text{Al}_2\text{SiO}_7$, 663
 in CAIs, 663
 in CAIs in CO chondrites, 732–738, 754, 759, 760, 765
 in CAIs in CV chondrites, 673–687, 704, 705, 720, 766
 magnesium isotopes in CO chondrites, 748, 750
 magnesium isotopes in CV chondrites, 722–724
 Na-melilite, 671, 674–676, 685, 687, 708, 710, 724
 oxygen isotopes in CO chondrites, 749–751
 oxygen isotopes in CV chondrites, 708–710
- Melt inclusions, 310–312, 514–517
- Mesostasis
 in chondrules, 662, 669
 in chondrules in CO chondrites, 741–746, 758, 760, 761
 in chondrules in CV_{OxA} chondrites, 692, 694, 695
 in chondrules in CV_{OxB} chondrites, 688, 690–693
 in chondrules in ordinary chondrites, 769–776
- Messel gabbro (MG), 420
- Metabasalt, 321
- Metagabbro, 428, 432, 449, 452
- Metal, 664, 670, 688–690, 711, 715, 740–742, 753, 759, 761, 768
- Metamorphism, 1, 25, 26, 41–44
 amphibolite, 2, 19, 43, 64, 76, 81, 94, 192, 193, 229, 230, 239, 254, 275, 279, 298, 304, 319, 322, 332, 360, 381, 417, 421, 433, 439, 441, 446, 449, 623, 626, 633, 634, 638, 643
 in chondrites, 661, 662, 664, 665, 667, 668, 670
 in CO chondrites, 731–733, 738, 742, 743, 746–757, 759–765
 in CV chondrites, 670, 672, 699, 701–704, 710, 711, 722, 727, 729
 in ordinary chondrites, 767, 768, 772–774, 776–779
 eclogite, 54, 56, 81
 fluid flux, 19, 24, 26, 42
 granulite, 3, 54, 56, 76, 416, 417, 419, 425, 426, 428, 430, 433, 443, 445, 452
 heat flow, 25
 metamorphic, 54–58, 60, 61, 63, 65, 68, 70, 72, 76–78, 80, 81, 83, 84
 prograde, 26
- Metasomatic fluids, 2, 19, 21–23, 25, 27, 37, 42, 44, 195, 223, 228, 471, 476, 481, 495, 499–501, 510, 758
- Metasomatic fronts, 5, 94–95
- Metasomatic lithologies
 albitization, 101, 102, 106–107, 113–120, 122, 123, 132
 biotite alteration, 118–120
 cordierite alteration, 126, 129
 dolomitization, 101
 endoskarns, 100, 103, 114
 epidozites, 113, 126, 128
 exoskarns, 100, 101, 104, 106, 114
 illite alteration, 102
 infiltration skarns, 104

- ironstones, 130
- potassic alteration, 101, 103
- quartz-chlorite alteration, 126, 128
- reaction skarns, 104
- scapolitization, 114
- silicification, 101
- skarns, 95, 103
- sodic, 107, 130
- sodic-calcic, 107, 130
- tremolite-plagioclase pods, 126–128, 130
- tremolite pods, 113, 127–129
- Metasomatic rind, 304, 319, 324
- Metasomatic zones, 94–95, 98–100, 117, 264, 266, 267, 276, 277
- Metasomatism
 - boundary, 204
 - contact, 204
 - diffusional, 204, 224
 - infiltration, 204, 224
 - regional, 227–229
 - sea water metasomatism (spilites), 212–214
- Methane (CH₄), 425, 449
- Mg metasomatism, 262, 264
- Mg uptake, 260
- Micro-diamond, 310
- Micro-dilatancy, 96
- Mid-ocean ridge, 569
- Migmatite, 417, 421
- Mineral
 - ages, 189
 - equilibria, 55, 58–60, 63–65, 76, 81, 84
- Mjåvatn, 449, 451
- Modal metasomatism, 474, 483, 486, 494–495, 502, 504, 505, 517, 519
- Modum, 449
- Moho, 417, 418
- Mohr-Coulomb rheology, 607
- Moina, Australia, 105
- Mokoia CV chondrite, 671, 672, 674
- Monazite, 2, 7, 186, 189–192, 194–196, 429, 442, 443
- Monticellite, 14
 - in CAIs in CO chondrites, 733
 - in CAIs in CV chondrites, 674–676, 678–680, 683–685, 687, 704, 705, 710, 720, 723, 724
- Monviso, 310, 338
- Monzoni aureole, Italy, 106
- Morkheia monzonite suite (MMS), 420
- Mount Bischoff, 239
- Mount Garnet, Australia, 105
- Mount Isa, Australia, 102, 107, 111–130, 132, 133
- Mount Isa Inlier, 6, 446
- MT. *See* Magnetotellurics (MT)
- Muscovite, 7, 187, 191, 196, 417, 418, 422, 436, 438
- Myrmekite, 10, 424, 430, 433–439
- Mysore state, 439
- N**
- Nagercoil, 425
- Namaqualand, 422
- Napier complex, 425
- Nebular alteration, 760, 777
 - CO chondrites, 751, 752, 758–761
 - CV chondrites, 699, 710, 722
 - ordinary chondrites, 776
- Nepheline, 14, 15, 660, 671
 - Al-Mg age dating, 723
 - in CAIs in CV_{OxA} chondrites, 674, 676, 677, 679–683, 685, 686
 - in chondrules in CV_{OxA} chondrites, 692, 693, 695, 696
 - in CO chondrites, 733–738, 740–743, 745, 746, 751, 758, 760, 761
 - in CV_{OxA} chondrites, 670, 672
 - in dark inclusions in CV chondrites, 692, 696–698, 702
 - I-Xe age dating, 727
 - magnesium-aluminum isotopes, 723
 - oxygen isotopes, 710
 - in unequilibrated ordinary chondrites, 768–770, 772–774
- New Hampshire, 431
- New York State, 430
- New Zealand, 426, 585
 - Alps, 111
- Nidelve quartzite complex (NQC), 420, 446
- Nitrogen (N₂), 425, 439, 450
- Nontronite, 214
- Non-uniformitarian model, 623
- Non-uniqueness, 547
- Normal faults, 8
- Norway, 418, 419, 424, 432, 434–436, 441, 448, 449, 451–453
- NQC. *See* Nidelve quartzite complex (NQC)
- Nuliyam, 425
- O**
- Oceanic core complexes, 269, 274, 278
- Oceanic lithosphere, 2, 8, 106, 111, 212, 213, 240, 253–279, 289–338, 351–398, 454, 499, 504, 508, 509, 556, 559, 561, 564, 569, 572, 575, 582

- Ødegårdens Verk, 424, 447, 448
 Off-axis hydrothermal circulation, 258
 Off-cratonic SCLM, 501–510, 515
 Olary domain, 228
 Oligoclase, 432
 Olivine, 11, 14, 15, 20, 145, 160–162, 212,
 214, 240, 266, 267, 270, 274,
 275, 278, 326, 366, 367, 386,
 473, 477, 478, 481, 483, 490,
 493–498, 503, 508, 514, 515,
 519, 520, 523, 542–546,
 562–565, 659, 660, 662, 663,
 667–674, 679, 683, 686, 688–704,
 715–721, 730, 735, 737, 740–747,
 753–756, 761, 764, 765, 768–770,
 772, 775
 On-axis circulation, 257
 Ophiolites, 11, 264, 472
 Ordinary chondrites, 660, 665, 703, 764,
 767, 777
 Ore, 54
 mineralization, 2
 Organic material
 in CO chondrites, 756, 757
 in CV chondrites, 703, 704
 in ordinary chondrites
 703
 Ormans CO chondrite, 733, 741, 745, 747, 750,
 756, 764
 Orogenic gold deposits, 26, 44
 Orthoamphibole, 431, 446
 Orthopyroxene, 3, 11, 20, 76, 160–162,
 240, 267, 274, 326, 366, 367,
 417, 418, 423, 431–433, 436,
 438, 445, 473, 480, 490, 493,
 494, 504, 508, 514, 742
 Osumilite, 419
 Otago Schists, New Zealand, 109
 Outer rise, 314
 Oxidation, 430–433
 state, 422
 Oxidized CV chondrites, 669–673, 702, 705,
 731, 745, 772
 Oxygen fugacity, 10
 Oxygen isotopes, 14, 660, 664, 766, 778
 in CAIs in CV chondrites, 707–710
 in CO chondrites, 731, 732, 750, 751
 in CV chondrites, 670, 673, 699, 701, 705,
 706, 712
 in fayalite in CV chondrites, 706
 in magnetite in CV chondrites, 706
 in ordinary chondrites, 772
- P**
 Parent bodies, 660, 661, 666, 667, 757, 762,
 763, 765, 766, 775, 779
 Pargasite, 424, 441, 448
 Parnallee LL chondrite, 768, 770, 772,
 775, 776
 Partial melt, 419, 422, 544–546
 Passive enrichment, 304
 Patchy recrystallization, 187
 Pb. *See* Lead (Pb)
 Pegmatites, 304–308
 Pentlandite, 671
 in CV_{OxA} chondrites, 692, 699, 700, 702,
 704
 in CV_{OxB} chondrites, 670
 Percolation, 611
 Peridotite, 8, 11, 473, 474
 Periodic solutions, 624
 Periodic wave, 620
 Permeability, 26, 96–97, 610
 intrinsic, 96, 102, 103, 106, 132
 reaction enhanced permeability, 96,
 105, 132
 Perovskite
 in CAIs, 663, 684, 733, 734, 738
 Pervasive compaction, 613
 Petrologic equilibrium/disequilibrium, 188
 Phase rule, 19, 95
 Phengite, 68–71, 74, 75, 79, 81, 187, 191, 205,
 214, 231, 300, 302, 304, 309, 319,
 362, 363, 365, 367–369, 373, 377,
 382, 387, 391, 397
 Phlogopite, 64, 74, 155, 222, 232, 240, 243,
 273, 326, 394, 436, 447, 486, 491,
 493–497, 671, 688, 689, 711
 in CV_{OxB} chondrites, 688, 689, 711
 Phlogopite metasomatism, 494
 Phosphates, 2, 14, 15, 81, 217, 220, 382, 442,
 447, 659, 660, 671, 674, 766, 779
 Physicochemical properties of subduction zone
 fluids, 299, 336–337
 Plagioclase, 11, 14, 15, 261, 273, 418, 428,
 432–435, 438, 446, 449
 Plagiogranitic melt impregnations, 275
 Poland, 442
 Poorly graphitized carbon (PGC)
 inclusions in olivine in CV chondrites, 699,
 700, 702
 Pore fluid exclusion, 314–315
 Porosity, 96–98, 101, 106, 122, 132, 163–166,
 544, 602, 610–612
 in chondrites, 759, 766, 767

- in CO chondrites, 744, 752
 - shock, 621
 - waves, 13, 98, 618–638
 - Porphyry (intrusion; systems), 224, 226, 234
 - Porsgrunn-Kristiansand fault (PKF), 420
 - Potassic alteration, 19
 - Potassium (K), 438, 444, 446, 449, 452, 453
 - metasomatism, 19
 - Potsdam, 443
 - Precambrian, 416
 - Prehnite, 259
 - Preiswerkite, 447, 448
 - Pressure, 603
 - confining pressure, 96
 - dilatational, 119
 - directed pressure, 96
 - fluid pressure, 96, 119
 - hydrostatic, 119
 - overpressures, 125
 - Propylitic alteration, 258
 - Protoplanetary disk, 661, 662, 665, 687, 777
 - Pseudomorphism, 165
 - Pseudosection, 55, 59, 60, 64, 73, 74, 76–84
 - P-T path, 421, 426, 427
 - Pyrénées, 435, 438
 - Pyroxene, 416, 418, 428, 434, 445
 - Pyroxenite, 12, 474
 - Pyrrothite, 671
 - in CV_{OxA} chondrites, 692
 - in CV_{OxB} chondrites, 670
- Q**
- Quartz, 262, 263, 267, 417, 419, 424, 426, 429, 431–434, 436–439, 441, 442, 449, 453
 - solubility, 28, 297
 - Quasi-steady state, 629
 - Queensland, 446
- R**
- Rapakivi granite, 217
 - Rare earth elements (REE), 106, 107, 110, 156, 158, 177, 204, 210, 215, 217, 220, 221, 229, 245, 261, 308, 323, 324, 327, 329, 332, 335, 352, 355–357, 374, 383, 385–387, 389, 391–393, 429, 442, 443, 445, 453, 475, 482, 483, 486, 487, 490–492, 494, 496, 500, 502, 505–508, 512, 514, 523, 771
 - Reaction, 54–58, 60, 61, 63–65, 69, 70, 76, 77, 79, 81, 84
 - paths, 264, 266, 268, 269, 272
 - progress, 97, 108
 - zones, 257, 259–261
 - Recharge, 259–261
 - and reaction zones, 256
 - zones, 257
 - Recrystallization, 428, 429, 435
 - Redcap Creek, Australia, 98, 100, 105
 - Reduced CV chondrites, 670, 672, 673, 690, 702, 705
 - REE mobility, 323, 324
 - Re-equilibration, 429
 - Refertilisation, 475, 489, 499–498, 519
 - Refractory inclusions, 663
 - in CO chondrites, 740, 747, 753, 759
 - in CV chondrites, 673, 674, 687
 - Regional metamorphic belts, 5, 93
 - Retrograde
 - reactions, 193
 - retrogressed, 419
 - shear zones, 26
 - Rheological behavior, 274
 - Ring complexes, 217
 - anorogenic, 215–222
 - nigerian, 212
 - Ripåsen gabbro (RG), 420
 - Rodingite, 8, 204, 205, 214, 240–243, 245, 270–273, 276–278
 - Rodingitization, 270–273, 276, 277
 - Rogaland, 419, 433, 434, 443
 - Rooiberg, 237, 239
 - Rubidium (Rb), 321, 323, 452
 - Russia, 444
 - Rutile, 424, 447–449
- S**
- Salem, 425
 - Salinity, 537–539
 - Salts, 27, 29, 38, 39
 - Saponite, 671
 - in CV_{OxB}, 688, 689, 692, 703, 711
 - Sapphirine, 419, 423, 431, 432, 447
 - Saxony, 419
 - Saxony and Sri Lanka for Sri Lanka, 419
 - Scapolite, 15, 424, 426, 431, 433, 434, 446–448, 660, 671
 - in unequilibrated ordinary chondrites, 768–770
 - Scapolitization, 10, 56, 64–65, 114, 415, 430, 445–452
 - SCLM. *See* Subcontinental lithospheric mantle (SCLM)

- Scotland, 421, 452
- Sea floor alteration, 24
- Seals, 612
- Seawater, 258
- Secondary inclusions, 426, 427
- Sediment
 - devolatilization, 318–319
 - subduction, 315
- Sedimentary structures (preserved), 422, 454
- Seguin subdomain, 443
- Seismic attenuation, 563
- Seismic reflection, 580
- Seismic tomography, 566–567
- Seismic velocity, 12, 13, 563
- Seismogenic zone, 608, 642–643
- Sericitisation, 8, 261, 262, 264, 276
- Serpentine, 145, 205, 240, 243, 244, 267, 268, 270, 271, 275, 278, 310, 337, 365–367, 369, 558–562, 569, 577, 578, 600, 764
- Serpentinites, 240, 266–270, 310, 317, 338
- Serpentinite seamounts, 9, 317
- Serpentinization, 2, 270–272, 274, 276, 310, 312, 357, 358, 365, 561, 569, 577, 578
- Sestri-Voltaggio zone, 442
- Sharyzhalgay complex, 433
- Shear wave splitting, 568–569
- Shear zones, 3, 5, 55, 60, 68–75, 78–81, 274, 423, 430, 442, 452, 453
- Sheeted dike complex, 262
- Sheeted like complex, 262
- Shevaroy Hills, 425, 431
- Siberia, 426, 433
- Silicification, 25, 261, 262, 264, 276
- Skarns, 2, 4, 7–8, 19, 24, 25, 40–41, 222–230, 445
 - endo- and exoskarn, 225, 239
 - hypothermal gold lodes, 229–230
 - prograde, 222
 - reactions, 223
 - regional, 227–229
 - retrograde, 222, 223
- Skin depth, 548
- Slab-mantle interface, 9, 291, 293, 296, 324, 328
- Slave Craton, 582
- Slow devolatilization, 626
- Smectite, 260
- Snake Creek Anticline, Australia, 107, 114, 116, 118, 120–125, 132
- Soaks and pontiffs, 442
- Soapstone, 266
- Sodalite, 14, 15, 660, 671
 - Al-Mg age dating, 722
 - in CAIs in CV_{OxA} chondrites, 674, 676, 677, 679–682, 685
 - in CO chondrites, 733, 735, 736, 740, 758, 760
 - in CV_{OxB} chondrites, 670
 - in dark inclusions in CV chondrites, 692, 697, 702
 - I-Xe age dating, 727
 - magnesium-aluminum isotopes, 722
 - oxygen isotopes, 709, 710
 - in unequilibrated ordinary chondrites, 768, 770
- Solar nebula, 14, 660, 661, 663, 666, 682, 705, 709, 752, 776
- Solitary wave, 620
 - solution, 624
- Solubility, 427, 429, 442, 449
- Solutes, 373, 383, 388, 395, 397, 398
- Söndrum quarry, 440
- South Africa, 422
- South India, 433
- Spatially resolved geochronology, 178, 189
- Spinel, 11, 14, 418, 419, 432, 660
 - in AOs in CO chondrites, 754, 756, 765
 - in CAIs, 663
 - in CAIs in CO chondrites, 733–735, 737–739, 754
 - in CAIs in CV chondrites, 674, 676–685, 720
 - oxygen isotopic composition in CO CAIs, 749–751
 - oxygen isotopic composition in CV CAIs, 709, 710
- Spirit and Opportunity Rovers, 3
- Spreading rate, 255
- Spreading ridge, 8
- Sri Lanka, 417, 423, 430, 437, 439, 442, 445
- Stable isotope, 55, 58, 60–63
- Stealth metasomatism, 475, 477, 481–483, 486, 488, 494, 496, 500, 504, 517, 519
- Steatite, 266, 269
- Steatitization, 276, 278
- Stephen Cross quarry, Canada, 105
- Stepwise heating, 179
- Stepwise leaching, 179
- Stress, 117
 - mean stress, 117
- Structural controls
 - boudinage, 128, 129, 131
 - dilatancy, 119

- fault, 101–103, 105, 106, 117, 119, 125–128, 132
 - fracture, 95–103, 105–107, 117, 119, 121, 122, 125, 126, 128, 132
 - high-strain zones, 94, 97, 120
 - hydrofracturing, 96–98, 100, 105, 110, 132
 - joints, 105
 - layer-parallel, 105, 111
 - microfractures, 96, 105, 129, 132
 - shear zones, 97, 98, 106, 114, 116–122, 130, 132
 - strain shadows, 117, 118
 - Subcontinental lithospheric mantle (SCLM), 11, 472, 486–500, 508, 516, 520
 - Subduction channel, 338
 - Subduction-related metasomatism, 508, 509
 - Subduction zones, 290, 291, 569–578
 - hanging-walls, 293
 - subducting sediment, 293, 314–317
 - thermal structure, 294–296
 - volatiles cycling, 9, 289
 - Submarine hydrothermal vents, 254
 - Sulfate scapolite, 431
 - Sulfides, 2, 8, 14
 - Sulfidization, 264
 - Sun, 661
 - Super-critical liquids, 299, 337
 - Supercritical, 372, 373, 394, 396
 - fluids, 3, 298
 - Sweden, 419, 439, 440
 - Symplectite, 419, 432–434
 - Synmetamorphic intrusion, 431
- T**
- TAG hydrothermal system, 264
 - Taiwan, 585
 - Talc, 267, 269, 270, 274, 275, 278, 446, 694
 - Talc–tremolite, 271
 - Tanzania, 426, 444
 - Tanzanite, 445
 - Taupo Volcanic Zone, New Zealand, 102
 - Tectonic blocks, 304, 322, 323
 - Tectonic perturbations, 642
 - Tensile failure, 117, 126
 - Tetrataenite, 14, 671
 - in CV_{OxA} chondrites, 674, 692
 - Thermal aureoles, 5, 93, 94, 101, 103, 108
 - Thermal metamorphism, 661, 665
 - CO chondrites, 710, 732, 733, 738, 743, 747, 749, 753–756, 759, 760, 762, 764, 765, 778
 - CV chondrites, 671, 673, 701, 702, 704, 710, 727, 729, 778
 - dark inclusions in CV chondrites, 699
 - ordinary chondrites, 768, 772, 773, 776, 777
 - Thermobarometry, 4–5, 11, 53–84
 - Thermodynamic, 53–84
 - Thermodynamic modeling, 4–5
 - Thorium (Th), 321, 323–324, 430, 442, 443, 445
 - Tibet, 425, 585
 - Tieschitz, 660, 769–771, 775
 - chondrules, 771, 774
 - white matrix, 769–771, 774
 - Time-averaged fluxes, 615
 - Time-integrated fluxes, 615
 - Tinbarra Tablelands, 237
 - Titan, 3
 - Titanite, 7, 64, 105, 114, 126, 171, 182, 191, 194, 212, 213, 220, 232, 240, 241, 363, 386, 387, 389, 393, 449, 474
 - Titanium (Ti), 449, 452
 - Topaz, 7, 25, 39, 205, 210, 231, 232, 234–237, 368, 382
 - Top-seal, 613
 - Tourmaline, 7, 25, 39, 40, 64, 132, 205, 231, 232, 236, 237, 242, 447, 448
 - Tourmalinites, 7–8, 204, 238–239, 245
 - Trace element, 260
 - Tranomaro, 445
 - Transform faults, 274
 - Transition (amphibolite-granulite), 422
 - Transitional hydrological regime, 643
 - Tremolite, 94, 113, 126–130, 208, 212, 222, 223, 240, 241, 270–273, 278
 - Troilite
 - in chondrules, 662
 - in CO chondrite AOAs, 740
 - in CO chondrite CAIs, 733
 - in CO chondrite chondrules, 737, 742, 745
 - in CV_{OxB} chondrite matrices, 670
 - in dark inclusions in CV chondrites, 692
 - FeS, 662, 671
 - stability, 716
 - in unequilibrated ordinary chondrites, 768
 - Trois Seigners, France, 109
 - Tromøy, 418, 439, 441
 - Troodos Ophiolite, 261
 - Tsavorite, 445
 - Tschermakite, 441
- U**
- Ubehebe Peak, USA, 99
 - Ubergsmoen, 433, 435
 - UHP metamorphic suites, 300
 - Ulten Zone, 326

- Ultra high pressure, 9
 Ultramafic massifs, 3, 11, 386, 472
 Unequilibrated ordinary chondrites, 703,
 753, 764
 Ungava orogen, 419
 U-Pb dating, 174, 178
 Upflow zones, 256, 261–266, 275, 279
 Uplift, 417, 423, 425, 426, 429, 433, 445, 446,
 449, 452
 Uranium (U), 321, 323–324, 442, 443, 445,
 452, 453
 USA, 425, 430, 431
- V**
- Valentine skarn, USA, 98
 Vapour
 absent, 416, 421–424, 453
 phase, 31
 Variscan belt, 419
 Veins, 120, 308–310, 316, 328
 calcite pods, 114, 116–118
 envelopes, 308–309
 quartz veins, 97, 99, 100, 102, 109–111,
 123, 133
 vein selvages, 107, 109
 Vestre Dale gabbro (VDG), 420
 Vesuvianite, 14, 671
 in CV chondrites, 674, 677, 723
 Viscosity, 609
 Viscous compaction, 607
 length, 622
 Viscous e-fold length, 608
 Volcanic arcs, 102, 290–292, 294, 295, 299,
 300, 312, 313, 315, 317, 319,
 327–338, 361, 367, 393, 570, 572
 Volume losses, 109
 Volume strain, 304, 325
- W**
- Wadalite, 14, 659, 671
 as I-Xe carrier in CV chondrites, 727
 in type B CAIs in CV chondrites, 674–678,
 680–682, 685, 720, 721
 Waits River Formation, USA, 108, 110
 Warrenton CO chondrite, 734–736, 740, 745,
 747, 756, 764
- Water**
 activity, 28, 422, 433, 445
 flux, 258
- Wavelength, 624
 Wave period, 626
 Wehrlite, 11, 473, 494, 502
 Welsh basin, 442
 Wepawaug Schist, USA, 100, 110
 Western Gneiss Region, Norway, 476, 485
 Wetting angles, 105
 Whiteschist, 446
 Wollastonite, 14, 433, 434, 671, 674, 701
 in CAIs in CV chondrites, 674, 675,
 677–686
 in chondrules in CV chondrites, 692
 in dark inclusions in CV chondrites,
 696–698, 717–721
 oxygen isotopic composition in CV
 chondrites, 706–707
 stability in CV chondrites, 718, 721
 in type C CAIs in CV chondrites, 704–705
- X**
- Xenocrysts, 472
 Xenoliths, 11, 418, 431, 472, 476, 478,
 486–510, 515
 Xenotime, 194–196, 429, 442, 443
- Y**
- Yangtze River Valley belt, 227
 Yilgarn Craton, 229, 230
- Z**
- Zaaiprats, 237
 Zeolite-facies, 257, 260, 262
 Zircon, 2, 7, 183, 191–196, 424, 442, 443, 480
 Zirconium (Zr), 430, 443, 445
 Zoisite, 213, 222, 241, 271–273, 278, 363–365,
 381, 382, 386, 387, 389, 394, 445