

Index

A

ACD/Tox Suite, 197
Acid leaching, 271, 289, 353
Acid stripping, 285
Additives, LCA, 7, 9
Agricultural fate, 102
Alachlor, 37, 40
Alkylphenolic compounds, 31
Alternative methods, 171
Alternative non-testing methods (ANTMs), 174
Alternatives to animal testing, 73
Alternative testing methods (ATMs), 174
Aluminum foil, 393
Ames test, 197
Amines, aromatic, leather, 257
Ammonia, 176, 178, 180
Analytical chemistry, 25, 31
Animal testing, 75
Antioxidants, 15
AOX, paper production, 214
Appliances e-waste flow, additives, 330
Aquatic toxicity, 197
Arsenic, 178, 235, 260, 264
 blood levels, China, 304
Azo dyes, leather and textiles, 257

B

BALB/c 3T3 cell transformation assay, 192
Basel Action Network (BAN), 268
 shipping routes of e-waste, 324
Basel Ban, 268
Basel Convention, extended producer responsibility (EPR), 267
Benzothiazolone, 176
Benzyl butyl phthalate (BBP), 260

Beryllium, e-waste, 281
BETR model, 59
Biostabilization, MSW, 451
Bisphenol A, 10, 12, 176, 195, 217
Blood lead levels (BLLs), China, 301
Blue Angel (Der Blaue Angel), leather, 253
Blue15 (phthalocyanine), 15
Board packaging, mineral oil, 401
Brazil, 395
Brominated flame retardants (BFRs), 281, 286, 313, 315, 353
Buyer, 111

C

Cables, burning, 273
 combustion residue, 353
Cadmium, 155, 157, 267
 e-waste, China, 301
CalTOX, 60
Cambodia, e-waste, 281
Cantagalo, 385
Carbon nanotubes (CNT), 37
Carcinogenicity, 78, 87, 94, 106, 172, 180, 186
Carcinogenic risk, 77, 97
Carcinogens, 158, 182, 257, 271, 354, 401
Cathode-ray tube cracking and dumping, 285
Cell transformation assay (CTA), 175, 191
Cement manufacturing, Cantagalo, 387
ChemCAN model, 54
CHEMGL, 55
Chemical carcinogenicity, 171
Chemical exposure modelling, 467
Chemical pulp, 403
Chemical risk, 1

- China, 1, 147, 265, 279
 e-waste, human exposure, 299
 PCs/TVs, 327
 pollutant mass loading, 295
 SFA, 324
 single appliances approach, 326
- Chlorides, 393
- Chlorinated polycyclic aromatic hydrocarbons (CIPAHs), 286
- 2-Chloroaniline, 15
- Chloroaniline, pigment production, 214
- Choice experiment (CE), 120
- Chromium, 140, 267, 272
 blood levels, China, 304
 sulfate, leather processing, 248, 253
- Chromium (VI), 232, 236, 258
 leather industry, 258
- Coase theorem, 117
- Cocaine, 37
- Coincineration, 391
- Colony formation assay, 191
- Compact fluorescent lamps (CFLs), 139, 421
- Compounding, 18
- Computational toxicology, 73
- Computers, additives, 329
- COMTRADE, 316
- Contingent valuation (CV), 120, 122
- Copper, e-waste, 274, 285, 292
 China, 301
- Coprocessing, 385
- Corrugated board, 399
- Cost–benefit analysis, 109, 126
- Cuprous chloride, pigment production, 214
- Cushion vinyl floor covering, 224, 225
 indoor emissions, DEHP, 239
- Cyanide, 285
- D**
- DALY. *See* Disability adjusted life year (DALY)
- Damage costs, 116
- Decabromodiphenyl ether (DeBDE), 349, 350
- DEHP. *See* Di-(2-ethylhexyl)phthalate (DEHP)
- DEREK, 186
- Dibenzofurans, Guiyu, 271
- Dibenzo-p-dioxins, Guiyu, 271
- Dibutyl phthalate (DBP), 260
- Dichlorobenzene, paper production, 214
- Dichlorobenzidine, 15
 pigment production, 214
- Di-(2-ethylhexyl)phthalate (DEHP), 7, 11, 14, 224, 241, 260, 467
- Di-“isodecyl” phthalate (DIDP), 260
- Di-“isononyl” phthalate (DINP), 260
- Diisopropylphthalene (DIPN), 406
- Dimethyl fumarate (DMF), leather industry, 259
- Di-n-octyl phthalate (DNOP), 260
- Dioxins, 19, 177, 258, 264, 281, 290
- Disability adjusted life year (DALY), 134
- Dose–response assessment, 27
- Dose response function, 134
- Driving forces–pressure–state–impact–response (DPSIR), 155, 162
- Drum top crushers (DTCs), crushing the lamps, 430
- Dry stabilization process (DSP), 441
- Dynamic multimedia fugacity model, 60
- E**
- Ecodesign Directive, 139
- Eco-label, 245
- Ecological economics, 121
- Economic impacts, 125
- Economic man (*homo economicus*), 111
- Economic theory, external effects, 111
- Electronics TakeBack Coalition (ETBC), 268
- Electronic waste (e-waste), 279
- Emerging chemicals, human health impact, 91
- Emission factor (EF), 441
- Emissions, dispersion modelling, 127
 processes, 18
 waste management processes, 18
- Endocrine disrupters, 31, 259, 315, 354
- Environmental concentrations, 25
- Environmental economics, 109, 119
- Environmental priority strategies in product design (EPS), 128
- Environmental risk assessment, 91, 98
- EPS. *See* Environmental priority strategies in product design (EPS)
- Estimation data tools, 104
- European Union System for the Evaluation of Substances (EUSES), 99, 362
- European waste legislation, 138
- E-waste, 263
 additives, 313, 316
 Basel Convention, 266
 China, 270
 disposal, 284
 Guiyu, 290
 organic pollutants, 286

- collection, 269
 - global trade, material flow analysis, 316
 - human health, 349
 - logistics, 269
 - registry, 269
 - transboundary shipment, 265
- Exposure, 128
- assessment, 27, 28, 95
 - modelling, 467
 - response function, 134
 - risk management measures, 145
 - scenarios, 18
- Extended producer responsibility (EPR), 263
- Basel Convention, 267
- External costs, 115
- Externalities, 115
- F**
- Fate models, 47
- Flame retardants, electric and electronic equipment, 339
- furniture, 131
- Fluorescent tube lamps (FTLs), 419, 421
- Folding boxboard, 399
- Food packaging, 399
- Foodstuff filling, 408
- Footwear, EU Eco-label, 254
- Fossil fuels, CO₂ emission, 443
- Fugacity, 51
- Furans, 264, 354
- G**
- Global scale, 1
- GLOBOX, 101
- Glues, additives, 216
- Gold, e-waste, 274, 285
- GREAT-ER model, 55
- Greenpeace, China, 352
- shipping routes of e-waste, 324
- Guiyu (Guangdong, China), e-waste, 271, 333, 349
- H**
- HALY. *See* Health adjusted life year (HALY)
- Hanoi, MSW, 448
- Hazard identification, 27, 94
- Hazardous waste, 155
- Health adjusted life year (HALY), 134
- Health effects, valuation, 121
- Heating value, 441
- Heavy metals, China, 292, 301
- EoL cushion vinyl floor covering, 239
 - paper production, 214
- High intensity discharge (HID) lamps, 421
- Ho Chi Minh City (HCM City), MSW, 448
- Human exposure, 279
- Human health, 1
- Hydroquinone, repro-/plate-making process, 214
- I**
- Impacts, 124
- pathway approach, 126
 - to stressor approach, 125
 - valuation, 129
- Impurities, 207
- Incineration, emissions, 19
- India, e-waste, 272
- Indium, e-waste, 274
- Indonesia, e-waste, 281
- Informal waste processing, 263
- Inks, additives, 216
- residues, 214
 - vegetable oil-based, 409
- In silico, 73, 80
- Interaction matrix, 66
- In vitro, 73, 76
- Isopropyl alcohol, printing process, 214
- Isothiazolinones, 197
- K**
- Kabadiwalas, 423
- Kaldor–Hicks compensation principle, 117
- L**
- Landfill leachate toxicity, 335
- alternative methods, 175
 - emissions, 19
- LCIA data, 7
- LCI data, 7
- Leachate, landfills, 175, 335
- Lead (Pb), 11, 267, 313
- emissions, economic valuation, 129
 - Guiyu (China), 350, 352, 365
 - pathways into humans, 359
 - risk assessment, 349
- Lead-chromate pigments, 217

- Leather, 245
 eco-labels, 252
 Nordic eco-label Svanen, 254
- Legislation, 137
- Life cycle analysis/assessment (LCA), 7, 9,
 207, 224
- Life cycle impact assessment (LCIA), 8,
 99, 209
 models, 91
- Life cycle inventory (LCI), 8
- Lighting, India, 421
- Liquid chromatography (LC), 31
- Litho additives, 15
- LOEL, 97
- M**
- Management systems, waste, 9, 448, 465
- Market, 114
- Markov chain principles, 51
- Mass emission, 279
 estimation, China, 295
- Mass spectrometry, 31
- Measuring environmental concentrations
 (MECs), 28
- MEErP. *See* Methodology for the Ecodesign
 of Energy-related Products (MEErP)
- MEEuP. *See* Methodology for the Ecodesign
 of Energy-using Products (MEEuP)
- Mercury, 52, 140, 235, 237, 267,
 281, 419, 470
 dosing, 419
 e-waste, 276, 281
 lamps, 139, 419
 PVC production, 232
 RISKCYCLE, 195
- Metals, nonrecovery, 274
- Methodology for the Ecodesign of
 Energy-related Products
 (MEErP), 139
- Methodology for the Ecodesign of
 Energy-using Products
 (MEEuP), 139
- Mineral oil, 399
 virgin fibre-based board, 401
- Mixtures, 171
- Modelling, 25, 29, 47
- Multimedia Agricultural Fate and Risk
 Assessment Model
 (MAFRAM), 102
- Multimedia compartmental models
 (MCMs), 50
- Multimedia models, 48, 50
- Municipal solid waste (MSW), 175, 441
 Vietnam, 441
- N**
- Nanoparticles, 37
- Net social benefit (NSB), 126
- Newspapers, 401, 409
- Nickel, 236, 292
- Nigeria, e-waste, 272, 281
- Non-animal tests, 75
- Noncarcinogenic risk, 97
- Non-use values, 118
- Nonvolatile organic compounds
 (NVOCs), 102
- Nonylphenol (NP), 195
 ethoxylate, 254, 259
 leather industry, 259
- No observed effect concentration
 (NOEC), 98
- No observed effect level (NOEL), 97
- O**
- Oeko-Tex, 100 255
- Offset printed newspapers, 401
- Organotin compounds, 31
- P**
- Pakistan, e-waste, 272, 281
- Palladium, e-waste, 274, 281
- Paper, 7, 207
 converters, 408
 incineration, 214
 LCA, 14
 LCIA data, 12
 LCI data, 12
 recycling, 399
- Paraffins, chlorinated, leather industry, 258
- Pareto efficiency, 117
- Pentachlorophenol (PCP), 258
- Perfluorinated compounds (PFCs), 175
- Perfluoro-n-nonanoic acid (PFNA),
 carcinogenic potential, 186
- Perfluorooctane sulfonate (PFOS), 183
- Perfluorooctanoic acid (PFOA), 183, 186, 260
- Pesticides, chlorinated, 31
- PFCs, carcinogenic potential, 180
- PFOA. *See* Perfluorooctanoic acid (PFOA)
- PFOS. *See* Perfluorooctane sulfonate (PFOS)
- Phthalates (DEHP), 11, 223
- Phthalocyanine pigments, 15
- Physicochemical and toxicological
 database, 91
- Plastic chips, combustion residue, 353
- Plasticizers, 31, 176, 224
- Plastics, 7, 224
 LCA data, 10

LCIA data, 11
 LCI data, 13
 recycling, 19
 Platinum, 155, 163, 285
 POCIS devices, 35
 Polar organic compounds (POCs), landfill
 leachate, 176
 Pollutants, e-waste, mass emissions, 279
 Polluters pay principle (PPP), 115
 Polyaromatic hydrocarbons (PAHs), 31
 Polybrominated biphenyls (PBB), 140, 267
 Polybrominated compounds, 31
 Polybrominated dibenzo-p-dioxins and
 dibenzofurans (PBDD/Fs), 281
 Polybrominated diphenyl ethers (PBDEs),
 140, 267, 299
 China, 281, 286
 Guiyu, 271, 334
 pathways into humans, 359
 Polychlorinated biphenyls (PCBs), 31, 155,
 160, 281
 Polychlorinated dibenzo-p-dioxins and
 dibenzofurans (PCDD/Fs), 281, 290
 Guiyu, 271
 Polystyrene, 393
 Polyvinyl chloride (PVC),
 incineration/landfill, 225
 recycling, 227
 Predicted no effect concentration
 (PNEC), 98
 Predictive models, 73
 Printed circuit boards (PCBs), 264, 282, 316,
 328, 424
 Printed matter, 210
 Printing industry, 207
 CO₂/methane, 212
 ecotoxicity, 213
 Printing inks, 408
 Private costs (internal costs), 116
 Probability density function (PDF), 64,
 359, 381
 Producer responsibility
 fund, 419
 organization, 419
 Product manufacturing, 18
 PVC containing flooring, 11, 13
 Pyrethroids, 39

Q
 QALY. *See* Quality adjusted life
 year (QALY)
 QSAR models, 73, 82, 174, 183

Quality adjusted life year (QALY), 134
 QWASI, 52, 351, 354, 364, 377

R

REACH, 3, 27, 73, 137, 141, 251
 Recovered paper (RCP), 400
 Recycling, 19, 137, 207, 263, 385
 informal, 313
 Red104, 217
 Reduce, reuse, recycle (3Rs), 267
 Refuse derived fuels (RDF), 441
 Regulations, 73
 Resources, 155
 Responsible Electronic Recycling Act
 (HR2284), 268
 Restricted substances, 245
 Restriction of Hazardous Substances
 Directive (RoHS), 138, 267,
 315, 471
 Rio de Janeiro (Brazil), 385
 Risk assessment, 25, 27, 47, 93
 Risk characterization, 27, 97
 ratio (RCR), 100
 RISKCYCLE, 1ff, 139, 471
 Ruthenium, e-waste, 274

S

Seller, 113
 Sheet fed offset printed matter, 209
 Short-chained chlorinated paraffins (SCCP),
 leather industry, 258
 Siccatives, 15
 Silicon Valley Toxic Coalition (SVTC), 268
 Silver, e-waste, 274
 SimpleBox model, 58
 Single appliances approach, 332
 Skin, azo dyes, 257
 corrosion, 80
 e-waste, 281
 irritation, 80, 94, 185, 197, 199
 sensitization, 80, 196, 198
 Social costs, 116
 Socioeconomic evaluation, 468
 Solving the e-waste problem (StEP), 267
 Spatial Analysis and Decision Assistance
 (SADA), 102
 Spatial multimedia compartmental models
 (SMCMs), 50
 Spatial multimedia models (SMs), 50
 Stabilizers, 11, 14, 157, 225, 237
 STAN-SFA, China, transfer coefficients, 344

Stressors, 124, 134
 Stessor to impact approach, 124
 Structural alerts (SAs), 185
 Substance flow analysis (SFA), 313
 Guiyu, 345

T

Take-back, 263
 Tanneries, 247
 chemical management, 249
 Tanning, 245
 TCDD, 296, 297, 306
 Televisions, additives, 328
 Tetrabromobisphenol A (TBBPA), 315,
 323, 326
 Tetradecane, printing process and
 cleaning, 214
 Thailand, e-waste, 281
 Threshold of toxicological concern
 (TTC), 185
 TiO₂, 11
 Toxicological profile, 171
 Triclosan, 39

U

Ultra high performance liquid chromatography
 (UPLC), 35
 Urban solid waste management, 385
 USEtox™, 100, 361
 Use values, 118
 Utilitarianism, 111

V

Value changes, 122
 Value of a life year lost (VOLY), 121
 Value of prevented fatality (VPF), 121, 134
 Value of statistical life (VSL), 121, 134
 Vanadium, 236
 Vietnam, carbon emissions, 445
 electricity production/consumption,
 442, 446
 MSW, 448

VPF. *See* Value of prevented fatality (VPF)
 VSL. *See* Value of statistical life (VSL)

W

Waste, amount, 441
 composition, 441
 exports, 137
 incineration, 385
 legislation, 138, 140
 REACH, 142
 treatment, 224
 Waste-derived fuel (WDF), 392
 Vietnam, 449
 Waste electric and electronic equipment
 (WEEE), 126, 137, 267, 313
 global export/import, 343
 Guiyu (China), 334
 Waste life cycle stage, REACH, 144
 Waste-related products, alternative
 methods, 171
 Waste-to-energy (WtoE), 385, 442
 Welfare losses, avoidance, 116
 Willingness to pay (WTP), 119
 Wires, burning, 273, 285, 349, 351
 Wood demand, 403

X

XtraFOD model, 62

Y

Year lost due to disability (YLD), 134
 Years of life lost (YOLL), 134
 Yellow14 (diarylamide), 15
 Yellow 34, 217
 YLD. *See* Year lost due to disability (YLD)
 YOLL. *See* Years of life lost (YOLL)

Z

Zero waste, 385
 Zinc, 39, 158, 235
 e-waste, 292