

Index

A

Algebraic constraint, 174, 177, 200, 206, 207
ANA, *see* “Augmented nodal analysis”
Augmented Nodal Analysis, 100, 106

B

Backward system, 7
Behavior, 5, 36
 image representation, 27
 shift invariant, 5
Bifurcation without parameters, 126
Branch-oriented model, 100, 107

C

Canonical coordinates, 195, 207
Canonical form, 20
 Brunovsky, 23
 Hermite, 21
 Jordan control, 21
 Kronecker, 18, 29, 140
 Weierstraß, 11, 142
Casimirs, 208
Causality, 83
Circuit
 minor, 118
 modelling, 97
Commutativity, 150
Composition of Dirac structures, 217
Conserved quantities, 208
Consistent state, 201
Constrained
 Euler–Lagrange equations, 188
 Hamiltonian equations, 188
 input–output representation, 194
Constraint forces, 188
Control
 by interconnection, 43

compatible, 44
in the behavioral sense, 43
stabilizing, 44

Controllability

radius, 77
space, 6

Controllable

at infinity, 9, 25, 27, 32, 48, 53
completely, 9, 25, 27, 32, 48
impulse, 9, 25, 27, 32, 40, 48, 53
in the behavioral sense, 9, 25, 27, 32, 48, 53
R-, 9, 27, 32, 48
strongly, 10, 25, 27, 32, 48
within the set of reachable states, 9

Coupled problems, 127

Current source, *see* “source, current”

Cut space, 101

Cutset, 101

fundamental, 101
IL-, 103, 115, 116
matrix, 101

Cycle space, 101

D

DAE, *see* “differential-algebraic equation”

Derivative feedback, 28

Descriptor system, 64, 146

distributional, 158
in frequency domain, 156

Differential-algebraic equation, 2, 64, 137, 174

autonomous, 37
completely stabilizable, 37
completely stable, 37
decoupled, 20
distributional, 159
time-varying, 169
linear time-invariant, 64, 67

- Differential-algebraic equation (*cont.*)
 - linear time-varying, 64, 78
 - in frequency domain, 159
 - regular, 65
 - stabilizable in the behavioral sense, 37
 - stable in the behavioral sense, 37
 - strangeness-free, 79
 - strongly stabilizable, 37
 - strongly stable, 37
 - switched, 169
 - time-varying, 151
 - underdetermined, 37
 - with in- and outputs, 146
- Dirac impulse, 153
 - Laplace transform of, 156
- Dirac structure, 175, 177–179
- Distributional restriction, 154, 162
 - for piecewise-continuous distributions, 163
- Distributions, 152
 - impulsive-smooth, 155, 165
 - impulsive-smooth on \mathbb{R} , 166
 - piecewise-continuous, 155, 163
 - piecewise-smooth, 155, 168
 - pointwise evaluation, 164
- Drazin inverse, 149
- E**
- Eigenvalue
 - finite, 67
 - infinite, 67
- Electro-mechanical system, 185
- Elimination
 - of algebraic constraints, 201, 202
 - of kinematic constraints, 203
 - of Lagrange multipliers, 199
- Energy-Casimir method, 210
- Equivalent
 - feedback, 15
 - in the behavioral sense, 17, 29
 - system, 15
 - strictly, 139
- Euler's equations, 186
- Exponent, 80
 - Bohl, 80
 - Lyapunov, 81
- External
 - port, 182
 - regularity, 146
- F**
- Feedback, 23
 - derivative, 28
 - normal form, 23
 - PD, 28
 - stabilization by, 39
 - state, 39
- Frequency domain, 155
- Fuchssteiner multiplication, 169
- G**
- Generalized eigenvalue
 - of matrix pencils, 19
- Generalized state-space, 146
- H**
- Hamiltonian, 176, 180
- Hautus test, 30
- Holonomic kinematic constraints, 187
- Hybrid model, 100, 108
 - index, 118, 119
- I**
- Impasse point, 125
- Impulsive-smooth distributions, 155, 165
 - on \mathbb{R} , 166
- Inconsistent initial values, 152, 157
- Impulsive response, 160
- Index, 64, 201
 - DAE, 67
 - differentiation, 113
 - geometric, 114
 - nilpotency, 67
 - of matrix pencils, 19, 40
 - reduction, 30
 - strangeness, 79
 - tractability, 65, 79, 112
 - of DAE circuit models, 111, 115, 116
- Inhomogeneity, 65, 71
- Initial condition, 64, 65
 - consistent, 5, 64, 68, 149
 - inconsistent, 13, 71, 152, 157
- Initial state, *see* “initial condition”
- Initial trajectory problem, 154
 - as a distributional DAE, 166
 - as switched DAE, 169
- Initial value problem, 64
- Initial value, *see* “initial condition”
- Initial trajectory problem, 154
- Input, 5
- Input–state–output port-Hamiltonian systems, 189
- Input–output operator, 84, 87
- Integrability conditions, 207
- Integrability of Dirac structures, 219
- Integral separation, 90
- Interconnection, 219
- Invariant subspace, 46
- ITP, *see* “initial trajectory problem”

J

Josephson junction, 102

K

Kalman

- criterion, 35
- decomposition, 50

KCF, *see* “canonical form, Kronecker”

Kernel representation, 193, 195

Kinematic constraints, 177, 187

Kirchhoff laws, 102, 183

Kronecker canonical form, 140

- nilpotent blocks, 141
- ODE blocks, 141
- overdetermined blocks, 142
- underdetermined blocks, 141

L

Laplace integral, 155

Laplace transform, 155

- derivative rule, 155, 157
- distributional, 156

Linearization, 64

Link, 101

Locally passive device, 103

Loop, 100

- analysis, 110
- fundamental, 101
- matrix, 100
- VC-, 103, 115, 116, 120

Lyapunov function, 209

M

Manifold of equilibria, 126

Matrix

- capacitance, 103
- conductance, 103
- cutset, 101
- fundamental solution, 80
- incidence, 100
- inductance, 103
- nilpotent, 11
- pencil, 5, 113, 202
 - regular, 5, 53, 67
 - singular, 67
- resistance, 103
- unimodular, 144

Mem-device, 99

Memcapacitor, 121

- charge-controlled, 123
- voltage-controlled, 122

Meminductor

- current-controlled, 122
- flux-controlled, 123

Memristor, 99, 121

- charge-controlled, 121
- flux-controlled, 122

Minimal

- in the behavioral sense, 17, 29

MNA, *see* “modified nodal analysis”

Model reduction, 127

Modified nodal analysis, 100, 106

Modulated Dirac structure, 187

Multi-index, 18

Multiport model, 109

N

Network modeling, 174

Nilpotency, 72

Nilpotent

- block in KCF, 141
- differential operator, 151
- part in WCF, 142

Node tableau analysis, 100, 105

Nonholonomic kinematic constraints, 188, 189

Nonlinear

- capacitor, 102
- inductor, 102
- resistor, 102

Normal

- basis, 81
- form, 20
 - feedback, 23
- hyperbolicity, 126
- reference tree, 108
- tree, 116

NTA, *see* “Node tableau analysis”

O

ODE, *see* “ordinary differential equation”

Ordinary differential equation, 2, 64, 137

- essential underlying, 80
- inherent, 79
- solution formula, 138

Overdetermined part

- of KCF, 142
- of QKF, 145

P

Passive, 177, 186

Past-aware derivative operator, 158

Pencil, *see* “matrix, pencil”

Perturbation, 63

- admissible, 69, 72, 89
- destabilizing, 76
- dynamic, 76, 85
- operator, 82
- static, 76, 85
- structured, 68

- Piecewise-continuous distributions, 155, 163
- Piecewise-smooth distributions, 155, 168
- Port-Hamiltonian
 - differential-algebraic system, 183, 188
 - system, 174, 177
- Positive system, 76
- Power balance, 182, 186
- Projector, 113
 - consistency, 148
 - differential, 148
 - impulse, 148
- Q**
- QKF, *see* “quasi-Kronecker form”
- QKTF, *see* “quasi-Kronecker triangular form”
- QWF, *see* “quasi-Weierstraß form”
- Quasi-Kronecker form, 18, 29, 37, 144
 - overdetermined block, 145
 - refinement of, 145
 - regular block, 144
 - underdetermined block, 144
- Quasi-Kronecker triangular form, 143
- Quasi-Weierstraß form, 147
- R**
- Reachability space, 5, 47, 50
- Reachable
 - completely, 9
 - strongly, 9
- Regular part
 - of KCF, 141
 - of QKF, 144
- Regularity, 64, 142
 - external, 146
- Representation of Dirac structures, 192
- Reset rules, 215
- Resistor-acyclic condition, 118
- Restricted invariance, 48
- Restriction
 - distributional derivative of, 164
 - distributional, 154, 162
 - for piecewise-continuous distributions, 163
 - to open intervals, 162
- Robust, 64
 - stability, 64
- S**
- Semistate model, 98
- Singular system, 276
- Singular value, 70
 - structured, 70
- Singularly perturbed system, 66, 77
- Smooth
 - inhomogeneity, 139
 - solution, 142
- Solution, 5, 64
 - characterization via KCF, 141
 - characterization via QKF, 144
 - classical, 139
 - distributional, 2, 12, 154
 - existence & uniqueness, 142
 - in- and output, 146
 - formula
 - via Drazin inverse, 150
 - via Laplace transform, 160
 - via Wong sequences, 148
 - initial values fixed by inhomogeneity, 141
 - limiting, 155
 - non-existence, 142
 - non-uniqueness, 141
 - on finite time intervals, 23
 - smooth, 142
 - stationary, 64
- Solvability, 71
- Source
 - current, 102
 - voltage, 102
- Spectrum
 - finite, 67
 - Lyapunov, 90
 - Sacker–Sell, 90
- Stability, 65
 - asymptotic, 65, 68
 - exponential, 65, 68
 - global L_p -, 84
 - output, 84
 - radius, 64, 84
 - complex, 69, 85
 - real, 69
 - spectral, 76
 - structure-preserving, 76
 - structured, 69
- Stabilizable
 - completely, 9, 25, 27, 32, 40
 - in the behavioral sense, 9, 25, 27, 32, 53
 - strongly, 10, 25, 27, 32, 40
- State, 5
 - feedback, 39
- State space model, 98, 124
- Strict equivalence, *see* “equivalent, strictly”
- Strictly locally passive device, 103
- Switched DAEs, 169
- Switching Dirac structure, 215
- Switching port-Hamiltonian system, 213

T

Tellegen's theorem, 180
Test functions, 152
Topologically degenerate configurations, 103
Transfer function, 156
Tree, 101
 -based model, 107
 spanning, 101
 proper, 116
Twig, 101

U

Uncertainty, 63
Underdetermined part
 of KCF, 141
 of QKF, 144

V

Van der Pol oscillator, 211
Voltage source, *see* "source, voltage"

W

WCF, *see* "Weierstraß canonical form"
Weierstraß canonical form, 142
Weierstraß–Kronecker canonical form, 67
Well-posedness, 211
Wong sequences, 46, 143
 augmented, 46, 51
 explicit solution formula via, 148
 for QKTF, 143
 for QWF, 147
 solution characterization with, 145