

Index

A

- Adenosine triphosphate (ATP), 166, 170
- Agrotechnological treatments, HMs, 222–225
- Alyssum bertolonii* (Brassicaceae), 93
- Alyssum serpyllifolium* (Brassicaceae), 93
- Amendments
 - contaminated soil, 185
 - in situ* technique, 185
 - organic and inorganic, 186
- Anthropogenic pollution, heavy metals
 - arsenic, 183
 - cadmium, 180
 - chromium, 181–182
 - contamination source, 177, 178
 - copper, 179
 - description, 177
 - environmental problem, 178
 - lead, 181
 - mercury, 182–183
 - nickel, 180–181
 - recycling organic matter, 178–179
 - soil, 177, 178
 - zinc, 179–180
- Arabidopsis thaliana*, 128
- Argentina's phytostabilization experiences
 - BCF and TF, 189–190, 192
 - contamination levels, shoot/leaves and roots, 191, 192
 - heavy metals
 - concentration and distribution, 190, 191
 - stress, 193
 - phytoremediation, 189
 - Sesbania virgata*, 189–190, 192
- Assimilation, selenium, 166–168
- Asteraceae*, metal accumulation, 147
- ATP. *See* Adenosine triphosphate (ATP)

B

- Barley root elongation test, 31, 32
- BCF. *See* Bioconcentration factor (BCF)
- BCS. *See* Bioavailable contaminant stripping (BCS)
- Berkheya coddii* (Asteraceae), 93
- Bioaccumulation, heavy metals
 - cutting-edge approaches, 133
 - environmental contamination effects, 118–119
 - industrial and urban wastes, 117
 - organic and inorganic wastes, 117
 - microbial development, 132
 - phytomining, 132–133
 - phytoremediation (*see* Phytoremediation)
 - remediation and ecosystem restoration
 - aquatic environment, 119
 - cleaning up, 120
 - oxidation, 120–121
 - traditional methods, 120
 - rhizosphere (*see* Rhizosphere, wetland plants)
 - wastewater treatment, 132
 - wetland (*see* Wetlands)
- Bioavailable contaminants
 - EBCS procedure, 286
 - "Green Remediation", 285
 - in situ* technologies, 274
 - mercury-contaminated soil (*see* Mercury-contaminated soil)
 - non-hyperaccumulator plants, 274
 - phytoextraction (*see* Phytoextraction)
 - soil properties, 275–277
- Bioavailable contaminant stripping (BCS), 22, 279, 285
- Bioconcentration factor (BCF), 190, 192

Biomass

- crop plants, 24
- hazardous plant, 23
- production and metal concentration, 23–24, 27
- recycling, 23
- treatment, 27

Bioreactors, 109–110**Bioremediation**

- definition, 120
- vs. hygienic
 - flax, 205–208
 - heavy metals, 204–209
 - hemp phytoextraction, 209–213
- in situ* method, 239

Brassica juncea, phytoextraction, 65

C**Cadmium (Cd)**

- accumulation, flax/linseed, 206–208
- concentration, 205, 214, 215
- contamination, 205
- metals remediation, 106–107
- PC, 217
- tolerance, 216

Calamagrostis arundinacea (Poaceae), 94

Cannabis sativa L. *See* Hemp

Cation diffusion facilitator (CDF), 248, 249

CDF. *See* Cation diffusion facilitator (CDF)

Copper (Cu)

- metals remediation, 109
- shoot tissues, 147, 148

COPT. *See* Cu-transporter protein (COPT)

Crop plants, biomass, 24

Cu-transporter protein (COPT), 245

D

Decontamination, 240

Detoxification, heavy metals

- CDF, 248
- cysteine-rich metallothioneins, 247
- mercury, 8–9
- MTPs, 248–249
- NRAMP, 249
- PCS, 247, 248
- root symplast, 246–247
- selenium, 9

Dimethylseleniopropionate (DMSeP), 168

Dimethylsulfoniopropionate (DMSP), 168

DMSeP. *See* Dimethylseleniopropionate (DMSeP)

DMSP. *See* Dimethylsulfoniopropionate (DMSP)

E

East Calcutta Wetland (ECW), 131–132

ECW. *See* East Calcutta Wetland (ECW)

Enhanced bioavailable contaminant

stripping (EBCS)

ammonium thiosulphate, 282

approaches, 280, 281

B. juncea and *H. annuus*, 283, 284

calculation, 283–284

extraction, 282

growth growing cycle, 284

mercury-contaminated soil, 281

plant species, 283

remediation approach, 285

“total available mercury”, 282

Environmental pollutants, 101–102

F

Fagopyrum esculentum (Polygonaceae), 92

Fibre crops

Cannabis sativa L., 203–204

description, 199

heavy metal phytoextraction (*see* Heavy metals (HMs))

hygienic vs. bioremediation aspect (*see* Bioremediation)

Linum usitatissimum L., 201–203

management and industrial processing, contaminated biomass, 228–230

plant species, 200

polluted agricultural soils, 231–232

world production and acreage, 200, 201

Flax/linseed

botanical characterisation and economical uses, 201–203

Cd uptake and accumulation, 205–208

heavy metal phytoextraction (*see* Heavy metals (HMs))

polluted agricultural soils, 230–231

Fragaria vesca (Rosaceae), 94

G

Genetically engineered plants

biomass plants, 249, 250

compartmentalization, metals, 252–253

enhanced metal ligand production

A. thaliana, 255

B. juncea, 254

metal oxyanions, 256

nicotianamine, 256

OAS, 255

PCS, 254

SAT, 255

transgenic plants, 254

- heterologous metal-binding proteins, 256–257
- metal uptake and translocation
 - N. tabacum*, 250, 251
 - polyphosphate kinase, 252
 - Rhodopseudomonas palustris*, 251
- phytoextraction, 249
- phytovolatilization, mercury, 257–259
- plant symbionts, 258, 260
- Geranium robertianum* (Geraniaceae), 94
- Growth stimulation
 - determination, soil density, 87
 - factors affects aggregation, 87–88
 - micro-and mesofauna, 89
 - micro-and mesoflora, 89
 - mineral and organic xenobiotics, 89
 - optimal soil density, crop plants, 87
 - quantitative and qualitative composition, solid phase, 88
 - sand, silt, and clay, soil textural classes, 85–86
 - soil
 - compaction, 86
 - parameters, 85
 - properties, 88
- H**
- Hairy root culture
 - and bioreactors, 109–110
 - phytoremediation, 104–105
 - root forms, 104
 - tolerance mechanisms, heavy metal
 - cadmium (Cd), 106–107
 - extraction, 105
 - nickel (Ni), 107–108
 - uranium, 108
 - zinc and copper, 109
- Hazardous plant, biomass, 23
- Heavy metals (HMs)
 - absorption, 227, 228
 - agrotechnological treatments, 222–225
 - anthropogenic pollution
 - (see Anthropogenic pollution, heavy metals)
 - bioaccumulation (see Bioaccumulation, heavy metals)
 - environment, 183–184
 - flax and hemp, phytoextraction
 - Cd concentration, 214, 215
 - Cd tolerance, 216
 - ferritin and glutamine synthetase, 217
 - genetic/phenotype, 209
 - Linum* germplasm resources, 218
 - multiple shoot culture, 216
 - PCs, 217
 - published data results, 218
 - tissue culture, 215
 - toxicity, 215
 - lead (see Lead (Pb)-contaminated environment, tropical plants)
 - organ distribution, 219–222
 - polluted soils (see Metal-polluted soils)
 - recycling, 193–194
 - removal, 19–20, 61
 - on site studies, 225–227
 - soil contamination, 227
 - threat, 59
 - toxicants, 59
- Hemp
 - botanical characterisation and economical uses, 203–204
 - heavy metal phytoextraction (see Heavy metals (HMs))
 - heavy metals uptake and accumulation, 209–213
 - polluted agricultural soils, 230–231
- Heterologous metal-binding proteins, 256–257
- Hyperaccumulation
 - accumulators, 40
 - and plant adaption, metalloids
 - phytoremediation
 - small ligands, 48–49
 - toxic metal, 47–48
 - transcriptomics, 52
 - uptake, translocation and partitioning, 49–51
- Hyperaccumulator
 - antioxidant, lead, 69–70
 - phytoremediation
 - Alyssum bertolonii* (Brassicaceae), 93
 - Alyssum serpyllifolium* (Brassicaceae), 93
 - Berkheya coddii* (Asteraceae), 93
 - Fagopyrum esculentum* (Polygonaceae), 92
 - Noaea mucronata* (Chenopodiaceae), 93
 - Phytolacca acinosa* (Phytolaccaceae), 92
 - Pteris vittata* (Pteridaceae), 92
 - Reynoutria sachalinensis* (Polygonaceae), 92
 - Thlaspi caerulescens* (Brassicaceae), 91–92

Hyperaccumulator (*cont.*)

- pyrite
 - biomass species, 141
 - Brassicaceae, 152
 - description, 141
 - metalliferous soils, 141
 - roots, 143
 - T. caerulescens*, 152

I

Immobilization techniques

- amendments/phytostabilization, 185
- ex situ* and *in situ*, 185
- organic and inorganic amendments, 186
- phytoremediation, 186–189

Industrial processing

- flax and hemp, 228
- HMs-contaminated biomass, 229–230
- OEKO-TEX[®] limit values and fastness, 228, 229
- phytoextraction technology, 228

In vitro root culture, metal removal

- bioreactors, 109–110
- characteristics
 - axenic conditions, 102
 - heavy metal polluted habitats, 103
 - metabolic engineering, 103
 - PGR, 102
 - phytoremediation process and mechanisms, 102
 - plant cells and tissues, 102
 - roots and shoots, 103–104
- hairy root (*see* Hairy root culture)
- Rubia tinctorum*, 104
- Scirpus americanus*, 104
- Typha latifolia*, 104

L

Lead (Pb)-contaminated environment,

- tropical plants
 - antioxidant enzymes, 72–73
 - archeological research, 59–60
 - chelates assisted mechanism, 70–71
 - contamination, 60
 - exposure, 60
 - noxious effects, 69–70
 - oxyanion complexes, 62–63
 - passive and induced mechanisms, 71–72
 - physical properties, 59
 - phytoextraction, 65–66
 - phytoremediation (*see* Phytoremediation)

Sesbania drummondii, 66–67

soil retention time, 59

Linum usitatissimum L. *See* Flax/linseed

M

Manganese (Mn), shoot tissues, 147, 148

Mercury-contaminated soil

- characterization, 281
- EBCS, 282–285
- experimental procedure
 - mesocosm experiments, 281–282
 - soil sequential extraction, 281
- samples, 281

MeSeCys. *See* Methylselenocysteine

(MeSeCys)

MeSeMet. *See* Methylselenomethionine

(MeSeMet)

Metabolism, selenium

- Astragalus* species, 167, 168
- ATP sulfurylase, 166, 167
- chloroplasts, 166
- genetics, 168–169
- phyto-volatilization, 168
- SeCys, 166, 167
- SeMet synthesis, 168

Metal/metalloids contamination, plant growth

- biomass, 80
- causes, industry development, 79
- macro-and microelements
 - calcium and liming, 84–85
 - crop plants nutrients, agroecosystems, 82–84
 - fertilisers, 85
 - high soil copper, 85
 - lithosphere, 80
 - mineral nutrition, plant, 82
 - plant production purposes, 84
 - soil-forming processes, 80
 - solid phase, 80–82
 - synergism, 84
 - triple-phase system, 80
 - zinc and manganese, 84

phytoremediation (*see* Phytoremediation)

polluted area, 79

soil parameters changes (*see* Growth stimulation)

Metal/metalloids phytoremediation

- bacteria and mycorrhizal fungi, 40–41
- biochemical responses
 - Brassica juncea*, 46
 - chloroplast structure and function, 46
 - enzyme activity, 45–46

- inhibition, 44
- metallothioneins, 47
- phytochelatinings (PCs), 47
- ROS, 44–45
- stress factors, 44
- biological methods, 39–40
- biomass, 40
- endo-and exogenous salicylic acid
 - biotic stressors, 42
 - metal concentration, leaves, 42–44
 - synergistic and antagonistic interactions, 42
- hyperaccumulators, 40
- plant adaption and hyperaccumulation
 - small ligands, 48–49
 - toxic metal, 47–48
 - transcriptomics, 52
 - uptake, translocation and partitioning, 49–51
- scope, 39
- Metal-polluted soils. *See also*
 - Phytotechnology, metal-contaminated soils
 - genetically engineered plants (*see* Genetically engineered plants)
 - hyperaccumulation, 240
 - metallophyte crops, 239–240
 - modified plants, 261
 - molecular targets to genetic manipulation
 - intracellular sequestration and detoxification, 246–249
 - metal accumulation, 242
 - uptake and translocation (*see* Uptake and transport process, heavy metal)
 - nicotianamine, 260
 - phytoremediation approaches, 239, 240
 - phytovolatilization, 239
 - transgenic plants and mitigation strategies
 - antibiotic/herbicide-resistance genes, 242
 - barnase gene, 241
 - post-zygotic methods, 242
 - safety-assessment studies, 241
- Metals. *See also* Metal-polluted soils
 - contaminated soils (*see* Phytotechnology, metal-contaminated soils)
 - remediation
 - bioreactors (*see* Hairy root culture)
 - characteristics, *in vitro* culture (*see* *In vitro* root culture, metal removal)
 - description, 101
 - environmental pollutants, 101–102
 - hairy root (*see* Hairy root culture)
 - plant growth and development, 101
 - uptake mechanisms, 20
 - Metal transporter proteins (MTPs), 248–249
 - Methylcysteine (MeCys), 169
 - Methylselenocysteine (MeSeCys), 169
 - Methylselenomethionine (MeSeMet), 168
 - MTPs. *See* Metal transporter proteins (MTPs)
- N**
 - Natural resistance-associated macrophage protein (NRAMP), 249, 251
 - Nickel (Ni), metals remediation, 107–108
 - Noaea mucronata* (Chenopodiaceae), 93
 - NRAMP. *See* Natural resistance-associated macrophage protein (NRAMP)
- O**
 - O*-acetyl-L-serine (OAS), 255
 - OAS. *See* *O*-acetyl-L-serine (OAS)
 - Oligopeptide transporter (OPT), 246
 - On-site phytoremediation plant
 - above-ground biomass, 149, 150, 152
 - coarse roots, trees and tap roots, 153
 - disadvantages, 152
 - establishment and growth, 147
 - metal concentrations and removals, crop shoots and tree twigs, 150–152
 - phytoextraction, 153
 - ploughing, 148–149
 - pyrite waste, 147, 149
 - root biomass, 153
 - shoot and tree twigs, metal concentration
 - EDDS treatments, pyrite, 155
 - tillage systems, 150–152
 - site stratigraphy, 147
 - sowing, 147, 149
 - sunflower, alfalfa and fodder radish, 147, 149
 - Torviscosa, 148
 - On site studies, 225–227
 - OPT. *See* Oligopeptide transporter (OPT)
 - Oxalis acetosella* (Oxalidaceae), 94
- P**
 - PCS. *See* Phytochelatin synthase (PCS)
 - PCs. *See* Phytochelatinings (PCs)
 - PGPR. *See* Plant growth-promoting rhizobacteria (PGPR)

- Phytoaccumulation, tropical plants, 67–68
- Phytochelatin (PCs), 217
- Phytochelatin synthase (PCS)
- A. thaliana*, 260
 - enzyme activities, 254
 - intracellular detoxification, 247
- Phytodegradation, 10–11
- Phytoextraction
- bioavailability
 - BCS, 279
 - EBCS approach, 280
 - fertilizers, 278
 - metals concentration, 277–278
 - mobilized metal, 279
 - remediation strategy, 279
 - rhizobacteria, 278
 - biomass
 - plants, 249, 250
 - species, 142
 - Brassicaceae, 4
 - control, shoot and root growth, 152
 - Crassulaceae, 4
 - endophytic microbes, 7
 - ethylene diamine disuccinic acid (EDDS)
 - treatment, 154, 155
 - fibre crops (*see* Fibre crops)
 - higher plants cultivation, 4
 - hyperaccumulation, plants, 4–5
 - Leguminosae, 4
 - low toxic organic chelators, 142
 - mass balance, 150, 151
 - metal-accumulating plants, 5–7, 239
 - metal concentrations, 153
 - metal-contaminated soils
 - accumulation process, 23
 - bioavailable concentration, 28
 - biomass, 23–24
 - chemical and physical characteristics, 25
 - decision support systems, 28–29
 - enhancing concentration, 24
 - microcosm test, 28
 - micro steps characterization, 25
 - PGR, 24
 - phytoremediation technique, 25, 26
 - procedure, 25, 26
 - reduction, 27–28
 - site-specific feasibility test, 26–27
 - Thlaspi caerulescens* and *Brassica juncea*, 23
 - translocation, 22
 - pyrite, 153
 - removing toxic elements, 141
 - soil metals, 261
 - soil properties, 275
 - tropical plants remediation
 - advantages, 67–68
 - biomass production, 66
 - Brassica juncea*, 65
 - chelates assisted mechanism, lead (Pb), 70–71
 - concentration, heavy metals, 68
 - hyperaccumulators species, 67
 - process, 66
 - treatment, contaminated soil, 67
- Phytoextraction, wetlands plants, 128
- Phytolacca acinosa* (Phytolaccaceae), 92
- Phytomanagement
- Brassicaceae*, 156
 - pyrite waste, 142, 156
 - root systems, 153
- Phytomining, 132–133
- Phytoremediation
- bioavailable contaminants (*see* Bioavailable contaminants)
 - decontamination, 91
 - defence mechanisms, plants, 90
 - description, 1–2
 - elements, 2
 - environmental pollution, 19
 - extraction (*see* Phytoextraction)
 - green remediation, 187
 - hairy root culture, 104–105
 - heavy metal-contaminated environments, 186–187
 - hyperaccumulators (*see* Hyperaccumulator, phytoremediation)
 - metal/metalloids (*see* Metal/metalloids phytoremediation)
 - metal-polluted pyrite waste (*see* Pyrite)
 - metals and metalloids, 90
 - non-hyperaccumulators
 - Calamagrostis arundinacea* (Poaceae), 94
 - description, 93–94
 - Fragaria vesca* (Rosaceae), 94
 - Geranium robertianum* (Geraniaceae), 94
 - Oxalis acetosella* (Oxalidaceae), 94
 - Rubus ulmifolius*, 94–95
 - Stachys sylvatica*, 94
 - organism growth and development, 1
 - PGPR, 41
 - phytoextraction, 90, 187
 - phytostabilization, 188–189
 - phytotoxicity, 90

- Populus/Salix* species, 40
 - process, 2, 3
 - reactive oxygen species (ROS), 90
 - RES, 40
 - rhizofiltration (*see* Rhizofiltration)
 - rhizosphere region, 1
 - Se-contaminated soils, 168, 170
 - SPB, 41
 - stabilization (*see* Phytostabilization)
 - techniques, 2
 - technology, 90
 - transgenic plants, 95
 - tropical plants
 - advantages, 61
 - awareness, 62
 - contamination, heavy metals, 62
 - hyperaccumulators, 61–62
 - lead phytotoxicity, 63
 - lead uptake, 63–65
 - phytoaccumulation, 67–68
 - phytostabilization, 68–69
 - removal metal, 61
 - rhizofiltration, 69
 - soil, 61
 - techniques, 62
 - volatilization (*see* Phytovolatilization)
 - wetland and plants
 - ECW, 131–132
 - heavy metals stabilization, 121–122
 - restoration, metal-contaminated wetland, 123–124
 - Selenium (Se), 129
 - Phytostabilization
 - accumulation, heavy metals, 32
 - Barley root elongation test, 32
 - heavy metals
 - anthropogenic pollution, 177–183
 - environment, 183–184
 - recycling, 193–194
 - lab tests, 31–32
 - mobility reduction, contaminants, 3–4
 - process, 30–31
 - remediation
 - Argentina's phytostabilization experiences, 189–193
 - immobilization techniques, 185–189
 - Sesbania virgata*, 194
 - technology description, 29–30
 - tropical plants, 68–69
 - Phytostimulation
 - chemical transformation, enzymes, 11
 - PAH, 11
 - transgenic plants, 12–13
 - Phytotechnology
 - metal-contaminated soils
 - decision support tools, 33
 - developments, 34
 - feasibility test, 20–21
 - and heavy metal bioavailability, 21–22
 - heavy metal fractions, 33
 - metal uptake mechanisms, 20
 - phytoextraction (*see* Phytoextraction)
 - phytoremediation, environmental pollution, 19
 - phytostabilization, 20, 29–32
 - regulatory framework, 33–34
 - removal, heavy metal, 19–20
 - metal phytoextraction, 273
 - Phytotoxicity, lead (Pb), 63
 - Phytovolatilization
 - description, 7–8
 - detoxification, 8–9
 - evapotranspiration process, 8
 - mercury, 257–258
 - metal conversion, 8
 - Plant growth. *See* Metal/metalloids contamination, plant growth
 - Plant growth-promoting rhizobacteria (PGPR), 41
 - Plant growth regulator (PGR), 102
 - Plant symbionts, genetic engineering, 258, 260
 - Pollution. *See* Anthropogenic pollution, heavy metals
 - Pteris vittata* (Pteridaceae), 92
 - Pyrite
 - hospitality and plant metal uptake, 153–154
 - phytomanagement, 156
 - phytoremediation
 - biomass and species, 141–142
 - herbaceous species, 142
 - hyperaccumulators, 141
 - literature, 142–143
 - on-site plant (*see* On-site phytoremediation plant)
 - site characterisation
 - buffer zones I-IV, soil-sampled area, 146–147
 - carryover topsoil, 146
 - chemical properties and level, metal contamination, 143, 145
 - contaminated area, Torviscosa, 143, 144
 - metal concentrations, shoots, 147, 148
 - soil stratigraphy analysis, 143–145
- R**
- Reactive oxygen species (ROS), 44–45, 90
 - Renewable energy sources (RES), 40

RES. *See* Renewable energy sources (RES)
Reynoutria sachalinensis (Polygonaceae), 92
 Rhizofiltration
 candidate plant, 9
 definition, 9
 disadvantages, 10
 tropical plants, 69
 Rhizosphere, wetland plants
 acidification, 125–126
 anoxic sediments, 126
 and contaminants uptake, 125
 decaying plant biomass, 132
 microbial association/symbiosis
 accumulation, metals, 126
 Cd-, Ni- and Zn-resistant bacteria, 127
 metal concentration, 127
 PGPR, 127–128
 phytoremediation, 127
 Scirpus robustus and
 Polypogonmonspeliensis, 126–127
 mobilize metal ions, 125
 Typha latifolia, 126
 Rhizospheric biodegradation. *See*
 Phytostimulation
 ROS. *See* Reactive oxygen species (ROS)
Rubia tinctorum, 104
Rubus ulmifolius, 94–95

S

Salicylic acid, metal/metalloids
 phytoremediation
 biotic stressors, 42
 metal concentration, leaves, 42–44
 synergistic and antagonistic interactions, 42
 SAT. *See* Serin-*O*-acetyltransferase (SAT)
Scirpus americanus, 104
 Se. *See* Selenium (Se)
 SeCys. *See* Selenocysteine (SeCys)
 Selenium (Se)
 anthropogenic
 activities, 170
 inputs, 160
 assimilation and metabolism, 166–168
 description, 159
 fate and transport, 160–161
 genetics, 168–169
 hyperaccumulators, 170
 oxidation states, 159
 remediation, 163
 toxicity
 essentiality, 162
 growth inhibition, 161

 Marco Polo recording, 161
 mechanisms, 162–163
 uptake and transport (*see* Uptake and
 transport process, selenium)
 Selenocysteine (SeCys), 163, 166, 169
 Selenomethyltransferase (SeMT), 169
 Se-methylmethionine (SeMM), 168
 SeMM. *See* Se-methylmethionine (SeMM)
 SeMT. *See* Selenomethyltransferase (SeMT)
 Serin-*O*-acetyltransferase (SAT), 255
Sesbania drummondii, phytoremediation
 chelating agents, 67
 contamination, 66
 solubility, 66–67
Sesbania virgata
 Argentina's phytostabilization experiences,
 189, 190
 concentration and distribution, heavy
 metals, 191
 contamination levels, shoot/leaves and
 roots, 191, 192
 heavy metals stress, 193
 TF and BCF, 192
 Siderophore-producing bacteria (SPB), 41
 S-methylmethionine (SMM), 168, 169
 SMM. *See* S-methylmethionine (SMM)
 Soil properties
 cation exchange capacity, 276
 clay content, 275
 contaminant bioavailability, 274
 iron and manganese oxides, 277
 microbial biomass, 277
 organic matter content, 276
 p^H, 275
 phytoextraction process, 275
 redox potential, 276
 temperature, 277
 SPB. *See* Siderophore-producing
 bacteria (SPB)
Stachys sylvatica, 94

T

TF. *See* Transfer factor (TF)
Thlaspi caerulescens (Brassicaceae), 91–92
 Transcriptomics, gene discovery, 52
 Transfer factor (TF), 190, 192
 Transgenic plants
 mercury detoxification, 9
 metal accumulation, 5, 7
 metal tolerance, 95
 phytostimulation, 11, 12
 soil contamination, 13

Translocation, 49–51

Tropical plants

heavy metal (*see* Heavy metals (HMs))

lead (*see* Lead (Pb)-contaminated
environment, tropical plants)

phytoremediation (*see* Phytoremediation)

prevalent, soil contamination, 59, 73

techniques, 73

Typha latifolia, 104

U

Uptake and transport process

heavy metal

Brassica napus, 246

COPT, 244, 245

gene expression, 243

microorganism, 243

molecular determinants and
mechanisms, 243, 244

OPT, 246

soil microflora, 243

symplast–apoplast concept, 245

metal(loid), 49–51

selenium

Arabidopsis thaliana, 165

bioaccumulation capacity, 165

competitive inhibition, 165

phosphate, 165

plant roots, 163–164

rhizosphere conditions, 164

selenite and selenate, 164

shoot/root ratio, 166

V

Volatilization

mercury, 258, 259

Se, 168–170

W

Wastewater treatment, 129, 132

Wetlands

ecosystems, 122–123

plants

amelioration, industrial and urban
wastewater, 129–130

Arabidopsis thaliana, 128

detoxification, toxic metals and
xenobiotics, 128

heavy metal, 129, 130

microbial association/symbiosis,
root, 126–128

phytoextraction technology, 128

phytoremediation process, 129

rhizobacteria, 128

rhizobium, 125–126

sediment and contaminant uptake,
124–125

wastewater treatment, 129

restoration, metal-contamination, 123–124

Z

Zinc (Zn)

metals remediation, 109

shoot tissues, 147, 148