

Index

A

Aboveground NPP (ANPP), 118
Acceptance, 413
Adaptive radiation, 73
Afforestation, 388
Agriculture, sustainable, 237
Agrobiodiversity, 232, 242
Agro-pastoral activities, 227
Aichi biodiversity targets, 34–36
Air humidity, 279
Air temperatures, 24, 279
Alnus acuminata, 180, 278, 379, 387, 406
Altitude, 251, 382
AM. *See* Arbuscular mycorrhizal (AM) fungi
Amazon, 287
Ammonium input, 291
Amoebae, 82, 248
Amotape-Huancabamba Depression, 6
Andean bear, 35, 37
Andes uplift, 74
Andes, 3–4, 19–27
 uplift, 377
Angiosperm species richness, 95
ANN. *See* Artificial neural networks (ANN)
ANPP. *See* Aboveground NPP (ANPP)
Approaches
 collaborative, 413–414
 participatory, 401, 413
Arbuscular mycorrhizal (AM) fungi, 81,
 83–85, 189, 378
Artificial neural networks (ANN), 277
Atmospheric deposition, 6–8
Atmospheric fertilization, 390
Atractiellales, 191

B

Balloon, 357
Base metals, 144, 166
Basic research, 404
Benefit sharing, 411
Biodiversity, 46, 53, 76, 93,
 103, 153, 188, 247–260,
 310, 390, 427
 causes, 13–15
 distribution, 377–378
 evolution, 57
 hotspots, 20, 35
 hypotheses, 153
 loss, 295
 origin, 67, 377–378
 persistence, 377–378
 threats, 26, 373
 underlying mechanisms, 196–197
Biodiversity research, 426
 collaborative, 411
Biogeochemical cycles, 6, 299
Biological corridor, 37
Biomass, 122, 125–127, 208–211, 359
 above-ground, 363
 bracken frond, 363
 burning, 26
 fine root, 320, 323
 response to FERPAST, 367
 root, 128
Biomass grass production, 367, 369
Biosphere Reserve Podocarpus-El
 Cóndor, 174
Bombuscaro, 5
Bowen ratio, 276

- Bracken, 99, 100, 207–209, 212, 214, 215, 332, 335, 355, 359–362, 364, 365, 367, 381, 390
 control, 357–358, 363, 388, 391
 fronds, 362
 germination, 209
 nutrient acquisition, 210
 rhizome system, 356
 sexual propagation by spores, 356
 succession experiment location, 7
- Brundtland Report, 31
- Buffer zone, 37
- Burning, 207, 208, 210
 experimental, 362
- C**
- Cajanuma, 5
- Cajas National Park, 173
- Calibrated phylogenies, 69
- Cambium, 293
- Canopy, 124
- Capacity building, 400, 414, 425
- Carbon
 allocation, 118, 133–135
 balance, 117–135
 cycle, 118, 119, 121, 315–325, 327, 331–340
 emission, 46
 fluxes, 118, 128–133
 pools, 119, 121, 125, 129, 135
 regulation services, 44
 sequestration, 379, 380
 stocks, 379
 storage, 128, 135, 316, 379
 transfer, 132
 turnover, 390
- Carbon relations
 climate change, 380–381
 food web, 380
 forest, 378–380
 pasture, 378–380
- Carbon stocks, aboveground, 339
- Catchment, 108, 110
 water balance, 110
- Catchment modeling framework (CMF), 278
- Cattle grazing, 390
- Cattle ranching, 206, 227
- CBD. *See* Convention on Biological Diversity (CBD)
- Ecosystem, CBD approach, 35, 36
- CE. *See* Choice experiment (CE)
- Cedrela montana*, 63, 175, 179–182, 293–294, 387, 407
- Charcoal, 62
 analyses, 56
- Choice experiment (CE), 45, 47
- Climate, 275–285
 data, 198
 fluctuations, 249
 history, 376–377
 peculiarities research area, 8–11
 regulation services, 44
 scenario, 267
 trends, 24, 266
- Climate changes, 4, 19, 20, 23, 247–260, 265–274, 331–340, 374, 389–390, 427
 impact, 268
 past, 54
- CLM. *See* Community land model (CLM)
- Cloud, 292
 formation processes, 10
- CMF. *See* Catchment modeling framework (CMF)
- C:N ratio, 211
- Coevolution, 76
- Colonization, 221
- Commodity, 236
- Community composition, 339
- Community land model (CLM), 278
- Compensation payments, 235, 238, 239, 350, 391
- Competitive strength, 339
- Conservation, 32, 76, 104, 171–183, 350, 351, 377, 389, 391, 396, 427
 payments, 235–242, 348, 352
 policies, 350
 seed sources, 179
- Convention on Biological Diversity (CBD), 32, 37, 412
- Conversion, 206
- Cooperation partners, 404
- CO₂-uptake, 334
- Cropland, 348
- D**
- Data warehouse, 426
- Decision making, 33, 395
- Decomposer communities, 248
- Decomposer, 81, 86, 380
- Decomposition, 134
- Deforestation, 3, 20, 53, 62, 222
- Degree distributions, 195
- DEM. *See* Digital elevation model (DEM)
- Denudation rates, 12

- Deposition, 143, 145, 149, 290, 316
 atmospheric, 383
 scenario, 292
- Development, sustainable, 31–38
- Digital elevation model (DEM), 156
- Digital soil map, 162
- Discharge, 111–113, 268, 271, 272
 simulated, 269
- Disturbances, 15, 83, 93, 96
 human, 97
 natural, 96
- Diversification, 73, 239, 242
- Diversity, 3, 6, 378
 belowground, 89
 biological, 14, 32, 48
 epiphytes, 101
 functional, 103–104
 insects, 4
 molecular, 82
 mycobionts, 191
 mycorrhizal fungi, 199
 plants, 82, 93–104, 188, 191, 199
 protist, 86
 Shannon, 99
 vascular plants, 3, 14
- Droplets, 290
- Drought, 257–259, 389
 sensitivity, 324–326
- Dry conditions, 147
- Dry days, 266
- Dry phases, 25
- Dynamic pressure maps, 159
- E**
- Easterlies, 9, 376–377
- Ecological-Economic Farm Diversification (EEFD), 241, 389
- Ecosystem services, regulating, 153–168
- Economic valuation, 45
- Economy, 386–389
- Ecosystem
 functioning, 260
 service, 135
 stability, 197, 391
 state, 377
 sustainable management, 395
- Ecosystem services (ES), 32, 46, 107, 168, 282, 397, 398
 categories, 42
 climatic related, 285
 concept, 41–48
 concept MEA, 41
 cultural, 43, 200, 375
 diversity related, 93–94
 hydrologic related, 44, 285
 optimized, 238
 preserving, 43, 81
 provisioning, 45, 113–114, 171–183, 200, 205–215, 219, 240, 273, 282, 355–369, 375, 380, 385–390, 406–408
 regulating, 44, 111–113, 141–149, 282, 298, 375, 379–381
 RU 816, 43–45
 supporting, 44, 108–111, 141–149, 375, 379, 381, 383, 385, 390
 threats, 373
 water-related, 107, 114, 115, 273, 285
- Ecotourism, 174, 386
- ECSF. *See* Estación Científica San Francisco (ECSF)
- Ecuador, 19–27
 Andes, Ecuadorian, 26
- EEFD. *See* Ecological-economic farm diversification (EEFD)
- El Niño Southern Oscillation (ENSO), 383
- El Tibio, 223, 225
- Emissions, 288
 forest fire, 146
 inventories, 289
 scenarios, 268, 272, 292, 294, 333, 336
 trends, 289
- Emisstrajekt, 289
- Endemic plant, 46
- Endemism, 6
- Energy balance, 279
- Enrichment planting experiment, 181
- ENSO. *See* El Niño Southern Oscillation (ENSO)
- Environmental changes, 19–27
- Environmental education, 413, 414
- Environmental equity, 33
- Environmental justice, 33
- Eois*, 70, 71, 377
- Epiphytes, 101, 103, 260
 communities, 102
- Ericaceae, 189
 hemiepiphytic, 189
 terrestrial, 189
- Erosion, 11
- ES. *See* Ecosystem services (ES)
- Estación Científica San Francisco (ECSF), 4
- Ethnic groups
 Mestizos, 172, 177, 206
 Saraguros, 172, 177, 206, 215, 220
 Shuar, 172, 177

Eucalyptus saligna, 180–181, 406
 Eutrophication, 295
 Evapotranspiration, 110, 267, 282, 381
 Exotic species, 15, 406
 Experimental sites location, 7
 Experiments, ecological, 6–8

F

Farmers, 220
 risk-averse, 239
 FERPAST. *See* Fertilization of Active Pastures (FERPAST)
 Fertilization, 213, 240, 287, 299, 302, 303, 308, 310, 316, 356, 365, 383, 384, 390, 391
 Fertilization of Active Pastures (FERPAST), 301, 309, 358, 361, 365–368
 location, 7
 Field cropping, 227–228
 Financial incentives, 47
 Financial return, 240, 241
 Financial yield, 346
 Fine litter production, 323
 Fine root
 biomass, 320, 323
 production, 132, 135
 Fire, 100, 209, 374
 events, 64
 experiment, 362
 Fog, 288
 Fondo Regional del Agua (FORAGUA), 174
 Food, 227–229, 237, 344, 388
 prices, 238
 production, 220
 sovereignty, 242
 webs, 380
 FORAGUA. *See* Fondo Regional del Agua (FORAGUA)
 Forcing, 332
 Forest management
 experiment, 387
 sustainable, 343
 Forestry options, 351
 Forests, 279, 297–310, 316, 319, 325, 331, 343, 348, 373, 379, 380, 389
 conversion, 37, 387
 dynamics, 96–97
 evergreen tropical mountain, 53
 loss, 35
 management, 171–183
 natural, 175, 391
 organic layer, 308
 plants used, 178

 protection, 386
 tree species, 189
 vegetation, 98
 FORMIND model, 333–334
 Fragmentation, 94, 101, 103
 Plant, functional traits, 104

G

Gaps, 97
 Gardening, 229
 GCM. *See* General circulation model (GCM)
 Gene-ecological zones, 180
 General circulation model (GCM), 266
 Geometrid moths, 70, 377
 German Research Foundation, 411
 Glacial environment, 57–58
 Glaciation, 11
 Global change, 374–375
 Global warming, 248, 339
 Glomeromycota, 191, 378
 GPP. *See* Gross primary production (GPP)
 Gradients, 8
 altitudinal, 95, 110, 135, 146, 292
 land use, 211
 topographical, 96
 Grass biomass production, 367, 369
 Grassland, 279
 Gross photosynthetic production, 380
 Gross primary production (GPP), 118, 131
Gynoxys, 376

H

H⁺ concentration, 145
 Heat shock, 210
Hedyosmum, 58, 64, 254
 Herbicides, systemic, 364
Holcus, 212, 213
 H. lanatus, 97, 207
 Holocene, 58, 60, 64, 254, 259, 376
 Home gardens, 229, 230
 Hotspot, 89
 Households, 214, 215, 223
 GNP, 215
 Huancabamba depression, 376
Huertas, 229
 Human needs, 33
 Human Settlement History, 60–63
 Hydrological fluxes, 281, 283
 Hydrological models, 267, 271, 272
 Hydrology, 271–273, 275–285, 381–382
 Hydro-meteorological fluxes, 278, 281

I

- IDH. *See* Intermediate disturbance hypothesis (IDH)
- IDRISI Andes land use change modeller, 277
- Implementation, 399
- Improvement thinning experiment, 176, 387
- Inclination, 13
- Income portfolio, 215, 388
- Information management, 401
- Interaction services, 44
- Interdisciplinary, 402, 413
- Intergovernmental Panel on Climate Change (IPCC), 23, 268, 292, 336, 377, 389
- Intergovernmental Science-Policy Platform for Biodiversity and Ecosystem Services (IPBES), 41
- Intermediate disturbance hypothesis (IDH), 154
- Interviews, 46
- Invasive species, 390–392
- Inventory, 189
 - ethnobotanical, 221
 - floristic, 189
 - mycobiont, 189
 - plants, 229
- IPBES. *See* Intergovernmental Science-Policy Platform for Biodiversity and Ecosystem Services (IPBES)
- IPCC. *See* Intergovernmental Panel on Climate Change (IPCC)

K

- Knowledge transfer, 396, 399, 402, 412

L

- Lagunas Natas Forest, 59
- LAI. *See* Leaf area index (LAI)
- Land, 236
 - management, 47
 - ownership, 236
 - reforms, 3
 - rights, 221
 - scarcity, 238
- Landform, 11
- Landowners, tropical, 345
- Landsat, 277
- Landscape
 - approach, 343
 - history, 376–377
 - scale, 238
 - transformation, 223, 225
 - view, 343
- Landslides, 11, 13, 96, 113, 154, 167, 333, 338, 339, 385–386
 - dynamics, 385
 - erosion, 386
 - factors controlling occurrence, 154
 - factors controlling susceptibility, 155
 - frequency, 337
 - predictor for probability, 154
 - risk, 390
 - susceptibility, 161
 - triggering factors, 385
- Land-use, 211, 214, 219–233, 236
 - alternatives, 232, 235, 391
 - approach, 344
 - changes, 19, 82, 148, 149, 275, 277, 281, 284, 285, 384–385, 390, 427
 - concepts, 240, 241
 - conflict, 235
 - diversification, 345
 - risk minimization, 391
 - diversified strategy, 241
 - dynamics, 20–23
 - intensification, 391
 - options, 344, 345
 - patterns, 236
 - plant diversity, 100
 - portfolio, 350
 - scenarios, 349
 - sustainable, 226, 391
- Land-use change
 - future, 285
 - prediction, 280–281
- Land use cover change (LUCC), 280–281
- Land use/land cover change (LULC), 223–226, 232
- Land-use modelling, risk-sensitive, 352
- Land-use portfolio, 391
- Language barriers, 399
- La Niña event, 293
- Law of agrarian reform, 221
- Leaf area index (LAI), 121, 127, 131, 320, 324
- Leaf-bud break, 362
- Life-style, 388
- Lineage through time (LTT) plot, 70, 73
- Litterfall, 160, 164, 300
- Litter leachate, 305, 382
- Livelihood, 32, 37, 388
 - strategies, 227
- Livestock density, 214
- LLJ. *See* Low level jet (LLJ)
- Los Guabos, 223, 224, 230
- Lower Mountain Rainforest (LMF), 56
- Low-impact management, 345, 351

- Low level jet (LLJ), 9
 LTT. *See* Lineage through time plot (LTT)
 LUCC. *See* Land use cover change (LUCC)
 LULC. *See* Land use/land cover change (LULC)
 Lysimeters, 144
- M**
 Machine learning, 156
 Macronutrients, 367
 Maize, 227
 Management decisions, 35
 Management plan, 36
 Mass movements, 11
 MAT. *See* Mean annual temperature (MAT)
 Matorral, 220
 Matrix plots, 121
 Matter turnover, 297–310
 MEA. *See* Millennium Ecosystem Assessment (MEA)
 Mean annual temperature (MAT), 118
 Mean transit time, 112
 Meat
 prices, 238
 production, 214
Melinis, 207, 208, 212, 355
 biomass production, 207
 M. minutiflora, 97, 206, 207, 390
Mestizos, 220, 231, 387
 Microarthropods, 81–89
 Microbial activity, 258
 Microbial community structure, 309
 Micro-catchment, 143
 Mid-successional species, 337
 Milk
 prices, 238
 production, 214
 Millennium Ecosystem Assessment (MEA),
 33, 41, 42, 383
 Mineralization, 147, 367
 MLP. *See* Multi-layer perceptron (MLP)
 Model ensemble, 268
 Monoculture, 239
 Multi-layer perceptron (MLP), 277
 Mycobionts, 188
 Mycorrhizae, 188, 199
 specialization, 377
- N**
 National forest and reforestation
 programme, 182
 Native species, 406
 Near-surface flow, 143
 NEP. *See* Net ecosystem production (NEP)
 Nestedness, 377
 Net ecosystem production (NEP), 118
 Net primary production (NPP), 118, 135, 379
 Net revenues, 176
 Networks
 architecture, 188
 degree distributions, 193
 graphs, 192
 metrics, 194
 mutualistic, 191
 nested distribution of links, 193
 NODF, 193
 theories, 188
 NH₄⁺ concentrations, 291
 Nitrate input, 291
 Nitrogen (N), 141, 166, 289, 315
 Nitrogen deposition, 19, 20
 anthropogenic, 297
 NO₃⁻ concentrations, 291
 NODF. *See* N = paired Overlap, Decreasing
 Fill (NODF)
 NO₃⁻-N concentration, 145, 147
 N₂O-N losses, 305
 Non-timber forest products (NTFPs), 176, 222
 N = paired Overlap, Decreasing Fill
 (NODF), 192
 NPP. *See* Net primary production (NPP)
 NTFPs. *See* Non-timber forest products
 (NTFPs)
 NUMEX. *See* Nutrient Manipulation
 Experiment (NUMEX)
 Nursery, 177
 Nutrient concentrations, foliar, 302
 Nutrient Manipulation Experiment (NUMEX),
 84, 299, 300, 302, 305, 306, 308,
 316, 319, 383
 location, 7
 study design, 317, 318
 Nutrients, 361, 365, 367, 383
 addition, 297–310, 315–327
 analysis, 357
 application, 309
 atmospheric deposition, 382
 availability, 142, 166, 168
 cycles, 141–149, 298, 382, 385
 deposition, 26, 288, 290, 294, 325, 374, 390
 input, 287, 297
 land use change, 384–385
 limitations, 299
 manipulation, 316
 services, 44
 short term effects, 383
 tree rings, 383
 use efficiency, 367

O

- Operational Taxonomic Units (OTUs), 82, 84, 190
- Orchidaceae, 189
- Organic layers, 142, 160, 163, 167, 300, 382
- Organismic groups, 4
- Oribatid mites, 82, 86–88, 380
- OTUs. *See* Operational Taxonomic Units (OTUs)

P

- Palynological records, 57
- Palynological study, 55, 249
- Papers, 400
- Parameterization, 332
- Páramo, 57, 58, 60, 64, 250, 389
- Pastos*
 - P. azules*, 207, 212, 355
 - P. mieles*, 208, 355
 - P. naturales*, 207
- Pasture fertilization experiment, 299
- Pastures, 98, 206–209, 211, 212, 215, 240, 297–310, 331, 348, 362, 373, 379, 384
 - abandoned, 6, 212, 348, 356, 365, 367, 373
 - active, 365, 367
 - development, 205–215
 - dry matter production, 359
 - erosion, 374
 - expansion, 223
 - farming, 205, 213–215, 369, 387, 388
 - fertilization, 307, 358, 384
 - grasses, 206, 302, 339, 355
 - high resolution satellite image, 214
 - intensity of grazing, 360
 - management study, 205–215, 240, 355–369
 - microbial biomass, 210
 - recovered, 365
 - regeneration experiment, 364, 366
 - rehabilitation experiment, 232, 357–358, 363–365
 - revenue, 214
 - rotational grazing, 213
 - soil, 209
 - species composition, 210
 - sustainable, 365
 - types, 207–209
 - use, 205–215
 - utilization, 365
 - vegetation, 210
 - water regulation, 381
- Patterns, altitudinal, 89

- Payments, 346
- Payments for Ecosystem Services (PES), 38, 45
- Pennisetum clandestinum*, 97, 207, 390
- Perception, 400–401
- PES. *See* Payments for Ecosystem Services (PES)
- PFT. *See* Plant functional types (PFT)
- Phospholipid fatty acid (PLFA), 301, 308
- Phosphorus (P), 141, 315
- Photosynthesis, 124, 129
 - C4-type, 355
 - temperature dependence, 334, 335
- Photosynthetic capacity, 124
- Photosynthetic performance, 334
- pH rainfall, 146
- Phytopathogenic ascomycete
 - Cryptomycella pteridis*, 360
- Pine shelter, 406
- Pinus patula*, 99, 180, 379, 384, 387
- Pioneer
 - plant, 96
 - species, 337
 - trees, 99
- Piper*, 73
- Planning instruments, 401
- Plant functional types (PFT), 333
- Plants, 83, 248
 - family composition, 98
 - frequency distributions, 190
 - functional types, 213
 - resources, 229
 - uses, 179, 219–233
 - vascular, 97, 99, 101
- Pleistocene, 53, 57, 64, 252, 259
- Pleistocene refuge hypothesis, 68
- PLFA. *See* phospholipid fatty acid (PLFA)
- Plots
 - forest, 199
 - reforestation, 199
- PNP. *See* Podocarpus National Park (PNP)
- Poaceae, 58
- Podocarpus–El Cónдор, 34, 222
- Podocarpus–El Condor UNESCO MAB
 - Biosphere Reserve, 373
- Podocarpus National Park (PNP), 5, 34, 53, 55, 386
- Podocarpus oleifolius*, 176, 222, 326, 386, 407
- Pollen
 - analysis, 56
 - compositional change, 255
 - data, 253
 - records, 254, 259

- Polylepis*, 58, 64, 256, 376
- Portfolio
 crops, 242
 optimization, 242
- Potable water, 46
- Potential crop trees (PTC), 387
- Precipitation, 109, 111, 266, 269, 270, 381
- Process-based management, 401
- Productivity, 121, 122, 128, 315–327, 380
- Project-based management, 401
- Protists, 81–89
- PTC. *See* Potential crop trees (PTC)
- Prumnopitys montana*, 386
- Pteridium arachnoideum*, 4, 15, 99, 209, 332, 335
- Public, 417
- Publications, number of, 400
- Q**
- Quaternary climatic oscillations, 67
- R**
- Rabadilla de Vaca Mire, 61
- Radar, 405
- Radiation, 11
 climate, 124
 solar, 359
- Radiocarbon ages, 56
- Rain
 exclusion, 258, 259
 formation processes, 10
- Rainfall, 8, 9, 25, 109, 279
- Rainforest
 lower mountain, 56
 upper mountain, 56
- Range, altitudinal, 257
- Rarefaction analysis, 88
- Rare species, 199
- RBSF. *See* Reserva Biológica San Francisco (RBSF)
- Recultivation, 348
- Reforestation, 180–182, 232, 345, 349, 351, 387, 388, 406
 pastures, 171–183
 sites, 84
- Regionalization, 157
- Regulative idea, 34
- Rehabilitation experiment, 356–358
- Relative humidity (rH), 11, 15
- Remote fertilization, 290–291, 295
 tree growth, 292–294
- Repasturization, 345, 350, 352, 355–369, 387, 388
- Reproductive material, 177
- Research, 34–38
 collaborative, 415, 426
 infrastructure, 7, 414
- Research areas, 4
 geomorphologic zonation, 12
 landform distribution, 12
 location, 4, 5
- Researchers qualification levels, 415
- Reserva Biológica San Francisco (RBSF), 4, 20, 94, 111, 189, 249, 266, 332
- Resilience, 97, 102, 356, 374–378, 391
- Resorption potential, 367
- Respiration, 124, 133, 134
- Revenue, 349
- rH. *See* Relative humidity (rH)
- Rio San Francisco, 108, 111
- Rio San Francisco catchment, 108, 110, 111, 280–281, 381
- Rio San Francisco valley, 95, 98, 153, 205, 265, 273, 280, 285, 355, 381, 411
- Risk, 242
- Risk minimization, 389
- Road construction, 20, 37
- Road cut, 199
- Root growth, 379
- S**
- Sahara dust, 383
- Saraguros, 231
- Scenarios, 23, 268, 271, 284, 291–292, 336, 377, 348–349, 380, 381, 389
- Sebacinales, 191
- Sediments, 113
 total suspended, 113
- Seed
 centres, 182
 harvesting calendars, 180
- Setaria*, 100, 207–210, 212, 213, 282, 302, 355, 359, 360, 362, 364, 365, 367
 diet, 208
 nutritive value, 208
 oxalate content, 208
 S. sphacelata, 6, 97, 206, 209, 278, 301, 303, 332, 335, 339, 355, 359, 361, 367, 381, 388, 390
- Shelter effect, 406
- Shelter tree, 387
- Shrubland, 356
 succession fallow, 356
- Simplified Management Programme (PAFSI), 175
- Sistema Nacional de Áreas Protegidas (SNAP), 173
- PANE, 173

- Slash-and-burn, 15, 205, 209, 226
 Small holders, 369
 SNAP. *See* Sistema Nacional de Áreas Protegidas (SNAP)
 SoBraCoMo. *See* Southern bracken competition model (SoBraCoMo)
 SOC. *See* Soil organic carbon (SOC)
 SOM. *See* Soil organic matter (SOM)
 Socio-Bosque, 38
 Soil, 301, 359, 362, 365, 390
 - acidification, 141
 - alkalization, 384
 - biological diversity, 378
 - biota, 81
 - buffering capacity, 390
 - fertility, 142
 - food web, 81, 380
 - fungi, 81–89
 - macro-nutrients, 360
 - matric potentials, 144, 148
 - microbial biomass, 383
 - microfauna, 248
 - microorganisms, 148, 259, 307, 310
 - moisture regime, 143, 146–147, 149, 248
 - nutrients, 367
 - properties, 211, 380
 - protists, 82
 - regionalization, 156
 - respiration, 319, 321–323
 - soaking, 376
 - solution, 164
 - water content, 359
 - water logging, 167
 Soil organic carbon (SOC), 125, 211
 Soil organic matter (SOM), 134, 209
 Soil-Vegetation-Atmosphere-Transfer-Model (SVAT), 278
 Southern Bracken, 339, 360, 374
 Southern Bracken Competition Model (SoBraCoMo), 278, 332, 356, 359
 Speciation, 67–76, 377
 - adaptive, 377
 Species composition, plants, 212
 Species numbers, 3–4
 Species richness, 67, 95, 191, 377
 Stagnic color pattern, 161
 Stagnic horizon, 162
 Stagnic horizon occurrence probability, 162
 Stakeholders, 45, 46
 Statistical downscaling method, 267
 Statistical landslide models, 155–156, 160–161
 Stock density, 227, 367
 Stream flow, 143
 Study area, 3–15
 Subpáramo, 57, 60, 64
 Subsidies, 346, 348
 Succession, 96, 99, 100, 103, 223, 338
 Survey, 45
 Survival, trees, 180
 Sustainability, 343
 Sustainability portfolio, 392
 Sustainable agriculture, 235–242
 Sustainable development, 32–34
 - socio-economic development, 37
 Sustainable Forest Management Programme (PAFSU), 175
 Sustainable management, 403
 - case study, 395–408
 Sustainable use, 386–389
 - forests, 343–352
 SVAT. *See* Soil-Vegetation-Atmosphere-Transfer-Model (SVAT)
- T**
- Tabebuia chrysantha*, 175, 180, 222, 387, 407
 Taxonomy, 257
 Temperature, 266, 268, 270
 - altitudinal lapse rate, 376
 - increase, 377
 Tensiometers, 144
 Testate amoebae, 82, 86–87, 251, 257–260, 380
 Timber
 - extraction, 222
 - poaching, 386
 - resources, 348
 Topographic shelter, 164
 Training activities, 417, 425
 Transfer project, 403, 406–408
 Tree growth, 54, 256, 292–294, 321, 324–326
 Treeline, 60, 248, 251, 252, 256, 259, 376, 377
 Tree line ecotone, 168
 Trees
 - isolated, 101, 103
 - rings, 63, 288, 293, 295
 - species, 256, 257*Tremarctos ornatus*, 37
 Trends, altitudinal, 133–135
 Tropical easterlies, 287
 Tropical forests, 19
 Tulasnellales, 191
- U**
- UMF. *See* Upper Mountain Rainforest (UMF)
 Uncertain portfolio yield, 347

Unsustainability, 374

Upper Mountain Rainforest (UMF), 56

V

Valle Pequeño, 62

Valley-breeze system, 9

Vegetation

history, 376

natural, 94, 97

secondary, 97–99

Vegetation dynamics, 331–340

past, 251–256

W

Warming, 389–390

current, 376

Water cycle, 107

Water fluxes, 111

Waterlogging, 163

Weather conditions, 356, 359

Weeds, 4, 205–215, 355, 362, 390

Weibull density function, 159

Weighted model ensembles, 160

Willingness to pay (WTP), 46–48

Wind

direction, 291

pressure, 159

speed, 164, 165, 167

WTP. *See* Willingness to pay (WTP)

Y

Younger Dryas event, 64

Z

Zea mays, 227

Ecological Studies

Further volumes can be found at springer.com.

Volume 204

Biological Invasions in Marine Ecosystems: Ecological, Management, and Geographic Perspectives (2009)

G. Rilov and J.A. Crooks (Eds.)

Volume 205

Coral Bleaching: Patterns, Processes, Causes and Consequences (2009)

M.J.H. van Oppen and J.M. Lough (Eds.)

Volume 206

Marine Hard Bottom Communities: Patterns, Dynamics, Diversity, and Change (2009)

M. Wahl (Ed.)

Volume 207

Old-Growth Forests: Function, Fate and Value (2009)

C. Wirth, G. Gleixner, and M. Heimann (Eds.)

Volume 208

Functioning and Management of European Beech Ecosystems (2009)

R. Brumme and P.K. Khanna (Eds.)

Volume 209

Permafrost Ecosystems: Siberian Larch Forests (2010)

A. Osawa, O.A. Zyryanova, Y. Matsuura, T. Kajimoto, and R.W. Wein (Eds.)

Volume 210

Amazonian Floodplain Forests: Ecophysiology, Biodiversity and Sustainable Management (2010)

W.J. Junk, M.T.F. Piedade, F. Wittmann, J. Schöngart, and P. Parolin (Eds.)

Volume 211

Mangrove Dynamics and Management in North Brazil (2010)

U. Saint-Paul and H. Schneider (Eds.)

Volume 212

Forest Management and the Water Cycle: An Ecosystem-Based Approach (2011)

M. Bredemeier, S. Cohen, D.L. Godbold, E. Lode, V. Pichler, and P. Schleppi (Eds.)

Volume 213

The Landscape Ecology of Fire (2011)

D. McKenzie, C.S. Miller, and D.A. Donald (Eds.)

Volume 214

Human Population: Its Influences on Biological Diversity (2011)

R.P. Cincotta and L.J. Gorenflo (Eds.)

Volume 215

Plant Desiccation Tolerance (2011)

U. Lüttge, E. Beck, and D. Bartels (Eds.)

Volume 216

Forest Hydrology and Biogeochemistry: Synthesis of Past Research and Future Directions (2011)

D.F. Levia, D. Carlyle-Moses, and T. Tanaka (Eds.)

Volume 217

Peatlands of the Western Guayana Highlands, Venezuela: Properties and Paleogeographic Significance of Peats (2011)

J.A. Zinck and O. Huber (Eds.)

Volume 218

Aralkum – A Man-Made Desert: The Desiccated Floor of the Aral Sea (Central Asia) (2012)

S.-W. Breckle, W. Wucherer, L.A. Dimeyeva, and N.P. Ogar (Eds.)

Volume 219

Seaweed Biology: Novel Insights into Ecophysiology, Ecology and Utilization (2012)

C. Wiencke and K. Bischof (Eds.)

Volume 220

Growth and Defence in Plants: Resource Allocation at Multiple Scales (2012)

R. Matyssek, H. Schnyder, W. Oßwald, D. Ernst, J.C. Munch, and H. Pretzsch (Eds.)

Volume 221

Ecosystem Services, Biodiversity and Environmental Change in a Tropical Mountain Ecosystem of South Ecuador (2013)

J. Bendix, E. Beck, A. Bräuning, F. Makeschin, R. Mosandl, S. Scheu, and W. Wilcke (Eds.)