

# Index

## Symbols

$1/f$  noise, 179  
2 $\lambda$  spectroscopy, 76  
3- $\sigma$  standard, 419  
3-body reaction, 63  
3-pentanone, 68, 82  
4-mirror ring-resonator, 368  
 $\angle$ COO bend, 70  
 $\beta$ -HEP, 86, 87  
 $\beta$ -hydroxyethylperoxy, 86  
*T*-butyl peroxy, 89  
 $\pi$ -phase shifted FBG, 464  
 $\sigma_p$ , 81  
 $\tilde{A}-\tilde{X}$ , 64  
 $\tilde{B}-\tilde{X}$ , 64

## A

Absorbance, 412  
Absorption cell, 392  
Absorption coefficient- $\alpha$ , 149, 151, 155, 157, 378  
Absorption cross section, 77, 417  
Absorption loss, 412  
Absorption path-length, 417  
Accelerator mass spectrometry-AMS, 159  
Accelerometer, 469  
Acetylene, 219, 222, 236–238, 246, 247, 262  
Acoustic transducer, 474  
Acousto-optic modulator, 232, 256  
Acousto-optic modulator: fiber-coupled, 233  
Active mode-locking, 275  
Adsorbant coverage, 378  
Aerosol extinction, 502  
AgGaSe<sub>2</sub>, 282  
Airy function, 189  
Allan deviation, 145  
Allan variance, 28, 119, 120, 132, 244

Amine hydrogen bonding, 376  
Amplified fibre-loop cavities, 402  
Amplified spontaneous emission, 41  
Amplitude attenuation, 214, 215  
AOM, 83, 232–234  
Arc lamp, 494  
Arsine (AsH<sub>3</sub>), 302  
Atmospheric monitoring, 129  
Atmospheric sensing, 127  
Atmospheric windows, 99  
Attenuation, 215, 230  
Audio recordings, 475  
Audio spectrum, 474  
Averaged-refractive index, 412

## B

Bacteria, 432  
Ballistic assumption, 106  
Bandwidth curve, 422  
Bathophenanthroline, 404  
Beam diameter, 504  
Beer-Lambert, 95, 386  
Beer-Lambert absorption, 191  
Beer-Lambert law, 107  
Belousov-Zhabotinsky oscillating reaction, 398  
Bennet hole, 219  
Biconical fiber taper, 468  
Biomarkers, 387  
Biomedical sensing, 421  
Biomolecules, 323  
Biosensor, 323  
Biotin, 371  
Birefringent components, 241  
Blank, 404  
Bottle microresonator, 362  
Bragg wavelength, 422, 465

- Breath gas analysis, 127, 137  
 Brewster's angle, 392  
 Brightness, 493  
 Broadband CEAS (BB-CEAS), 20, 486  
 Broadband CRDS and CEAS methods, 391  
 Broadband laser, 497  
 Broadband measurements, 395  
 Butyl peroxy radical, 88
- C**  
 $C_2H_2$ , 219, 228, 230, 244, 247  
 Calibration, 503, 508  
 Cancer cells, 441  
 Carbon dioxide  $CO_2$ , 147, 152–155, 157–159, 264  
 Carrier frequency, 370  
 Carrier-envelope offset frequency, 272, 273  
 Cavity configurations, 391  
 Cavity decay rate, 144–147, 149, 155, 157  
 Cavity enhanced absorption spectroscopy (CEAS), 1, 97, 107  
 Cavity enhancement factor, 389  
 Cavity finesse, 288  
 Cavity loss, 388  
 Cavity parameters, 497  
 Cavity ring down CRD, 97, 143–149, 153–156  
 Cavity ring-down spectroscopy (CRDS), 106, 163, 293, 411, 478, 488  
 Cavity-enhanced absorption spectroscopy, 388, 477  
 Cavity-enhanced direct frequency comb spectroscopy (CE-DFCS), 273  
 CCD, 505  
 CEAS, 108, 116, 119, 133  
 $CH_4$ , 131  
 Chemical oceanography, 402  
 Chemical sensing, 94, 125  
 Chemical sensors, 385  
 Chirp rate, 104  
 Classification, 487  
 Clocked  $512 \times 1024$  CCD array, 396  
 Closed-path, 501  
 $COCl_2$ , 126  
 Coherent sources, 143, 144, 152  
 Coherent supercontinuum sources, 278  
 Colourimetric assays, 403  
 Column length integral, 78  
 Comb-cavity coupling, 283  
 Combination band, 255  
 Concrete structure, 435  
 Condensed-phase samples, 390  
 Confocal, 497  
 Continuous-wave cavity ring down, CW-CRD, 143, 144, 155, 157
- Coupled-mode model, 365  
 Coupling coefficient, 365, 378  
 Coupling losses, 412  
 Coupling method, 416  
 Cr:ZnSe, 276  
 Crack sensors, 444  
 Cracking, 432  
 CRD, 133  
 CRDS, 111, 112  
 Critical coupling, 358, 368  
 Cw-DFB-QCL, 116, 117, 122, 126, 127, 132
- D**  
 Db NICE-OHMS, 212, 214, 218, 240  
 Decay rate repeatability, 144–146  
 Decay rate stability, 144  
 Detection bandwidth, 480  
 Detection limit, 389, 479  
 Detection phase, 214–216, 238  
 Detection scheme, 505  
 Detection sensitivity, 273, 386  
 DeVoe-Brewer, 254  
 DeVoe-Brewer: method, 231, 235  
 DeVoe-Brewer: signal, 235  
 DFB, 212, 231, 330  
 DFB diode laser, 180, 415, 468  
 DFG, 281  
 Dicke narrowing, 220, 222, 223, 247  
 Difference frequency generation, 260  
 Difference frequency mixing, 73  
 Difference-frequency generation (DFG), 144, 145, 147, 152–156, 158, 277  
 Diode laser, 100, 466  
 Direct frequency comb spectroscopy, 272  
 Dispersion, 285  
 Distortion of the line shapes, 289  
 Distributed feed-back (DFB) diode lasers, 6  
 Distributed feedback (DFB), 103, 164  
 Distributed feedback laser, 212, 258  
 Dither amplitude, 235  
 DNA sensing, 429  
 DNICE-OHMS: Doppler-broadened: dependence of optical saturation, 236  
 Doppler broadening, 73, 217  
 Doppler limit, 218, 236  
 Dove prism, 393  
 $D$  parameter, 156  
 Droplet microfluidics, 399  
 Dual wavelength, 76  
 Dual-comb spectroscopy, 299  
 Dynamic range, 388

**E**

EC-QCLs, 124  
 ECDL, 231  
 EDFL, 233, 245  
 EF scattering, 424  
 Effective, 104, 106, 114  
 Effective absorption length, 19, 95, 121  
 Effective absorption path, 130  
 Effective  $FSR_{\text{eff}}$ , 109, 121  
 Effective line width, 115  
 Effective path length, 107, 118  
 Effective reflectivity, 118, 119  
 Effective self-reaction rate, 82  
 EID, 242, 244  
 Electro-optic crystal, 242  
 Electro-optic modulator, 230, 254  
 Electro-optic modulator: fiber-coupled, 234, 241, 242, 245  
 Environmental monitoring, 402  
 EOM, 230, 232, 241  
 Equatorial modes, 355  
 Er-doped fiber laser, 212, 233  
 Er: fiber, 285, 300, 303, 309  
 Er: fiber lasers, 281  
 Erbium-doped fibre amplifier, 402  
 Error signal, 30, 373  
 Etalon, 242, 244  
 Etalon-immune distances, 242  
 Etching, 425  
 Ethane, 129  
 Ethyl iodide, 73  
 Ethyl peroxy, 62, 68, 81, 82  
 Ethylene diamine, 371  
 Evanescent coupling, 330  
 Evanescent field, 332, 354, 417  
 Evanescent wave, 393, 500  
 Evanescent-wave access blocks, 479  
 Evanescent-wave spectroscopy, 464  
 Evolutionary algorithm, 75  
 Excimer, 68  
 Excimer laser, 68  
 Excited state lifetime, 87  
 Exponential decay, 143, 147, 155  
 Extended-cavity diode laser, 469  
 Extended-path length single-pass methods, 397  
 External cavity diode laser (ECDL), 6, 83, 178, 231, 257  
 External cavity (EC), 103  
 Extinction coefficient, 490

**F**

Fabry-Pérot, 3, 143, 144, 147, 149, 153, 154, 156, 158, 232, 474  
 Fabry-Pérot cavities, 464

Fan-out periodically-poled lithium niobate (PPLN), 282  
 Fast Fourier transform, 467  
 Feedback loop, 284  
 Feedback rate, 173  
 Fiber Bragg gratings, 420, 464  
 Fiber half-block couplers, 357  
 Fiber index sensor, 440  
 Fiber laser, 231, 258  
 Fiber loop, 412  
 Fiber loop ringdown, 411  
 Fiber optic circulator, 372  
 Fiber-optic communication, 464  
 Fiber optic sensor network, 450  
 Fiber scattering loss, 412  
 Fibre Bragg grating, 394  
 Finesse, 15  
 Fingerprint region, 99, 144  
 Fingerprinting, 464  
 FL, 231  
 FLB-NICE-OHMS, 212, 233, 234, 242, 244, 246  
 FLRD instrumentation, 454  
 FLRD interrogator, 448  
 FLRD sensing platform, 453  
 FLRD sensor network, 455  
 FM triplet, 211, 213–215, 225, 226, 242  
 FM-to-AM noise conversion, 288, 290, 293  
 FMS, 211, 213, 226, 230, 242, 246  
 Folded cavities, 500  
 Fourier coefficient: Gaussian line shape function, 224  
 Fourier coefficient: Lorentzian line shape function, 224, 225, 230  
 Fourier coefficient: modulated line shape function, 223  
 Fourier coefficient: of the NICE-OHMS signal, 223  
 Fourier coefficient: Voigt line shape function, 223, 224  
 Fourier transform, 506  
 Fourier transform CRDS, 395  
 Fourier-transform spectrometer, 304  
 Fourier-transform spectroscopy (FTS), 273, 292, 296  
 FP, 232  
 Free spectral range (FSR), 108, 144–146, 254, 282  
 Frequency conversion, 99  
 Frequency locking, 30  
 Frequency modulation, 278  
 Frequency modulation: detection phase, 235  
 Frequency modulation: signal, 214, 242  
 Frequency noise spectral density, 471

Frequency sidebands, 368  
 Frequency stability, 144  
 Frequency-down chirp, 104, 112, 114, 115, 136  
 FSR, 114  
 FT-IBBCEAS, 507  
 FTS, 506  
 Fundamental band, 259  
 Further improvement in sensitivity, 405

## G

G conformer, 70  
 $G'_1G_2G_3$ , 86  
 $G_1G_2G_3$ , 86  
 Galatry, 220, 222  
 Gas discharges, 130, 136  
 Gaussian, 217, 218  
 Gaussian beam, 23  
 Gaussian component, 75  
 Generic setup, 230  
 Glucose, 432  
 Glucose sensor, 417  
 Griess assay, 404  
 Group velocity, 33  
 Group velocity dispersion, 480  
 Grout structures, 449

## H

$H_2O_2$ , 308  
 Halogen lamp, 495  
 Hänsch-Couillaud method, 284  
 Hard collision model, 220, 221  
 HCl, 79  
 HCM, 221, 222  
 HCN, 131  
 Heisenberg principle, 23  
 Helmholtz equation, 354  
 Henry factor, 172  
 Herriot trajectories, 25  
 Heterodyne, 253  
 $HfF^+$ , 311  
 High spectral resolution, 508  
 High-fidelity audio, 476  
 High-finesse cavity, 143, 152  
 High-finesse resonator, 465  
 High-harmonic generation (HHG), 278  
 High-throughput chemical processing, 397  
 Highly nonlinear fiber, 277  
 HOMO-1, 64  
 Homogeneous broadening, 148, 151  
 Hybrid photonic-plasmonic resonance, 341  
 Hydrofluoric acid, 427  
 Hydrogen cation, 268  
 Hydrogen peroxide ( $H_2O_2$ ), 303

Hydroperoxyl, 265  
 Hydroxy peroxy radicals, 86  
 Hyperfine structure, 143, 153, 156

## I

IBBCEAS, 489  
 ICL, 129  
 ICOS (Integrated Cavity Output Spectroscopy), 8, 108, 112  
 Impulse response function, 363, 366  
 Incoherent light sources, 465  
 Index difference, 432  
 Influenza A virus, 337  
 Infrasound, 474  
 Inhomogeneous broadening, 148, 149, 151, 155  
 Injection locking, 260  
 Integral absorption cross-section, 80  
 Integrated cavity output (ICOS) spectroscopy, 97, 388  
 Integrated-cavity microfluidic chip designs, 398  
 Interaction length, 2, 273  
 Interband cascade lasers (ICLs), 103  
 Interference fringes, 26  
 Interferometer, 506  
 Intra-cavity dispersion, 283  
 Intra-cavity phase shift, 290  
 Intracavity laser absorption (ICLAS), 124  
 Intrinsic, 106, 114  
 Ion, 265  
 Ion beam, 267  
 Isotope ratio analyses, 204

## J

Jet fuel, 432

## K

$K_2IrCl_6$  dye, 400  
 $k_{obs}$ , 85  
 Kerr effect, 276  
 Kerr-lens mode-locking, 276, 279  
 Kinetic decay curve, 85  
 Kinetic studies, 265  
 $KMnO_4$ , 398  
 Kramers-Kronig relations, 17

## L

Lamb dip, 27  
 Lambert-Beer absorption, 17  
 Lambert-Beer loss, 488  
 Langmuir model, 334  
 Laplace transform, 32, 363  
 Laser, 330  
 Laser coherence time, 40

- Laser phase noise to amplitude noise, 46
  - Lead salt lasers, 100, 125, 130
  - Least squares fitting, 74
  - LED, 495
  - Levenberg-Marquardt algorithm, 67
  - Lifetime broadening, 75
  - Light attenuation coefficients, 423
  - Light emitting diode, 495
  - Light source, 493
  - Limit of detection, 509
  - Line shape function: absorption, 215
  - Line shape function: dispersion, 215
  - Line shape function: Gaussian: absorption, 218
  - Line shape function: Gaussian: dispersion, 218
  - Line shape function: hard collision model: absorption, 221
  - Line shape function: hard collision model: dispersion, 221
  - Line shape function: Lorentzian, 220
  - Line shape function: Lorentzian: absorption, 220, 238
  - Line shape function: Lorentzian: dispersion, 220, 227
  - Line shape function: NICE-OHMS, 247
  - Line shape function: NICE-OHMS: Doppler-broadened, 215–218
  - Line shape function: NICE-OHMS: sub-Doppler, 227
  - Line shape function: NICE-OHMS: wm-Doppler-broadened, 224
  - Line shape function: NICE-OHMS: wm-sub-Doppler, 230
  - Line shape function: soft collision model: absorption, 220
  - Line shape function: soft collision model: dispersion, 220
  - Line shape function: Voigt: absorption, 217, 222, 223
  - Line shape function: Voigt: dispersion, 217, 222
  - Line strength, 95
  - Line width, 104, 106, 114, 508
  - Linear absorption, 143, 144, 151
  - Linear fibre cavities and fibre-loop cavities, 394
  - Liquid absorption, 479
  - Liquid explosives, 432
  - Liquid sensor, 434
  - Liquid-phase samples, 387
  - Liquid-sheet jet, 393
  - Litmann-Metcalf geometries, 185
  - Littrow, 185
  - Locking, 254
  - LOD, 509
  - Longitudinal mode, 73, 109, 117, 122
  - Lorentzian, 217
  - Lorentzian component, 75
  - Lorentzian linewidths, 87
  - LSPR, 341
- M**
- Mach-Zehnder modulator, 372
  - MDND, 110, 120, 137
  - Measurands, 414
  - Measurement of pH, 398
  - MEMS, 451
  - Methane, 262
  - Methyl iodide, 263
  - Methyl peroxy, 77
  - Michelson interferometer-based FTS, 297
  - Micro-bending, 432
  - Microcavities, 471
  - Microfluidic devices, 397
  - Microfluidic lasers, 398
  - Microfluidics, 385
  - Microfluids, 432
  - Microresonators, 352
  - Microstructure fiber, 277
  - Mid IR, 143, 144, 152–154, 157, 259
  - Minimum detectable, 95
  - Mirror reflectivity, 503
  - Mode matching, 168
  - Mode-locked CEAS, 11
  - Mode-locked erbium-fiber laser, 479
  - Mode-locked lasers, 274
  - Mode-locked (ML) lasers, 42
  - Molecular absorption, 144, 147, 149, 151, 155
  - Molecular spectroscopy, 143, 149, 152, 153, 155, 157
  - Molecule, 144, 147–149, 152, 153, 155–158, 160
  - Monochromatic limit, 36, 37
  - Monochromatic regime, 47
  - Monochromator, 505
  - Monolithic ring cavity, 368
  - Multi-branch Er: fiber, 282
  - Multi-heterodyne detection, 50
  - Multi-pass cells, 95
  - Multixponential decay function, 364
  - Multiple-pass cells, 2
  - Multiple-quantum-wells (MQW) diode lasers, 5
  - Multiplexing, 339
- N**
- N<sub>2</sub>O, 308
  - Nanomechanical resonator biosensor, 329
  - Nd:YAG, 212, 231

- Nd:YVO<sub>4</sub> diode laser, 72
- NEA, 120, 133
- Near-infrared, 255
- Neodymium:YAG, 255
- Neopentyl peroxy, 89
- NICE-OHMS, 136, 253
- NICE-OHMS technique (noise-immune cavity-enhanced optical heterodyne molecular spectroscopy), 9
- NICE-OHMS: background signals, 238, 240
- NICE-OHMS: background signals: birefringent components, 241
- NICE-OHMS: background signals: etalons, 232, 242
- NICE-OHMS: background signals: reduction of, by active feedback, 242, 245
- NICE-OHMS: background signals: residual amplitude modulation, 241
- NICE-OHMS: Doppler-broadened, 211
- NICE-OHMS: Doppler-broadened and sub-Doppler: dependence of optical saturation, 247
- NICE-OHMS: Doppler-broadened and sub-Doppler: detection sensitivity, 241, 242
- NICE-OHMS: Doppler-broadened and Sub-Doppler: detection sensitivity, 244
- NICE-OHMS: Doppler-broadened and sub-Doppler: signal, 230, 235
- NICE-OHMS: Doppler-broadened and sub-Doppler: signal strength, 244
- NICE-OHMS: Doppler-broadened: dependence of optical saturation, 217–220, 224, 225, 236
- NICE-OHMS: Doppler-broadened: dependence of pressure, 228, 236–238
- NICE-OHMS: Doppler-broadened: dependence on absorption, 236
- NICE-OHMS: Doppler-broadened: dependence on concentration, 236
- NICE-OHMS: Doppler-broadened: detection sensitivity, 238, 240, 246, 247
- NICE-OHMS: Doppler-broadened: dynamic range, 236
- NICE-OHMS: Doppler-broadened: in the Doppler limit, 216, 218, 219, 236
- NICE-OHMS: Doppler-broadened: shot noise equivalent absorption, 239, 246
- NICE-OHMS: Doppler-broadened: signal, 214, 215, 217, 219, 222–226, 228, 235–237, 242
- NICE-OHMS: Doppler-broadened: signal strength, 215, 219, 224, 228, 236, 237
- NICE-OHMS: Doppler-broadened: wavelength modulated, 223
- NICE-OHMS: Doppler-broadening: detection sensitivity, 212, 233, 235
- NICE-OHMS: experimental set-up: fiber-laser-based, 233
- NICE-OHMS: fiber-laser-based, 212, 233
- NICE-OHMS: noise immunity, 211, 231, 240, 246
- NICE-OHMS: shot noise, 239
- NICE-OHMS: shot noise limit, 240
- NICE-OHMS: sub-Doppler, 211
- NICE-OHMS: sub-Doppler: dependence of optical power, 247
- NICE-OHMS: sub-Doppler: dependence of optical saturation, 227–229, 238
- NICE-OHMS: sub-Doppler: dependence of pressure, 238
- NICE-OHMS: sub-Doppler: dependence on concentration, 238
- NICE-OHMS: sub-Doppler: dependence on optical power, 238
- NICE-OHMS: sub-Doppler: detection sensitivity, 212, 240
- NICE-OHMS: sub-Doppler: shot noise equivalent absorption, 240
- NICE-OHMS: sub-Doppler: signal, 225–230, 232, 238
- NICE-OHMS: sub-Doppler: signal strength, 227, 228, 238, 239
- NICE-OHMS: sub-Doppler: wavelength modulated, 230
- Nitric oxide, 128, 263
- Nitrite (NO<sub>2</sub><sup>-</sup>), 403
- Nitrogen cation, 266
- Nitrous oxide, 264
- NO<sub>2</sub>, 308
- Noise equivalent absorption (NEA), 109
- Noise equivalent absorption sensitivity, 202
- Noise filter, 433
- Noise-equivalent absorption (NEA), 26
- Noise-equivalent extinction coefficient, 508
- Noise-immune cavity enhanced optical heterodyne molecular spectroscopy (NICE-OHMS), 97
- Nonlinear effects, 277
- Nonlinear frequency conversion, 273
- Nonlinear polarization rotation, 281
- Normal-incidence, 393
- Notch coupling, 434
- Number density (MDND), 95
- Nyquist's theorem, 472

**O**

- O–O stretch, 69
- O<sub>3</sub>, 308
- OA-CEAS, 121, 122, 127, 136
- OC-CEAS techniques, 43
- OF-CEAS, 122, 127
- Off-axis, 109, 120, 123, 136, 137
- Off-axis CEAS, 25
- Offset phase angle, 364
- On-axis, 119, 133
- One- $\sigma$  detection limit, 419
- One- $\sigma$  standard deviation, 419
- Open-path, 501, 502
- OPO, 231, 247, 281, 285, 304
- Optical cavity, 2
- Optical comb, 42
- Optical delay line, 366
- Optical detection, 143, 158, 159
- Optical feedback (OF), 8, 122, 127
- Optical frequency comb, OFC, 144, 152–155, 266, 271, 464
- Optical loss, 143, 503
- Optical microcavities, 324
- Optical parametric oscillator OPO, 79, 153, 231, 261
- Optical phase shift, 214, 215
- Optical phase shift: sub-Doppler, 227, 228
- Optical saturation: Gaussian line shape function, 218
- Optical saturation: Lorentzian line shape function, 220
- Optical saturation: Voigt line shape function, 217
- Optical sensing, 464
- Optical spectrum analyzer, 480
- Optical tunneling, 361
- Optical-feedback cavity-enhanced absorption spectroscopy, 164
- Optical-fibre cavities, 394
- Optically equivalent, 77
- Origin band, 69
- Overcoupled, 370
- Overcoupled regime, 358
- Overtone band, 255
- Overtone vibrations, 481
- Overview, 487
- Oxalyl chloride, 68
- Oxygen, 263
  
- P**
- P-DFB-QCL, 114
- P-DFB-QCLs, 111, 124
- Parallel configuration, 451
- Parametric generation, 277
- Passive mode-locking, 275
- Path length, 491
- PDH, 230–235
- PE, 242, 243, 245
- PE-EOM, 242, 245
- Peak absorption cross-section, 80
- Penetration depth of the evanescent wave, 355
- Pentyl peroxy radicals, 88
- Periodically poled lithium niobate, 260, 261
- Periodically-poled materials, 277
- Peroxy radicals, 63, 64
- Perturbation of the resonance, 359
- Phase shift, 214, 215, 230, 241
- Phase-shift cavity ring-down (PS-CRD), 352, 362
- Phase-shift CRD, 489
- Phase-shift measurements, 401, 435
- Phosgene, 127
- Phosgene (COCl<sub>2</sub>), 126
- Photon noise, 509
- Photonic crystal fiber, 277, 496
- Photosynthetic phytoplankton, 402
- Photothermal effects, 375
- Physical sensing, 436
- Pick-ups, 473
- Piezo-electric transducer, 467
- Plasma diagnostics, 130
- Plasma discharge, 266
- PM fiber, 241, 242
- Polarizability, 332, 360, 376
- Polarization maintaining fiber, 241
- Polarization-rotation mode-locking, 277
- Portable chemical tests, 397
- Pound-Drever-Hall (PDH), 230, 254, 284, 364, 466
- Pound-Drever-Hall (PDH) technique, 373
- Pressure, 413
- Pressure broadening, 217
- Prism cavity, 499
- Prism couplers, 357
- Process monitoring, 130
- Propagation constant, 358
- Proton exchange, 242
- Pulsed-CRDS, 13
  
- Q**
- Q factor, 332
- QC, 231
- Quality factor, 15
- Quality (Q) factor, 327, 361
- Quantum cascade laser (QCL), 7, 97, 101, 153–155, 164, 231, 259
- Quartz crystal microbalance, 374
- Quartz oscillator, 472

**R**

Radical, 265  
Radiocarbon, 158, 159  
Radiocarbon dating, 158, 159  
Radiocarbon dioxide- $^{14}\text{C}^{16}\text{O}_2$ , 143, 158, 159  
RAM, 241  
Ramp-lock-and-fire, 72  
Rare molecular species, 143, 158  
Rautian, 220, 222, 223  
Rayleigh backscattered light, 365  
Rayleigh backscattering time constant, 366  
Rayleigh scattering, 358, 503  
Reflectivity, 491, 508  
Refractive index, 417  
Remote sensing, 444  
Repetition rate, 272  
Reporter molecule, 78  
Residual amplitude modulation, 258  
Resolution, 143, 144, 152, 153, 156  
Resonators, 2  
Rhodamine B, 398  
Ricatti-Neumann, 360  
Ring optical cavity, 468  
Ring-down time, 361, 362, 477, 488, 489  
Ring-resonator, 232  
Ringdown spectral photography, 395  
Ringdown time, 387, 411  
Ro-vibrational transition, 144, 155, 472  
 $\text{RO}_2$  radical, 64  
Round trip, 412  
Round trip time, 15

**S**

Saturable absorbers, 276  
Saturated absorption, 147, 148, 151, 155  
Saturated-absorption cavity ring-down-SCAR, 143, 144, 147–160  
Saturation, 143, 147–153, 155, 156  
Saturation function  $G(t)$ , 149, 150  
Saturation intensity, 149  
Saturation parameter, 148, 149, 151, 156  
Schawlow-Townes limit, 180  
SCM, 220, 222  
SD NICE-OHMS, 213  
SDEs, 221–223, 247  
SDV, 221–223  
Second-harmonic generation (SHG), 277  
Self-reaction rate of ethyl peroxy, 82  
Sellmeier coefficients, 356  
Sensing mechanism, 423  
Sensing of trace compounds in water, 402  
Sensitivity, 143–148, 150–152, 157, 158, 491  
Sensitivity of a detection system, 299  
Sensogram, 334

Sensor head, 413  
Sensor module, 446  
Sensor networking, 417, 444  
Serial configuration, 452  
Servo amplifier, 373  
SHG, 279  
Shot-noise limit for OF-CEAS, 197  
Shot-noise-limited, 143–145  
Side-coupling schemes, 401  
Sidebands, 254  
Signal-to-noise ratio, 497, 509  
Simulation chamber, 501, 502  
Single molecular cell, 432  
Single-droplet analysis, 399  
Single-molecule detection, 352  
Single-pass absorbance, 480  
Skewing effect, 117, 118  
Slit-jet discharge, 73  
SNR, 509  
Soft collision model, 220  
SOMO, 64  
Spectral absorption features, 391  
Spectral range, 275  
Spectroscopic technique, 143  
SpecView, 70, 74  
Speed-dependent Voigt, 221  
Spherical Bessel function, 356  
Spherical harmonic functions, 354  
Split ratio, 418  
Stability, 494  
Stimulated Raman shifting, 67  
Strain, 413  
Strain resolution, 467  
Strain sensors, 464  
Streptavidin, 371  
Structure health monitoring, 435  
Sub-Doppler, 143, 152, 153, 155–157  
Sum-frequency generation (SFG), 277  
Supercontinuum, 279  
Supercontinuum source, 496, 507  
Superluminescent light emitting diode, 495  
Superposition, 490  
Superposition principle, 486  
Surface crack width, 445  
Surface density, 360  
Surface density of silanol groups on silica, 377  
Surface silanol groups, 376  
Sweep rate, 104, 114  
Swept coupling scheme, 288, 303

**T**

T conformer, 70  
Tapered optical fiber, 357  
TD, 242, 245



- TD-EOM, 242, 246
- TEM<sub>00</sub>, 83
- Temperature, 413
- Thermal expansion, 375
- Thermally-induced phase noise, 472
- Thermo-optic effect, 470
- ThF<sup>+</sup>, 311
- Ti:Sa amplifier, 72
- Ti:Sa pulse amplifier, 72
- Ti:sapphire, 231, 273, 276
- Ti:sapphire, 279, 311
- Tight comb-cavity lock, 299
- Tight locking scheme, 284, 289
- Time-domain, 414
- Titanium sapphire laser, 257
- Titanium-diffused, 242
- Tm:fiber, 281
- Trace elements, 432
- Trace gas monitoring, 501
- Trace gas sensing, 126, 144, 157, 160
- Transient injection, 45
- Transient molecules, 130
- Transition strength, 144
- Transmission loss, 412
- Transverse electric (TE), 354
- Transverse electro-magnetic, 15
- Transverse magnetic (TM), 354
- Transverse modes, 109
- Triplet, 213, 230, 231, 240–242, 245
- Troposphere, 63
- Tunable laser, 257
- Type I sensor, 439
- Type II sensor, 439
  
- U**
- Undercoupled, 370
  
- Undercoupled regime, 358
  
- V**
- V-shaped cavity, 175
- Variable gain element, 402
- Velocity modulation, 261
- Velocity-modulation spectroscopy, 311
- Vernier effect, 44
- Vernier spectrometer, 292
- Vibrational overtone absorption, 361
- VIPA, 295
- VIPA spectrometer, 300, 309, 311
- Virtually-imaged phased array (VIPA), 12, 292
- Virus, 323
- Voigt, 217, 223
- Voigt profile, 75
  
- W**
- Wall losses, 502
- Wall-plug efficiency, 102
- Waveguide, 234
- Wavelength modulation, 223, 230, 235
- Wavelength modulation: residual amplitude modulation, 241
- Wavelength shift of a microresonator, 359
- Whispering gallery mode, 325, 352, 367
- White noise, 244
- Width, 114
- Wm, 212, 230
  
- X**
- Xe-arc, 494
  
- Y**
- Yb:fiber lasers, 279
- Ytterbium:YAG laser, 256