

Index

Symbols

F distribution, 43
 χ^2 distribution, 33
 t distribution, 59, 65, 84
R, 21, 118
apply (R function), 23
contour (R function), 30

A

Action, 2, 27, 51, 67, 99
 course of, 2, 39, 65, 92
Additivity, 13, 24
Analysis of variance (ANOVA), 14
Aversion, 23, 42, 58

B

Balance, 61
 equation, 29, 67, 100, 116
 function, 42, 53, 113
Bayes
 estimator, empirical, 97
 model, empirical, 96
 theorem, 49
Bayesian
 analysis, 49
 paradigm, 49
Beta
 distribution, 63, 66, 86
 prior, 67
Bias, 6, 35, 95
Binomial distribution, 117
Borrowing strength, 95

C

Complementary, 2
Composite
 estimator, 97
 loss function, 76
Composition, 51, 74, 95
Confidence interval, 1, 9
 admissible, 10
 proper, 9
Contaminant, 88
Convolution, 76
Coverage, 9
Criterion for estimation, 8
Critical
 rate, 98
 region, 11, 12, 27, 40, 112
 value, 11, 28, 39

D

Decision, 2, 28, 40, 52, 68, 80, 96, 112
Direct estimator, 95
Distribution, 10, 65
 F , 43
 χ^2 , 33
 t , 59, 84
 basis, 75
 beta, 63, 66, 86
 binomial, 117
 component, 76
 conditional, 49, 80, 97
 conjugate, 51, 71
 continuous, 74
 discrete, 91

Distribution (*cont.*)

- function, 18
- gamma, 40, 87
- joint, 49
- mixing, 74
- mixture, 91
- multinomial, 74
- normal, 17
- poisson, 70
- posterior, 49, 71
- prior, 49, 65, 114
- sampling, 33
- symmetric, 74

Domain, 95

Dropout, 112

E

Elicitation, 8, 21, 51, 66, 92, 114

EM algorithm, 75

Equilibrium, 28, 41, 52, 67, 100

condition, 100

function, 53, 67, 113

line, 113

prior, 52, 67, 113

threshold, 67

Equivocal, 61, 68, 91

Estimate, 1, 6, 18, 75, 99

Estimation, 6, 17, 33

direct, 95

error, 6, 17, 96

maximum likelihood, 75

small-area, 119

Estimator, 6, 33, 95

admissible, 8

composite, 97

direct, 95

efficient, 35

empirical Bayes, 97

naive, 35

unbiased, 35, 95

Exceptional unit, 88

Exclusive, 2

Expert, 52

F

False negative, 79

False positive, 79

Fisher scoring algorithm, 75

Frequentist, 4, 49, 65

G

Gamma

density, 40, 71

distribution, 40, 58, 71, 74, 87

inverse, 58

function

half, 33

Gray zone, 58, 68, 91

H

Hessian, 19

Hypothesis, 10, 112

null, 27, 112

rejection of, 1

test, 1, 10, 27, 39, 53, 65, 112

proper, 11

unbiased, 12

I

Impasse, 52, 56, 68, 112

Implicit function theorem, 82

Information

complete, 3

incomplete, 2, 58

prior, 49, 66, 92

K

Kernel

absolute, 73, 82

linear, 70

loss, 70

quadratic, 70

L

Likelihood ratio test, 11

LINEX loss, 24

Log scale, 21

Lognormal distribution, 25, 74

Loss

asymmetric, 17, 35, 96

constant, 24, 56, 66, 81, 114

expected, 7, 17, 36, 79, 111

posterior, 51, 66

function, 13, 35, 51, 81, 99, 112

plausible, 21, 53

linear, 23, 35, 55, 81, 113

LINEX, 24

quadratic, 17, 35, 53, 81, 113

M

Marker, 79
 Maximum likelihood estimation, 75
 Mean absolute error (MAE), 7
 Mean squared error (MSE), 6, 34, 96
 averaged (aMSE), 100
 Misclassification, 79
 Mixture, 74, 88, 91
 finite, 74, 91
 Model, 49, 70, 91
 empirical Bayes, 96
 mixed linear, 97
 parameter, 49
 regression, 97
 selection, 14, 95
 Moment matching, 96

N

Newton method, 23, 67
 Newton-Raphson algorithm, 19, 38, 56, 76, 81
 Neyman-Pearson lemma, 11
 Normal distribution, 1, 14, 17, 33, 50, 65, 80,
 97, 112

O

Odds ratio (penalised), 82
 Ordinary unit, 88

P

Parameter, 13, 30, 40, 49, 66, 86, 116
 prior, 52, 66, 116
 space, 49
 Parametrisation, 67
 Penalty ratio, 17, 35, 56, 67, 89, 102, 114
 Plausible
 decision, 52
 equilibrium, 73
 loss function, 15, 21, 53
 penalty ratio, 103
 prior, 52, 68, 113
 range, 21, 68, 89, 114
 rectangle, 73
 scenario, 5
 set, 68
 value, 8, 19, 50, 67, 89
 Poisson distribution, 70
 Population, 4, 99
 mean, 4, 107
 quantity, 5, 49, 97
 size, 98
 summary, 4

Posterior

 density, 50, 66
 distribution, 49, 71
 expectation, 97
 expected loss, 66
 Power (of a test), 11, 40, 112, 118
 Prior, 112
 conjugate, 51, 71
 data, 51, 65
 density, 50, 66
 distribution, 49, 65
 equilibrium, 52, 67, 113
 estimator, 51
 information, 49, 66, 92
 non-informative, 52
 plausible, 52, 68, 113
 variance, 97
 Priority, 39, 66

R

Rejection (of hypothesis), 1
 Replication, 5, 98, 117
 Root-MSE, 8, 35

S

Sample, 4, 26, 49, 65, 111
 contrast, 113
 mean, 4, 17, 33, 51, 97
 normal, 14, 53, 112
 proportion, 65
 quantity, 5, 40
 random, 6, 17, 33, 65, 97
 realised, 6
 size, 21, 35, 67, 71, 95, 111
 summary, 4
 Score, 19
 Sensitivity, 80
 analysis, 5
 Shrinkage, 97
 Sign
 function, 101
 of the error, 6, 24
 Significance, 1
 Simulation, 5
 Small-area estimation, 119
 Specificity, 80
 Statement, 1
 realised, 5
 replicate, 5
 Subdomain, 95
 Subsample, 95

Sufficient

- evidence, [12](#)
- information, [111](#)
- statistic, [51](#), [71](#)

Support, [4](#), [74](#)

T

Target, [5](#), [17](#), [41](#), [49](#), [74](#), [98](#)

Taylor expansion, [20](#)

Test

- size, [1](#)
- statistic, [10](#)

Threshold, [14](#), [52](#), [67](#), [79](#), [102](#)

U

Unbiased, [17](#), [33](#), [53](#), [95](#)

Uncertainty, [2](#), [21](#), [40](#), [50](#), [65](#), [91](#), [106](#), [111](#)

Unequivocal, [52](#), [111](#)

decision, [55](#), [113](#)

Utility, [39](#)

V

Variable, [4](#)

Variance, [14](#), [17](#), [33](#), [53](#), [66](#), [82](#), [112](#)

district-level, [96](#)

estimated, [62](#)

estimation, [33](#)

posterior, [50](#)

prior, [51](#), [97](#)

sampling, [6](#), [17](#), [53](#), [65](#), [95](#)